

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/68848 A2

- (51) International Patent Classification⁷: **C12N 15/12**, 15/62, C07K 14/47, 14/705, 16/18, G01N 33/53, C12Q 1/68
60/000,000 15 September 2000 (15.09.2000) US
PCT/US00/30952
8 November 2000 (08.11.2000) US
PCT/US00/32678
1 December 2000 (01.12.2000) US
PCT/US00/34956
20 December 2000 (20.12.2000) US
- (21) International Application Number: PCT/US01/06520
- (22) International Filing Date: 28 February 2001 (28.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (71) Applicant (for all designated States except US): **GENENTECH, INC.** [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (30) Priority Data:
- | | | |
|----------------|-----------------------------|----|
| PCT/US00/05601 | 1 March 2000 (01.03.2000) | US |
| PCT/US00/05841 | 2 March 2000 (02.03.2000) | US |
| 60/187,202 | 3 March 2000 (03.03.2000) | US |
| 60/186,968 | 6 March 2000 (06.03.2000) | US |
| 60/189,328 | 14 March 2000 (14.03.2000) | US |
| 60/189,320 | 14 March 2000 (14.03.2000) | US |
| PCT/US00/06884 | 15 March 2000 (15.03.2000) | US |
| 60/191,048 | 21 March 2000 (21.03.2000) | US |
| 60/190,828 | 21 March 2000 (21.03.2000) | US |
| 60/191,314 | 21 March 2000 (21.03.2000) | US |
| 60/191,007 | 21 March 2000 (21.03.2000) | US |
| 60/192,655 | 28 March 2000 (28.03.2000) | US |
| 60/193,032 | 29 March 2000 (29.03.2000) | US |
| 60/193,053 | 29 March 2000 (29.03.2000) | US |
| PCT/US00/08439 | 30 March 2000 (30.03.2000) | US |
| 60/194,647 | 4 April 2000 (04.04.2000) | US |
| 60/194,449 | 4 April 2000 (04.04.2000) | US |
| 60/196,820 | 11 April 2000 (11.04.2000) | US |
| 60/195,975 | 11 April 2000 (11.04.2000) | US |
| 60/196,000 | 11 April 2000 (11.04.2000) | US |
| 60/196,187 | 11 April 2000 (11.04.2000) | US |
| 60/196,690 | 11 April 2000 (11.04.2000) | US |
| 60/198,121 | 18 April 2000 (18.04.2000) | US |
| 60/198,585 | 18 April 2000 (18.04.2000) | US |
| 60/199,654 | 25 April 2000 (25.04.2000) | US |
| 60/199,397 | 25 April 2000 (25.04.2000) | US |
| 60/199,550 | 25 April 2000 (25.04.2000) | US |
| 60/201,516 | 3 May 2000 (03.05.2000) | US |
| PCT/US00/13705 | 17 May 2000 (17.05.2000) | US |
| PCT/US00/14042 | 22 May 2000 (22.05.2000) | US |
| PCT/US00/14941 | 30 May 2000 (30.05.2000) | US |
| PCT/US00/15264 | 2 June 2000 (02.06.2000) | US |
| 60/209,832 | 5 June 2000 (05.06.2000) | US |
| PCT/US00/20710 | 28 July 2000 (28.07.2000) | US |
| 09/644,848 | 22 August 2000 (22.08.2000) | US |
| PCT/US00/23328 | 24 August 2000 (24.08.2000) | US |
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **BAKER, Kevin**, P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). **CHEN, Jian** [CN/US]; 121 York Drive, Princeton, NJ 08540 (US). **DESNOYERS, Luc** [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). **GODDARD, Audrey** [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). **GODOWSKI, Paul, J.** [US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US). **GURNEY, Austin, L.** [US/US]; 1 Debbie Lane, Belmont, CA 94002 (US). **PAN, James** [CA/US]; 2705 Coronet Boulevard, Belmont, CA 94002 (US). **SMITH, Victoria** [AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US). **WATANABE, Colin, K.** [US/US]; 128 Corliss Drive, Moraga, CA 94556 (US). **WOOD, William, I.** [US/US]; 35 Southdown Court, Hillsborough, CA 94010 (US). **ZHANG, Zemin** [CN/US]; 876 Taurus Drive, Foster City, CA 94404 (US).
- (74) Agents: **BARNES, Elizabeth, M.** et al.; c/o Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.



WO 01/68848 A2

A03



Published:

- without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

FIELD OF THE INVENTION

The present invention relates generally to the identification and isolation of novel DNA and to the recombinant production of novel polypeptides.

BACKGROUND OF THE INVENTION

Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of action in the extracellular environment.

Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., *Proc. Natl. Acad. Sci.* 93:7108-7113 (1996); U.S. Patent No. 5,536,637].

Membrane-bound proteins and receptors can play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesion molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and

nerve growth factor receptor.

Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

5 Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

SUMMARY OF THE INVENTION

10 In one embodiment, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a PRO polypeptide.

15 In one aspect, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule encoding a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

20 In other aspects, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94%

nucleic acid sequence identity, alternatively at least about 95 % nucleic acid sequence identity, alternatively at least about 96 % nucleic acid sequence identity, alternatively at least about 97 % nucleic acid sequence identity, alternatively at least about 98 % nucleic acid sequence identity and alternatively at least about 99 % nucleic acid sequence identity to (a) a DNA molecule comprising the coding sequence of a full-length PRO polypeptide cDNA as disclosed herein, the coding sequence of a PRO polypeptide lacking the signal peptide as disclosed herein, the coding sequence of an extracellular domain of a transmembrane PRO polypeptide, with or without the signal peptide, as disclosed herein or the coding sequence of any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

In a further aspect, the invention concerns an isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80 % nucleic acid sequence identity, alternatively at least about 81 % nucleic acid sequence identity, alternatively at least about 82 % nucleic acid sequence identity, alternatively at least about 83 % nucleic acid sequence identity, alternatively at least about 84 % nucleic acid sequence identity, alternatively at least about 85 % nucleic acid sequence identity, alternatively at least about 86 % nucleic acid sequence identity, alternatively at least about 87 % nucleic acid sequence identity, alternatively at least about 88 % nucleic acid sequence identity, alternatively at least about 89 % nucleic acid sequence identity, alternatively at least about 90 % nucleic acid sequence identity, alternatively at least about 91 % nucleic acid sequence identity, alternatively at least about 92 % nucleic acid sequence identity, alternatively at least about 93 % nucleic acid sequence identity, alternatively at least about 94 % nucleic acid sequence identity, alternatively at least about 95 % nucleic acid sequence identity, alternatively at least about 96 % nucleic acid sequence identity, alternatively at least about 97 % nucleic acid sequence identity, alternatively at least about 98 % nucleic acid sequence identity and alternatively at least about 99 % nucleic acid sequence identity to (a) a DNA molecule that encodes the same mature polypeptide encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein, or (b) the complement of the DNA molecule of (a).

Another aspect the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding a PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated, or is complementary to such encoding nucleotide sequence, wherein the transmembrane domain(s) of such polypeptide are disclosed herein. Therefore, soluble extracellular domains of the herein described PRO polypeptides are contemplated.

Another embodiment is directed to fragments of a PRO polypeptide coding sequence, or the complement thereof, that may find use as, for example, hybridization probes, for encoding fragments of a PRO polypeptide that may optionally encode a polypeptide comprising a binding site for an anti-PRO antibody or as antisense oligonucleotide probes. Such nucleic acid fragments are usually at least about 10 nucleotides in length, alternatively at least about 15 nucleotides in length, alternatively at least about 20 nucleotides in length, alternatively at least about 30 nucleotides in length, alternatively at least about 40 nucleotides in length, alternatively at least about 50 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 70 nucleotides in length, alternatively at least about 80 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 100 nucleotides in length, alternatively at least about 110 nucleotides in length, alternatively at least about 120 nucleotides in length,

alternatively at least about 130 nucleotides in length, alternatively at least about 140 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 160 nucleotides in length, alternatively at least about 170 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 190 nucleotides in length, alternatively at least about 200 nucleotides in length, alternatively at least about 250 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 350 nucleotides in length, alternatively at least about 400 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 500 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 700 nucleotides in length, alternatively at least about 800 nucleotides in length, alternatively at least about 900 nucleotides in length and alternatively at least about 1000 nucleotides in length, wherein in this context the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. It is noted that novel fragments of a PRO polypeptide-encoding nucleotide sequence may be determined in a routine manner by aligning the PRO polypeptide-encoding nucleotide sequence with other known nucleotide sequences using any of a number of well known sequence alignment programs and determining which PRO polypeptide-encoding nucleotide sequence fragment(s) are novel. All of such PRO polypeptide-encoding nucleotide sequences are contemplated herein. Also contemplated are the PRO polypeptide fragments encoded by these nucleotide molecule fragments, preferably those PRO polypeptide fragments that comprise a binding site for an anti-PRO antibody.

In another embodiment, the invention provides isolated PRO polypeptide encoded by any of the isolated nucleic acid sequences hereinabove identified.

In a certain aspect, the invention concerns an isolated PRO polypeptide, comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein.

In a further aspect, the invention concerns an isolated PRO polypeptide comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83%

amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to an amino acid sequence encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein.

In a specific aspect, the invention provides an isolated PRO polypeptide without the N-terminal signal sequence and/or the initiating methionine and is encoded by a nucleotide sequence that encodes such an amino acid sequence as hereinbefore described. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

Another aspect the invention provides an isolated PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

In yet another embodiment, the invention concerns agonists and antagonists of a native PRO polypeptide as defined herein. In a particular embodiment, the agonist or antagonist is an anti-PRO antibody or a small molecule.

In a further embodiment, the invention concerns a method of identifying agonists or antagonists to a PRO polypeptide which comprise contacting the PRO polypeptide with a candidate molecule and monitoring a biological activity mediated by said PRO polypeptide. Preferably, the PRO polypeptide is a native PRO polypeptide.

In a still further embodiment, the invention concerns a composition of matter comprising a PRO polypeptide, or an agonist or antagonist of a PRO polypeptide as herein described, or an anti-PRO antibody, in combination with a carrier. Optionally, the carrier is a pharmaceutically acceptable carrier.

Another embodiment of the present invention is directed to the use of a PRO polypeptide, or an agonist or antagonist thereof as hereinbefore described, or an anti-PRO antibody, for the preparation of a medicament useful in the treatment of a condition which is responsive to the PRO polypeptide, an agonist or antagonist thereof or an anti-PRO antibody.

In other embodiments of the present invention, the invention provides vectors comprising DNA encoding any of the herein described polypeptides. Host cell comprising any such vector are also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing any of the herein described

polypeptides is further provided and comprises culturing host cells under conditions suitable for expression of the desired polypeptide and recovering the desired polypeptide from the cell culture.

In other embodiments, the invention provides chimeric molecules comprising any of the herein described polypeptides fused to a heterologous polypeptide or amino acid sequence. Example of such chimeric molecules comprise any of the herein described polypeptides fused to an epitope tag sequence or a Fc region of an immunoglobulin.

In another embodiment, the invention provides an antibody which binds, preferably specifically, to any of the above or below described polypeptides. Optionally, the antibody is a monoclonal antibody, humanized antibody, antibody fragment or single-chain antibody.

In yet other embodiments, the invention provides oligonucleotide probes which may be useful for isolating genomic and cDNA nucleotide sequences, measuring or detecting expression of an associated gene or as antisense probes, wherein those probes may be derived from any of the above or below described nucleotide sequences. Preferred probe lengths are described above.

In yet other embodiments, the present invention is directed to methods of using the PRO polypeptides of the present invention for a variety of uses based upon the functional biological assay data presented in the Examples below.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a nucleotide sequence (SEQ ID NO:1) of a native sequence PRO276 cDNA, wherein SEQ ID NO:1 is a clone designated herein as "DNA16435-1208".

Figure 2 shows the amino acid sequence (SEQ ID NO:2) derived from the coding sequence of SEQ ID NO:1 shown in Figure 1.

Figure 3 shows a nucleotide sequence (SEQ ID NO:3) of a native sequence PRO284 cDNA, wherein SEQ ID NO:3 is a clone designated herein as "DNA23318-1211".

Figure 4 shows the amino acid sequence (SEQ ID NO:4) derived from the coding sequence of SEQ ID NO:3 shown in Figure 3.

Figure 5 shows a nucleotide sequence (SEQ ID NO:5) of a native sequence PRO193 cDNA, wherein SEQ ID NO:5 is a clone designated herein as "DNA23322-1393".

Figure 6 shows the amino acid sequence (SEQ ID NO:6) derived from the coding sequence of SEQ ID NO:5 shown in Figure 5.

Figure 7 shows a nucleotide sequence (SEQ ID NO:7) of a native sequence PRO190 cDNA, wherein SEQ ID NO:7 is a clone designated herein as "DNA23334-1392".

Figure 8 shows the amino acid sequence (SEQ ID NO:8) derived from the coding sequence of SEQ ID NO:7 shown in Figure 7.

Figure 9 shows a nucleotide sequence (SEQ ID NO:9) of a native sequence PRO180 cDNA, wherein SEQ ID NO:9 is a clone designated herein as "DNA26843-1389".

Figure 10 shows the amino acid sequence (SEQ ID NO:10) derived from the coding sequence of SEQ ID NO:9 shown in Figure 9.

Figure 11 shows a nucleotide sequence (SEQ ID NO:11) of a native sequence PRO194 cDNA, wherein SEQ ID NO:11 is a clone designated herein as "DNA26844-1394".

Figure 12 shows the amino acid sequence (SEQ ID NO:12) derived from the coding sequence of SEQ ID NO:11 shown in Figure 11.

Figure 13 shows a nucleotide sequence (SEQ ID NO:13) of a native sequence PRO218 cDNA, wherein
5 SEQ ID NO:13 is a clone designated herein as "DNA30867-1335".

Figure 14 shows the amino acid sequence (SEQ ID NO:14) derived from the coding sequence of SEQ ID NO:13 shown in Figure 13.

Figure 15 shows a nucleotide sequence (SEQ ID NO:15) of a native sequence PRO260 cDNA, wherein
10 SEQ ID NO:15 is a clone designated herein as "DNA33470-1175".

Figure 16 shows the amino acid sequence (SEQ ID NO:16) derived from the coding sequence of SEQ ID NO:15 shown in Figure 15.

Figure 17 shows a nucleotide sequence (SEQ ID NO:17) of a native sequence PRO233 cDNA, wherein
SEQ ID NO:17 is a clone designated herein as "DNA34436-1238".

Figure 18 shows the amino acid sequence (SEQ ID NO:18) derived from the coding sequence of SEQ
15 ID NO:17 shown in Figure 17.

Figure 19 shows a nucleotide sequence (SEQ ID NO:19) of a native sequence PRO234 cDNA, wherein
SEQ ID NO:19 is a clone designated herein as "DNA35557-1137".

Figure 20 shows the amino acid sequence (SEQ ID NO:20) derived from the coding sequence of SEQ
ID NO:19 shown in Figure 19.

Figure 21 shows a nucleotide sequence (SEQ ID NO:21) of a native sequence PRO236 cDNA, wherein
20 SEQ ID NO:21 is a clone designated herein as "DNA35599-1168".

Figure 22 shows the amino acid sequence (SEQ ID NO:22) derived from the coding sequence of SEQ
ID NO:21 shown in Figure 21.

Figure 23 shows a nucleotide sequence (SEQ ID NO:23) of a native sequence PRO244 cDNA, wherein
25 SEQ ID NO:23 is a clone designated herein as "DNA35668-1171".

Figure 24 shows the amino acid sequence (SEQ ID NO:24) derived from the coding sequence of SEQ
ID NO:23 shown in Figure 23.

Figure 25 shows a nucleotide sequence (SEQ ID NO:25) of a native sequence PRO262 cDNA, wherein
SEQ ID NO:25 is a clone designated herein as "DNA36992-1168".

Figure 26 shows the amino acid sequence (SEQ ID NO:26) derived from the coding sequence of SEQ
30 ID NO:25 shown in Figure 25.

Figure 27 shows a nucleotide sequence (SEQ ID NO:27) of a native sequence PRO271 cDNA, wherein
SEQ ID NO:27 is a clone designated herein as "DNA39423-1182".

Figure 28 shows the amino acid sequence (SEQ ID NO:28) derived from the coding sequence of SEQ
35 ID NO:27 shown in Figure 27.

Figure 29 shows a nucleotide sequence (SEQ ID NO:29) of a native sequence PRO268 cDNA, wherein
SEQ ID NO:29 is a clone designated herein as "DNA39427-1179".

Figure 30 shows the amino acid sequence (SEQ ID NO:30) derived from the coding sequence of SEQ ID NO:29 shown in Figure 29.

Figure 31 shows a nucleotide sequence (SEQ ID NO:31) of a native sequence PRO270 cDNA, wherein SEQ ID NO:31 is a clone designated herein as "DNA39510-1181".

5 Figure 32 shows the amino acid sequence (SEQ ID NO:32) derived from the coding sequence of SEQ ID NO:31 shown in Figure 31.

Figure 33 shows a nucleotide sequence (SEQ ID NO:33) of a native sequence PRO355 cDNA, wherein SEQ ID NO:33 is a clone designated herein as "DNA39518-1247".

Figure 34 shows the amino acid sequence (SEQ ID NO:34) derived from the coding sequence of SEQ ID NO:33 shown in Figure 33.

10 Figure 35 shows a nucleotide sequence (SEQ ID NO:35) of a native sequence PRO298 cDNA, wherein SEQ ID NO:35 is a clone designated herein as "DNA39975-1210".

Figure 36 shows the amino acid sequence (SEQ ID NO:36) derived from the coding sequence of SEQ ID NO:35 shown in Figure 35.

15 Figure 37 shows a nucleotide sequence (SEQ ID NO:37) of a native sequence PRO299 cDNA, wherein SEQ ID NO:37 is a clone designated herein as "DNA39976-1215".

Figure 38 shows the amino acid sequence (SEQ ID NO:38) derived from the coding sequence of SEQ ID NO:37 shown in Figure 37.

Figure 39 shows a nucleotide sequence (SEQ ID NO:39) of a native sequence PRO296 cDNA, wherein SEQ ID NO:39 is a clone designated herein as "DNA39979-1213".

20 Figure 40 shows the amino acid sequence (SEQ ID NO:40) derived from the coding sequence of SEQ ID NO:39 shown in Figure 39.

Figure 41 shows a nucleotide sequence (SEQ ID NO:41) of a native sequence PRO329 cDNA, wherein SEQ ID NO:41 is a clone designated herein as "DNA40594-1233".

25 Figure 42 shows the amino acid sequence (SEQ ID NO:42) derived from the coding sequence of SEQ ID NO:41 shown in Figure 41.

Figure 43 shows a nucleotide sequence (SEQ ID NO:43) of a native sequence PRO330 cDNA, wherein SEQ ID NO:43 is a clone designated herein as "DNA40603-1232".

Figure 44 shows the amino acid sequence (SEQ ID NO:44) derived from the coding sequence of SEQ ID NO:43 shown in Figure 43.

30 Figure 45 shows a nucleotide sequence (SEQ ID NO:45) of a native sequence PRO294 cDNA, wherein SEQ ID NO:45 is a clone designated herein as "DNA40604-1187".

Figure 46 shows the amino acid sequence (SEQ ID NO:46) derived from the coding sequence of SEQ ID NO:45 shown in Figure 45.

35 Figure 47 shows a nucleotide sequence (SEQ ID NO:47) of a native sequence PRO300 cDNA, wherein SEQ ID NO:47 is a clone designated herein as "DNA40625-1189".

Figure 48 shows the amino acid sequence (SEQ ID NO:48) derived from the coding sequence of SEQ ID NO:47 shown in Figure 47.

Figure 49 shows a nucleotide sequence (SEQ ID NO:49) of a native sequence PRO307 cDNA, wherein SEQ ID NO:49 is a clone designated herein as "DNA41225-1217".

Figure 50 shows the amino acid sequence (SEQ ID NO:50) derived from the coding sequence of SEQ ID NO:49 shown in Figure 49.

Figure 51 shows a nucleotide sequence (SEQ ID NO:51) of a native sequence PRO334 cDNA, wherein
5 SEQ ID NO:51 is a clone designated herein as "DNA41379-1236".

Figure 52 shows the amino acid sequence (SEQ ID NO:52) derived from the coding sequence of SEQ ID NO:51 shown in Figure 51.

Figure 53 shows a nucleotide sequence (SEQ ID NO:53) of a native sequence PRO352 cDNA, wherein
10 SEQ ID NO:53 is a clone designated herein as "DNA41386-1316".

Figure 54 shows the amino acid sequence (SEQ ID NO:54) derived from the coding sequence of SEQ ID NO:53 shown in Figure 53.

Figure 55 shows a nucleotide sequence (SEQ ID NO:55) of a native sequence PRO710 cDNA, wherein
15 SEQ ID NO:55 is a clone designated herein as "DNA44161-1434".

Figure 56 shows the amino acid sequence (SEQ ID NO:56) derived from the coding sequence of SEQ ID NO:55 shown in Figure 55.

Figure 57 shows a nucleotide sequence (SEQ ID NO:57) of a native sequence PRO873 cDNA, wherein
20 SEQ ID NO:57 is a clone designated herein as "DNA44179-1362".

Figure 58 shows the amino acid sequence (SEQ ID NO:58) derived from the coding sequence of SEQ ID NO:57 shown in Figure 57.

Figure 59 shows a nucleotide sequence (SEQ ID NO:59) of a native sequence PRO354 cDNA, wherein
25 SEQ ID NO:59 is a clone designated herein as "DNA44192-1246".

Figure 60 shows the amino acid sequence (SEQ ID NO:60) derived from the coding sequence of SEQ ID NO:59 shown in Figure 59.

Figure 61 shows a nucleotide sequence (SEQ ID NO:61) of a native sequence PRO1151 cDNA, wherein
30 SEQ ID NO:61 is a clone designated herein as "DNA44694-1500".

Figure 62 shows the amino acid sequence (SEQ ID NO:62) derived from the coding sequence of SEQ ID NO:61 shown in Figure 61.

Figure 63 shows a nucleotide sequence (SEQ ID NO:63) of a native sequence PRO382 cDNA, wherein
35 SEQ ID NO:63 is a clone designated herein as "DNA45234-1277".

Figure 64 shows the amino acid sequence (SEQ ID NO:64) derived from the coding sequence of SEQ ID NO:63 shown in Figure 63.

Figure 65 shows a nucleotide sequence (SEQ ID NO:65) of a native sequence PRO1864 cDNA, wherein
SEQ ID NO:65 is a clone designated herein as "DNA45409-2511".

Figure 66 shows the amino acid sequence (SEQ ID NO:66) derived from the coding sequence of SEQ ID NO:65 shown in Figure 65.

Figure 67 shows a nucleotide sequence (SEQ ID NO:67) of a native sequence PRO386 cDNA, wherein
SEQ ID NO:67 is a clone designated herein as "DNA45415-1318".

Figure 68 shows the amino acid sequence (SEQ ID NO:68) derived from the coding sequence of SEQ ID NO:67 shown in Figure 67.

Figure 69 shows a nucleotide sequence (SEQ ID NO:69) of a native sequence PRO541 cDNA, wherein SEQ ID NO:69 is a clone designated herein as "DNA45417-1432".

5 Figure 70 shows the amino acid sequence (SEQ ID NO:70) derived from the coding sequence of SEQ ID NO:69 shown in Figure 69.

Figure 71 shows a nucleotide sequence (SEQ ID NO:71) of a native sequence PRO852 cDNA, wherein SEQ ID NO:71 is a clone designated herein as "DNA45493-1349".

Figure 72 shows the amino acid sequence (SEQ ID NO:72) derived from the coding sequence of SEQ ID NO:71 shown in Figure 71.

10 Figure 73 shows a nucleotide sequence (SEQ ID NO:73) of a native sequence PRO700 cDNA, wherein SEQ ID NO:73 is a clone designated herein as "DNA46776-1284".

Figure 74 shows the amino acid sequence (SEQ ID NO:74) derived from the coding sequence of SEQ ID NO:73 shown in Figure 73.

15 Figures 75A-75B show a nucleotide sequence (SEQ ID NO:75) of a native sequence PRO708 cDNA, wherein SEQ ID NO:75 is a clone designated herein as "DNA48296-1292".

Figure 76 shows the amino acid sequence (SEQ ID NO:76) derived from the coding sequence of SEQ ID NO:75 shown in Figures 75A-75B.

Figure 77 shows a nucleotide sequence (SEQ ID NO:77) of a native sequence PRO707 cDNA, wherein SEQ ID NO:77 is a clone designated herein as "DNA48306-1291".

20 Figure 78 shows the amino acid sequence (SEQ ID NO:78) derived from the coding sequence of SEQ ID NO:77 shown in Figure 77.

Figure 79 shows a nucleotide sequence (SEQ ID NO:79) of a native sequence PRO864 cDNA, wherein SEQ ID NO:79 is a clone designated herein as "DNA48328-1355".

25 Figure 80 shows the amino acid sequence (SEQ ID NO:80) derived from the coding sequence of SEQ ID NO:79 shown in Figure 79.

Figure 81 shows a nucleotide sequence (SEQ ID NO:81) of a native sequence PRO706 cDNA, wherein SEQ ID NO:81 is a clone designated herein as "DNA48329-1290".

Figure 82 shows the amino acid sequence (SEQ ID NO:82) derived from the coding sequence of SEQ ID NO:81 shown in Figure 81.

30 Figure 83 shows a nucleotide sequence (SEQ ID NO:83) of a native sequence PRO732 cDNA, wherein SEQ ID NO:83 is a clone designated herein as "DNA48334-1435".

Figure 84 shows the amino acid sequence (SEQ ID NO:84) derived from the coding sequence of SEQ ID NO:83 shown in Figure 83.

35 Figure 85 shows a nucleotide sequence (SEQ ID NO:85) of a native sequence PRO537 cDNA, wherein SEQ ID NO:85 is a clone designated herein as "DNA49141-1431".

Figure 86 shows the amino acid sequence (SEQ ID NO:86) derived from the coding sequence of SEQ ID NO:85 shown in Figure 85.

Figure 87 shows a nucleotide sequence (SEQ ID NO:87) of a native sequence PRO545 cDNA, wherein SEQ ID NO:87 is a clone designated herein as "DNA49624-1279".

Figure 88 shows the amino acid sequence (SEQ ID NO:88) derived from the coding sequence of SEQ ID NO:87 shown in Figure 87.

Figure 89 shows a nucleotide sequence (SEQ ID NO:89) of a native sequence PRO718 cDNA, wherein
5 SEQ ID NO:89 is a clone designated herein as "DNA49647-1398".

Figure 90 shows the amino acid sequence (SEQ ID NO:90) derived from the coding sequence of SEQ ID NO:89 shown in Figure 89.

Figure 91 shows a nucleotide sequence (SEQ ID NO:91) of a native sequence PRO872 cDNA, wherein SEQ ID NO:91 is a clone designated herein as "DNA49819-1439".

Figure 92 shows the amino acid sequence (SEQ ID NO:92) derived from the coding sequence of SEQ
10 ID NO:91 shown in Figure 91.

Figure 93 shows a nucleotide sequence (SEQ ID NO:93) of a native sequence PRO704 cDNA, wherein SEQ ID NO:93 is a clone designated herein as "DNA50911-1288".

Figure 94 shows the amino acid sequence (SEQ ID NO:94) derived from the coding sequence of SEQ
15 ID NO:93 shown in Figure 93.

Figure 95 shows a nucleotide sequence (SEQ ID NO:95) of a native sequence PRO705 cDNA, wherein SEQ ID NO:95 is a clone designated herein as "DNA50914-1289".

Figure 96 shows the amino acid sequence (SEQ ID NO:96) derived from the coding sequence of SEQ ID NO:95 shown in Figure 95.

Figure 97 shows a nucleotide sequence (SEQ ID NO:97) of a native sequence PRO871 cDNA, wherein
20 SEQ ID NO:97 is a clone designated herein as "DNA50919-1361".

Figure 98 shows the amino acid sequence (SEQ ID NO:98) derived from the coding sequence of SEQ ID NO:97 shown in Figure 97.

Figure 99 shows a nucleotide sequence (SEQ ID NO:99) of a native sequence PRO702 cDNA, wherein
25 SEQ ID NO:99 is a clone designated herein as "DNA50980-1286".

Figure 100 shows the amino acid sequence (SEQ ID NO:100) derived from the coding sequence of SEQ ID NO:99 shown in Figure 99.

Figure 101 shows a nucleotide sequence (SEQ ID NO:101) of a native sequence PRO944 cDNA, wherein SEQ ID NO:101 is a clone designated herein as "DNA52185-1370".

Figure 102 shows the amino acid sequence (SEQ ID NO:102) derived from the coding sequence of SEQ
30 ID NO:101 shown in Figure 101.

Figure 103 shows a nucleotide sequence (SEQ ID NO:103) of a native sequence PRO739 cDNA, wherein SEQ ID NO:103 is a clone designated herein as "DNA52756".

Figure 104 shows the amino acid sequence (SEQ ID NO:104) derived from the coding sequence of SEQ
35 ID NO:103 shown in Figure 103.

Figure 105 shows a nucleotide sequence (SEQ ID NO:105) of a native sequence PRO941 cDNA, wherein SEQ ID NO:105 is a clone designated herein as "DNA53906-1368".

Figure 106 shows the amino acid sequence (SEQ ID NO:106) derived from the coding sequence of SEQ ID NO:105 shown in Figure 105.

Figure 107 shows a nucleotide sequence (SEQ ID NO:107) of a native sequence PRO1082 cDNA, wherein SEQ ID NO:107 is a clone designated herein as "DNA53912-1457".

5 Figure 108 shows the amino acid sequence (SEQ ID NO:108) derived from the coding sequence of SEQ ID NO:107 shown in Figure 107.

Figure 109 shows a nucleotide sequence (SEQ ID NO:109) of a native sequence PRO1133 cDNA, wherein SEQ ID NO:109 is a clone designated herein as "DNA53913-1490".

Figure 110 shows the amino acid sequence (SEQ ID NO:110) derived from the coding sequence of SEQ ID NO:109 shown in Figure 109.

10 Figure 111 shows a nucleotide sequence (SEQ ID NO:111) of a native sequence PRO983 cDNA, wherein SEQ ID NO:111 is a clone designated herein as "DNA53977-1371".

Figure 112 shows the amino acid sequence (SEQ ID NO:112) derived from the coding sequence of SEQ ID NO:111 shown in Figure 111.

15 Figure 113 shows a nucleotide sequence (SEQ ID NO:113) of a native sequence PRO784 cDNA, wherein SEQ ID NO:113 is a clone designated herein as "DNA53978-1443".

Figure 114 shows the amino acid sequence (SEQ ID NO:114) derived from the coding sequence of SEQ ID NO:113 shown in Figure 113.

Figure 115 shows a nucleotide sequence (SEQ ID NO:115) of a native sequence PRO783 cDNA, wherein SEQ ID NO:115 is a clone designated herein as "DNA53996-1442".

20 Figure 116 shows the amino acid sequence (SEQ ID NO:116) derived from the coding sequence of SEQ ID NO:115 shown in Figure 115.

Figure 117 shows a nucleotide sequence (SEQ ID NO:117) of a native sequence PRO940 cDNA, wherein SEQ ID NO:117 is a clone designated herein as "DNA54002-1367".

25 Figure 118 shows the amino acid sequence (SEQ ID NO:118) derived from the coding sequence of SEQ ID NO:117 shown in Figure 117.

Figure 119 shows a nucleotide sequence (SEQ ID NO:119) of a native sequence PRO768 cDNA, wherein SEQ ID NO:119 is a clone designated herein as "DNA55737-1345".

Figure 120 shows the amino acid sequence (SEQ ID NO:120) derived from the coding sequence of SEQ ID NO:119 shown in Figure 119.

30 Figure 121 shows a nucleotide sequence (SEQ ID NO:121) of a native sequence PRO1079 cDNA, wherein SEQ ID NO:121 is a clone designated herein as "DNA56050-1455".

Figure 122 shows the amino acid sequence (SEQ ID NO:122) derived from the coding sequence of SEQ ID NO:121 shown in Figure 121.

35 Figure 123 shows a nucleotide sequence (SEQ ID NO:123) of a native sequence PRO1078 cDNA, wherein SEQ ID NO:123 is a clone designated herein as "DNA56052-1454".

Figure 124 shows the amino acid sequence (SEQ ID NO:124) derived from the coding sequence of SEQ ID NO:123 shown in Figure 123.

Figure 125 shows a nucleotide sequence (SEQ ID NO:125) of a native sequence PRO1018 cDNA, wherein SEQ ID NO:125 is a clone designated herein as "DNA56107-1415".

Figure 126 shows the amino acid sequence (SEQ ID NO:126) derived from the coding sequence of SEQ ID NO:125 shown in Figure 125.

5 Figure 127 shows a nucleotide sequence (SEQ ID NO:127) of a native sequence PRO793 cDNA, wherein SEQ ID NO:127 is a clone designated herein as "DNA56110-1437".

Figure 128 shows the amino acid sequence (SEQ ID NO:128) derived from the coding sequence of SEQ ID NO:127 shown in Figure 127.

Figure 129 shows a nucleotide sequence (SEQ ID NO:129) of a native sequence PRO1773 cDNA, wherein SEQ ID NO:129 is a clone designated herein as "DNA56406-1704".

10 Figure 130 shows the amino acid sequence (SEQ ID NO:130) derived from the coding sequence of SEQ ID NO:129 shown in Figure 129.

Figure 131 shows a nucleotide sequence (SEQ ID NO:131) of a native sequence PRO1014 cDNA, wherein SEQ ID NO:131 is a clone designated herein as "DNA56409-1377".

15 Figure 132 shows the amino acid sequence (SEQ ID NO:132) derived from the coding sequence of SEQ ID NO:131 shown in Figure 131.

Figure 133 shows a nucleotide sequence (SEQ ID NO:133) of a native sequence PRO1013 cDNA, wherein SEQ ID NO:133 is a clone designated herein as "DNA56410-1414".

Figure 134 shows the amino acid sequence (SEQ ID NO:134) derived from the coding sequence of SEQ ID NO:133 shown in Figure 133.

20 Figure 135 shows a nucleotide sequence (SEQ ID NO:135) of a native sequence PRO937 cDNA, wherein SEQ ID NO:135 is a clone designated herein as "DNA56436-1448".

Figure 136 shows the amino acid sequence (SEQ ID NO:136) derived from the coding sequence of SEQ ID NO:135 shown in Figure 135.

25 Figure 137 shows a nucleotide sequence (SEQ ID NO:137) of a native sequence PRO1477 cDNA, wherein SEQ ID NO:137 is a clone designated herein as "DNA56529-1647".

Figure 138 shows the amino acid sequence (SEQ ID NO:138) derived from the coding sequence of SEQ ID NO:137 shown in Figure 137.

Figure 139 shows a nucleotide sequence (SEQ ID NO:139) of a native sequence PRO842 cDNA, wherein SEQ ID NO:139 is a clone designated herein as "DNA56855-1447".

30 Figure 140 shows the amino acid sequence (SEQ ID NO:140) derived from the coding sequence of SEQ ID NO:139 shown in Figure 139.

Figure 141 shows a nucleotide sequence (SEQ ID NO:141) of a native sequence PRO839 cDNA, wherein SEQ ID NO:141 is a clone designated herein as "DNA56859-1445".

35 Figure 142 shows the amino acid sequence (SEQ ID NO:142) derived from the coding sequence of SEQ ID NO:141 shown in Figure 141.

Figure 143 shows a nucleotide sequence (SEQ ID NO:143) of a native sequence PRO1180 cDNA, wherein SEQ ID NO:143 is a clone designated herein as "DNA56860-1510".

Figure 144 shows the amino acid sequence (SEQ ID NO:144) derived from the coding sequence of SEQ ID NO:143 shown in Figure 143.

Figure 145 shows a nucleotide sequence (SEQ ID NO:145) of a native sequence PRO1134 cDNA, wherein SEQ ID NO:145 is a clone designated herein as "DNA56865-1491".

Figure 146 shows the amino acid sequence (SEQ ID NO:146) derived from the coding sequence of SEQ ID NO:145 shown in Figure 145.

Figure 147 shows a nucleotide sequence (SEQ ID NO:147) of a native sequence PRO1115 cDNA, wherein SEQ ID NO:147 is a clone designated herein as "DNA56868-1478".

Figure 148 shows the amino acid sequence (SEQ ID NO:148) derived from the coding sequence of SEQ ID NO:147 shown in Figure 147.

Figure 149 shows a nucleotide sequence (SEQ ID NO:149) of a native sequence PRO1277 cDNA, wherein SEQ ID NO:149 is a clone designated herein as "DNA56869-1545".

Figure 150 shows the amino acid sequence (SEQ ID NO:150) derived from the coding sequence of SEQ ID NO:149 shown in Figure 149.

Figure 151 shows a nucleotide sequence (SEQ ID NO:151) of a native sequence PRO1135 cDNA, wherein SEQ ID NO:151 is a clone designated herein as "DNA56870-1492".

Figure 152 shows the amino acid sequence (SEQ ID NO:152) derived from the coding sequence of SEQ ID NO:151 shown in Figure 151.

Figure 153 shows a nucleotide sequence (SEQ ID NO:153) of a native sequence PRO827 cDNA, wherein SEQ ID NO:153 is a clone designated herein as "DNA57039-1402".

Figure 154 shows the amino acid sequence (SEQ ID NO:154) derived from the coding sequence of SEQ ID NO:153 shown in Figure 153.

Figure 155 shows a nucleotide sequence (SEQ ID NO:155) of a native sequence PRO1057 cDNA, wherein SEQ ID NO:155 is a clone designated herein as "DNA57253-1382".

Figure 156 shows the amino acid sequence (SEQ ID NO:156) derived from the coding sequence of SEQ ID NO:155 shown in Figure 155.

Figure 157 shows a nucleotide sequence (SEQ ID NO:157) of a native sequence PRO1113 cDNA, wherein SEQ ID NO:157 is a clone designated herein as "DNA57254-1477".

Figure 158 shows the amino acid sequence (SEQ ID NO:158) derived from the coding sequence of SEQ ID NO:157 shown in Figure 157.

Figure 159 shows a nucleotide sequence (SEQ ID NO:159) of a native sequence PRO1006 cDNA, wherein SEQ ID NO:159 is a clone designated herein as "DNA57699-1412".

Figure 160 shows the amino acid sequence (SEQ ID NO:160) derived from the coding sequence of SEQ ID NO:159 shown in Figure 159.

Figure 161 shows a nucleotide sequence (SEQ ID NO:161) of a native sequence PRO1074 cDNA, wherein SEQ ID NO:161 is a clone designated herein as "DNA57704-1452".

Figure 162 shows the amino acid sequence (SEQ ID NO:162) derived from the coding sequence of SEQ ID NO:161 shown in Figure 161.

Figure 163 shows a nucleotide sequence (SEQ ID NO:163) of a native sequence PRO1073 cDNA, wherein SEQ ID NO:163 is a clone designated herein as "DNA57710-1451".

Figure 164 shows the amino acid sequence (SEQ ID NO:164) derived from the coding sequence of SEQ ID NO:163 shown in Figure 163.

5 Figure 165 shows a nucleotide sequence (SEQ ID NO:165) of a native sequence PRO1136 cDNA, wherein SEQ ID NO:165 is a clone designated herein as "DNA57827-1493".

Figure 166 shows the amino acid sequence (SEQ ID NO:166) derived from the coding sequence of SEQ ID NO:165 shown in Figure 165.

Figure 167 shows a nucleotide sequence (SEQ ID NO:167) of a native sequence PRO1004 cDNA, wherein SEQ ID NO:167 is a clone designated herein as "DNA57844-1410".

10 Figure 168 shows the amino acid sequence (SEQ ID NO:168) derived from the coding sequence of SEQ ID NO:167 shown in Figure 167.

Figure 169 shows a nucleotide sequence (SEQ ID NO:169) of a native sequence PRO1344 cDNA, wherein SEQ ID NO:169 is a clone designated herein as "DNA58723-1588".

15 Figure 170 shows the amino acid sequence (SEQ ID NO:170) derived from the coding sequence of SEQ ID NO:169 shown in Figure 169.

Figure 171 shows a nucleotide sequence (SEQ ID NO:171) of a native sequence PRO1110 cDNA, wherein SEQ ID NO:171 is a clone designated herein as "DNA58727-1474".

Figure 172 shows the amino acid sequence (SEQ ID NO:172) derived from the coding sequence of SEQ ID NO:171 shown in Figure 171.

20 Figure 173 shows a nucleotide sequence (SEQ ID NO:173) of a native sequence PRO1378 cDNA, wherein SEQ ID NO:173 is a clone designated herein as "DNA58730-1607".

Figure 174 shows the amino acid sequence (SEQ ID NO:174) derived from the coding sequence of SEQ ID NO:173 shown in Figure 173.

25 Figure 175 shows a nucleotide sequence (SEQ ID NO:175) of a native sequence PRO1481 cDNA, wherein SEQ ID NO:175 is a clone designated herein as "DNA58732-1650".

Figure 176 shows the amino acid sequence (SEQ ID NO:176) derived from the coding sequence of SEQ ID NO:175 shown in Figure 175.

Figure 177 shows a nucleotide sequence (SEQ ID NO:177) of a native sequence PRO1109 cDNA, wherein SEQ ID NO:177 is a clone designated herein as "DNA58737-1473".

30 Figure 178 shows the amino acid sequence (SEQ ID NO:178) derived from the coding sequence of SEQ ID NO:177 shown in Figure 177.

Figure 179 shows a nucleotide sequence (SEQ ID NO:179) of a native sequence PRO1383 cDNA, wherein SEQ ID NO:179 is a clone designated herein as "DNA58743-1609".

35 Figure 180 shows the amino acid sequence (SEQ ID NO:180) derived from the coding sequence of SEQ ID NO:179 shown in Figure 179.

Figure 181 shows a nucleotide sequence (SEQ ID NO:181) of a native sequence PRO1072 cDNA, wherein SEQ ID NO:181 is a clone designated herein as "DNA58747-1384".

Figure 182 shows the amino acid sequence (SEQ ID NO:182) derived from the coding sequence of SEQ ID NO:181 shown in Figure 181.

Figure 183 shows a nucleotide sequence (SEQ ID NO:183) of a native sequence PRO1189 cDNA, wherein SEQ ID NO:183 is a clone designated herein as "DNA58828-1519".

5 Figure 184 shows the amino acid sequence (SEQ ID NO:184) derived from the coding sequence of SEQ ID NO:183 shown in Figure 183.

Figure 185 shows a nucleotide sequence (SEQ ID NO:185) of a native sequence PRO1003 cDNA, wherein SEQ ID NO:185 is a clone designated herein as "DNA58846-1409".

Figure 186 shows the amino acid sequence (SEQ ID NO:186) derived from the coding sequence of SEQ ID NO:185 shown in Figure 185.

10 Figure 187 shows a nucleotide sequence (SEQ ID NO:187) of a native sequence PRO1108 cDNA, wherein SEQ ID NO:187 is a clone designated herein as "DNA58848-1472".

Figure 188 shows the amino acid sequence (SEQ ID NO:188) derived from the coding sequence of SEQ ID NO:187 shown in Figure 187.

15 Figure 189 shows a nucleotide sequence (SEQ ID NO:189) of a native sequence PRO1137 cDNA, wherein SEQ ID NO:189 is a clone designated herein as "DNA58849-1494".

Figure 190 shows the amino acid sequence (SEQ ID NO:190) derived from the coding sequence of SEQ ID NO:189 shown in Figure 189.

Figure 191 shows a nucleotide sequence (SEQ ID NO:191) of a native sequence PRO1138 cDNA, wherein SEQ ID NO:191 is a clone designated herein as "DNA58850-1495".

20 Figure 192 shows the amino acid sequence (SEQ ID NO:192) derived from the coding sequence of SEQ ID NO:191 shown in Figure 191.

Figure 193 shows a nucleotide sequence (SEQ ID NO:193) of a native sequence PRO1415 cDNA, wherein SEQ ID NO:193 is a clone designated herein as "DNA58852-1637".

25 Figure 194 shows the amino acid sequence (SEQ ID NO:194) derived from the coding sequence of SEQ ID NO:193 shown in Figure 193.

Figure 195 shows a nucleotide sequence (SEQ ID NO:195) of a native sequence PRO1054 cDNA, wherein SEQ ID NO:195 is a clone designated herein as "DNA58853-1423".

Figure 196 shows the amino acid sequence (SEQ ID NO:196) derived from the coding sequence of SEQ ID NO:195 shown in Figure 195.

30 Figure 197 shows a nucleotide sequence (SEQ ID NO:197) of a native sequence PRO994 cDNA, wherein SEQ ID NO:197 is a clone designated herein as "DNA58855-1422".

Figure 198 shows the amino acid sequence (SEQ ID NO:198) derived from the coding sequence of SEQ ID NO:197 shown in Figure 197.

35 Figure 199 shows a nucleotide sequence (SEQ ID NO:199) of a native sequence PRO1069 cDNA, wherein SEQ ID NO:199 is a clone designated herein as "DNA59211-1450".

Figure 200 shows the amino acid sequence (SEQ ID NO:200) derived from the coding sequence of SEQ ID NO:199 shown in Figure 199.

Figure 201 shows a nucleotide sequence (SEQ ID NO:201) of a native sequence PRO1411 cDNA, wherein SEQ ID NO:201 is a clone designated herein as "DNA59212-1627".

Figure 202 shows the amino acid sequence (SEQ ID NO:202) derived from the coding sequence of SEQ ID NO:201 shown in Figure 201.

5 Figure 203 shows a nucleotide sequence (SEQ ID NO:203) of a native sequence PRO1129 cDNA, wherein SEQ ID NO:203 is a clone designated herein as "DNA59213-1487".

Figure 204 shows the amino acid sequence (SEQ ID NO:204) derived from the coding sequence of SEQ ID NO:203 shown in Figure 203.

Figure 205 shows a nucleotide sequence (SEQ ID NO:205) of a native sequence PRO1359 cDNA, wherein SEQ ID NO:205 is a clone designated herein as "DNA59219-1613".

10 Figure 206 shows the amino acid sequence (SEQ ID NO:206) derived from the coding sequence of SEQ ID NO:205 shown in Figure 205.

Figure 207 shows a nucleotide sequence (SEQ ID NO:207) of a native sequence PRO1139 cDNA, wherein SEQ ID NO:207 is a clone designated herein as "DNA59497-1496".

15 Figure 208 shows the amino acid sequence (SEQ ID NO:208) derived from the coding sequence of SEQ ID NO:207 shown in Figure 207.

Figure 209 shows a nucleotide sequence (SEQ ID NO:209) of a native sequence PRO1065 cDNA, wherein SEQ ID NO:209 is a clone designated herein as "DNA59602-1436".

Figure 210 shows the amino acid sequence (SEQ ID NO:210) derived from the coding sequence of SEQ ID NO:209 shown in Figure 209.

20 Figure 211 shows a nucleotide sequence (SEQ ID NO:211) of a native sequence PRO1028 cDNA, wherein SEQ ID NO:211 is a clone designated herein as "DNA59603-1419".

Figure 212 shows the amino acid sequence (SEQ ID NO:212) derived from the coding sequence of SEQ ID NO:211 shown in Figure 211.

25 Figure 213 shows a nucleotide sequence (SEQ ID NO:213) of a native sequence PRO1027 cDNA, wherein SEQ ID NO:213 is a clone designated herein as "DNA59605-1418".

Figure 214 shows the amino acid sequence (SEQ ID NO:214) derived from the coding sequence of SEQ ID NO:213 shown in Figure 213.

Figure 215 shows a nucleotide sequence (SEQ ID NO:215) of a native sequence PRO1140 cDNA, wherein SEQ ID NO:215 is a clone designated herein as "DNA59607-1497".

30 Figure 216 shows the amino acid sequence (SEQ ID NO:216) derived from the coding sequence of SEQ ID NO:215 shown in Figure 215.

Figure 217 shows a nucleotide sequence (SEQ ID NO:217) of a native sequence PRO1291 cDNA, wherein SEQ ID NO:217 is a clone designated herein as "DNA59610-1556".

35 Figure 218 shows the amino acid sequence (SEQ ID NO:218) derived from the coding sequence of SEQ ID NO:217 shown in Figure 217.

Figure 219 shows a nucleotide sequence (SEQ ID NO:219) of a native sequence PRO1105 cDNA, wherein SEQ ID NO:219 is a clone designated herein as "DNA59612-1466".

Figure 220 shows the amino acid sequence (SEQ ID NO:220) derived from the coding sequence of SEQ ID NO:219 shown in Figure 219.

Figure 221 shows a nucleotide sequence (SEQ ID NO:221) of a native sequence PRO1026 cDNA, wherein SEQ ID NO:221 is a clone designated herein as "DNA59613-1417".

5 Figure 222 shows the amino acid sequence (SEQ ID NO:222) derived from the coding sequence of SEQ ID NO:221 shown in Figure 221.

Figure 223 shows a nucleotide sequence (SEQ ID NO:223) of a native sequence PRO1104 cDNA, wherein SEQ ID NO:223 is a clone designated herein as "DNA59616-1465".

Figure 224 shows the amino acid sequence (SEQ ID NO:224) derived from the coding sequence of SEQ ID NO:223 shown in Figure 223.

10 Figure 225 shows a nucleotide sequence (SEQ ID NO:225) of a native sequence PRO1100 cDNA, wherein SEQ ID NO:225 is a clone designated herein as "DNA59619-1464".

Figure 226 shows the amino acid sequence (SEQ ID NO:226) derived from the coding sequence of SEQ ID NO:225 shown in Figure 225.

15 Figure 227 shows a nucleotide sequence (SEQ ID NO:227) of a native sequence PRO1141 cDNA, wherein SEQ ID NO:227 is a clone designated herein as "DNA59625-1498".

Figure 228 shows the amino acid sequence (SEQ ID NO:228) derived from the coding sequence of SEQ ID NO:227 shown in Figure 227.

Figure 229 shows a nucleotide sequence (SEQ ID NO:229) of a native sequence PRO1772 cDNA, wherein SEQ ID NO:229 is a clone designated herein as "DNA59817-1703".

20 Figure 230 shows the amino acid sequence (SEQ ID NO:230) derived from the coding sequence of SEQ ID NO:229 shown in Figure 229.

Figure 231 shows a nucleotide sequence (SEQ ID NO:231) of a native sequence PRO1064 cDNA, wherein SEQ ID NO:231 is a clone designated herein as "DNA59827-1426".

25 Figure 232 shows the amino acid sequence (SEQ ID NO:232) derived from the coding sequence of SEQ ID NO:231 shown in Figure 231.

Figure 233 shows a nucleotide sequence (SEQ ID NO:233) of a native sequence PRO1379 cDNA, wherein SEQ ID NO:233 is a clone designated herein as "DNA59828-1608".

Figure 234 shows the amino acid sequence (SEQ ID NO:234) derived from the coding sequence of SEQ ID NO:233 shown in Figure 233.

30 Figure 235 shows a nucleotide sequence (SEQ ID NO:235) of a native sequence PRO3573 cDNA, wherein SEQ ID NO:235 is a clone designated herein as "DNA59837-2545".

Figure 236 shows the amino acid sequence (SEQ ID NO:236) derived from the coding sequence of SEQ ID NO:235 shown in Figure 235.

35 Figure 237 shows a nucleotide sequence (SEQ ID NO:237) of a native sequence PRO3566 cDNA, wherein SEQ ID NO:237 is a clone designated herein as "DNA59844-2542".

Figure 238 shows the amino acid sequence (SEQ ID NO:238) derived from the coding sequence of SEQ ID NO:237 shown in Figure 237.

Figure 239 shows a nucleotide sequence (SEQ ID NO:239) of a native sequence PRO1156 cDNA, wherein SEQ ID NO:239 is a clone designated herein as "DNA59853-1505".

Figure 240 shows the amino acid sequence (SEQ ID NO:240) derived from the coding sequence of SEQ ID NO:239 shown in Figure 239.

5 Figure 241 shows a nucleotide sequence (SEQ ID NO:241) of a native sequence PRO1098 cDNA, wherein SEQ ID NO:241 is a clone designated herein as "DNA59854-1459".

Figure 242 shows the amino acid sequence (SEQ ID NO:242) derived from the coding sequence of SEQ ID NO:241 shown in Figure 241.

Figure 243 shows a nucleotide sequence (SEQ ID NO:243) of a native sequence PRO1128 cDNA, wherein SEQ ID NO:243 is a clone designated herein as "DNA59855-1485".

10 Figure 244 shows the amino acid sequence (SEQ ID NO:244) derived from the coding sequence of SEQ ID NO:243 shown in Figure 243.

Figure 245 shows a nucleotide sequence (SEQ ID NO:245) of a native sequence PRO1248 cDNA, wherein SEQ ID NO:245 is a clone designated herein as "DNA60278-1530".

15 Figure 246 shows the amino acid sequence (SEQ ID NO:246) derived from the coding sequence of SEQ ID NO:245 shown in Figure 245.

Figure 247 shows a nucleotide sequence (SEQ ID NO:247) of a native sequence PRO1127 cDNA, wherein SEQ ID NO:247 is a clone designated herein as "DNA60283-1484".

Figure 248 shows the amino acid sequence (SEQ ID NO:248) derived from the coding sequence of SEQ ID NO:247 shown in Figure 247.

20 Figure 249 shows a nucleotide sequence (SEQ ID NO:249) of a native sequence PRO1316 cDNA, wherein SEQ ID NO:249 is a clone designated herein as "DNA60608-1577".

Figure 250 shows the amino acid sequence (SEQ ID NO:250) derived from the coding sequence of SEQ ID NO:249 shown in Figure 249.

25 Figure 251 shows a nucleotide sequence (SEQ ID NO:251) of a native sequence PRO1197 cDNA, wherein SEQ ID NO:251 is a clone designated herein as "DNA60611-1524".

Figure 252 shows the amino acid sequence (SEQ ID NO:252) derived from the coding sequence of SEQ ID NO:251 shown in Figure 251.

Figure 253 shows a nucleotide sequence (SEQ ID NO:253) of a native sequence PRO1125 cDNA, wherein SEQ ID NO:253 is a clone designated herein as "DNA60619-1482".

30 Figure 254 shows the amino acid sequence (SEQ ID NO:254) derived from the coding sequence of SEQ ID NO:253 shown in Figure 253.

Figure 255 shows a nucleotide sequence (SEQ ID NO:255) of a native sequence PRO1158 cDNA, wherein SEQ ID NO:255 is a clone designated herein as "DNA60625-1507".

35 Figure 256 shows the amino acid sequence (SEQ ID NO:256) derived from the coding sequence of SEQ ID NO:255 shown in Figure 255.

Figure 257 shows a nucleotide sequence (SEQ ID NO:257) of a native sequence PRO1124 cDNA, wherein SEQ ID NO:257 is a clone designated herein as "DNA60629-1481".

Figure 258 shows the amino acid sequence (SEQ ID NO:258) derived from the coding sequence of SEQ ID NO:257 shown in Figure 257.

Figure 259 shows a nucleotide sequence (SEQ ID NO:259) of a native sequence PRO1380 cDNA, wherein SEQ ID NO:259 is a clone designated herein as "DNA60740-1615".

5 Figure 260 shows the amino acid sequence (SEQ ID NO:260) derived from the coding sequence of SEQ ID NO:259 shown in Figure 259.

Figure 261 shows a nucleotide sequence (SEQ ID NO:261) of a native sequence PRO1377 cDNA, wherein SEQ ID NO:261 is a clone designated herein as "DNA61608-1606".

Figure 262 shows the amino acid sequence (SEQ ID NO:262) derived from the coding sequence of SEQ ID NO:261 shown in Figure 261.

10 Figure 263 shows a nucleotide sequence (SEQ ID NO:263) of a native sequence PRO1287 cDNA, wherein SEQ ID NO:263 is a clone designated herein as "DNA61755-1554".

Figure 264 shows the amino acid sequence (SEQ ID NO:264) derived from the coding sequence of SEQ ID NO:263 shown in Figure 263.

15 Figure 265 shows a nucleotide sequence (SEQ ID NO:265) of a native sequence PRO1249 cDNA, wherein SEQ ID NO:265 is a clone designated herein as "DNA62809-1531".

Figure 266 shows the amino acid sequence (SEQ ID NO:266) derived from the coding sequence of SEQ ID NO:265 shown in Figure 265.

Figure 267 shows a nucleotide sequence (SEQ ID NO:267) of a native sequence PRO1335 cDNA, wherein SEQ ID NO:267 is a clone designated herein as "DNA62812-1594".

20 Figure 268 shows the amino acid sequence (SEQ ID NO:268) derived from the coding sequence of SEQ ID NO:267 shown in Figure 267.

Figure 269 shows a nucleotide sequence (SEQ ID NO:269) of a native sequence PRO3572 cDNA, wherein SEQ ID NO:269 is a clone designated herein as "DNA62813-2544".

25 Figure 270 shows the amino acid sequence (SEQ ID NO:270) derived from the coding sequence of SEQ ID NO:269 shown in Figure 269.

Figure 271 shows a nucleotide sequence (SEQ ID NO:271) of a native sequence PRO1599 cDNA, wherein SEQ ID NO:271 is a clone designated herein as "DNA62845-1684".

Figure 272 shows the amino acid sequence (SEQ ID NO:272) derived from the coding sequence of SEQ ID NO:271 shown in Figure 271.

30 Figure 273 shows a nucleotide sequence (SEQ ID NO:273) of a native sequence PRO1374 cDNA, wherein SEQ ID NO:273 is a clone designated herein as "DNA64849-1604".

Figure 274 shows the amino acid sequence (SEQ ID NO:274) derived from the coding sequence of SEQ ID NO:273 shown in Figure 273.

35 Figure 275 shows a nucleotide sequence (SEQ ID NO:275) of a native sequence PRO1345 cDNA, wherein SEQ ID NO:275 is a clone designated herein as "DNA64852-1589".

Figure 276 shows the amino acid sequence (SEQ ID NO:276) derived from the coding sequence of SEQ ID NO:275 shown in Figure 275.

Figure 277 shows a nucleotide sequence (SEQ ID NO:277) of a native sequence PRO1311 cDNA, wherein SEQ ID NO:277 is a clone designated herein as "DNA64863-1573".

Figure 278 shows the amino acid sequence (SEQ ID NO:278) derived from the coding sequence of SEQ ID NO:277 shown in Figure 277.

Figure 279 shows a nucleotide sequence (SEQ ID NO:279) of a native sequence PRO1357 cDNA, wherein SEQ ID NO:279 is a clone designated herein as "DNA64881-1602".

Figure 280 shows the amino acid sequence (SEQ ID NO:280) derived from the coding sequence of SEQ ID NO:279 shown in Figure 279.

Figure 281 shows a nucleotide sequence (SEQ ID NO:281) of a native sequence PRO1557 cDNA, wherein SEQ ID NO:281 is a clone designated herein as "DNA64902-1667".

Figure 282 shows the amino acid sequence (SEQ ID NO:282) derived from the coding sequence of SEQ ID NO:281 shown in Figure 281.

Figure 283 shows a nucleotide sequence (SEQ ID NO:283) of a native sequence PRO1305 cDNA, wherein SEQ ID NO:283 is a clone designated herein as "DNA64952-1568".

Figure 284 shows the amino acid sequence (SEQ ID NO:284) derived from the coding sequence of SEQ ID NO:283 shown in Figure 283.

Figure 285 shows a nucleotide sequence (SEQ ID NO:285) of a native sequence PRO1302 cDNA, wherein SEQ ID NO:285 is a clone designated herein as "DNA65403-1565".

Figure 286 shows the amino acid sequence (SEQ ID NO:286) derived from the coding sequence of SEQ ID NO:285 shown in Figure 285.

Figure 287 shows a nucleotide sequence (SEQ ID NO:287) of a native sequence PRO1266 cDNA, wherein SEQ ID NO:287 is a clone designated herein as "DNA65413-1534".

Figure 288 shows the amino acid sequence (SEQ ID NO:288) derived from the coding sequence of SEQ ID NO:287 shown in Figure 287.

Figures 289A-289B show a nucleotide sequence (SEQ ID NO:289) of a native sequence PRO1336 cDNA, wherein SEQ ID NO:289 is a clone designated herein as "DNA65423-1595".

Figure 290 shows the amino acid sequence (SEQ ID NO:290) derived from the coding sequence of SEQ ID NO:289 shown in Figures 289A-289B.

Figure 291 shows a nucleotide sequence (SEQ ID NO:291) of a native sequence PRO1278 cDNA, wherein SEQ ID NO:291 is a clone designated herein as "DNA66304-1546".

Figure 292 shows the amino acid sequence (SEQ ID NO:292) derived from the coding sequence of SEQ ID NO:291 shown in Figure 291.

Figure 293 shows a nucleotide sequence (SEQ ID NO:293) of a native sequence PRO1270 cDNA, wherein SEQ ID NO:293 is a clone designated herein as "DNA66308-1537".

Figure 294 shows the amino acid sequence (SEQ ID NO:294) derived from the coding sequence of SEQ ID NO:293 shown in Figure 293.

Figure 295 shows a nucleotide sequence (SEQ ID NO:295) of a native sequence PRO1298 cDNA, wherein SEQ ID NO:295 is a clone designated herein as "DNA66511-1563".

Figure 296 shows the amino acid sequence (SEQ ID NO:296) derived from the coding sequence of SEQ ID NO:295 shown in Figure 295.

Figure 297 shows a nucleotide sequence (SEQ ID NO:297) of a native sequence PRO1301 cDNA, wherein SEQ ID NO:297 is a clone designated herein as "DNA66512-1564".

5 Figure 298 shows the amino acid sequence (SEQ ID NO:298) derived from the coding sequence of SEQ ID NO:297 shown in Figure 297.

Figure 299 shows a nucleotide sequence (SEQ ID NO:299) of a native sequence PRO1268 cDNA, wherein SEQ ID NO:299 is a clone designated herein as "DNA66519-1535".

Figure 300 shows the amino acid sequence (SEQ ID NO:300) derived from the coding sequence of SEQ ID NO:299 shown in Figure 299.

10 Figure 301 shows a nucleotide sequence (SEQ ID NO:301) of a native sequence PRO1327 cDNA, wherein SEQ ID NO:301 is a clone designated herein as "DNA66521-1583".

Figure 302 shows the amino acid sequence (SEQ ID NO:302) derived from the coding sequence of SEQ ID NO:301 shown in Figure 301.

15 Figure 303 shows a nucleotide sequence (SEQ ID NO:303) of a native sequence PRO1328 cDNA, wherein SEQ ID NO:303 is a clone designated herein as "DNA66658-1584".

Figure 304 shows the amino acid sequence (SEQ ID NO:304) derived from the coding sequence of SEQ ID NO:303 shown in Figure 303.

Figure 305 shows a nucleotide sequence (SEQ ID NO:305) of a native sequence PRO1329 cDNA, wherein SEQ ID NO:305 is a clone designated herein as "DNA66660-1585".

20 Figure 306 shows the amino acid sequence (SEQ ID NO:306) derived from the coding sequence of SEQ ID NO:305 shown in Figure 305.

Figure 307 shows a nucleotide sequence (SEQ ID NO:307) of a native sequence PRO1339 cDNA, wherein SEQ ID NO:307 is a clone designated herein as "DNA66669-1597".

25 Figure 308 shows the amino acid sequence (SEQ ID NO:308) derived from the coding sequence of SEQ ID NO:307 shown in Figure 307.

Figure 309 shows a nucleotide sequence (SEQ ID NO:309) of a native sequence PRO1342 cDNA, wherein SEQ ID NO:309 is a clone designated herein as "DNA66674-1599".

Figure 310 shows the amino acid sequence (SEQ ID NO:310) derived from the coding sequence of SEQ ID NO:309 shown in Figure 309.

30 Figures 311A-311B show a nucleotide sequence (SEQ ID NO:311) of a native sequence PRO1487 cDNA, wherein SEQ ID NO:311 is a clone designated herein as "DNA68836-1656".

Figure 312 shows the amino acid sequence (SEQ ID NO:312) derived from the coding sequence of SEQ ID NO:311 shown in Figures 311A-311B.

35 Figure 313 shows a nucleotide sequence (SEQ ID NO:313) of a native sequence PRO3579 cDNA, wherein SEQ ID NO:313 is a clone designated herein as "DNA68862-2546".

Figure 314 shows the amino acid sequence (SEQ ID NO:314) derived from the coding sequence of SEQ ID NO:313 shown in Figure 313.

Figure 315 shows a nucleotide sequence (SEQ ID NO:315) of a native sequence PRO1472 cDNA, wherein SEQ ID NO:315 is a clone designated herein as "DNA68866-1644".

Figure 316 shows the amino acid sequence (SEQ ID NO:316) derived from the coding sequence of SEQ ID NO:315 shown in Figure 315.

5 Figure 317 shows a nucleotide sequence (SEQ ID NO:317) of a native sequence PRO1385 cDNA, wherein SEQ ID NO:317 is a clone designated herein as "DNA68869-1610".

Figure 318 shows the amino acid sequence (SEQ ID NO:318) derived from the coding sequence of SEQ ID NO:317 shown in Figure 317.

Figure 319 shows a nucleotide sequence (SEQ ID NO:319) of a native sequence PRO1461 cDNA, wherein SEQ ID NO:319 is a clone designated herein as "DNA68871-1638".

10 Figure 320 shows the amino acid sequence (SEQ ID NO:320) derived from the coding sequence of SEQ ID NO:319 shown in Figure 319.

Figure 321 shows a nucleotide sequence (SEQ ID NO:321) of a native sequence PRO1429 cDNA, wherein SEQ ID NO:321 is a clone designated herein as "DNA68879-1631".

15 Figure 322 shows the amino acid sequence (SEQ ID NO:322) derived from the coding sequence of SEQ ID NO:321 shown in Figure 321.

Figure 323 shows a nucleotide sequence (SEQ ID NO:323) of a native sequence PRO1568 cDNA, wherein SEQ ID NO:323 is a clone designated herein as "DNA68880-1676".

Figure 324 shows the amino acid sequence (SEQ ID NO:324) derived from the coding sequence of SEQ ID NO:323 shown in Figure 323.

20 Figure 325 shows a nucleotide sequence (SEQ ID NO:325) of a native sequence PRO1569 cDNA, wherein SEQ ID NO:325 is a clone designated herein as "DNA68882-1677".

Figure 326 shows the amino acid sequence (SEQ ID NO:326) derived from the coding sequence of SEQ ID NO:325 shown in Figure 325.

25 Figure 327 shows a nucleotide sequence (SEQ ID NO:327) of a native sequence PRO1753 cDNA, wherein SEQ ID NO:327 is a clone designated herein as "DNA68883-1691".

Figure 328 shows the amino acid sequence (SEQ ID NO:328) derived from the coding sequence of SEQ ID NO:327 shown in Figure 327.

Figure 329 shows a nucleotide sequence (SEQ ID NO:329) of a native sequence PRO1570 cDNA, wherein SEQ ID NO:329 is a clone designated herein as "DNA68885-1678".

30 Figure 330 shows the amino acid sequence (SEQ ID NO:330) derived from the coding sequence of SEQ ID NO:329 shown in Figure 329.

Figure 331 shows a nucleotide sequence (SEQ ID NO:331) of a native sequence PRO1559 cDNA, wherein SEQ ID NO:331 is a clone designated herein as "DNA68886".

35 Figure 332 shows the amino acid sequence (SEQ ID NO:332) derived from the coding sequence of SEQ ID NO:331 shown in Figure 331.

Figure 333 shows a nucleotide sequence (SEQ ID NO:333) of a native sequence PRO1486 cDNA, wherein SEQ ID NO:333 is a clone designated herein as "DNA71180-1655".

Figure 334 shows the amino acid sequence (SEQ ID NO:334) derived from the coding sequence of SEQ ID NO:333 shown in Figure 333.

Figure 335 shows a nucleotide sequence (SEQ ID NO:335) of a native sequence PRO1433 cDNA, wherein SEQ ID NO:335 is a clone designated herein as "DNA71184-1634".

5 Figure 336 shows the amino acid sequence (SEQ ID NO:336) derived from the coding sequence of SEQ ID NO:335 shown in Figure 335.

Figure 337 shows a nucleotide sequence (SEQ ID NO:337) of a native sequence PRO1490 cDNA, wherein SEQ ID NO:337 is a clone designated herein as "DNA71213-1659".

Figure 338 shows the amino acid sequence (SEQ ID NO:338) derived from the coding sequence of SEQ ID NO:337 shown in Figure 337.

10 Figure 339 shows a nucleotide sequence (SEQ ID NO:339) of a native sequence PRO1482 cDNA, wherein SEQ ID NO:339 is a clone designated herein as "DNA71234-1651".

Figure 340 shows the amino acid sequence (SEQ ID NO:340) derived from the coding sequence of SEQ ID NO:339 shown in Figure 339.

15 Figure 341 shows a nucleotide sequence (SEQ ID NO:341) of a native sequence PRO1409 cDNA, wherein SEQ ID NO:341 is a clone designated herein as "DNA71269-1621".

Figure 342 shows the amino acid sequence (SEQ ID NO:342) derived from the coding sequence of SEQ ID NO:341 shown in Figure 341.

Figure 343 shows a nucleotide sequence (SEQ ID NO:343) of a native sequence PRO1446 cDNA, wherein SEQ ID NO:343 is a clone designated herein as "DNA71277-1636".

20 Figure 344 shows the amino acid sequence (SEQ ID NO:344) derived from the coding sequence of SEQ ID NO:343 shown in Figure 343.

Figure 345 shows a nucleotide sequence (SEQ ID NO:345) of a native sequence PRO1604 cDNA, wherein SEQ ID NO:345 is a clone designated herein as "DNA71286-1687".

25 Figure 346 shows the amino acid sequence (SEQ ID NO:346) derived from the coding sequence of SEQ ID NO:345 shown in Figure 345.

Figure 347 shows a nucleotide sequence (SEQ ID NO:347) of a native sequence PRO1491 cDNA, wherein SEQ ID NO:347 is a clone designated herein as "DNA71883-1660".

Figure 348 shows the amino acid sequence (SEQ ID NO:348) derived from the coding sequence of SEQ ID NO:347 shown in Figure 347.

30 Figure 349 shows a nucleotide sequence (SEQ ID NO:349) of a native sequence PRO1431 cDNA, wherein SEQ ID NO:349 is a clone designated herein as "DNA73401-1633".

Figure 350 shows the amino acid sequence (SEQ ID NO:350) derived from the coding sequence of SEQ ID NO:349 shown in Figure 349.

35 Figures 351A-351B show a nucleotide sequence (SEQ ID NO:351) of a native sequence PRO1563 cDNA, wherein SEQ ID NO:351 is a clone designated herein as "DNA73492-1671".

Figure 352 shows the amino acid sequence (SEQ ID NO:352) derived from the coding sequence of SEQ ID NO:351 shown in Figures 351A-351B.

Figure 353 shows a nucleotide sequence (SEQ ID NO:353) of a native sequence PRO1571 cDNA, wherein SEQ ID NO:353 is a clone designated herein as "DNA73730-1679".

Figure 354 shows the amino acid sequence (SEQ ID NO:354) derived from the coding sequence of SEQ ID NO:353 shown in Figure 353.

5 Figure 355 shows a nucleotide sequence (SEQ ID NO:355) of a native sequence PRO1572 cDNA, wherein SEQ ID NO:355 is a clone designated herein as "DNA73734-1680".

Figure 356 shows the amino acid sequence (SEQ ID NO:356) derived from the coding sequence of SEQ ID NO:355 shown in Figure 355.

Figure 357 shows a nucleotide sequence (SEQ ID NO:357) of a native sequence PRO1573 cDNA, wherein SEQ ID NO:357 is a clone designated herein as "DNA73735-1681".

10 Figure 358 shows the amino acid sequence (SEQ ID NO:358) derived from the coding sequence of SEQ ID NO:357 shown in Figure 357.

Figure 359 shows a nucleotide sequence (SEQ ID NO:359) of a native sequence PRO1508 cDNA, wherein SEQ ID NO:359 is a clone designated herein as "DNA73742-1662".

15 Figure 360 shows the amino acid sequence (SEQ ID NO:360) derived from the coding sequence of SEQ ID NO:359 shown in Figure 359.

Figure 361 shows a nucleotide sequence (SEQ ID NO:361) of a native sequence PRO1485 cDNA, wherein SEQ ID NO:361 is a clone designated herein as "DNA73746-1654".

Figure 362 shows the amino acid sequence (SEQ ID NO:362) derived from the coding sequence of SEQ ID NO:361 shown in Figure 361.

20 Figure 363 shows a nucleotide sequence (SEQ ID NO:363) of a native sequence PRO1564 cDNA, wherein SEQ ID NO:363 is a clone designated herein as "DNA73760-1672".

Figure 364 shows the amino acid sequence (SEQ ID NO:364) derived from the coding sequence of SEQ ID NO:363 shown in Figure 363.

25 Figure 365 shows a nucleotide sequence (SEQ ID NO:365) of a native sequence PRO1550 cDNA, wherein SEQ ID NO:365 is a clone designated herein as "DNA76393-1664".

Figure 366 shows the amino acid sequence (SEQ ID NO:366) derived from the coding sequence of SEQ ID NO:365 shown in Figure 365.

Figure 367 shows a nucleotide sequence (SEQ ID NO:367) of a native sequence PRO1757 cDNA, wherein SEQ ID NO:367 is a clone designated herein as "DNA76398-1699".

30 Figure 368 shows the amino acid sequence (SEQ ID NO:368) derived from the coding sequence of SEQ ID NO:367 shown in Figure 367.

Figure 369 shows a nucleotide sequence (SEQ ID NO:369) of a native sequence PRO1758 cDNA, wherein SEQ ID NO:369 is a clone designated herein as "DNA76399-1700".

35 Figure 370 shows the amino acid sequence (SEQ ID NO:370) derived from the coding sequence of SEQ ID NO:369 shown in Figure 369.

Figure 371 shows a nucleotide sequence (SEQ ID NO:371) of a native sequence PRO1781 cDNA, wherein SEQ ID NO:371 is a clone designated herein as "DNA76522-2500".

Figure 372 shows the amino acid sequence (SEQ ID NO:372) derived from the coding sequence of SEQ ID NO:371 shown in Figure 371.

Figure 373 shows a nucleotide sequence (SEQ ID NO:373) of a native sequence PRO1606 cDNA, wherein SEQ ID NO:373 is a clone designated herein as "DNA76533-1689".

5 Figure 374 shows the amino acid sequence (SEQ ID NO:374) derived from the coding sequence of SEQ ID NO:373 shown in Figure 373.

Figure 375 shows a nucleotide sequence (SEQ ID NO:375) of a native sequence PRO1784 cDNA, wherein SEQ ID NO:375 is a clone designated herein as "DNA77303-2502".

Figure 376 shows the amino acid sequence (SEQ ID NO:376) derived from the coding sequence of SEQ ID NO:375 shown in Figure 375.

10 Figure 377 shows a nucleotide sequence (SEQ ID NO:377) of a native sequence PRO1774 cDNA, wherein SEQ ID NO:377 is a clone designated herein as "DNA77626-1705".

Figure 378 shows the amino acid sequence (SEQ ID NO:378) derived from the coding sequence of SEQ ID NO:377 shown in Figure 377.

15 Figure 379 shows a nucleotide sequence (SEQ ID NO:379) of a native sequence PRO1605 cDNA, wherein SEQ ID NO:379 is a clone designated herein as "DNA77648-1688".

Figure 380 shows the amino acid sequence (SEQ ID NO:380) derived from the coding sequence of SEQ ID NO:379 shown in Figure 379.

Figure 381 shows a nucleotide sequence (SEQ ID NO:381) of a native sequence PRO1928 cDNA, wherein SEQ ID NO:381 is a clone designated herein as "DNA81754-2532".

20 Figure 382 shows the amino acid sequence (SEQ ID NO:382) derived from the coding sequence of SEQ ID NO:381 shown in Figure 381.

Figure 383 shows a nucleotide sequence (SEQ ID NO:383) of a native sequence PRO1865 cDNA, wherein SEQ ID NO:383 is a clone designated herein as "DNA81757-2512".

25 Figure 384 shows the amino acid sequence (SEQ ID NO:384) derived from the coding sequence of SEQ ID NO:383 shown in Figure 383.

Figure 385 shows a nucleotide sequence (SEQ ID NO:385) of a native sequence PRO1925 cDNA, wherein SEQ ID NO:385 is a clone designated herein as "DNA82302-2529".

Figure 386 shows the amino acid sequence (SEQ ID NO:386) derived from the coding sequence of SEQ ID NO:385 shown in Figure 385.

30 Figure 387 shows a nucleotide sequence (SEQ ID NO:387) of a native sequence PRO1926 cDNA, wherein SEQ ID NO:387 is a clone designated herein as "DNA82340-2530".

Figure 388 shows the amino acid sequence (SEQ ID NO:388) derived from the coding sequence of SEQ ID NO:387 shown in Figure 387.

35 Figure 389 shows a nucleotide sequence (SEQ ID NO:389) of a native sequence PRO2630 cDNA, wherein SEQ ID NO:389 is a clone designated herein as "DNA83551".

Figure 390 shows the amino acid sequence (SEQ ID NO:390) derived from the coding sequence of SEQ ID NO:389 shown in Figure 389.

Figure 391 shows a nucleotide sequence (SEQ ID NO:391) of a native sequence PRO3443 cDNA, wherein SEQ ID NO:391 is a clone designated herein as "DNA87991-2540".

Figure 392 shows the amino acid sequence (SEQ ID NO:392) derived from the coding sequence of SEQ ID NO:391 shown in Figure 391.

Figure 393 shows a nucleotide sequence (SEQ ID NO:393) of a native sequence PRO3301 cDNA, wherein SEQ ID NO:393 is a clone designated herein as "DNA88002".

Figure 394 shows the amino acid sequence (SEQ ID NO:394) derived from the coding sequence of SEQ ID NO:393 shown in Figure 393.

Figure 395 shows a nucleotide sequence (SEQ ID NO:395) of a native sequence PRO3442 cDNA, wherein SEQ ID NO:395 is a clone designated herein as "DNA92238-2539".

Figure 396 shows the amino acid sequence (SEQ ID NO:396) derived from the coding sequence of SEQ ID NO:395 shown in Figure 395.

Figure 397 shows a nucleotide sequence (SEQ ID NO:397) of a native sequence PRO4978 cDNA, wherein SEQ ID NO:397 is a clone designated herein as "DNA95930".

Figure 398 shows the amino acid sequence (SEQ ID NO:398) derived from the coding sequence of SEQ ID NO:397 shown in Figure 397.

Figure 399 shows a nucleotide sequence (SEQ ID NO:399) of a native sequence PRO5801 cDNA, wherein SEQ ID NO:399 is a clone designated herein as "DNA115291-2681".

Figure 400 shows the amino acid sequence (SEQ ID NO:400) derived from the coding sequence of SEQ ID NO:399 shown in Figure 399.

Figure 401 shows a nucleotide sequence (SEQ ID NO:401) of a native sequence PRO19630 cDNA, wherein SEQ ID NO:401 is a clone designated herein as "DNA23336-2861".

Figure 402 shows the amino acid sequence (SEQ ID NO:402) derived from the coding sequence of SEQ ID NO:401 shown in Figure 401.

Figure 403 shows a nucleotide sequence (SEQ ID NO:403) of a native sequence PRO203 cDNA, wherein SEQ ID NO:403 is a clone designated herein as "DNA30862-1396".

Figure 404 shows the amino acid sequence (SEQ ID NO:404) derived from the coding sequence of SEQ ID NO:403 shown in Figure 403.

Figure 405 shows a nucleotide sequence (SEQ ID NO:405) of a native sequence PRO204 cDNA, wherein SEQ ID NO:405 is a clone designated herein as "DNA30871-1157".

Figure 406 shows the amino acid sequence (SEQ ID NO:406) derived from the coding sequence of SEQ ID NO:405 shown in Figure 405.

Figure 407 shows a nucleotide sequence (SEQ ID NO:407) of a native sequence PRO210 cDNA, wherein SEQ ID NO:407 is a clone designated herein as "DNA32279-1131".

Figure 408 shows the amino acid sequence (SEQ ID NO:408) derived from the coding sequence of SEQ ID NO:407 shown in Figure 407.

Figure 409 shows a nucleotide sequence (SEQ ID NO:409) of a native sequence PRO223 cDNA, wherein SEQ ID NO:409 is a clone designated herein as "DNA33206-1165".

Figure 410 shows the amino acid sequence (SEQ ID NO:410) derived from the coding sequence of SEQ ID NO:409 shown in Figure 409.

Figure 411 shows a nucleotide sequence (SEQ ID NO:411) of a native sequence PRO247 cDNA, wherein SEQ ID NO:411 is a clone designated herein as "DNA35673-1201".

5 Figure 412 shows the amino acid sequence (SEQ ID NO:412) derived from the coding sequence of SEQ ID NO:411 shown in Figure 411.

Figure 413 shows a nucleotide sequence (SEQ ID NO:413) of a native sequence PRO358 cDNA, wherein SEQ ID NO:413 is a clone designated herein as "DNA47361-1154-2".

Figure 414 shows the amino acid sequence (SEQ ID NO:414) derived from the coding sequence of SEQ ID NO:413 shown in Figure 413.

10 Figure 415 shows a nucleotide sequence (SEQ ID NO:415) of a native sequence PRO724 cDNA, wherein SEQ ID NO:415 is a clone designated herein as "DNA49631-1328".

Figure 416 shows the amino acid sequence (SEQ ID NO:416) derived from the coding sequence of SEQ ID NO:415 shown in Figure 415.

15 Figure 417 shows a nucleotide sequence (SEQ ID NO:417) of a native sequence PRO868 cDNA, wherein SEQ ID NO:417 is a clone designated herein as "DNA52594-1270".

Figure 418 shows the amino acid sequence (SEQ ID NO:418) derived from the coding sequence of SEQ ID NO:417 shown in Figure 417.

Figure 419 shows a nucleotide sequence (SEQ ID NO:419) of a native sequence PRO740 cDNA, wherein SEQ ID NO:419 is a clone designated herein as "DNA55800-1263".

20 Figure 420 shows the amino acid sequence (SEQ ID NO:420) derived from the coding sequence of SEQ ID NO:419 shown in Figure 419.

Figure 421 shows a nucleotide sequence (SEQ ID NO:421) of a native sequence PRO1478 cDNA, wherein SEQ ID NO:421 is a clone designated herein as "DNA56531-1648".

25 Figure 422 shows the amino acid sequence (SEQ ID NO:422) derived from the coding sequence of SEQ ID NO:421 shown in Figure 421.

Figure 423 shows a nucleotide sequence (SEQ ID NO:423) of a native sequence PRO162 cDNA, wherein SEQ ID NO:423 is a clone designated herein as "DNA56965-1356".

Figure 424 shows the amino acid sequence (SEQ ID NO:424) derived from the coding sequence of SEQ ID NO:423 shown in Figure 423.

30 Figure 425 shows a nucleotide sequence (SEQ ID NO:425) of a native sequence PRO828 cDNA, wherein SEQ ID NO:425 is a clone designated herein as "DNA57037-1444".

Figure 426 shows the amino acid sequence (SEQ ID NO:426) derived from the coding sequence of SEQ ID NO:425 shown in Figure 425.

35 Figure 427 shows a nucleotide sequence (SEQ ID NO:427) of a native sequence PRO819 cDNA, wherein SEQ ID NO:427 is a clone designated herein as "DNA57695-1340".

Figure 428 shows the amino acid sequence (SEQ ID NO:428) derived from the coding sequence of SEQ ID NO:427 shown in Figure 427.

Figure 429 shows a nucleotide sequence (SEQ ID NO:429) of a native sequence PRO813 cDNA, wherein SEQ ID NO:429 is a clone designated herein as "DNA57834-1339".

Figure 430 shows the amino acid sequence (SEQ ID NO:430) derived from the coding sequence of SEQ ID NO:429 shown in Figure 429.

Figure 431 shows a nucleotide sequence (SEQ ID NO:431) of a native sequence PRO1194 cDNA, wherein SEQ ID NO:431 is a clone designated herein as "DNA57841-1522".

Figure 432 shows the amino acid sequence (SEQ ID NO:432) derived from the coding sequence of SEQ ID NO:431 shown in Figure 431.

Figure 433 shows a nucleotide sequence (SEQ ID NO:433) of a native sequence PRO887 cDNA, wherein SEQ ID NO:433 is a clone designated herein as "DNA58130".

Figure 434 shows the amino acid sequence (SEQ ID NO:434) derived from the coding sequence of SEQ ID NO:433 shown in Figure 433.

Figure 435 shows a nucleotide sequence (SEQ ID NO:435) of a native sequence PRO1071 cDNA, wherein SEQ ID NO:435 is a clone designated herein as "DNA58847-1383".

Figure 436 shows the amino acid sequence (SEQ ID NO:436) derived from the coding sequence of SEQ ID NO:435 shown in Figure 435.

Figure 437 shows a nucleotide sequence (SEQ ID NO:437) of a native sequence PRO1029 cDNA, wherein SEQ ID NO:437 is a clone designated herein as "DNA59493-1420".

Figure 438 shows the amino acid sequence (SEQ ID NO:438) derived from the coding sequence of SEQ ID NO:437 shown in Figure 437.

Figure 439 shows a nucleotide sequence (SEQ ID NO:439) of a native sequence PRO1190 cDNA, wherein SEQ ID NO:439 is a clone designated herein as "DNA59586-1520".

Figure 440 shows the amino acid sequence (SEQ ID NO:440) derived from the coding sequence of SEQ ID NO:439 shown in Figure 439.

Figure 441 shows a nucleotide sequence (SEQ ID NO:441) of a native sequence PRO4334 cDNA, wherein SEQ ID NO:441 is a clone designated herein as "DNA59608-2577".

Figure 442 shows the amino acid sequence (SEQ ID NO:442) derived from the coding sequence of SEQ ID NO:441 shown in Figure 441.

Figure 443 shows a nucleotide sequence (SEQ ID NO:443) of a native sequence PRO1155 cDNA, wherein SEQ ID NO:443 is a clone designated herein as "DNA59849-1504".

Figure 444 shows the amino acid sequence (SEQ ID NO:444) derived from the coding sequence of SEQ ID NO:443 shown in Figure 443.

Figure 445 shows a nucleotide sequence (SEQ ID NO:445) of a native sequence PRO1157 cDNA, wherein SEQ ID NO:445 is a clone designated herein as "DNA60292-1506".

Figure 446 shows the amino acid sequence (SEQ ID NO:446) derived from the coding sequence of SEQ ID NO:445 shown in Figure 445.

Figure 447 shows a nucleotide sequence (SEQ ID NO:447) of a native sequence PRO1122 cDNA, wherein SEQ ID NO:447 is a clone designated herein as "DNA62377-1381-1".

Figure 448 shows the amino acid sequence (SEQ ID NO:448) derived from the coding sequence of SEQ ID NO:447 shown in Figure 447.

Figure 449 shows a nucleotide sequence (SEQ ID NO:449) of a native sequence PRO1183 cDNA, wherein SEQ ID NO:449 is a clone designated herein as "DNA62880-1513".

Figure 450 shows the amino acid sequence (SEQ ID NO:450) derived from the coding sequence of SEQ ID NO:449 shown in Figure 449.

Figure 451 shows a nucleotide sequence (SEQ ID NO:451) of a native sequence PRO1337 cDNA, wherein SEQ ID NO:451 is a clone designated herein as "DNA66672-1586".

Figure 452 shows the amino acid sequence (SEQ ID NO:452) derived from the coding sequence of SEQ ID NO:451 shown in Figure 451.

Figure 453 shows a nucleotide sequence (SEQ ID NO:453) of a native sequence PRO1480 cDNA, wherein SEQ ID NO:453 is a clone designated herein as "DNA67962-1649".

Figure 454 shows the amino acid sequence (SEQ ID NO:454) derived from the coding sequence of SEQ ID NO:453 shown in Figure 453.

Figure 455 shows a nucleotide sequence (SEQ ID NO:455) of a native sequence PRO19645 cDNA, wherein SEQ ID NO:455 is a clone designated herein as "DNA69555-2867".

Figure 456 shows the amino acid sequence (SEQ ID NO:456) derived from the coding sequence of SEQ ID NO:455 shown in Figure 455.

Figure 457 shows a nucleotide sequence (SEQ ID NO:457) of a native sequence PRO9782 cDNA, wherein SEQ ID NO:457 is a clone designated herein as "DNA71162-2764".

Figure 458 shows the amino acid sequence (SEQ ID NO:458) derived from the coding sequence of SEQ ID NO:457 shown in Figure 457.

Figure 459 shows a nucleotide sequence (SEQ ID NO:459) of a native sequence PRO1419 cDNA, wherein SEQ ID NO:459 is a clone designated herein as "DNA71290-1630".

Figure 460 shows the amino acid sequence (SEQ ID NO:460) derived from the coding sequence of SEQ ID NO:459 shown in Figure 459.

Figure 461 shows a nucleotide sequence (SEQ ID NO:461) of a native sequence PRO1575 cDNA, wherein SEQ ID NO:461 is a clone designated herein as "DNA76401-1683".

Figure 462 shows the amino acid sequence (SEQ ID NO:462) derived from the coding sequence of SEQ ID NO:461 shown in Figure 461.

Figure 463 shows a nucleotide sequence (SEQ ID NO:463) of a native sequence PRO1567 cDNA, wherein SEQ ID NO:463 is a clone designated herein as "DNA76541-1675".

Figure 464 shows the amino acid sequence (SEQ ID NO:464) derived from the coding sequence of SEQ ID NO:463 shown in Figure 463.

Figure 465 shows a nucleotide sequence (SEQ ID NO:465) of a native sequence PRO1891 cDNA, wherein SEQ ID NO:465 is a clone designated herein as "DNA76788-2526".

Figure 466 shows the amino acid sequence (SEQ ID NO:466) derived from the coding sequence of SEQ ID NO:465 shown in Figure 465.

Figure 467 shows a nucleotide sequence (SEQ ID NO:467) of a native sequence PRO1889 cDNA, wherein SEQ ID NO:467 is a clone designated herein as "DNA77623-2524".

Figure 468 shows the amino acid sequence (SEQ ID NO:468) derived from the coding sequence of SEQ ID NO:467 shown in Figure 467.

Figure 469 shows a nucleotide sequence (SEQ ID NO:469) of a native sequence PRO1785 cDNA, wherein SEQ ID NO:469 is a clone designated herein as "DNA80136-2503".

Figure 470 shows the amino acid sequence (SEQ ID NO:470) derived from the coding sequence of SEQ ID NO:469 shown in Figure 469.

Figure 471 shows a nucleotide sequence (SEQ ID NO:471) of a native sequence PRO6003 cDNA, wherein SEQ ID NO:471 is a clone designated herein as "DNA83568-2692".

Figure 472 shows the amino acid sequence (SEQ ID NO:472) derived from the coding sequence of SEQ ID NO:471 shown in Figure 471.

Figure 473 shows a nucleotide sequence (SEQ ID NO:473) of a native sequence PRO4333 cDNA, wherein SEQ ID NO:473 is a clone designated herein as "DNA84210-2576".

Figure 474 shows the amino acid sequence (SEQ ID NO:474) derived from the coding sequence of SEQ ID NO:473 shown in Figure 473.

Figure 475 shows a nucleotide sequence (SEQ ID NO:475) of a native sequence PRO4356 cDNA, wherein SEQ ID NO:475 is a clone designated herein as "DNA86576-2595".

Figure 476 shows the amino acid sequence (SEQ ID NO:476) derived from the coding sequence of SEQ ID NO:475 shown in Figure 475.

Figure 477 shows a nucleotide sequence (SEQ ID NO:477) of a native sequence PRO4352 cDNA, wherein SEQ ID NO:477 is a clone designated herein as "DNA87976-2593".

Figure 478 shows the amino acid sequence (SEQ ID NO:478) derived from the coding sequence of SEQ ID NO:477 shown in Figure 477.

Figure 479 shows a nucleotide sequence (SEQ ID NO:479) of a native sequence PRO4354 cDNA, wherein SEQ ID NO:479 is a clone designated herein as "DNA92256-2596".

Figure 480 shows the amino acid sequence (SEQ ID NO:480) derived from the coding sequence of SEQ ID NO:479 shown in Figure 479.

Figure 481 shows a nucleotide sequence (SEQ ID NO:481) of a native sequence PRO4369 cDNA, wherein SEQ ID NO:481 is a clone designated herein as "DNA92289-2598".

Figure 482 shows the amino acid sequence (SEQ ID NO:482) derived from the coding sequence of SEQ ID NO:481 shown in Figure 481.

Figure 483 shows a nucleotide sequence (SEQ ID NO:483) of a native sequence PRO6030 cDNA, wherein SEQ ID NO:483 is a clone designated herein as "DNA96850-2705".

Figure 484 shows the amino acid sequence (SEQ ID NO:484) derived from the coding sequence of SEQ ID NO:483 shown in Figure 483.

Figure 485 shows a nucleotide sequence (SEQ ID NO:485) of a native sequence PRO4433 cDNA, wherein SEQ ID NO:485 is a clone designated herein as "DNA96855-2629".

Figure 486 shows the amino acid sequence (SEQ ID NO:486) derived from the coding sequence of SEQ ID NO:485 shown in Figure 485.

Figure 487 shows a nucleotide sequence (SEQ ID NO:487) of a native sequence PRO4424 cDNA, wherein SEQ ID NO:487 is a clone designated herein as "DNA96857-2636".

5 Figure 488 shows the amino acid sequence (SEQ ID NO:488) derived from the coding sequence of SEQ ID NO:487 shown in Figure 487.

Figure 489 shows a nucleotide sequence (SEQ ID NO:489) of a native sequence PRO6017 cDNA, wherein SEQ ID NO:489 is a clone designated herein as "DNA96860-2700".

Figure 490 shows the amino acid sequence (SEQ ID NO:490) derived from the coding sequence of SEQ ID NO:489 shown in Figure 489.

10 Figure 491 shows a nucleotide sequence (SEQ ID NO:491) of a native sequence PRO19563 cDNA, wherein SEQ ID NO:491 is a clone designated herein as "DNA96861-2844".

Figure 492 shows the amino acid sequence (SEQ ID NO:492) derived from the coding sequence of SEQ ID NO:491 shown in Figure 491.

15 Figure 493 shows a nucleotide sequence (SEQ ID NO:493) of a native sequence PRO6015 cDNA, wherein SEQ ID NO:493 is a clone designated herein as "DNA96866-2698".

Figure 494 shows the amino acid sequence (SEQ ID NO:494) derived from the coding sequence of SEQ ID NO:493 shown in Figure 493.

Figure 495 shows a nucleotide sequence (SEQ ID NO:495) of a native sequence PRO5779 cDNA, wherein SEQ ID NO:495 is a clone designated herein as "DNA96870-2676".

20 Figure 496 shows the amino acid sequence (SEQ ID NO:496) derived from the coding sequence of SEQ ID NO:495 shown in Figure 495.

Figure 497 shows a nucleotide sequence (SEQ ID NO:497) of a native sequence PRO5776 cDNA, wherein SEQ ID NO:497 is a clone designated herein as "DNA96872-2674".

25 Figure 498 shows the amino acid sequence (SEQ ID NO:498) derived from the coding sequence of SEQ ID NO:497 shown in Figure 497.

Figure 499 shows a nucleotide sequence (SEQ ID NO:499) of a native sequence PRO4430 cDNA, wherein SEQ ID NO:499 is a clone designated herein as "DNA96878-2626".

Figure 500 shows the amino acid sequence (SEQ ID NO:500) derived from the coding sequence of SEQ ID NO:499 shown in Figure 499.

30 Figure 501 shows a nucleotide sequence (SEQ ID NO:501) of a native sequence PRO4421 cDNA, wherein SEQ ID NO:501 is a clone designated herein as "DNA96879-2619".

Figure 502 shows the amino acid sequence (SEQ ID NO:502) derived from the coding sequence of SEQ ID NO:501 shown in Figure 501.

35 Figure 503 shows a nucleotide sequence (SEQ ID NO:503) of a native sequence PRO4499 cDNA, wherein SEQ ID NO:503 is a clone designated herein as "DNA96889-2641".

Figure 504 shows the amino acid sequence (SEQ ID NO:504) derived from the coding sequence of SEQ ID NO:503 shown in Figure 503.

Figure 505 shows a nucleotide sequence (SEQ ID NO:505) of a native sequence PRO4423 cDNA, wherein SEQ ID NO:505 is a clone designated herein as "DNA96893-2621".

Figure 506 shows the amino acid sequence (SEQ ID NO:506) derived from the coding sequence of SEQ ID NO:505 shown in Figure 505.

5 Figure 507 shows a nucleotide sequence (SEQ ID NO:507) of a native sequence PRO5998 cDNA, wherein SEQ ID NO:507 is a clone designated herein as "DNA96897-2688".

Figure 508 shows the amino acid sequence (SEQ ID NO:508) derived from the coding sequence of SEQ ID NO:507 shown in Figure 507.

Figure 509 shows a nucleotide sequence (SEQ ID NO:509) of a native sequence PRO4501 cDNA, wherein SEQ ID NO:509 is a clone designated herein as "DNA98564-2643".

10 Figure 510 shows the amino acid sequence (SEQ ID NO:510) derived from the coding sequence of SEQ ID NO:509 shown in Figure 509.

Figure 511 shows a nucleotide sequence (SEQ ID NO:511) of a native sequence PRO6240 cDNA, wherein SEQ ID NO:511 is a clone designated herein as "DNA107443-2718".

15 Figure 512 shows the amino acid sequence (SEQ ID NO:512) derived from the coding sequence of SEQ ID NO:511 shown in Figure 511.

Figure 513 shows a nucleotide sequence (SEQ ID NO:513) of a native sequence PRO6245 cDNA, wherein SEQ ID NO:513 is a clone designated herein as "DNA107786-2723".

Figure 514 shows the amino acid sequence (SEQ ID NO:514) derived from the coding sequence of SEQ ID NO:513 shown in Figure 513.

20 Figure 515 shows a nucleotide sequence (SEQ ID NO:515) of a native sequence PRO6175 cDNA, wherein SEQ ID NO:515 is a clone designated herein as "DNA108682-2712".

Figure 516 shows the amino acid sequence (SEQ ID NO:516) derived from the coding sequence of SEQ ID NO:515 shown in Figure 515.

25 Figure 517 shows a nucleotide sequence (SEQ ID NO:517) of a native sequence PRO9742 cDNA, wherein SEQ ID NO:517 is a clone designated herein as "DNA108684-2761".

Figure 518 shows the amino acid sequence (SEQ ID NO:518) derived from the coding sequence of SEQ ID NO:517 shown in Figure 517.

Figure 519 shows a nucleotide sequence (SEQ ID NO:519) of a native sequence PRO7179 cDNA, wherein SEQ ID NO:519 is a clone designated herein as "DNA108701-2749".

30 Figure 520 shows the amino acid sequence (SEQ ID NO:520) derived from the coding sequence of SEQ ID NO:519 shown in Figure 519.

Figure 521 shows a nucleotide sequence (SEQ ID NO:521) of a native sequence PRO6239 cDNA, wherein SEQ ID NO:521 is a clone designated herein as "DNA108720-2717".

35 Figure 522 shows the amino acid sequence (SEQ ID NO:522) derived from the coding sequence of SEQ ID NO:521 shown in Figure 521.

Figure 523 shows a nucleotide sequence (SEQ ID NO:523) of a native sequence PRO6493 cDNA, wherein SEQ ID NO:523 is a clone designated herein as "DNA108726-2729".

Figure 524 shows the amino acid sequence (SEQ ID NO:524) derived from the coding sequence of SEQ ID NO:523 shown in Figure 523.

Figures 525A-525B show a nucleotide sequence (SEQ ID NO:525) of a native sequence PRO9741 cDNA, wherein SEQ ID NO:525 is a clone designated herein as "DNA108728-2760".

5 Figure 526 shows the amino acid sequence (SEQ ID NO:526) derived from the coding sequence of SEQ ID NO:525 shown in Figures 525A-525B.

Figure 527 shows a nucleotide sequence (SEQ ID NO:527) of a native sequence PRO9822 cDNA, wherein SEQ ID NO:527 is a clone designated herein as "DNA108738-2767".

Figure 528 shows the amino acid sequence (SEQ ID NO:528) derived from the coding sequence of SEQ ID NO:527 shown in Figure 527.

10 Figure 529 shows a nucleotide sequence (SEQ ID NO:529) of a native sequence PRO6244 cDNA, wherein SEQ ID NO:529 is a clone designated herein as "DNA108743-2722".

Figure 530 shows the amino acid sequence (SEQ ID NO:530) derived from the coding sequence of SEQ ID NO:529 shown in Figure 529.

15 Figure 531 shows a nucleotide sequence (SEQ ID NO:531) of a native sequence PRO9740 cDNA, wherein SEQ ID NO:531 is a clone designated herein as "DNA108758-2759".

Figure 532 shows the amino acid sequence (SEQ ID NO:532) derived from the coding sequence of SEQ ID NO:531 shown in Figure 531.

Figure 533 shows a nucleotide sequence (SEQ ID NO:533) of a native sequence PRO9739 cDNA, wherein SEQ ID NO:533 is a clone designated herein as "DNA108765-2758".

20 Figure 534 shows the amino acid sequence (SEQ ID NO:534) derived from the coding sequence of SEQ ID NO:533 shown in Figure 533.

Figure 535 shows a nucleotide sequence (SEQ ID NO:535) of a native sequence PRO7177 cDNA, wherein SEQ ID NO:535 is a clone designated herein as "DNA108783-2747".

25 Figure 536 shows the amino acid sequence (SEQ ID NO:536) derived from the coding sequence of SEQ ID NO:535 shown in Figure 535.

Figure 537 shows a nucleotide sequence (SEQ ID NO:537) of a native sequence PRO7178 cDNA, wherein SEQ ID NO:537 is a clone designated herein as "DNA108789-2748".

Figure 538 shows the amino acid sequence (SEQ ID NO:538) derived from the coding sequence of SEQ ID NO:537 shown in Figure 537.

30 Figure 539 shows a nucleotide sequence (SEQ ID NO:539) of a native sequence PRO6246 cDNA, wherein SEQ ID NO:539 is a clone designated herein as "DNA108806-2724".

Figure 540 shows the amino acid sequence (SEQ ID NO:540) derived from the coding sequence of SEQ ID NO:539 shown in Figure 539.

35 Figure 541 shows a nucleotide sequence (SEQ ID NO:541) of a native sequence PRO6241 cDNA, wherein SEQ ID NO:541 is a clone designated herein as "DNA108936-2719".

Figure 542 shows the amino acid sequence (SEQ ID NO:542) derived from the coding sequence of SEQ ID NO:541 shown in Figure 541.

Figure 543 shows a nucleotide sequence (SEQ ID NO:543) of a native sequence PRO9835 cDNA, wherein SEQ ID NO:543 is a clone designated herein as "DNA119510-2771".

Figure 544 shows the amino acid sequence (SEQ ID NO:544) derived from the coding sequence of SEQ ID NO:543 shown in Figure 543.

5 Figure 545 shows a nucleotide sequence (SEQ ID NO:545) of a native sequence PRO9857 cDNA, wherein SEQ ID NO:545 is a clone designated herein as "DNA119517-2778".

Figure 546 shows the amino acid sequence (SEQ ID NO:546) derived from the coding sequence of SEQ ID NO:545 shown in Figure 545.

Figure 547 shows a nucleotide sequence (SEQ ID NO:547) of a native sequence PRO7436 cDNA, wherein SEQ ID NO:547 is a clone designated herein as "DNA119535-2756".

10 Figure 548 shows the amino acid sequence (SEQ ID NO:548) derived from the coding sequence of SEQ ID NO:547 shown in Figure 547.

Figure 549 shows a nucleotide sequence (SEQ ID NO:549) of a native sequence PRO9856 cDNA, wherein SEQ ID NO:549 is a clone designated herein as "DNA119537-2777".

15 Figure 550 shows the amino acid sequence (SEQ ID NO:550) derived from the coding sequence of SEQ ID NO:549 shown in Figure 549.

Figure 551 shows a nucleotide sequence (SEQ ID NO:551) of a native sequence PRO19605 cDNA, wherein SEQ ID NO:551 is a clone designated herein as "DNA119714-2851".

Figure 552 shows the amino acid sequence (SEQ ID NO:552) derived from the coding sequence of SEQ ID NO:551 shown in Figure 551.

20 Figure 553 shows a nucleotide sequence (SEQ ID NO:553) of a native sequence PRO9859 cDNA, wherein SEQ ID NO:553 is a clone designated herein as "DNA125170-2780".

Figure 554 shows the amino acid sequence (SEQ ID NO:554) derived from the coding sequence of SEQ ID NO:553 shown in Figure 553.

25 Figure 555 shows a nucleotide sequence (SEQ ID NO:555) of a native sequence PRO12970 cDNA, wherein SEQ ID NO:555 is a clone designated herein as "DNA129594-2841".

Figure 556 shows the amino acid sequence (SEQ ID NO:556) derived from the coding sequence of SEQ ID NO:555 shown in Figure 555.

Figure 557 shows a nucleotide sequence (SEQ ID NO:557) of a native sequence PRO19626 cDNA, wherein SEQ ID NO:557 is a clone designated herein as "DNA129793-2857".

30 Figure 558 shows the amino acid sequence (SEQ ID NO:558) derived from the coding sequence of SEQ ID NO:557 shown in Figure 557.

Figure 559 shows a nucleotide sequence (SEQ ID NO:559) of a native sequence PRO9833 cDNA, wherein SEQ ID NO:559 is a clone designated herein as "DNA130809-2769".

35 Figure 560 shows the amino acid sequence (SEQ ID NO:560) derived from the coding sequence of SEQ ID NO:559 shown in Figure 559.

Figure 561 shows a nucleotide sequence (SEQ ID NO:561) of a native sequence PRO19670 cDNA, wherein SEQ ID NO:561 is a clone designated herein as "DNA131639-2874".

Figure 562 shows the amino acid sequence (SEQ ID NO:562) derived from the coding sequence of SEQ ID NO:561 shown in Figure 561.

Figure 563 shows a nucleotide sequence (SEQ ID NO:563) of a native sequence PRO19624 cDNA, wherein SEQ ID NO:563 is a clone designated herein as "DNA131649-2855".

5 Figure 564 shows the amino acid sequence (SEQ ID NO:564) derived from the coding sequence of SEQ ID NO:563 shown in Figure 563.

Figure 565 shows a nucleotide sequence (SEQ ID NO:565) of a native sequence PRO19680 cDNA, wherein SEQ ID NO:565 is a clone designated herein as "DNA131652-2876".

Figure 566 shows the amino acid sequence (SEQ ID NO:566) derived from the coding sequence of SEQ ID NO:565 shown in Figure 565.

10 Figure 567 shows a nucleotide sequence (SEQ ID NO:567) of a native sequence PRO19675 cDNA, wherein SEQ ID NO:567 is a clone designated herein as "DNA131658-2875".

Figure 568 shows the amino acid sequence (SEQ ID NO:568) derived from the coding sequence of SEQ ID NO:567 shown in Figure 567.

15 Figure 569 shows a nucleotide sequence (SEQ ID NO:569) of a native sequence PRO9834 cDNA, wherein SEQ ID NO:569 is a clone designated herein as "DNA132162-2770".

Figure 570 shows the amino acid sequence (SEQ ID NO:570) derived from the coding sequence of SEQ ID NO:569 shown in Figure 569.

Figure 571 shows a nucleotide sequence (SEQ ID NO:571) of a native sequence PRO9744 cDNA, wherein SEQ ID NO:571 is a clone designated herein as "DNA136110-2763".

20 Figure 572 shows the amino acid sequence (SEQ ID NO:572) derived from the coding sequence of SEQ ID NO:571 shown in Figure 571.

Figure 573 shows a nucleotide sequence (SEQ ID NO:573) of a native sequence PRO19644 cDNA, wherein SEQ ID NO:573 is a clone designated herein as "DNA139592-2866".

25 Figure 574 shows the amino acid sequence (SEQ ID NO:574) derived from the coding sequence of SEQ ID NO:573 shown in Figure 573.

Figure 575 shows a nucleotide sequence (SEQ ID NO:575) of a native sequence PRO19625 cDNA, wherein SEQ ID NO:575 is a clone designated herein as "DNA139608-2856".

Figure 576 shows the amino acid sequence (SEQ ID NO:576) derived from the coding sequence of SEQ ID NO:575 shown in Figure 575.

30 Figure 577 shows a nucleotide sequence (SEQ ID NO:577) of a native sequence PRO19597 cDNA, wherein SEQ ID NO:577 is a clone designated herein as "DNA143292-2848".

Figure 578 shows the amino acid sequence (SEQ ID NO:578) derived from the coding sequence of SEQ ID NO:577 shown in Figure 577.

35 Figure 579 shows a nucleotide sequence (SEQ ID NO:579) of a native sequence PRO16090 cDNA, wherein SEQ ID NO:579 is a clone designated herein as "DNA144844-2843".

Figure 580 shows the amino acid sequence (SEQ ID NO:580) derived from the coding sequence of SEQ ID NO:579 shown in Figure 579.

Figure 581 shows a nucleotide sequence (SEQ ID NO:581) of a native sequence PRO19576 cDNA, wherein SEQ ID NO:581 is a clone designated herein as "DNA144857-2845".

Figure 582 shows the amino acid sequence (SEQ ID NO:582) derived from the coding sequence of SEQ ID NO:581 shown in Figure 581.

Figure 583 shows a nucleotide sequence (SEQ ID NO:583) of a native sequence PRO19646 cDNA, wherein SEQ ID NO:583 is a clone designated herein as "DNA145841-2868".

Figure 584 shows the amino acid sequence (SEQ ID NO:584) derived from the coding sequence of SEQ ID NO:583 shown in Figure 583.

Figure 585 shows a nucleotide sequence (SEQ ID NO:585) of a native sequence PRO19814 cDNA, wherein SEQ ID NO:585 is a clone designated herein as "DNA148004-2882".

Figure 586 shows the amino acid sequence (SEQ ID NO:586) derived from the coding sequence of SEQ ID NO:585 shown in Figure 585.

Figure 587 shows a nucleotide sequence (SEQ ID NO:587) of a native sequence PRO19669 cDNA, wherein SEQ ID NO:587 is a clone designated herein as "DNA149893-2873".

Figure 588 shows the amino acid sequence (SEQ ID NO:588) derived from the coding sequence of SEQ ID NO:587 shown in Figure 587.

Figure 589 shows a nucleotide sequence (SEQ ID NO:589) of a native sequence PRO19818 cDNA, wherein SEQ ID NO:589 is a clone designated herein as "DNA149930-2884".

Figure 590 shows the amino acid sequence (SEQ ID NO:590) derived from the coding sequence of SEQ ID NO:589 shown in Figure 589.

Figure 591 shows a nucleotide sequence (SEQ ID NO:591) of a native sequence PRO20088 cDNA, wherein SEQ ID NO:591 is a clone designated herein as "DNA150157-2898".

Figure 592 shows the amino acid sequence (SEQ ID NO:592) derived from the coding sequence of SEQ ID NO:591 shown in Figure 591.

Figure 593 shows a nucleotide sequence (SEQ ID NO:593) of a native sequence PRO16089 cDNA, wherein SEQ ID NO:593 is a clone designated herein as "DNA150163-2842".

Figure 594 shows the amino acid sequence (SEQ ID NO:594) derived from the coding sequence of SEQ ID NO:593 shown in Figure 593.

Figure 595 shows a nucleotide sequence (SEQ ID NO:595) of a native sequence PRO20025 cDNA, wherein SEQ ID NO:595 is a clone designated herein as "DNA153579-2894".

Figure 596 shows the amino acid sequence (SEQ ID NO:596) derived from the coding sequence of SEQ ID NO:595 shown in Figure 595.

Figure 597 shows a nucleotide sequence (SEQ ID NO:597) of a native sequence PRO20040 cDNA, wherein SEQ ID NO:597 is a clone designated herein as "DNA164625-2890".

Figure 598 shows the amino acid sequence (SEQ ID NO:598) derived from the coding sequence of SEQ ID NO:597 shown in Figure 597.

Figure 599 shows a nucleotide sequence (SEQ ID NO:599) of a native sequence PRO791 cDNA, wherein SEQ ID NO:599 is a clone designated herein as "DNA57838-1337".

Figure 600 shows the amino acid sequence (SEQ ID NO:600) derived from the coding sequence of SEQ ID NO:599 shown in Figure 599.

Figure 601 shows a nucleotide sequence (SEQ ID NO:601) of a native sequence PRO1131 cDNA, wherein SEQ ID NO:601 is a clone designated herein as "DNA59777-1480".

5 Figure 602 shows the amino acid sequence (SEQ ID NO:602) derived from the coding sequence of SEQ ID NO:601 shown in Figure 601.

Figure 603 shows a nucleotide sequence (SEQ ID NO:603) of a native sequence PRO1343 cDNA, wherein SEQ ID NO:603 is a clone designated herein as "DNA66675-1587".

Figure 604 shows the amino acid sequence (SEQ ID NO:604) derived from the coding sequence of SEQ ID NO:603 shown in Figure 603.

10 Figure 605 shows a nucleotide sequence (SEQ ID NO:605) of a native sequence PRO1760 cDNA, wherein SEQ ID NO:605 is a clone designated herein as "DNA76532-1702".

Figure 606 shows the amino acid sequence (SEQ ID NO:606) derived from the coding sequence of SEQ ID NO:605 shown in Figure 605.

15 Figure 607 shows a nucleotide sequence (SEQ ID NO:607) of a native sequence PRO6029 cDNA, wherein SEQ ID NO:607 is a clone designated herein as "DNA105849-2704".

Figure 608 shows the amino acid sequence (SEQ ID NO:608) derived from the coding sequence of SEQ ID NO:607 shown in Figure 607.

Figure 609 shows a nucleotide sequence (SEQ ID NO:609) of a native sequence PRO1801 cDNA, wherein SEQ ID NO:609 is a clone designated herein as "DNA83500-2506".

20 Figure 610 shows the amino acid sequence (SEQ ID NO:610) derived from the coding sequence of SEQ ID NO:609 shown in Figure 609.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. Definitions

25 The terms "PRO polypeptide" and "PRO" as used herein and when immediately followed by a numerical designation refer to various polypeptides, wherein the complete designation (i.e., PRO/number) refers to specific polypeptide sequences as described herein. The terms "PRO/number polypeptide" and "PRO/number" wherein the term "number" is provided as an actual numerical designation as used herein encompass native sequence polypeptides and polypeptide variants (which are further defined herein). The PRO polypeptides described herein
30 may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods. The term "PRO polypeptide" refers to each individual PRO/number polypeptide disclosed herein. All disclosures in this specification which refer to the "PRO polypeptide" refer to each of the polypeptides individually as well as jointly. For example, descriptions of the preparation of, purification of, derivation of, formation of antibodies to or against, administration of, compositions containing, treatment of a disease with, etc., pertain to each polypeptide of the invention individually. The term "PRO
35 polypeptide" also includes variants of the PRO/number polypeptides disclosed herein.

A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as

the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses naturally-occurring truncated or secreted forms of the specific PRO polypeptide (e.g., an extracellular domain sequence), naturally-occurring variant forms (e.g., alternatively spliced forms) and naturally-occurring allelic variants of the polypeptide. In various embodiments of the invention, the native sequence PRO polypeptides disclosed herein are mature or full-length native sequence polypeptides comprising the full-length amino acids sequences shown in the accompanying figures. Start and stop codons are shown in bold font and underlined in the figures. However, while the PRO polypeptide disclosed in the accompanying figures are shown to begin with methionine residues designated herein as amino acid position 1 in the figures, it is conceivable and possible that other methionine residues located either upstream or downstream from the amino acid position 1 in the figures may be employed as the starting amino acid residue for the PRO polypeptides.

The PRO polypeptide "extracellular domain" or "ECD" refers to a form of the PRO polypeptide which is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, a PRO polypeptide ECD will have less than 1% of such transmembrane and/or cytoplasmic domains and preferably, will have less than 0.5% of such domains. It will be understood that any transmembrane domains identified for the PRO polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but most likely by no more than about 5 amino acids at either end of the domain as initially identified herein. Optionally, therefore, an extracellular domain of a PRO polypeptide may contain from about 5 or fewer amino acids on either side of the transmembrane domain/extracellular domain boundary as identified in the Examples or specification and such polypeptides, with or without the associated signal peptide, and nucleic acid encoding them, are contemplated by the present invention.

The approximate location of the "signal peptides" of the various PRO polypeptides disclosed herein are shown in the present specification and/or the accompanying figures. It is noted, however, that the C-terminal boundary of a signal peptide may vary, but most likely by no more than about 5 amino acids on either side of the signal peptide C-terminal boundary as initially identified herein, wherein the C-terminal boundary of the signal peptide may be identified pursuant to criteria routinely employed in the art for identifying that type of amino acid sequence element (e.g., Nielsen et al., Prot. Eng. 10:1-6 (1997) and von Heinje et al., Nucl. Acids. Res. 14:4683-4690 (1986)). Moreover, it is also recognized that, in some cases, cleavage of a signal sequence from a secreted polypeptide is not entirely uniform, resulting in more than one secreted species. These mature polypeptides, where the signal peptide is cleaved within no more than about 5 amino acids on either side of the C-terminal boundary of the signal peptide as identified herein, and the polynucleotides encoding them, are contemplated by the present invention.

"PRO polypeptide variant" means an active PRO polypeptide as defined above or below having at least about 80% amino acid sequence identity with a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Such PRO polypeptide variants include, for instance, PRO

polypeptides wherein one or more amino acid residues are added, or deleted, at the N- or C-terminus of the full-length native amino acid sequence. Ordinarily, a PRO polypeptide variant will have at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, PRO variant polypeptides are at least about 10 amino acids in length, alternatively at least about 20 amino acids in length, alternatively at least about 30 amino acids in length, alternatively at least about 40 amino acids in length, alternatively at least about 50 amino acids in length, alternatively at least about 60 amino acids in length, alternatively at least about 70 amino acids in length, alternatively at least about 80 amino acids in length, alternatively at least about 90 amino acids in length, alternatively at least about 100 amino acids in length, alternatively at least about 150 amino acids in length, alternatively at least about 200 amino acids in length, alternatively at least about 300 amino acids in length, or more.

"Percent (%) amino acid sequence identity" with respect to the PRO polypeptide sequences identified herein is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the specific PRO polypeptide sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through

Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations using this method, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO", wherein "PRO" represents the amino acid sequence of a hypothetical PRO polypeptide of interest, "Comparison Protein" represents the amino acid sequence of a polypeptide against which the "PRO" polypeptide of interest is being compared, and "X", "Y" and "Z" each represent different hypothetical amino acid residues.

Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % amino acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % amino acid sequence identity value is determined by dividing (a) the number of matching identical amino acid residues between the amino acid sequence of the PRO polypeptide of interest having a sequence derived from the native PRO polypeptide and the comparison amino acid sequence of interest (i.e., the sequence against which the PRO polypeptide of interest is being compared which may be a PRO variant polypeptide) as determined by WU-BLAST-2 by (b) the total number of amino acid residues of the PRO polypeptide of interest. For example, in the statement "a polypeptide comprising an the amino acid sequence A which has or having at least 80% amino acid sequence identity to the amino acid sequence B", the amino acid sequence A is the comparison amino acid sequence of interest and the amino acid sequence B is the amino acid sequence of the PRO polypeptide of interest.

Percent amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the

National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

"PRO variant polynucleotide" or "PRO variant nucleic acid sequence" means a nucleic acid molecule which encodes an active PRO polypeptide as defined below and which has at least about 80% nucleic acid sequence identity with a nucleotide acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, a PRO variant polynucleotide will have at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity with a nucleic acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal sequence, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Variants do not encompass the native nucleotide sequence.

Ordinarily, PRO variant polynucleotides are at least about 30 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 210 nucleotides in length, alternatively at least about 240 nucleotides in length, alternatively at least about 270 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 900 nucleotides in length, or more.

"Percent (%) nucleic acid sequence identity" with respect to PRO-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in the PRO nucleic acid sequence of interest, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. For purposes herein, however, % nucleic acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for nucleic acid sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5, demonstrate how to calculate the % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid sequence designated "PRO-DNA", wherein "PRO-DNA" represents a hypothetical PRO-encoding nucleic acid sequence of interest, "Comparison DNA" represents the nucleotide sequence of a nucleic acid molecule against which the "PRO-DNA" nucleic acid molecule of interest is being compared, and "N", "L" and "V" each represent

different hypothetical nucleotides.

Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % nucleic acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % nucleic acid sequence identity value is determined by dividing (a) the number of matching identical nucleotides between the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest having a sequence derived from the native sequence PRO polypeptide-encoding nucleic acid and the comparison nucleic acid molecule of interest (i.e., the sequence against which the PRO polypeptide-encoding nucleic acid molecule of interest is being compared which may be a variant PRO polynucleotide) as determined by WU-BLAST-2 by (b) the total number of nucleotides of the PRO polypeptide-encoding nucleic acid molecule of interest. For example, in the statement "an isolated nucleic acid molecule comprising a nucleic acid sequence A which has or having at least 80% nucleic acid sequence identity to the nucleic acid sequence B", the nucleic acid sequence A is the comparison nucleic acid molecule of interest and the nucleic acid sequence B is the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest.

Percent nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C.

In other embodiments, PRO variant polynucleotides are nucleic acid molecules that encode an active PRO polypeptide and which are capable of hybridizing, preferably under stringent hybridization and wash conditions,

to nucleotide sequences encoding a full-length PRO polypeptide as disclosed herein. PRO variant polypeptides may be those that are encoded by a PRO variant polynucleotide.

"Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide *in situ* within recombinant cells, since at least one component of the PRO polypeptide natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

An "isolated" PRO polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide-encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal location different from that of natural cells.

The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-PRO monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-PRO antibody compositions with polyepitopic specificity, single chain anti-PRO antibodies, and fragments of anti-PRO antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially

homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

"Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which can be used. As a result, it follows that higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel et al., Current Protocols in Molecular Biology, Wiley Interscience Publishers, (1995).

"Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1 % sodium dodecyl sulfate at 50°C; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1 % bovine serum albumin/0.1 % Ficoll/0.1 % polyvinylpyrrolidone/50mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42°C; or (3) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1 % sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1 % SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

"Moderately stringent conditions" may be identified as described by Sambrook et al., Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and %SDS) less stringent than those described above. An example of moderately stringent conditions is overnight incubation at 37°C in a solution comprising: 20% formamide, 5 x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5 x Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1 x SSC at about 37-50°C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a PRO polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding

specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

5 "Active" or "activity" for the purposes herein refers to form(s) of a PRO polypeptide which retain a biological and/or an immunological activity of native or naturally-occurring PRO, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring PRO other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO and an "immunological" activity refers to the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO.

10 The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native PRO polypeptide disclosed herein. In a similar manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native PRO polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native PRO polypeptides, peptides, antisense oligonucleotides, small organic molecules, etc. Methods for identifying agonists or antagonists of a PRO polypeptide may comprise contacting a PRO polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the PRO polypeptide.

20 "Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

25 "Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

"Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

30 Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

35 "Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are nontoxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine,

asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, polyethylene glycol (PEG), and PLURONICS™.

"Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al., *Protein Eng.* 8(10): 1057-1062 [1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

"Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

"Single-chain Fv" or "sFv" antibody fragments comprise the V_H and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthum in *The Pharmacology of Monoclonal Antibodies*, vol. 113, Rosenberg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) in the same

polypeptide chain (V_H - V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

5 An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence
10 by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

15 An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical
20 alteration of a substrate compound or composition which is detectable.

By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay
25 plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes a discontinuous solid phase of discrete particles, such as those described in U.S. Patent No. 4,275,149.

A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a PRO polypeptide or antibody thereto) to a mammal. The components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of
30 biological membranes.

A "small molecule" is defined herein to have a molecular weight below about 500 Daltons.

An "effective amount" of a polypeptide disclosed herein or an agonist or antagonist thereof is an amount sufficient to carry out a specifically stated purpose. An "effective amount" may be determined empirically and in a routine manner, in relation to the stated purpose.

Table 1

```

/*
*
* C-C increased from 12 to 15
* Z is average of EQ
5  * B is average of ND
* match with stop is _M; stop-stop = 0; J (joker) match = 0
*/
#define _M      -8      /* value of a match with a stop */

10 int  _day[26][26] = {
/* A B C D E F G H I J K L M N O P Q R S T U V W X Y Z */
/* A */ { 2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, _M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0},
/* B */ { 0, 3, -4, 3, 2, -5, 0, 1, -2, 0, 0, -3, -2, 2, _M, -1, 1, 0, 0, 0, 0, -2, -5, 0, -3, 1},
/* C */ { -2, -4, 15, -5, -5, -4, -3, -3, -2, 0, -5, -6, -5, -4, _M, -3, -5, -4, 0, -2, 0, -2, -8, 0, 0, -5},
15 /* D */ { 0, 3, -5, 4, 3, -6, 1, 1, -2, 0, 0, -4, -3, 2, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 2},
/* E */ { 0, 2, -5, 3, 4, -5, 0, 1, -2, 0, 0, -3, -2, 1, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 3},
/* F */ { -4, -5, -4, -6, -5, 9, -5, -2, 1, 0, -5, 2, 0, -4, _M, -5, -5, -4, -3, -3, 0, -1, 0, 0, 7, -5},
/* G */ { 1, 0, -3, 1, 0, -5, 5, -2, -3, 0, -2, -4, -3, 0, _M, -1, -1, -3, 1, 0, 0, -1, -7, 0, -5, 0},
/* H */ { -1, 1, -3, 1, 1, -2, -2, 6, -2, 0, 0, -2, -2, 2, _M, 0, 3, 2, -1, -1, 0, -2, -3, 0, 0, 2},
20 /* I */ { -1, -2, -2, -2, 1, -3, -2, 5, 0, -2, 2, 2, -2, _M, -2, -2, -2, -1, 0, 0, 4, -5, 0, -1, -2},
/* J */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* K */ { -1, 0, -5, 0, 0, -5, -2, 0, -2, 0, 5, -3, 0, 1, _M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0},
/* L */ { -2, -3, -6, -4, -3, 2, -4, -2, 2, 0, -3, 6, 4, -3, _M, -3, -2, -3, -3, -1, 0, 2, -2, 0, -1, -2},
/* M */ { -1, -2, -5, -3, -2, 0, -3, -2, 2, 0, 0, 4, 6, -2, _M, -2, -1, 0, -2, -1, 0, 2, -4, 0, -2, -1},
25 /* N */ { 0, 2, -4, 2, 1, -4, 0, 2, -2, 0, 1, -3, -2, 2, _M, -1, 1, 0, 1, 0, 0, -2, -4, 0, -2, 1},
/* O */ { _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M},
/* P */ { 1, -1, -3, -1, -1, -5, -1, 0, -2, 0, -1, -3, -2, -1, _M, 6, 0, 0, 1, 0, 0, -1, -6, 0, -5, 0},
/* Q */ { 0, 1, -5, 2, 2, -5, -1, 3, -2, 0, 1, -2, -1, 1, _M, 0, 4, 1, -1, -1, 0, -2, -5, 0, -4, 3},
/* R */ { -2, 0, -4, -1, -1, -4, -3, 2, -2, 0, 3, -3, 0, 0, _M, 0, 1, 6, 0, -1, 0, -2, 2, 0, -4, 0},
30 /* S */ { 1, 0, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, _M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0},
/* T */ { 1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, _M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0},
/* U */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* V */ { 0, -2, -2, -2, -2, -1, -1, -2, 4, 0, -2, 2, 2, -2, _M, -1, -2, -2, -1, 0, 0, 4, -6, 0, -2, -2},
/* W */ { -6, -5, -8, -7, -7, 0, -7, -3, -5, 0, -3, -2, -4, -4, _M, -6, -5, 2, -2, -5, 0, -6, 17, 0, 0, -6},
35 /* X */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* Y */ { -3, -3, 0, -4, -4, 7, -5, 0, -1, 0, -4, -1, -2, -2, _M, -5, -4, -4, -3, -3, 0, -2, 0, 0, 10, -4},
/* Z */ { 0, 1, -5, 2, 3, -5, 0, 2, -2, 0, 0, -2, -1, 1, _M, 0, 3, 0, 0, 0, 0, -2, -6, 0, -4, 4}
};

40

45

50

55

```


Table 1 (cont')

```

/*
*/
#include <stdio.h>
#include <ctype.h>

5
#define MAXJMP      16      /* max jumps in a diag */
#define MAXGAP      24      /* don't continue to penalize gaps larger than this */
#define JMPS        1024    /* max jmps in an path */
10
#define MX          4       /* save if there's at least MX-1 bases since last jmp */

#define DMAT        3       /* value of matching bases */
#define DMIS        0       /* penalty for mismatched bases */
#define DINS0       8       /* penalty for a gap */
15
#define DINS1       1       /* penalty per base */
#define PINS0       8       /* penalty for a gap */
#define PINS1       4       /* penalty per residue */

struct jmp {
20
    short            n[MAXJMP]; /* size of jmp (neg for dely) */
    unsigned short   x[MAXJMP]; /* base no. of jmp in seq x */
}; /* limits seq to 2^16 -1 */

struct diag {
25
    int              score;      /* score at last jmp */
    long             offset;     /* offset of prev block */
    short            ijmp;       /* current jmp index */
    struct jmp        jp;        /* list of jmps */
};

30
struct path {
    int              spc;         /* number of leading spaces */
    short            n[JMPS]; /* size of jmp (gap) */
    int              x[JMPS]; /* loc of jmp (last elem before gap) */
35
};

char              *ofile;        /* output file name */
char              *namex[2];     /* seq names: getseqs() */
char              *prog;         /* prog name for err msgs */
40
char              *seqx[2];      /* seqs: getseqs() */
int               dmax;          /* best diag: nw() */
int               dmax0;         /* final diag */
int               dna;           /* set if dna: main() */
int               endgaps;       /* set if penalizing end gaps */
45
int               gapx, gapy;     /* total gaps in seqs */
int               len0, len1;    /* seq lens */
int               ngapx, ngapy;   /* total size of gaps */
int               smax;          /* max score: nw() */
int               *xbm;          /* bitmap for matching */
50
long              offset;        /* current offset in jmp file */
struct            diag           /* holds diagonals */
struct            path           /* holds path for seqs */
pp[2];

char              *calloc(), *malloc(), *index(), *strcpy();
55
char              *getseq(), *g_calloc();

```

60

Table 1 (cont')

```

/* Needleman-Wunsch alignment program
*
* usage: progs file1 file2
* where file1 and file2 are two dna or two protein sequences.
5  * The sequences can be in upper- or lower-case and may contain ambiguity
* Any lines beginning with ';', '>' or '<' are ignored
* Max file length is 65535 (limited by unsigned short x in the jmp struct)
* A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
10 * Output is in the file "align.out"
*
* The program may create a tmp file in /tmp to hold info about traceback.
* Original version developed under BSD 4.3 on a vax 8650
*/
15 #include "nw.h"
#include "day.h"

static _dbval[26] = {
    1,14,2,13,0,0,4,11,0,0,12,0,3,15,0,0,0,5,6,8,8,7,9,0,10,0
};

20 static _pbval[26] = {
    1, 2|(1<<('D'-'A'))|(1<<('N'-'A')), 4, 8, 16, 32, 64,
    128, 256, 0xFFFFFFFF, 1<<10, 1<<11, 1<<12, 1<<13, 1<<14,
    1<<15, 1<<16, 1<<17, 1<<18, 1<<19, 1<<20, 1<<21, 1<<22,
25 1<<23, 1<<24, 1<<25|(1<<('E'-'A'))|(1<<('Q'-'A'))
};

main(ac, av)
30     int    ac;
    char    *av[];
{
    prog = av[0];
    if (ac != 3) {
35         fprintf(stderr, "usage: %s file1 file2\n", prog);
        fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
        fprintf(stderr, "The sequences can be in upper- or lower-case\n");
        fprintf(stderr, "Any lines beginning with ';', '>' or '<' are ignored\n");
        fprintf(stderr, "Output is in the file \"align.out\"\n");
        exit(1);
40     }
    namex[0] = av[1];
    namex[1] = av[2];
    seqx[0] = getseq(namex[0], &len0);
    seqx[1] = getseq(namex[1], &len1);
45     xbm = (dna)? _dbval : _pbval;

    endgaps = 0;                /* 1 to penalize endgaps */
    ofile = "align.out";        /* output file */

50     nw();                    /* fill in the matrix, get the possible jumps */
    readjumps();                /* get the actual jumps */
    print();                    /* print stats, alignment */

    cleanup(0);                /* unlink any tmp files */
55 }

```

main

Table 1 (cont')

```

/* do the alignment, return best score: main()
* dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
* pro: PAM 250 values
* When scores are equal, we prefer mismatches to any gap, prefer
* a new gap to extending an ongoing gap, and prefer a gap in seqx
* to a gap in seq y.
*/
nw()
{
    char      *px, *py;      /* seqs and ptrs */
    int        *ndely, *dely; /* keep track of dely */
    int        ndelx, delx;   /* keep track of delx */
    int        *tmp;         /* for swapping row0, row1 */
    int        mis;          /* score for each type */
    int        ins0, ins1;    /* insertion penalties */
    register   id;           /* diagonal index */
    register   ij;           /* jmp index */
    register   *col0, *col1;  /* score for curr, last row */
    register   xx, yy;       /* index into seqs */

    dx = (struct diag *)g_calloc("to get diags", len0+len1+1, sizeof(struct diag));

    ndely = (int *)g_calloc("to get ndely", len1+1, sizeof(int));
    dely = (int *)g_calloc("to get dely", len1+1, sizeof(int));
    col0 = (int *)g_calloc("to get col0", len1+1, sizeof(int));
    col1 = (int *)g_calloc("to get col1", len1+1, sizeof(int));
    ins0 = (dna)? DINS0 : PINS0;
    ins1 = (dna)? DINS1 : PINS1;

    smax = -10000;
    if (endgaps) {
        for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy++) {
            col0[yy] = dely[yy] = col0[yy-1] - ins1;
            ndely[yy] = yy;
        }
        col0[0] = 0;      /* Waterman Bull Math Biol 84 */
    }
    else
        for (yy = 1; yy <= len1; yy++)
            dely[yy] = -ins0;

    /* fill in match matrix
    */
    for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
        /* initialize first entry in col
        */
        if (endgaps) {
            if (xx == 1)
                col1[0] = delx = -(ins0+ins1);
            else
                col1[0] = delx = col0[0] - ins1;
            ndelx = xx;
        }
        else {
            col1[0] = 0;
            delx = -ins0;
            ndelx = 0;
        }
    }
}

```

Table 1 (cont')

...nw

```

for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
    mis = col0[yy-1];
    if (dna)
        mis += (xbm[*px-'A']&xbm[*py-'A'])? DMAT : DMIS;
    else
        mis += _day[*px-'A'][*py-'A'];

    /* update penalty for del in x seq;
     * favor new del over ongoing del
     * ignore MAXGAP if weighting endgaps
     */
    if (endgaps || ndely[yy] < MAXGAP) {
        if (col0[yy] - ins0 >= dely[yy]) {
            dely[yy] = col0[yy] - (ins0+ins1);
            ndely[yy] = 1;
        } else {
            dely[yy] -= ins1;
            ndely[yy]++;
        }
    } else {
        if (col0[yy] - (ins0+ins1) >= dely[yy]) {
            dely[yy] = col0[yy] - (ins0+ins1);
            ndely[yy] = 1;
        } else
            ndely[yy]++;
    }

    /* update penalty for del in y seq;
     * favor new del over ongoing del
     */
    if (endgaps || ndelx < MAXGAP) {
        if (col1[yy-1] - ins0 >= delx) {
            delx = col1[yy-1] - (ins0+ins1);
            ndelx = 1;
        } else {
            delx -= ins1;
            ndelx++;
        }
    } else {
        if (col1[yy-1] - (ins0+ins1) >= delx) {
            delx = col1[yy-1] - (ins0+ins1);
            ndelx = 1;
        } else
            ndelx++;
    }

    /* pick the maximum score; we're favoring
     * mis over any del and delx over dely
     */

```

Table 1 (cont')

...nw

```

3      id = xx - yy + len1 - 1;
      if (mis >= delx && mis >= dely[yy])
          coll[yy] = mis;
5      else if (delx >= dely[yy]) {
          coll[yy] = delx;
          ij = dx[id].ijmp;
          if (dx[id].jp.n[0] && (!dna || (ndelx >= MAXJMP
10          && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
              dx[id].ijmp++;
              if (++ij >= MAXJMP) {
                  writejumps(id);
                  ij = dx[id].ijmp = 0;
                  dx[id].offset = offset;
15                  offset += sizeof(struct jmp) + sizeof(offset);
              }
          }
          dx[id].jp.n[ij] = ndelx;
          dx[id].jp.x[ij] = xx;
          dx[id].score = delx;
20      }
      else {
          coll[yy] = dely[yy];
          ij = dx[id].ijmp;
25      if (dx[id].jp.n[0] && (!dna || (ndely[yy] >= MAXJMP
          && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
              dx[id].ijmp++;
              if (++ij >= MAXJMP) {
                  writejumps(id);
                  ij = dx[id].ijmp = 0;
                  dx[id].offset = offset;
30                  offset += sizeof(struct jmp) + sizeof(offset);
              }
          }
          dx[id].jp.n[ij] = -ndely[yy];
          dx[id].jp.x[ij] = xx;
          dx[id].score = dely[yy];
35      }
      if (xx == len0 && yy < len1) {
          /* last col
          */
          if (endgaps)
              coll[yy] -= ins0+ins1*(len1-yy);
          if (coll[yy] > smax) {
40              smax = coll[yy];
              dmax = id;
          }
      }
50      if (endgaps && xx < len0)
          coll[yy-1] -= ins0+ins1*(len0-xx);
      if (coll[yy-1] > smax) {
          smax = coll[yy-1];
          dmax = id;
55      }
      tmp = col0; col0 = coll; coll = tmp;
  }
  (void) free((char *)ndely);
  (void) free((char *)dely);
  (void) free((char *)col0);
60  (void) free((char *)coll);
  }

```

Table 1 (cont')

```

/*
 *
 * print() -- only routine visible outside this module
 *
5  * static:
 * getmat() -- trace back best path, count matches: print()
 * pr_align() -- print alignment of described in array p[]: print()
 * dumpblock() -- dump a block of lines with numbers, stars: pr_align()
 * nuns() -- put out a number line: dumpblock()
10 * putline() -- put out a line (name, [num], seq, [num]): dumpblock()
 * stars() -- put a line of stars: dumpblock()
 * stripname() -- strip any path and prefix from a seqname
 */

15 #include "nw.h"

#define SPC      3
#define P_LINE   256 /* maximum output line */
#define P_SPC    3 /* space between name or num and seq */

20 extern _day[26][26];
int olen; /* set output line length */
FILE *fx; /* output file */

25 print()                                     print
{
    int lx, ly, firstgap, lastgap; /* overlap */

    if ((fx = fopen(ofile, "w")) == 0) {
30         fprintf(stderr, "%s: can't write %s\n", prog, ofile);
        cleanup(1);
    }
    fprintf(fx, "<first sequence: %s (length = %d)\n", namex[0], len0);
    fprintf(fx, "<second sequence: %s (length = %d)\n", namex[1], len1);
35     olen = 60;
    lx = len0;
    ly = len1;
    firstgap = lastgap = 0;
    if (dmax < len1 - 1) { /* leading gap in x */
40         pp[0].spc = firstgap = len1 - dmax - 1;
        ly -= pp[0].spc;
    }
    else if (dmax > len1 - 1) { /* leading gap in y */
45         pp[1].spc = firstgap = dmax - (len1 - 1);
        lx -= pp[1].spc;
    }
    if (dmax0 < len0 - 1) { /* trailing gap in x */
        lastgap = len0 - dmax0 - 1;
50         lx -= lastgap;
    }
    else if (dmax0 > len0 - 1) { /* trailing gap in y */
        lastgap = dmax0 - (len0 - 1);
55         ly -= lastgap;
    }
    getmat(lx, ly, firstgap, lastgap);
    pr_align();
}

60

```

Table 1 (cont')

```

/*
 * trace back the best path, count matches
 */
static
5  getmat(lx, ly, firstgap, lastgap)                                getmat
    int    lx, ly;          /* "core" (minus endgaps) */
    int    firstgap, lastgap; /* leading trailing overlap */
{
    int      nm, i0, i1, siz0, siz1;
    char     outx[32];
    double   pct;
    register n0, n1;
    register char *p0, *p1;

15  /* get total matches, score
    */
    i0 = i1 = siz0 = siz1 = 0;
    p0 = seqx[0] + pp[1].spc;
    p1 = seqx[1] + pp[0].spc;
20  n0 = pp[1].spc + 1;
    n1 = pp[0].spc + 1;

    nm = 0;
    while ( *p0 && *p1 ) {
25  if (siz0) {
        p1++;
        n1++;
        siz0--;
    }
    else if (siz1) {
30  p0++;
        n0++;
        siz1--;
    }
    else {
35  if (xbm[*p0-'A']&xbm[*p1-'A'])
        nm++;
        if (n0++ == pp[0].x[i0])
            siz0 = pp[0].n[i0++];
40  if (n1++ == pp[1].x[i1])
            siz1 = pp[1].n[i1++];
        p0++;
        p1++;
    }
45  }

    /* pct homology:
    * if penalizing endgaps, base is the shorter seq
    * else, knock off overhangs and take shorter core
    */
50  if (endgaps)
        lx = (len0 < len1)? len0 : len1;
    else
        lx = (lx < ly)? lx : ly;
55  pct = 100.*(double)nm/(double)lx;
    fprintf(fx, "\n");
    fprintf(fx, "< %d match%s in an overlap of %d: %.2f percent similarity\n",
        nm, (nm == 1)? "" : "es", lx, pct);
60

```

Table 1 (cont')

```

fprintf(fx, "< gaps in first sequence: %d", gapx);
if (gapx) {
    (void) sprintf(outx, " (%d %s%s)",
        ngapx, (dna)? "base":"residue", (ngapx == 1)? "" : "s");
    fprintf(fx, "%s", outx);

    fprintf(fx, ", gaps in second sequence: %d", gapy);
    if (gapy) {
        (void) sprintf(outx, " (%d %s%s)",
            ngapy, (dna)? "base":"residue", (ngapy == 1)? "" : "s");
        fprintf(fx, "%s", outx);
    }
    if (dna)
        fprintf(fx,
            "\n<score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
            smax, DMAT, DMIS, DINSO, DINS1);
    else
        fprintf(fx,
            "\n<score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
            smax, PINSO, PINS1);
    if (endgaps)
        fprintf(fx,
            "<endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
            firstgap, (dna)? "base" : "residue", (firstgap == 1)? "" : "s",
            lastgap, (dna)? "base" : "residue", (lastgap == 1)? "" : "s");
    else
        fprintf(fx, "<endgaps not penalized\n");
}

static      nm;          /* matches in core -- for checking */
static      lmax;        /* lengths of stripped file names */
static      ij[2];       /* jmp index for a path */
static      nc[2];       /* number at start of current line */
static      ni[2];       /* current elem number -- for gapping */
static      siz[2];
static char *ps[2];      /* ptr to current element */
static char *po[2];      /* ptr to next output char slot */
static char out[2][P_LINE]; /* output line */
static char star[P_LINE]; /* set by stars() */

/*
 * print alignment of described in struct path pp[]
 */
static
pr_align()
{
    int      nn;          /* char count */
    int      more;
    register i;

    for (i = 0, lmax = 0; i < 2; i++) {
        nn = stripname(name[i]);
        if (nn > lmax)
            lmax = nn;

        nc[i] = 1;
        ni[i] = 1;
        siz[i] = ij[i] = 0;
        ps[i] = seqx[i];
        po[i] = out[i];
    }
}

```

...getmat

pr_align

Table 1 (cont')

...pr_align

```

for (nn = nm = 0, more = 1; more; ) {
    for (i = more = 0; i < 2; i++) {
        /*
        * do we have more of this sequence?
        */
        if (!*ps[i])
            continue;

        more++;

        if (pp[i].spc) { /* leading space */
            *po[i]++ = ' ';
            pp[i].spc--;
        }
        else if (siz[i]) { /* in a gap */
            *po[i]++ = '-';
            siz[i]--;
        }
        else {
            /* we're putting a seq element
            */
            *po[i] = *ps[i];
            if (islower(*ps[i]))
                *ps[i] = toupper(*ps[i]);

            po[i]++;
            ps[i]++;

            /*
            * are we at next gap for this seq?
            */
            if (ni[i] == pp[i].x[ij[i]]) {
                /*
                * we need to merge all gaps
                * at this location
                */
                siz[i] = pp[i].n[ij[i]++];
                while (ni[i] == pp[i].x[ij[i]])
                    siz[i] += pp[i].n[ij[i]++];
            }
            ni[i]++;
        }
    }
    if (++nn == olen || !more && nn) {
        dumpblock();
        for (i = 0; i < 2; i++)
            po[i] = out[i];
        nn = 0;
    }
}

/*
 * dump a block of lines, including numbers, stars: pr_align()
 */
static
dumpblock()
{
    register i;

    for (i = 0; i < 2; i++)
        *po[i] = '\0';

```

dumpblock

Table 1 (cont')

...dumpblock

```

5      (void) putc('\n', fx);
      for (i = 0; i < 2; i++) {
          if (*out[i] && (*out[i] != ' ' || *(po[i]) != ' ')) {
              if (i == 0)
                  nums(i);
              if (i == 0 && *out[1])
                  stars();
10         putline(i);
              if (i == 0 && *out[1])
                  fprintf(fx, star);
              if (i == 1)
                  nums(i);
15     }
    }
}

/*
20  * put out a number line: dumpblock()
  */
static
nums(ix)
25  {
    int      ix;      /* index in out[] holding seq line */
    char      nline[P_LINE];
    register  i, j;
    register char *pn, *px, *py;

30    for (pn = nline, i = 0; i < lmax + P_SPC; i++, pn++)
        *pn = ' ';
    for (i = nc[ix], py = out[ix]; *py; py++, pn++) {
        if (*py == ' ' || *py == '-')
            *pn = ' ';
35        else {
            if (i % 10 == 0 || (i == 1 && nc[ix] != 1)) {
                j = (i < 0)? -i : i;
                for (px = pn; j; j /= 10, px--)
                    *px = j % 10 + '0';
40                if (i < 0)
                    *px = '-';
            }
            else
                *pn = ' ';
45                i++;
        }
    }
    *pn = '\0';
    nc[ix] = i;
    for (pn = nline; *pn; pn++)
        (void) putc(*pn, fx);
    (void) putc('\n', fx);
50 }

/*
55  * put out a line (name, [num], seq, [num]): dumpblock()
  */
static
putline(ix)
60  int      ix;      {

```

nums

putline

Table 1 (cont')

...putline

```

5      int          i;
      register char *px;

      for (px = namex[ix], i = 0; *px && *px != ':'; px++, i++)
          (void) putc(*px, fx);
      for (; i < lmax+P_SPC; i++)
          (void) putc(' ', fx);

10     /* these count from 1:
       * ni[] is current element (from 1)
       * nc[] is number at start of current line
       */
15     for (px = out[ix]; *px; px++)
          (void) putc(*px&0x7F, fx);
      (void) putc('\n', fx);
  }

20  /*
   * put a line of stars (seqs always in out[0], out[1]): dumpblock()
   */
   static
25  stars()
  {
      int          i;
      register char *p0, *p1, cx, *px;

30     if (!*out[0] || (*out[0] == ' ' && *(po[0]) == ' ') ||
        !*out[1] || (*out[1] == ' ' && *(po[1]) == ' '))
          return;
      px = star;
      for (i = lmax+P_SPC; i; i--)
35         *px++ = ' ';

      for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
          if (isalpha(*p0) && isalpha(*p1)) {
40             if (xbm[*p0-'A']&xbm[*p1-'A']) {
                 cx = '*';
                 nm++;
             }
             else if (ldna && _day[*p0-'A'][*p1-'A'] > 0)
45                 cx = '.';
             else
                 cx = ' ';
          }
          else
50             cx = ' ';
          *px++ = cx;
      }
      *px++ = '\n';
      *px = '\0';
55  }

```

stars

Table 1 (cont')

```
/*
 * strip path or prefix from pn, return len: pr_align0
 */
static
5 stripname(pn)
    char *pn; /* file name (may be path) */
{
    register char *px, *py;
10    py = 0;
    for (px = pn; *px; px++)
        if (*px == '/')
            py = px + 1;
15    if (py)
        (void) strcpy(pn, py);
    return(strlen(pn));
}
```

stripname

Table 1 (cont')

```

/*
 * cleanup() -- cleanup any tmp file
 * getseq() -- read in seq, set dna, len, maxlen
 * g_malloc() -- calloc() with error checkin
5  * readjumps() -- get the good jumps; from tmp file if necessary
 * writejumps() -- write a filled array of jumps to a tmp file: nw()
 */
#include "nw.h"
#include <sys/file.h>

10 char    *jname = "/tmp/homgXXXXXX";    /* tmp file for jumps */
FILE     *fj;

int       cleanup();                    /* cleanup tmp file */
15 long    lseek();

/*
 * remove any tmp file if we blow
 */
20 cleanup(i)                            cleanup
{
    int    i;
    if (fj)
        (void) unlink(jname);
25    exit(i);
}

/*
 * read, return ptr to seq, set dna, len, maxlen
 * skip lines starting with ';', '<', or '>'
 * seq in upper or lower case
 */
30 char    *
getseq(file, len)                        getseq
35 {
    char    *file;    /* file name */
    int     *len;     /* seq len */
    {
        char    line[1024], *pseq;
        register char    *px, *py;
        int     natgc, tlen;
        FILE     *fp;

        if ((fp = fopen(file, "r")) == 0) {
            fprintf(stderr, "%s: can't read %s\n", prog, file);
            exit(1);
        }
        tlen = natgc = 0;
        while (fgets(line, 1024, fp)) {
            if (*line == ';' || *line == '<' || *line == '>')
                continue;
            for (px = line; *px != '\n'; px++)
                if (isupper(*px) || islower(*px))
                    tlen++;
        }
        if ((pseq = malloc((unsigned)(tlen+6))) == 0) {
            fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
            exit(1);
        }
        pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';
60

```

Table 1 (cont')

...getseq

```

py = pseq + 4;
*len = tlen;
rewind(fp);
5
while (fgets(line, 1024, fp)) {
    if (*line == ';' || *line == '<' || *line == '>')
        continue;
    for (px = line; *px != '\n'; px++) {
10        if (isupper(*px))
            *py++ = *px;
        else if (islower(*px))
            *py++ = toupper(*px);
        if (index("ATGCU", *(py-1)))
15            natgc++;
    }
    *py++ = '\0';
    *py = '\0';
    (void) fclose(fp);
    dna = natgc > (tlen/3);
    return(pseq+4);
}

25 char *
g_alloc(msg, nx, sz)
char *msg; /* program, calling routine */
int nx, sz; /* number and size of elements */
{
30     char *px, *calloc();

    if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
        if (*msg) {
35             fprintf(stderr, "%s: g_alloc() failed %s (n=%d, sz=%d)\n", prog, msg, nx, sz);
            exit(1);
        }
    }
    return(px);
}

40 /*
 * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
 */
readjmps()
45 {
    int fd = -1;
    int siz, i0, i1;
    register i, j, xx;

50     if (fj) {
        (void) fclose(fj);
        if ((fd = open(jname, O_RDONLY, 0)) < 0) {
            fprintf(stderr, "%s: can't open() %s\n", prog, jname);
            cleanup(1);
55         }
    }
    for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; i++) {
        while (1) {
60             for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
                ;

```

g_alloc

readjmps

Table 1 (cont')

...readjumps

```

5         if (j < 0 && dx[dmax].offset && fj) {
            (void) lseek(fd, dx[dmax].offset, 0);
            (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
            (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
            dx[dmax].ijmp = MAXJMP-1;
        }
        else
10             break;
    }
    if (i >= JMPS) {
        fprintf(stderr, "%s: too many gaps in alignment\n", prog);
        cleanup(1);
    }
15    if (j >= 0) {
        siz = dx[dmax].jp.n[j];
        xx = dx[dmax].jp.x[j];
        dmax += siz;
        if (siz < 0) { /* gap in second seq */
20             pp[1].n[i1] = -siz;
             xx += siz;
             /* id = xx - yy + len1 - 1
              */
             pp[1].x[i1] = xx - dmax + len1 - 1;
25             gapy++;
             ngapy -= siz;
            /* ignore MAXGAP when doing endgaps */
             siz = (-siz < MAXGAP || endgaps)? -siz : MAXGAP;
             i1++;
30         }
        else if (siz > 0) { /* gap in first seq */
            pp[0].n[i0] = siz;
            pp[0].x[i0] = xx;
            gapx++;
            ngapx += siz;
35            /* ignore MAXGAP when doing endgaps */
             siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
             i0++;
        }
40    }
    else
        break;
}

45    /* reverse the order of jumps
    */
    for (j = 0, i0--; j < i0; j++, i0--) {
        i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
        i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
50    }
    for (j = 0, i1--; j < i1; j++, i1--) {
        i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
        i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
55    }
    if (fd >= 0)
        (void) close(fd);
    if (fj) {
        (void) unlink(jname);
        fj = 0;
60        offset = 0;
    }
}

```

Table 1 (cont')

```

/*
 * write a filled jmp struct offset of the prev one (if any): nw()
 */
5  writejumps(ix)                                     writejumps
    int    ix;
    {
        char    *mktemp0;
10         if (!fj) {
            if (mktemp(jname) < 0) {
                fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);
                cleanup(1);
            }
15         if ((fj = fopen(jname, "w")) == 0) {
            fprintf(stderr, "%s: can't write %s\n", prog, jname);
            exit(1);
        }
20         (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
        (void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
    }
}

25

30

35

40

45

50

55

60

```


Table 2

PRO	XXXXXXXXXXXXXXXXXX	(Length = 15 amino acids)
Comparison Protein	XXXXXXXXYYYYYY	(Length = 12 amino acids)

5 % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10 5 divided by 15 = 33.3%

Table 3

PRO	XXXXXXXXXXXX	(Length = 10 amino acids)
15 Comparison Protein	XXXXXXXXYYYYYYZZYZ	(Length = 15 amino acids)

% amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

20 5 divided by 10 = 50%

Table 4

25 PRO-DNA	NNNNNNNNNNNNNN	(Length = 14 nucleotides)
Comparison DNA	NNNNNNLLLLLLLLLL	(Length = 16 nucleotides)

% nucleic acid sequence identity =

30 (the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

6 divided by 14 = 42.9%

35

Table 5

PRO-DNA	NNNNNNNNNNNN	(Length = 12 nucleotides)
Comparison DNA	NNNNLLLVV	(Length = 9 nucleotides)

5 % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-
2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10 4 divided by 12 = 33.3%

II. Compositions and Methods of the Invention

A. Full-Length PRO Polypeptides

15 The present invention provides newly identified and isolated nucleotide sequences encoding polypeptides referred to in the present application as PRO polypeptides. In particular, cDNAs encoding various PRO polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. It is noted that proteins produced in separate expression rounds may be given different PRO numbers but the UNQ number is unique for any given DNA and the encoded protein, and will not be changed. However, for sake of simplicity, in the present specification the protein encoded by the full length native nucleic acid molecules disclosed herein
20 as well as all further native homologues and variants included in the foregoing definition of PRO, will be referred to as "PRO/number", regardless of their origin or mode of preparation.

As disclosed in the Examples below, various cDNA clones have been deposited with the ATCC. The actual nucleotide sequences of those clones can readily be determined by the skilled artisan by sequencing of the deposited clone using routine methods in the art. The predicted amino acid sequence can be determined from the
25 nucleotide sequence using routine skill. For the PRO polypeptides and encoding nucleic acids described herein, Applicants have identified what is believed to be the reading frame best identifiable with the sequence information available at the time.

B. PRO Polypeptide Variants

30 In addition to the full-length native sequence PRO polypeptides described herein, it is contemplated that PRO variants can be prepared. PRO variants can be prepared by introducing appropriate nucleotide changes into the PRO DNA, and/or by synthesis of the desired PRO polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the PRO, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

35 Variations in the native full-length sequence PRO or in various domains of the PRO described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative

mutations set forth, for instance, in U.S. Patent No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the PRO that results in a change in the amino acid sequence of the PRO as compared with the native sequence PRO. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the PRO. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence of the PRO with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

PRO polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the PRO polypeptide.

PRO fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating PRO fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, PRO polypeptide fragments share at least one biological and/or immunological activity with the native PRO polypeptide disclosed herein.

In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.

Table 6

	<u>Original Residue</u>	<u>Exemplary Substitutions</u>	<u>Preferred Substitutions</u>
5	Ala (A)	val; leu; ile	val
	Arg (R)	lys; gln; asn	lys
	Asn (N)	gln; his; lys; arg	gln
	Asp (D)	glu	glu
	Cys (C)	ser	ser
10	Gln (Q)	asn	asn
	Glu (E)	asp	asp
	Gly (G)	pro; ala	ala
	His (H)	asn; gln; lys; arg	arg
	Ile (I)	leu; val; met; ala; phe;	
15		norleucine	leu
	Leu (L)	norleucine; ile; val;	
		met; ala; phe	ile
	Lys (K)	arg; gln; asn	arg
	Met (M)	leu; phe; ile	leu
20	Phe (F)	leu; val; ile; ala; tyr	leu
	Pro (P)	ala	ala
	Ser (S)	thr	thr
	Thr (T)	ser	ser
	Trp (W)	tyr; phe	tyr
25	Tyr (Y)	trp; phe; thr; ser	phe
	Val (V)	ile; leu; met; phe;	
		ala; norleucine	leu

30 Substantial modifications in function or immunological identity of the PRO polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

- 35 (1) hydrophobic: norleucine, met, ala, val, leu, ile;
 (2) neutral hydrophilic: cys, ser, thr;
 (3) acidic: asp, glu;
 (4) basic: asn, gln, his, lys, arg;
 (5) residues that influence chain orientation: gly, pro; and
 40 (6) aromatic: trp, tyr, phe.

Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

45 The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al.,

Gene, 34:315 (1985)], restriction selection mutagenesis [Wells et al., Philos. Trans. R. Soc. London SerA, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the PRO variant DNA.

Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

C. Modifications of PRO

Covalent modifications of PRO are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a PRO polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C- terminal residues of the PRO. Derivatization with bifunctional agents is useful, for instance, for crosslinking PRO to a water-insoluble support matrix or surface for use in the method for purifying anti-PRO antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

Other modifications include deamidation of glutamyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, Proteins: Structure and Molecular Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the PRO polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence PRO (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence PRO. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

Addition of glycosylation sites to the PRO polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence PRO (for O-linked glycosylation sites). The PRO amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding

the PRO polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the PRO polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the PRO polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of PRO comprises linking the PRO polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

The PRO of the present invention may also be modified in a way to form a chimeric molecule comprising PRO fused to another, heterologous polypeptide or amino acid sequence.

In one embodiment, such a chimeric molecule comprises a fusion of the PRO with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl- terminus of the PRO. The presence of such epitope-tagged forms of the PRO can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the PRO to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an α -tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

In an alternative embodiment, the chimeric molecule may comprise a fusion of the PRO with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a PRO polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also US Patent No. 5,428,130 issued June 27,

1995.

D. Preparation of PRO

The description below relates primarily to production of PRO by culturing cells transformed or transfected with a vector containing PRO nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare PRO. For instance, the PRO sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, CA (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)]. *In vitro* protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, CA) using manufacturer's instructions. Various portions of the PRO may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length PRO.

1. Isolation of DNA Encoding PRO

DNA encoding PRO may be obtained from a cDNA library prepared from tissue believed to possess the PRO mRNA and to express it at a detectable level. Accordingly, human PRO DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The PRO-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

Libraries can be screened with probes (such as antibodies to the PRO or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding PRO is to use PCR methodology [Sambrook et al., supra; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like ³²P-labeled ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., supra.

Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., supra, to detect precursors and

processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

2. Selection and Transformation of Host Cells

Host cells are transfected or transformed with expression or cloning vectors described herein for PRO production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, CaCl_2 , CaPO_4 , liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with *Agrobacterium tumefaciens* is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published 29 June 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as *E. coli*. Various *E. coli* strains are publicly available, such as *E. coli* K12 strain MM294 (ATCC 31,446); *E. coli* X1776 (ATCC 31,537); *E. coli* strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include Enterobacteriaceae such as *Escherichia*, e.g., *E. coli*, *Enterobacter*, *Erwinia*, *Klebsiella*, *Proteus*, *Salmonella*, e.g., *Salmonella typhimurium*, *Serratia*, e.g., *Serratia marcescans*, and *Shigella*, as well as *Bacilli* such as *B. subtilis* and *B. licheniformis* (e.g., *B. licheniformis* 41P disclosed in DD 266,710 published 12 April 1989), *Pseudomonas* such as *P. aeruginosa*, and *Streptomyces*. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including *E. coli* W3110 strain 1A2, which has the complete genotype *tonA*; *E. coli* W3110 strain 9E4, which has the complete genotype *tonA ptr3*; *E. coli* W3110 strain 27C7 (ATCC

55,244), which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT kar'*; *E. coli* W3110 strain 37D6, which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kar'*; *E. coli* W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant *degP* deletion mutation; and an *E. coli* strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued 7 August 1990. Alternatively, *in vitro* methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

5 In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for PRO-encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); *Kluyveromyces* hosts (U.S. Patent No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 154(2):737-742 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilae* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces* such as *Schwanniomyces occidentalis* (EP 394,538 published 31 October 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolyopcladium* (WO 91/00357 published 10 January 1991), and *Aspergillus* hosts such as *A. nidulans* (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al., Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylophilic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylophilic Yeasts, 269 (1982).

Suitable host cells for the expression of glycosylated PRO are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as *Drosophila* S2 and *Spodoptera* Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J. Gen. Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

3. Selection and Use of a Replicable Vector

The nucleic acid (e.g., cDNA or genomic DNA) encoding PRO may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an

appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

5 The PRO may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the PRO-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including *Saccharomyces* and *Kluyveromyces* α -factor leaders, the latter described in U.S. Patent No. 5,010,182), or acid phosphatase leader, the *C. albicans* glucoamylase leader (EP 362,179 published 4 April 1990), or the signal described in WO 90/13646 published 15 November 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the protein, such as
10 signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2 μ plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for
20 cloning vectors in mammalian cells.

Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

25 An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the PRO-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980). A suitable selection gene for use in yeast is the *trp1* gene present in the yeast plasmid YRp7 [Stinchcomb et al., Nature, 282:39 (1979); Kingsman et al., Gene, 7:141 (1979); Tschemper et al., Gene, 10:157 (1980)]. The *trp1* gene provides a
30 selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, Genetics, 85:12 (1977)].

Expression and cloning vectors usually contain a promoter operably linked to the PRO-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well
35 known. Promoters suitable for use with prokaryotic hosts include the β -lactamase and lactose promoter systems [Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)], alkaline phosphatase, a tryptophan (*trp*) promoter system [Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776], and hybrid

promoters such as the tac promoter [deBoer et al., Proc. Natl. Acad. Sci. USA, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding PRO.

Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., J. Biol. Chem., 255:2073 (1980)] or other glycolytic enzymes [Hess et al., J. Adv. Enzyme Reg., 7:149 (1968); Holland, Biochemistry, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

PRO transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published 5 July 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

Transcription of a DNA encoding the PRO by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, α -fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the PRO coding sequence, but is preferably located at a site 5' from the promoter.

Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding PRO.

Still other methods, vectors, and host cells suitable for adaptation to the synthesis of PRO in recombinant vertebrate cell culture are described in Gething et al., Nature, 293:620-625 (1981); Mantei et al., Nature, 281:40-46 (1979); EP 117,060; and EP 117,058.

4. Detecting Gene Amplification/Expression

Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or *in situ* hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence PRO polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to PRO DNA and encoding a specific antibody epitope.

5. Purification of Polypeptide

Forms of PRO may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of PRO can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

It may be desired to purify PRO from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitope-tagged forms of the PRO. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular PRO produced.

E. Uses for PRO

Nucleotide sequences (or their complement) encoding PRO have various applications in the art of molecular biology, including uses as hybridization probes, in chromosome and gene mapping and in the generation of anti-sense RNA and DNA. PRO nucleic acid will also be useful for the preparation of PRO polypeptides by the recombinant techniques described herein.

The full-length native sequence PRO gene, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length PRO cDNA or to isolate still other cDNAs (for instance, those encoding

naturally-occurring variants of PRO or PRO from other species) which have a desired sequence identity to the native PRO sequence disclosed herein. Optionally, the length of the probes will be about 20 to about 50 bases. The hybridization probes may be derived from at least partially novel regions of the full length native nucleotide sequence wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence PRO. By way of example, a screening method will comprise isolating the coding region of the PRO gene using the known DNA sequence to synthesize a selected probe of about 40 bases. Hybridization probes may be labeled by a variety of labels, including radionucleotides such as ^{32}P or ^{35}S , or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the PRO gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

Any EST sequences disclosed in the present application may similarly be employed as probes, using the methods disclosed herein.

Other useful fragments of the PRO nucleic acids include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target PRO mRNA (sense) or PRO DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of PRO DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (Cancer Res. 48:2659, 1988) and van der Krol et al. (BioTechniques 6:958, 1988).

Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means. The antisense oligonucleotides thus may be used to block expression of PRO proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable *in vivo* (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increases affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target nucleotide sequence.

Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO_4 -mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an

antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic acid sequence is contacted with the recombinant retroviral vector, either *in vivo* or *ex vivo*. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retrovirus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

5 Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or
10 receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

15 Antisense or sense RNA or DNA molecules are generally at least about 5 bases in length, about 10 bases in length, about 15 bases in length, about 20 bases in length, about 25 bases in length, about 30 bases in length, about 35 bases in length, about 40 bases in length, about 45 bases in length, about 50 bases in length, about 55 bases in length, about 60 bases in length, about 65 bases in length, about 70 bases in length, about 75 bases in length, about 80 bases in length, about 85 bases in length, about 90 bases in length, about 95 bases in length, about 100 bases in length, or more.

20 The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related PRO coding sequences.

Nucleotide sequences encoding a PRO can also be used to construct hybridization probes for mapping the gene which encodes that PRO and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome
25 using known techniques, such as *in situ* hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

When the coding sequences for PRO encode a protein which binds to another protein (example, where the PRO is a receptor), the PRO can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified.
30 Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor PRO can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native PRO or a receptor for PRO. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small molecules
35 contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

Nucleic acids which encode PRO or its modified forms can also be used to generate either transgenic animals or "knock out" animals which, in turn, are useful in the development and screening of therapeutically useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques and the genomic sequences used to generate transgenic animals that contain cells which express DNA encoding PRO. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for PRO transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding PRO introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression of DNA encoding PRO. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

Alternatively, non-human homologues of PRO can be used to construct a PRO "knock out" animal which has a defective or altered gene encoding PRO as a result of homologous recombination between the endogenous gene encoding PRO and altered genomic DNA encoding PRO introduced into an embryonic stem cell of the animal. For example, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques. A portion of the genomic DNA encoding PRO can be deleted or replaced with another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, *Cell*, 51:503 (1987) for a description of homologous recombination vectors]. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., *Cell*, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a "knock out" animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knockout animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the PRO polypeptide.

Nucleic acid encoding the PRO polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve *in vivo* synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. "Gene therapy" includes both conventional

gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes *in vivo*. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane.

5 (Zamecnik *et al.*, Proc. Natl. Acad. Sci. USA 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells *in vitro*, or *in vivo* in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells *in vitro* include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation method, etc. The currently preferred *in vivo* gene transfer techniques include transfection with viral (typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau *et al.*, Trends in Biotechnology 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu *et al.*, J. Biol. Chem. 262, 4429-4432 (1987); and Wagner *et al.*, Proc. Natl. Acad. Sci. USA 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson *et al.*, Science 256, 808-813 (1992).

10
15
20

The PRO polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes and the isolated nucleic acid sequences may be used for recombinantly expressing those markers.

The nucleic acid molecules encoding the PRO polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each PRO nucleic acid molecule of the present invention can be used as a chromosome marker.

25

The PRO polypeptides and nucleic acid molecules of the present invention may also be used diagnostically for tissue typing, wherein the PRO polypeptides of the present invention may be differentially expressed in one tissue as compared to another, preferably in a diseased tissue as compared to a normal tissue of the same tissue type. PRO nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

30

The PRO polypeptides described herein may also be employed as therapeutic agents. The PRO polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the PRO product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient

35

having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, PLURONICSTM or PEG.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

The route of administration is in accord with known methods, e.g. injection or infusion by intravenous, intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling in toxicokinetics" In *Toxicokinetics and New Drug Development*, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

When *in vivo* administration of a PRO polypeptide or agonist or antagonist thereof is employed, normal dosage amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day, preferably about 1 μ g/kg/day to 10 mg/kg/day, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may necessitate delivery in a manner different from that to another organ or tissue.

Where sustained-release administration of a PRO polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the PRO polypeptide, microencapsulation of the PRO polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon- (rhIFN-), interleukin-2, and MN rgp120. Johnson et al., Nat. Med., 2:795-799 (1996); Yasuda, Biomed. Ther., 27:1221-1223 (1993); Hora et al., Bio/Technology, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Polylactide Polyglycolide Microsphere Systems," in Vaccine Design: The Subunit

and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462; WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

The sustained-release formulations of these proteins were developed using poly-lactic-coglycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation products of PLGA, lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990), pp. 1-41.

This invention encompasses methods of screening compounds to identify those that mimic the PRO polypeptide (agonists) or prevent the effect of the PRO polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the PRO polypeptides encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

All assays for antagonists are common in that they call for contacting the drug candidate with a PRO polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction mixture. In a particular embodiment, the PRO polypeptide encoded by the gene identified herein or the drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the PRO polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the PRO polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody specifically binding the immobilized complex.

If the candidate compound interacts with but does not bind to a particular PRO polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, Nature (London), 340:245-246 (1989); Chien et al., Proc. Natl. Acad. Sci. USA, 88:9578-9582

(1991)) as disclosed by Chevray and Nathans, Proc. Natl. Acad. Sci. USA, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GAL4, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GAL4, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-*lacZ* reporter gene under control of a GAL4-activated promoter depends on reconstitution of GAL4 activity via protein-protein interaction. Colonies containing interacting polypeptides are detected with a chromogenic substrate for β -galactosidase. A complete kit (MATCHMAKER™) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

Compounds that interfere with the interaction of a gene encoding a PRO polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

To assay for antagonists, the PRO polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence of the PRO polypeptide indicates that the compound is an antagonist to the PRO polypeptide. Alternatively, antagonists may be detected by combining the PRO polypeptide and a potential antagonist with membrane-bound PRO polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The PRO polypeptide can be labeled, such as by radioactivity, such that the number of PRO polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting. Coligan et al., Current Protocols in Immun., 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the PRO polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the PRO polypeptide. Transfected cells that are grown on glass slides are exposed to labeled PRO polypeptide. The PRO polypeptide can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single,

clone that encodes the putative receptor.

As an alternative approach for receptor identification, labeled PRO polypeptide can be photoaffinity-linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro-sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled PRO polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with PRO polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain antibodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the PRO polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the PRO polypeptide.

Another potential PRO polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature PRO polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al., Science, 241: 456 (1988); Dervan et al., Science, 251:1360 (1991)), thereby preventing transcription and the production of the PRO polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the PRO polypeptide (antisense - Okano, Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, FL, 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed *in vivo* to inhibit production of the PRO polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the PRO polypeptide, thereby blocking the normal biological activity of the PRO polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA.

Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, Current Biology, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published September 18, 1997).

5 Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, *supra*.

10 These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

Diagnostic and therapeutic uses of the herein disclosed molecules may also be based upon the positive functional assay hits disclosed and described below.

15 F. Anti-PRO Antibodies

The present invention further provides anti-PRO antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

1. Polyclonal Antibodies

20 The anti-PRO antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the PRO polypeptide or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate).
25 The immunization protocol may be selected by one skilled in the art without undue experimentation.

30 2. Monoclonal Antibodies

The anti-PRO antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically
35 bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*.

The immunizing agent will typically include the PRO polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or

lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against PRO. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an *in vitro* binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, supra]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells may be grown *in vivo* as ascites in a mammal.

The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding

sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Patent No. 4,816,567; Morrison et al., *supra*] or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

5 The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking.

10 *In vitro* methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known in the art.

3. Human and Humanized Antibodies

15 The anti-PRO antibodies of the invention may further comprise humanized antibodies or human antibodies. Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a
20 complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially
25 all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., *Nature*, 321:522-525 (1986); Riechmann et al., *Nature*, 332:323-329 (1988); and Presta, *Curr. Op. Struct. Biol.*,
30 2:593-596 (1992)].

Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers
35 [Jones et al., *Nature*, 321:522-525 (1986); Riechmann et al., *Nature*, 332:323-327 (1988); Verhoeven et al., *Science*, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Patent No.

4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, *J. Mol. Biol.*, 227:381 (1991); Marks et al., *J. Mol. Biol.*, 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, p. 77 (1985) and Boerner et al., *J. Immunol.*, 147(1):86-95 (1991)]. Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks *et al.*, *Bio/Technology* 10, 779-783 (1992); Lonberg *et al.*, *Nature* 368 856-859 (1994); Morrison, *Nature* 368, 812-13 (1994); Fishwild *et al.*, *Nature Biotechnology* 14, 845-51 (1996); Neuberger, *Nature Biotechnology* 14, 826 (1996); Lonberg and Huszar, *Intern. Rev. Immunol.* 13 65-93 (1995).

The antibodies may also be affinity matured using known selection and/or mutagenesis methods as described above. Preferred affinity matured antibodies have an affinity which is five times, more preferably 10 times, even more preferably 20 or 30 times greater than the starting antibody (generally murine, humanized or human) from which the matured antibody is prepared.

4. Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the PRO, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities [Milstein and Cuello, *Nature*, 305:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker et al., *EMBO J.*, 10:3655-3659 (1991).

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least

one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh et al., Methods in Enzymology, 121:210 (1986).

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan et al., Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby et al., J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling *in vitro* to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny et al., J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary

V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber *et al.*, *J. Immunol.* 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt *et al.*, *J. Immunol.* 147:60 (1991).

5 Exemplary bispecific antibodies may bind to two different epitopes on a given PRO polypeptide herein. Alternatively, an anti-PRO polypeptide arm may be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular PRO polypeptide. Bispecific antibodies may also be used to localize cytotoxic
10 agents to cells which express a particular PRO polypeptide. These antibodies possess a PRO-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the PRO polypeptide and further binds tissue factor (TF).

5. Heteroconjugate Antibodies

15 Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Patent No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared *in vitro* using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example,
20 immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

6. Effector Function Engineering

25 It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, *e.g.*, the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron *et al.*, *J. Exp Med.*, 176:
30 1191-1195 (1992) and Shopes, *J. Immunol.*, 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff *et al.* Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson *et al.*, Anti-Cancer Drug Design,
35 3: 219-230 (1989).

7. Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent

such as a chemotherapeutic agent, toxin (*e.g.*, an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (*i.e.*, a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolacca americana* proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, sapaonaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re .

Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl) hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta *et al.*, Science, **238**: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

In another embodiment, the antibody may be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the circulation using a clearing agent and then administration of a "ligand" (*e.g.*, avidin) that is conjugated to a cytotoxic agent (*e.g.*, a radionucleotide).

8. Immunoliposomes

The antibodies disclosed herein may also be formulated as immunoliposomes. Liposomes containing the antibody are prepared by methods known in the art, such as described in Epstein *et al.*, Proc. Natl. Acad. Sci. USA, **82**: 3688 (1985); Hwang *et al.*, Proc. Natl. Acad. Sci. USA, **77**: 4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Patent No. 5,013,556.

Particularly useful liposomes can be generated by the reverse-phase evaporation method with a lipid composition comprising phosphatidylcholine, cholesterol, and PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter. Fab' fragments of the antibody of the present invention can be conjugated to the liposomes as described in Martin *et al.*, J. Biol. Chem., **257**: 286-288 (1982) via a disulfide-interchange reaction. A chemotherapeutic agent (such as Doxorubicin) is optionally contained within the liposome. See Gabizon *et al.*, J. National Cancer Inst., **81**(19): 1484 (1989).

9. Pharmaceutical Compositions of Antibodies

Antibodies specifically binding a PRO polypeptide identified herein, as well as other molecules identified

by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

If the PRO polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, *e.g.*, Marasco *et al.*, Proc. Natl. Acad. Sci. USA, 90: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nanocapsules) or in macroemulsions. Such techniques are disclosed in Remington's Pharmaceutical Sciences, *supra*.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, *e.g.*, films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and γ ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOTTM (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37°C, resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S-S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

G. Uses for anti-PRO Antibodies

The anti-PRO antibodies of the invention have various utilities. For example, anti-PRO antibodies may be used in diagnostic assays for PRO, *e.g.*, detecting its expression (and in some cases, differential expression) in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, Monoclonal Antibodies: A Manual of Techniques, CRC Press, Inc. (1987) pp. 147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

Anti-PRO antibodies also are useful for the affinity purification of PRO from recombinant cell culture or natural sources. In this process, the antibodies against PRO are immobilized on a suitable support, such as Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the PRO to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the PRO, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the PRO from the antibody.

The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

EXAMPLES

Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas, VA.

EXAMPLE 1: Extracellular Domain Homology Screening to Identify Novel Polypeptides and cDNA Encoding Therefor

The extracellular domain (ECD) sequences (including the secretion signal sequence, if any) from about 950 known secreted proteins from the Swiss-Prot public database were used to search EST databases. The EST databases included public databases (*e.g.*, Dayhoff, GenBank), and proprietary databases (*e.g.* LIFESEQ™, Incyte Pharmaceuticals, Palo Alto, CA). The search was performed using the computer program BLAST or

BLAST-2 (Altschul *et al.*, Methods in Enzymology, 266:460-480 (1996)) as a comparison of the ECD protein sequences to a 6 frame translation of the EST sequences. Those comparisons with a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, WA).

Using this extracellular domain homology screen, consensus DNA sequences were assembled relative to the other identified EST sequences using phrap. In addition, the consensus DNA sequences obtained were often (but not always) extended using repeated cycles of BLAST or BLAST-2 and phrap to extend the consensus sequence as far as possible using the sources of EST sequences discussed above.

Based upon the consensus sequences obtained as described above, oligonucleotides were then synthesized and used to identify by PCR a cDNA library that contained the sequence of interest and for use as probes to isolate a clone of the full-length coding sequence for a PRO polypeptide. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel *et al.*, Current Protocols in Molecular Biology, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; *see*, Holmes *et al.*, Science, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

EXAMPLE 2: Isolation of cDNA clones by Amylase Screening

1. Preparation of oligo dT primed cDNA library

mRNA was isolated from a human tissue of interest using reagents and protocols from Invitrogen, San Diego, CA (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, MD (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the SalI/NotI linkered cDNA was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

2. Preparation of random primed cDNA library

A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was

sized to 500-1000 bp, linked with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

3. Transformation and Detection

DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37°C for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37°C). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, *e.g.* CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT alpha, *ura3-52*, *leu2-3*, *leu2-112*, *his3-11*, *his3-15*, *MAL⁺*, *SUC⁺*, *GAL⁺*. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in *sec71*, *sec72*, *sec62*, with truncated *sec71* being most preferred. Alternatively, antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (*e.g.*, SEC61p, SEC72p, SEC62p, SEC63p, TDJ1p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

Transformation was performed based on the protocol outlined by Gietz *et al.*, Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30°C. The YEPD broth was prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 207 (1994). The overnight culture was then diluted to about 2×10^6 cells/ml (approx. $OD_{600}=0.1$) into fresh YEPD broth (500 ml) and regrown to 1×10^7 cells/ml (approx. $OD_{600}=0.4-0.5$).

The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li_2OOCCH_3), and resuspended into LiAc/TE (2.5 ml).

Transformation took place by mixing the prepared cells (100 μ l) with freshly denatured single stranded

salmon testes DNA (Lofstrand Labs, Gaithersburg, MD) and transforming DNA (1 μ g, vol. < 10 μ l) in microfuge tubes. The mixture was mixed briefly by vortexing, then 40% PEG/TE (600 μ l, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li₂OOCCH₃, pH 7.5) was added. This mixture was gently mixed and incubated at 30°C while agitating for 30 minutes. The cells were then heat shocked at 42°C for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 μ l, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells were then diluted into TE (1 ml) and aliquots (200 μ l) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 208-210 (1994). Transformants were grown at 30°C for 2-3 days.

The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely *et al.*, Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

4. Isolation of DNA by PCR Amplification

When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30 μ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5 μ l) was used as a template for the PCR reaction in a 25 μ l volume containing: 0.5 μ l Klentaq (Clontech, Palo Alto, CA); 4.0 μ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5 μ l Kentaq buffer (Clontech); 0.25 μ l forward oligo 1; 0.25 μ l reverse oligo 2; 12.5 μ l distilled water. The sequence of the forward oligonucleotide 1 was:

5'-TGTAACGACGGCCAGTAAATAGACCTGCAATTATTAATCT-3' (SEQ ID NO:611)

The sequence of reverse oligonucleotide 2 was:

5'-CAGGAAACAGCTATGACCACCTGCACACCTGCAAATCCATT-3' (SEQ ID NO:612)

PCR was then performed as follows:

- | | | |
|----|--------------|------------------|
| a. | Denature | 92°C, 5 minutes |
| b. | 3 cycles of: | |
| | Denature | 92°C, 30 seconds |
| | Anneal | 59°C, 30 seconds |

		Extend	72°C, 60 seconds
5	c.	3 cycles of:	
		Denature	92°C, 30 seconds
		Anneal	57°C, 30 seconds
		Extend	72°C, 60 seconds
	d.	25 cycles of:	
		Denature	92°C, 30 seconds
		Anneal	55°C, 30 seconds
		Extend	72°C, 60 seconds
10	e.	Hold	4°C

The underlined regions of the oligonucleotides annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

Following the PCR, an aliquot of the reaction (5 μ l) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook *et al.*, *supra*. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, CA).

EXAMPLE 3: Isolation of cDNA Clones Using Signal Algorithm Analysis

Various polypeptide-encoding nucleic acid sequences were identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, CA) upon ESTs as well as clustered and assembled EST fragments from public (*e.g.*, GenBank) and/or private (LIFESEQ®, Incyte Pharmaceuticals, Inc., Palo Alto, CA) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors (evaluation parameters) known to be associated with secretion signals. Use of this algorithm resulted in the identification of numerous polypeptide-encoding nucleic acid sequences.

EXAMPLE 4: Isolation of cDNA clones Encoding Human PRO Polypeptides

Using the techniques described in Examples 1 to 3 above, numerous full-length cDNA clones were identified as encoding PRO polypeptides as disclosed herein. These cDNAs were then deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA 20110-2209, USA (ATCC) as shown in Table 7 below.

Table 7

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA16435-1208	209930	June 2, 1998
	DNA23318-1211	209787	April 21, 1998
	DNA23322-1393	203400	October 27, 1998
5	DNA23334-1392	209918	June 2, 1998
	DNA26843-1389	203099	August 4, 1998
	DNA 26844-1394	209926	June 2, 1998
	DNA30867-1335	209807	April 28, 1998
	DNA33470-1175	209398	October 17, 1997
10	DNA34436-1238	209523	December 10, 1997
	DNA35557-1137	209255	September 16, 1997
	DNA35599-1168	209373	October 16, 1997
	DNA35668-1171	209371	October 16, 1997
	DNA36992-1168	209382	October 16, 1997
15	DNA39423-1182	209387	October 17, 1997
	DNA39427-1179	209395	October 17, 1997
	DNA39510-1181	209392	October 17, 1997
	DNA39518-1247	209529	December 10, 1997
	DNA39975-1210	209783	April 21, 1998
20	DNA39976-1215	209524	December 10, 1997
	DNA39979-1213	209789	April 21, 1998
	DNA40594-1233	209617	February 5, 1998
	DNA40603-1232	209486	November 21, 1997
	DNA40604-1187	209394	October 17, 1997
25	DNA40625-1189	209788	April 21, 1998
	DNA41225-1217	209491	November 21, 1997
	DNA41379-1236	209488	November 21, 1997
	DNA41386-1316	209703	March 26, 1998
	DNA44161-1434	209907	May 27, 1998
30	DNA44179-1362	209851	May 6, 1998
	DNA44192-1246	209531	December 10, 1997
	DNA44694-1500	203114	August 11, 1998
	DNA45234-1277	209654	March 5, 1998
	DNA45409-2511	203579	January 12, 1999
35	DNA45415-1318	209810	April 28, 1998
	DNA45417-1432	209910	May 27, 1998
	DNA45493-1349	209805	April 28, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA46776-1284	209721	March 31, 1998
	DNA48296-1292	209668	March 11, 1998
	DNA48306-1291	209911	May 27, 1998
5	DNA48328-1355	209843	May 6, 1998
	DNA48329-1290	209785	April 21, 1998
	DNA48334-1435	209924	June 2, 1998
	DNA49141-1431	203003	June 23, 1998
	DNA49624-1279	209655	March 5, 1998
10	DNA49647-1398	209919	June 2, 1998
	DNA49819-1439	209931	June 2, 1998
	DNA50911-1288	209714	March 31, 1998
	DNA50914-1289	209722	March 31, 1998
	DNA50919-1361	209848	May 6, 1998
15	DNA50980-1286	209717	March 31, 1998
	DNA52185-1370	209861	May 14, 1998
	DNA53906-1368	209747	April 7, 1998
	DNA53912-1457	209870	May 14, 1998
	DNA53913-1490	203162	August 25, 1998
20	DNA53977-1371	209862	May 14, 1998
	DNA53978-1443	209983	June 16, 1998
	DNA53996-1442	209921	June 2, 1998
	DNA54002-1367	209754	April 7, 1998
	DNA55737-1345	209753	April 7, 1998
25	DNA56050-1455	203011	June 23, 1998
	DNA56052-1454	203026	June 23, 1998
	DNA56107-1415	203405	October 27, 1998
	DNA56110-1437	203113	August 11, 1998
	DNA56406-1704	203478	November 17, 1998
30	DNA56409-1377	209882	May 20, 1998
	DNA56410-1414	209923	June 2, 1998
	DNA56436-1448	209902	May 27, 1998
	DNA56529-1647	203293	September 29, 1998
	DNA56855-1447	203004	June 23, 1998
35	DNA56859-1445	203019	June 23, 1998
	DNA56860-1510	209952	June 9, 1998
	DNA56865-1491	203022	June 23, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA56868-1478	203024	June 23, 1998
	DNA56869-1545	203161	August 25, 1998
	DNA56870-1492	209925	June 2, 1998
5	DNA57039-1402	209777	April 14, 1998
	DNA57253-1382	209867	May 14, 1998
	DNA57254-1477	203289	September 29, 1998
	DNA57699-1412	203020	June 23, 1998
	DNA57704-1452	209953	June 9, 1998
10	DNA57710-1451	203048	July 1, 1998
	DNA57827-1493	203045	July 1, 1998
	DNA57844-1410	203010	June 23, 1998
	DNA58723-1588	203133	August 18, 1998
	DNA58727-1474	203171	September 1, 1998
15	DNA58730-1607	203221	September 15, 1998
	DNA58732-1650	203290	September 29, 1998
	DNA58737-1473	203136	August 18, 1998
	DNA58743-1609	203154	August 25, 1998
	DNA58747-1384	209868	May 14, 1998
20	DNA58828-1519	203172	September 1, 1998
	DNA58846-1409	209957	June 9, 1998
	DNA58848-1472	209955	June 9, 1998
	DNA58849-1494	209958	June 9, 1998
	DNA58850-1495	209956	June 9, 1998
25	DNA58852-1637	203271	September 22, 1998
	DNA58853-1423	203016	June 23, 1998
	DNA58855-1422	203018	June 23, 1998
	DNA59211-1450	209960	June 9, 1998
	DNA59212-1627	203245	September 9, 1998
30	DNA59213-1487	209959	June 9, 1998
	DNA59219-1613	203220	September 15, 1998
	DNA59497-1496	209941	June 4, 1998
	DNA59602-1436	203051	July 1, 1998
	DNA59603-1419	209944	June 9, 1998
35	DNA59605-1418	203005	June 23, 1998
	DNA59607-1497	209946	June 9, 1998
	DNA59610-1556	209990	June 16, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA59612-1466	209947	June 9, 1998
	DNA59613-1417	203007	June 23, 1998
	DNA59616-1465	209991	June 16, 1998
5	DNA59619-1464	203041	July 1, 1998
	DNA59625-1498	209992	June 16, 1998
	DNA59817-1703	203470	November 17, 1998
	DNA59827-1426	203089	August 4, 1998
	DNA59828-1608	203158	August 25, 1998
10	DNA59837-2545	203658	February 9, 1999
	DNA59844-2542	203650	February 9, 1999
	DNA59853-1505	209985	June 16, 1998
	DNA59854-1459	209974	June 16, 1998
	DNA59855-1485	209987	June 16, 1998
15	DNA60278-1530	203170	September 1, 1998
	DNA60283-1484	203043	July 1, 1998
	DNA60608-1577	203126	August 18, 1998
	DNA60611-1524	203175	September 1, 1998
	DNA60619-1482	209993	June 16, 1998
20	DNA60625-1507	209975	June 16, 1998
	DNA60629-1481	209979	June 16, 1998
	DNA60740-1615	203456	November 3, 1998
	DNA61608-1606	203239	September 9, 1998
	DNA61755-1554	203112	August 11, 1998
25	DNA62809-1531	203237	September 9, 1998
	DNA62812-1594	203248	September 9, 1998
	DNA62813-2544	203655	February 9, 1999
	DNA62845-1684	203361	October 20, 1998
	DNA64849-1604	203468	November 17, 1998
30	DNA64852-1589	203127	August 18, 1998
	DNA64863-1573	203251	September 9, 1998
	DNA64881-1602	203240	September 9, 1998
	DNA64902-1667	203317	October 6, 1998
	DNA64952-1568	203222	September 15, 1998
35	DNA65403-1565	203230	September 15, 1998
	DNA65413-1534	203234	September 15, 1998
	DNA65423-1595	203227	September 15, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA66304-1546	203321	October 6, 1998
	DNA66308-1537	203159	August 25, 1998
	DNA66511-1563	203228	September 15, 1998
5	DNA66512-1564	203218	September 15, 1998
	DNA66519-1535	203236	September 15, 1998
	DNA66521-1583	203225	September 15, 1998
	DNA66658-1584	203229	September 15, 1998
	DNA66660-1585	203279	September 22, 1998
10	DNA66669-1597	203272	September 22, 1998
	DNA66674-1599	203281	September 22, 1998
	DNA68836-1656	203455	November 3, 1998
	DNA68862-2546	203652	February 9, 1999
	DNA68866-1644	203283	September 22, 1998
15	DNA68869-1610	203164	August 25, 1998
	DNA68871-1638	203280	September 22, 1998
	DNA68879-1631	203274	September 22, 1998
	DNA68880-1676	203319	October 6, 1998
	DNA68882-1677	203318	October 6, 1998
20	DNA68883-1691	203535	December 15, 1998
	DNA68885-1678	203311	October 6, 1998
	DNA71180-1655	203403	October 27, 1998
	DNA71184-1634	203266	September 22, 1998
	DNA71213-1659	203401	October 27, 1998
25	DNA71234-1651	203402	October 27, 1998
	DNA71269-1621	203284	September 22, 1998
	DNA71277-1636	203285	September 22, 1998
	DNA71286-1687	203357	October 20, 1998
	DNA71883-1660	203475	November 17, 1998
30	DNA73401-1633	203273	September 22, 1998
	DNA73492-1671	203324	October 6, 1998
	DNA73730-1679	203320	October 6, 1998
	DNA73734-1680	203363	October 20, 1998
	DNA73735-1681	203356	October 20, 1998
35	DNA73742-1662	203316	October 6, 1998
	DNA73746-1654	203411	October 27, 1998
	DNA73760-1672	203314	October 6, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA76393-1664	203323	October 6, 1998
	DNA76398-1699	203474	November 17, 1998
	DNA76399-1700	203472	November 17, 1998
5	DNA76522-2500	203469	November 17, 1998
	DNA76533-1689	203410	October 27, 1998
	DNA77303-2502	203479	November 17, 1998
	DNA77626-1705	203536	December 15, 1998
	DNA77648-1688	203408	October 27, 1998
10	DNA81754-2532	203542	December 15, 1998
	DNA81757-2512	203543	December 15, 1998
	DNA82302-2529	203534	December 15, 1998
	DNA82340-2530	203547	December 22, 1998
	DNA87991-2540	203656	February 9, 1999
15	DNA92238-2539	203602	January 20, 1999
	DNA115291-2681	PTA-202	June 8, 1999
	DNA23336-2861	PTA-1673	April 11, 2000
	DNA30862-1396	209920	June 2, 1998
	DNA30871-1157	209380	October 16, 1997
20	DNA32279-1131	209259	September 16, 1997
	DNA33206-1165	209372	October 16, 1997
	DNA35673-1201	209418	October 28, 1997
	DNA47361-1154-2	209431	November 7, 1997
	DNA49631-1328	209806	April 28, 1998
25	DNA52594-1270	209679	March 17, 1998
	DNA55800-1263	209680	March 17, 1998
	DNA56531-1648	203286	September 29, 1998
	DNA56965-1356	209842	May 6, 1998
	DNA57037-1444	209903	May 27, 1998
30	DNA57695-1340	203006	June 23, 1998
	DNA57834-1339	209954	June 9, 1998
	DNA57841-1522	203458	November 3, 1998
	DNA58847-1383	209879	May 20, 1998
	DNA59493-1420	203050	July 1, 1998
35	DNA59586-1520	203288	September 29, 1998
	DNA59608-2577	203870	March 23, 1999
	DNA59849-1504	209986	June 16, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA60292-1506	203540	December 15, 1998
	DNA62377-1381-1	203552	December 22, 1998
	DNA62880-1513	203097	August 4, 1998
5	DNA66672-1586	203265	September 22, 1998
	DNA67962-1649	203291	September 29, 1998
	DNA69555-2867	PTA-1632	April 4, 2000
	DNA71162-2764	PTA-860	October 19, 1999
	DNA71290-1630	203275	September 22, 1998
10	DNA76401-1683	203360	October 20, 1998
	DNA76541-1675	203409	October 27, 1998
	DNA76788-2526	203551	December 22, 1998
	DNA77623-2524	203546	December 22, 1998
	DNA80136-2503	203541	December 15, 1998
15	DNA83568-2692	PTA-386	July 20, 1999
	DNA84210-2576	203818	March 2, 1999
	DNA86576-2595	203868	March 23, 1999
	DNA87976-2593	203888	March 30, 1999
	DNA92256-2596	203891	March 30, 1999
20	DNA92289-2598	PTA-131	May 25, 1999
	DNA96850-2705	PTA-479	August 3, 1999
	DNA96855-2629	PTA-18	May 4, 1999
	DNA96857-2636	PTA-17	May 4, 1999
	DNA96860-2700	PTA-478	August 3, 1999
25	DNA96861-2844	PTA-1436	March 2, 2000
	DNA96866-2698	PTA-491	August 3, 1999
	DNA96870-2676	PTA-254	June 22, 1999
	DNA96872-2674	PTA-550	August 17, 1999
	DNA96878-2626	PTA-23	May 4, 1999
30	DNA96879-2619	203967	April 27, 1999
	DNA96889-2641	PTA-119	May 25, 1999
	DNA96893-2621	PTA-12	May 4, 1999
	DNA96897-2688	PTA-379	July 20, 1999
	DNA98564-2643	PTA-125	May 25, 1999
35	DNA107443-2718	PTA-490	August 3, 1999
	DNA107786-2723	PTA-474	August 3, 1999
	DNA108682-2712	PTA-486	August 3, 1999

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA108684-2761	PTA-653	September 14, 1999
	DNA108701-2749	PTA-554	August 17, 1999
	DNA108720-2717	PTA-511	August 10, 1999
5	DNA108726-2729	PTA-514	August 10, 1999
	DNA108728-2760	PTA-654	September 14, 1999
	DNA108738-2767	PTA-862	October 19, 1999
	DNA108743-2722	PTA-508	August 10, 1999
	DNA108758-2759	PTA-655	September 14, 1999
10	DNA108765-2758	PTA-657	September 14, 1999
	DNA108783-2747	PTA-616	August 31, 1999
	DNA108789-2748	PTA-547	August 17, 1999
	DNA108806-2724	PTA-610	August 31, 1999
	DNA108936-2719	PTA-519	August 10, 1999
15	DNA119510-2771	PTA-947	November 9, 1999
	DNA119517-2778	PTA-951	November 16, 1999
	DNA119535-2756	PTA-613	August 31, 1999
	DNA119537-2777	PTA-956	November 16, 1999
	DNA119714-2851	PTA-1537	March 21, 2000
20	DNA125170-2780	PTA-953	November 16, 1999
	DNA129594-2841	PTA-1481	March 14, 2000
	DNA129793-2857	PTA-1733	April 18, 2000
	DNA130809-2769	PTA-949	November 9, 1999
	DNA131639-2874	PTA-1784	April 25, 2000
25	DNA131649-2855	PTA-1482	March 14, 2000
	DNA131652-2876	PTA-1628	April 4, 2000
	DNA131658-2875	PTA-1671	April 11, 2000
	DNA132162-2770	PTA-950	November 9, 1999
	DNA136110-2763	PTA-652	September 14, 1999
30	DNA139592-2866	PTA-1587	March 28, 2000
	DNA139608-2856	PTA-1581	March 28, 2000
	DNA143292-2848	PTA-1778	April 25, 2000
	DNA144844-2843	PTA-1536	March 21, 2000
	DNA144857-2845	PTA-1589	March 28, 2000
35	DNA145841-2868	PTA-1678	April 11, 2000
	DNA148004-2882	PTA-1779	April 25, 2000
	DNA149893-2873	PTA-1672	April 11, 2000

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA149930-2884	PTA-1668	April 11, 2000
	DNA150157-2898	PTA-1777	April 25, 2000
	DNA150163-2842	PTA-1533	March 21, 2000
5	DNA153579-2894	PTA-1729	April 18, 2000
	DNA164625-2890	PTA-1535	March 21, 2000
	DNA57838-1337	203014	June 23, 1998
	DNA59777-1480	203111	August 11, 1998
	DNA66675-1587	203282	September 22, 1998
10	DNA76532-1702	203473	November 17, 1998
	DNA105849-2704	PTA-473	August 3, 1999
	DNA83500-2506	203391	October 29, 1998

15 These deposits were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public

20 of any U.S. or foreign patent application, whichever comes first, and assures availability of the progeny to one determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC § 122 and the Commissioner's rules pursuant thereto (including 37 CFR § 1.14 with particular reference to 886 OG 638).

25 The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

30 EXAMPLE 5: Use of PRO as a hybridization probe

The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human tissue cDNA libraries or human tissue genomic libraries.

35 Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH

6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

5 EXAMPLE 6: Expression of PRO in *E. coli*

This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in *E. coli*.

The DNA sequence encoding PRO is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector.

10 A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., Gene, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an argU gene.

15 The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., supra. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

20 Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

25 After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

30 PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq)). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.₆₀₀ of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate•2H₂O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield brycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30°C with shaking. Samples are removed to verify

expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1/H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 7: Expression of PRO in mammalian cells

This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., *supra*. The resulting vector is called pRK5-

PRO.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., *Cell*, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl_2 . To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO_4 , and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 $\mu\text{Ci/ml}$ ^{35}S -cysteine and 200 $\mu\text{Ci/ml}$ ^{35}S -methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Sompayrac et al., *Proc. Natl. Acad. Sci.*, 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700 μ g pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 $\mu\text{g/ml}$ bovine insulin and 0.1 $\mu\text{g/ml}$ bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO_4 or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ^{35}S -methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be

concentrated and purified by any selected method, such as by Ni^{2+} -chelate affinity chromatography.

PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect[®] (Qiagen), Dosper[®] or Fugene[®] (Boehringer Mannheim). The cells are grown as described in Lucas et al., supra. Approximately 3×10^7 cells are frozen in an ampule for further growth and production as described below.

The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μm filtered PS20 with 5% 0.2 μm diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3×10^5 cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2×10^6 cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 μm filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional

equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 8: Expression of PRO in Yeast

The following method describes recombinant expression of PRO in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 9: Expression of PRO in Baculovirus-Infected Insect Cells

The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then

digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al.,
5 Baculovirus expression vectors: A Laboratory Manual, Oxford: Oxford University Press (1994).

Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated
10 twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 µm filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point
15 fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A₂₈₀ baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni²⁺-NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed
20 against loading buffer.

Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

25 EXAMPLE 10: Preparation of Antibodies that Bind PRO

This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, supra. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled
30 artisan without undue experimentation.

Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional
35 immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

EXAMPLE 11: Purification of PRO Polypeptides Using Specific Antibodies

Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (*e.g.*, high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (*e.g.*, a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

EXAMPLE 12: Drug Screening

This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an PRO polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

EXAMPLE 13: Rational Drug Design

The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (*i.e.*, a PRO polypeptide) or of small molecules with which they interact, *e.g.*, agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide *in vivo* (*c.f.*, Hodgson, Bio/Technology, 9: 19-21 (1991)).

In one approach, the three-dimensional structure of the PRO polypeptide, or of an PRO

polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, *Biochemistry*, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, *J. Biochem.*, 113:742-746 (1993).

It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

EXAMPLE 14: Identification of PRO Polypeptides That Stimulate TNF- α Release In Human Blood (Assay 128)

This assay shows that certain PRO polypeptides of the present invention act to stimulate the release of TNF- α in human blood. PRO polypeptides testing positive in this assay are useful for, among other things, research purposes where stimulation of the release of TNF- α would be desired and for the therapeutic treatment of conditions wherein enhanced TNF- α release would be beneficial. Specifically, 200 μ l of human blood supplemented with 50mM Hepes buffer (pH 7.2) is aliquoted per well in a 96 well test plate. To each well is then added 300 μ l of either the test PRO polypeptide in 50 mM Hepes buffer (at various concentrations) or 50 mM Hepes buffer alone (negative control) and the plates are incubated at 37°C for 6 hours. The samples are then centrifuged and 50 μ l of plasma is collected from each well and tested for the presence of TNF- α by ELISA assay. A positive in the assay is a higher amount of TNF- α in the PRO polypeptide treated samples as compared to the negative control samples.

The following PRO polypeptides tested positive in this assay:

PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567, and PRO4333.

EXAMPLE 15: Promotion of Chondrocyte Redifferentiation (Assay 129)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage

disorders such as, for example, sports injuries and arthritis.

Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100 µl of the same media without serum and 100 µl of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 µl/well. After 5 days at 37°C, 22 µl of media containing 100 µg/ml Hoechst 33342 and 50 µg/ml 5-CFDA is added to each well and incubated for an additional 10 minutes at 37°C. A picture of the green fluorescence is taken for each well and the differentiation state of the chondrocytes is calculated by morphometric analysis. A positive result in the assay is obtained when the > 50% of the PRO polypeptide treated cells are differentiated (compared to the background obtained by the negative control).

PRO6029 polypeptide tested positive in this assay.

EXAMPLE 16: Microarray Analysis to Detect Overexpression of PRO Polypeptides in Cancerous Tumors

Nucleic acid microarrays, often containing thousands of gene sequences, are useful for identifying differentially expressed genes in diseased tissues as compared to their normal counterparts. Using nucleic acid microarrays, test and control mRNA samples from test and control tissue samples are reverse transcribed and labeled to generate cDNA probes. The cDNA probes are then hybridized to an array of nucleic acids immobilized on a solid support. The array is configured such that the sequence and position of each member of the array is known. For example, a selection of genes known to be expressed in certain disease states may be arrayed on a solid support. Hybridization of a labeled probe with a particular array member indicates that the sample from which the probe was derived expresses that gene. If the hybridization signal of a probe from a test (disease tissue) sample is greater than hybridization signal of a probe from a control (normal tissue) sample, the gene or genes overexpressed in the disease tissue are identified. The implication of this result is that an overexpressed protein in a diseased tissue is useful not only as a diagnostic marker for the presence of the disease condition, but also as a therapeutic target for treatment of the disease condition.

The methodology of hybridization of nucleic acids and microarray technology is well known in the art. In the present example, the specific preparation of nucleic acids for hybridization and probes, slides, and hybridization conditions are all detailed in U.S. Provisional Patent Application Serial No. 60/193,767, filed on March 31, 2000 and which is herein incorporated by reference.

In the present example, cancerous tumors derived from various human tissues were studied for PRO polypeptide-encoding gene expression relative to non-cancerous human tissue in an attempt to identify those PRO polypeptides which are overexpressed in cancerous tumors. Two sets of experimental data were generated. In one set, cancerous human colon tumor tissue and matched non-cancerous human colon tumor tissue from the same patient ("matched colon control") were obtained and analyzed for PRO polypeptide expression using the above described microarray technology. In the second set of data, cancerous human tumor tissue from any of a variety of different human tumors was obtained and compared to a "universal" epithelial control sample which was

prepared by pooling non-cancerous human tissues of epithelial origin, including liver, kidney, and lung. mRNA isolated from the pooled tissues represents a mixture of expressed gene products from these different tissues. Microarray hybridization experiments using the pooled control samples generated a linear plot in a 2-color analysis. The slope of the line generated in a 2-color analysis was then used to normalize the ratios of (test:control detection) within each experiment. The normalized ratios from various experiments were then compared and used to identify clustering of gene expression. Thus, the pooled "universal control" sample not only allowed effective relative gene expression determinations in a simple 2-sample comparison, it also allowed multi-sample comparisons across several experiments.

In the present experiments, nucleic acid probes derived from the herein described PRO polypeptide-encoding nucleic acid sequences were used in the creation of the microarray and RNA from the tumor tissues listed above were used for the hybridization thereto. A value based upon the normalized ratio:experimental ratio was designated as a "cutoff ratio". Only values that were above this cutoff ratio were determined to be significant. Table 8 below shows the results of these experiments, demonstrating that various PRO polypeptides of the present invention are significantly overexpressed in various human tumor tissues as compared to a non-cancerous human tissue control. As described above, these data demonstrate that the PRO polypeptides of the present invention are useful not only as diagnostic markers for the presence of one or more cancerous tumors, but also serve as therapeutic targets for the treatment of those tumors.

Table 8

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
20	PRO276	lung tumor	universal normal control
	PRO284	colon tumor	universal normal control
	PRO284	lung tumor	universal normal control
	PRO284	breast tumor	universal normal control
	PRO193	colon tumor	universal normal control
	PRO193	lung tumor	universal normal control
25	PRO193	breast tumor	universal normal control
	PRO193	prostate tumor	universal normal control
	PRO190	colon tumor	universal normal control
	PRO190	lung tumor	universal normal control
	PRO190	breast tumor	universal normal control
30	PRO180	colon tumor	universal normal control
	PRO180	lung tumor	universal normal control
	PRO180	breast tumor	universal normal control
	PRO194	colon tumor	universal normal control
	PRO194	lung tumor	universal normal control
35	PRO194	breast tumor	universal normal control
	PRO194	cervical tumor	universal normal control
	PRO218	colon tumor	universal normal control
	PRO218	lung tumor	universal normal control
	PRO260	colon tumor	universal normal control
40	PRO260	lung tumor	universal normal control
	PRO260	breast tumor	universal normal control
	PRO260	rectal tumor	universal normal control
	PRO233	colon tumor	universal normal control
	PRO233	lung tumor	universal normal control
45	PRO233	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO234	colon tumor	universal normal control
	PRO234	lung tumor	universal normal control
	PRO234	breast tumor	universal normal control
5	PRO234	liver tumor	universal normal control
	PRO236	colon tumor	universal normal control
	PRO236	lung tumor	universal normal control
	PRO236	breast tumor	universal normal control
	PRO244	colon tumor	universal normal control
10	PRO244	lung tumor	universal normal control
	PRO262	colon tumor	universal normal control
	PRO262	lung tumor	universal normal control
	PRO262	breast tumor	universal normal control
	PRO271	colon tumor	universal normal control
15	PRO271	lung tumor	universal normal control
	PRO268	colon tumor	universal normal control
	PRO268	lung tumor	universal normal control
	PRO268	breast tumor	universal normal control
	PRO270	colon tumor	universal normal control
20	PRO270	lung tumor	universal normal control
	PRO270	breast tumor	universal normal control
	PRO270	liver tumor	universal normal control
	PRO355	lung tumor	universal normal control
	PRO355	breast tumor	universal normal control
25	PRO355	prostate tumor	universal normal control
	PRO298	colon tumor	universal normal control
	PRO298	lung tumor	universal normal control
	PRO298	breast tumor	universal normal control
	PRO299	colon tumor	universal normal control
30	PRO299	lung tumor	universal normal control
	PRO299	breast tumor	universal normal control
	PRO296	colon tumor	universal normal control
	PRO296	breast tumor	universal normal control
35	PRO329	colon tumor	universal normal control
	PRO329	lung tumor	universal normal control
	PRO329	breast tumor	universal normal control
	PRO330	colon tumor	universal normal control
	PRO330	lung tumor	universal normal control
	PRO294	lung tumor	universal normal control
40	PRO294	breast tumor	universal normal control
	PRO300	colon tumor	universal normal control
	PRO300	lung tumor	universal normal control
	PRO300	breast tumor	universal normal control
	PRO307	lung tumor	universal normal control
45	PRO334	colon tumor	universal normal control
	PRO334	lung tumor	universal normal control
	PRO334	breast tumor	universal normal control
	PRO334	prostate tumor	universal normal control
	PRO352	colon tumor	universal normal control
50	PRO352	lung tumor	universal normal control
	PRO352	breast tumor	universal normal control
	PRO352	liver tumor	universal normal control
	PRO710	breast tumor	universal normal control
	PRO873	colon tumor	universal normal control
55	PRO873	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO873	breast tumor	universal normal control
	PRO873	prostate tumor	universal normal control
	PRO354	colon tumor	universal normal control
5	PRO354	lung tumor	universal normal control
	PRO354	breast tumor	universal normal control
	PRO1151	lung tumor	universal normal control
	PRO1151	breast tumor	universal normal control
	PRO382	colon tumor	universal normal control
10	PRO382	lung tumor	universal normal control
	PRO382	breast tumor	universal normal control
	PRO1864	lung tumor	universal normal control
	PRO1864	breast tumor	universal normal control
	PRO1864	liver tumor	universal normal control
15	PRO386	colon tumor	universal normal control
	PRO386	lung tumor	universal normal control
	PRO386	prostate tumor	universal normal control
	PRO541	colon tumor	universal normal control
	PRO541	lung tumor	universal normal control
20	PRO541	breast tumor	universal normal control
	PRO852	breast tumor	universal normal control
	PRO700	colon tumor	universal normal control
	PRO700	lung tumor	universal normal control
	PRO700	breast tumor	universal normal control
25	PRO700	rectal tumor	universal normal control
	PRO708	colon tumor	universal normal control
	PRO708	lung tumor	universal normal control
	PRO708	breast tumor	universal normal control
	PRO707	colon tumor	universal normal control
30	PRO707	lung tumor	universal normal control
	PRO864	colon tumor	universal normal control
	PRO864	lung tumor	universal normal control
	PRO864	breast tumor	universal normal control
	PRO706	colon tumor	universal normal control
35	PRO706	lung tumor	universal normal control
	PRO706	breast tumor	universal normal control
	PRO706	liver tumor	universal normal control
	PRO732	lung tumor	universal normal control
	PRO732	breast tumor	universal normal control
40	PRO732	cervical tumor	universal normal control
	PRO537	colon tumor	universal normal control
	PRO537	lung tumor	universal normal control
	PRO537	breast tumor	universal normal control
	PRO545	lung tumor	universal normal control
45	PRO545	breast tumor	universal normal control
	PRO718	lung tumor	universal normal control
	PRO718	breast tumor	universal normal control
	PRO872	lung tumor	universal normal control
	PRO872	breast tumor	universal normal control
50	PRO872	liver tumor	universal normal control
	PRO704	colon tumor	universal normal control
	PRO704	lung tumor	universal normal control
	PRO704	breast tumor	universal normal control
	PRO705	lung tumor	universal normal control
55	PRO705	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO871	lung tumor	universal normal control
	PRO871	breast tumor	universal normal control
	PRO871	liver tumor	universal normal control
5	PRO702	lung tumor	universal normal control
	PRO944	colon tumor	universal normal control
	PRO944	lung tumor	universal normal control
	PRO944	rectal tumor	universal normal control
	PRO739	lung tumor	universal normal control
10	PRO739	breast tumor	universal normal control
	PRO739	prostate tumor	universal normal control
	PRO941	colon tumor	universal normal control
	PRO941	lung tumor	universal normal control
	PRO941	breast tumor	universal normal control
15	PRO941	rectal tumor	universal normal control
	PRO1082	lung tumor	universal normal control
	PRO1082	breast tumor	universal normal control
	PRO1133	colon tumor	universal normal control
	PRO1133	lung tumor	universal normal control
20	PRO983	colon tumor	universal normal control
	PRO983	lung tumor	universal normal control
	PRO983	breast tumor	universal normal control
	PRO784	colon tumor	universal normal control
	PRO784	lung tumor	universal normal control
25	PRO784	breast tumor	universal normal control
	PRO784	prostate tumor	universal normal control
	PRO783	colon tumor	universal normal control
	PRO783	lung tumor	universal normal control
	PRO783	breast tumor	universal normal control
30	PRO783	liver tumor	universal normal control
	PRO940	colon tumor	universal normal control
	PRO940	lung tumor	universal normal control
	PRO940	breast tumor	universal normal control
	PRO768	colon tumor	universal normal control
35	PRO768	lung tumor	universal normal control
	PRO768	breast tumor	universal normal control
	PRO1079	colon tumor	universal normal control
	PRO1079	lung tumor	universal normal control
	PRO1079	breast tumor	universal normal control
40	PRO1079	rectal tumor	universal normal control
	PRO1078	colon tumor	universal normal control
	PRO1078	lung tumor	universal normal control
	PRO1018	colon tumor	universal normal control
	PRO1018	lung tumor	universal normal control
45	PRO1018	breast tumor	universal normal control
	PRO793	colon tumor	universal normal control
	PRO793	lung tumor	universal normal control
	PRO793	breast tumor	universal normal control
	PRO793	rectal tumor	universal normal control
50	PRO1773	colon tumor	universal normal control
	PRO1773	lung tumor	universal normal control
	PRO1773	prostate tumor	universal normal control
	PRO1014	lung tumor	universal normal control
	PRO1014	breast tumor	universal normal control
55	PRO1013	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1013	lung tumor	universal normal control
	PRO1013	breast tumor	universal normal control
	PRO1013	liver tumor	universal normal control
5	PRO937	colon tumor	universal normal control
	PRO937	lung tumor	universal normal control
	PRO937	breast tumor	universal normal control
	PRO937	cervical tumor	universal normal control
	PRO937	rectal tumor	universal normal control
10	PRO1477	lung tumor	universal normal control
	PRO1477	breast tumor	universal normal control
	PRO1477	rectal tumor	universal normal control
	PRO842	colon tumor	universal normal control
	PRO842	lung tumor	universal normal control
15	PRO842	breast tumor	universal normal control
	PRO839	colon tumor	universal normal control
	PRO1180	colon tumor	universal normal control
	PRO1180	lung tumor	universal normal control
	PRO1180	liver tumor	universal normal control
20	PRO1134	lung tumor	universal normal control
	PRO1134	breast tumor	universal normal control
	PRO1134	prostate tumor	universal normal control
	PRO1115	colon tumor	universal normal control
	PRO1115	lung tumor	universal normal control
25	PRO1115	breast tumor	universal normal control
	PRO1277	colon tumor	universal normal control
	PRO1277	lung tumor	universal normal control
	PRO1135	lung tumor	universal normal control
	PRO1135	breast tumor	universal normal control
30	PRO1135	cervical tumor	universal normal control
	PRO827	colon tumor	universal normal control
	PRO827	lung tumor	universal normal control
	PRO827	prostate tumor	universal normal control
	PRO827	cervical tumor	universal normal control
35	PRO1057	lung tumor	universal normal control
	PRO1057	breast tumor	universal normal control
	PRO1113	colon tumor	universal normal control
	PRO1113	lung tumor	universal normal control
	PRO1006	colon tumor	universal normal control
40	PRO1006	lung tumor	universal normal control
	PRO1006	breast tumor	universal normal control
	PRO1006	rectal tumor	universal normal control
	PRO1074	lung tumor	universal normal control
	PRO1074	rectal tumor	universal normal control
45	PRO1073	lung tumor	universal normal control
	PRO1073	breast tumor	universal normal control
	PRO1136	colon tumor	universal normal control
	PRO1136	lung tumor	universal normal control
	PRO1136	breast tumor	universal normal control
50	PRO1004	lung tumor	universal normal control
	PRO1344	colon tumor	universal normal control
	PRO1344	lung tumor	universal normal control
	PRO1344	breast tumor	universal normal control
	PRO1344	rectal tumor	universal normal control
55	PRO1110	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1110	lung tumor	universal normal control
	PRO1110	breast tumor	universal normal control
	PRO1378	colon tumor	universal normal control
5	PRO1378	lung tumor	universal normal control
	PRO1378	prostate tumor	universal normal control
	PRO1378	cervical tumor	universal normal control
	PRO1481	colon tumor	universal normal control
	PRO1481	lung tumor	universal normal control
10	PRO1109	lung tumor	universal normal control
	PRO1109	breast tumor	universal normal control
	PRO1383	colon tumor	universal normal control
	PRO1383	lung tumor	universal normal control
	PRO1383	breast tumor	universal normal control
15	PRO1072	lung tumor	universal normal control
	PRO1189	colon tumor	universal normal control
	PRO1189	lung tumor	universal normal control
	PRO1189	breast tumor	universal normal control
	PRO1189	prostate tumor	universal normal control
20	PRO1003	colon tumor	universal normal control
	PRO1003	lung tumor	universal normal control
	PRO1003	breast tumor	universal normal control
	PRO1003	liver tumor	universal normal control
	PRO1003	rectal tumor	universal normal control
25	PRO1108	colon tumor	universal normal control
	PRO1108	lung tumor	universal normal control
	PRO1108	breast tumor	universal normal control
	PRO1137	colon tumor	universal normal control
	PRO1137	lung tumor	universal normal control
30	PRO1137	breast tumor	universal normal control
	PRO1138	colon tumor	universal normal control
	PRO1138	lung tumor	universal normal control
	PRO1138	breast tumor	universal normal control
	PRO1415	colon tumor	universal normal control
35	PRO1415	lung tumor	universal normal control
	PRO1415	prostate tumor	universal normal control
	PRO1054	lung tumor	universal normal control
	PRO1054	breast tumor	universal normal control
	PRO994	colon tumor	universal normal control
40	PRO994	lung tumor	universal normal control
	PRO994	rectal tumor	universal normal control
	PRO1069	lung tumor	universal normal control
	PRO1069	breast tumor	universal normal control
	PRO1411	colon tumor	universal normal control
45	PRO1411	lung tumor	universal normal control
	PRO1129	lung tumor	universal normal control
	PRO1129	rectal tumor	universal normal control
	PRO1359	colon tumor	universal normal control
	PRO1359	lung tumor	universal normal control
50	PRO1359	breast tumor	universal normal control
	PRO1359	prostate tumor	universal normal control
	PRO1139	lung tumor	universal normal control
	PRO1065	lung tumor	universal normal control
	PRO1028	colon tumor	universal normal control
55	PRO1028	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1028	breast tumor	universal normal control
	PRO1028	cervical tumor	universal normal control
	PRO1027	colon tumor	universal normal control
5	PRO1027	lung tumor	universal normal control
	PRO1027	breast tumor	universal normal control
	PRO1140	colon tumor	universal normal control
	PRO1140	breast tumor	universal normal control
	PRO1291	colon tumor	universal normal control
10	PRO1291	breast tumor	universal normal control
	PRO1105	colon tumor	universal normal control
	PRO1105	lung tumor	universal normal control
	PRO1026	lung tumor	universal normal control
	PRO1026	prostate tumor	universal normal control
15	PRO1104	colon tumor	universal normal control
	PRO1104	lung tumor	universal normal control
	PRO1104	breast tumor	universal normal control
	PRO1100	colon tumor	universal normal control
	PRO1100	lung tumor	universal normal control
20	PRO1100	breast tumor	universal normal control
	PRO1100	rectal tumor	universal normal control
	PRO1141	lung tumor	universal normal control
	PRO1772	colon tumor	universal normal control
	PRO1772	lung tumor	universal normal control
25	PRO1772	breast tumor	universal normal control
	PRO1772	cervical tumor	universal normal control
	PRO1064	colon tumor	universal normal control
	PRO1064	lung tumor	universal normal control
	PRO1379	colon tumor	universal normal control
30	PRO1379	lung tumor	universal normal control
	PRO1379	cervical tumor	universal normal control
	PRO3573	lung tumor	universal normal control
	PRO3573	breast tumor	universal normal control
	PRO3566	colon tumor	universal normal control
35	PRO3566	lung tumor	universal normal control
	PRO1156	lung tumor	universal normal control
	PRO1156	breast tumor	universal normal control
	PRO1156	prostate tumor	universal normal control
	PRO1098	colon tumor	universal normal control
40	PRO1098	lung tumor	universal normal control
	PRO1098	rectal tumor	universal normal control
	PRO1128	colon tumor	universal normal control
	PRO1128	lung tumor	universal normal control
	PRO1128	breast tumor	universal normal control
45	PRO1248	lung tumor	universal normal control
	PRO1248	breast tumor	universal normal control
	PRO1127	colon tumor	universal normal control
	PRO1127	lung tumor	universal normal control
	PRO1127	breast tumor	universal normal control
50	PRO1316	colon tumor	universal normal control
	PRO1316	lung tumor	universal normal control
	PRO1316	breast tumor	universal normal control
	PRO1197	colon tumor	universal normal control
	PRO1197	lung tumor	universal normal control
55	PRO1197	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1125	lung tumor	universal normal control
	PRO1158	breast tumor	universal normal control
	PRO1124	colon tumor	universal normal control
5	PRO1124	lung tumor	universal normal control
	PRO1380	colon tumor	universal normal control
	PRO1380	lung tumor	universal normal control
	PRO1380	breast tumor	universal normal control
	PRO1380	liver tumor	universal normal control
10	PRO1377	colon tumor	universal normal control
	PRO1377	lung tumor	universal normal control
	PRO1287	lung tumor	universal normal control
	PRO1287	breast tumor	universal normal control
	PRO1249	lung tumor	universal normal control
15	PRO1249	breast tumor	universal normal control
	PRO1335	colon tumor	universal normal control
	PRO1335	lung tumor	universal normal control
	PRO1335	breast tumor	universal normal control
	PRO3572	lung tumor	universal normal control
20	PRO1599	colon tumor	universal normal control
	PRO1599	lung tumor	universal normal control
	PRO1599	breast tumor	universal normal control
	PRO1374	lung tumor	universal normal control
	PRO1374	breast tumor	universal normal control
25	PRO1345	lung tumor	universal normal control
	PRO1345	breast tumor	universal normal control
	PRO1311	lung tumor	universal normal control
	PRO1311	breast tumor	universal normal control
	PRO1357	colon tumor	universal normal control
30	PRO1357	lung tumor	universal normal control
	PRO1557	colon tumor	universal normal control
	PRO1557	lung tumor	universal normal control
	PRO1557	breast tumor	universal normal control
	PRO1305	colon tumor	universal normal control
35	PRO1305	lung tumor	universal normal control
	PRO1305	breast tumor	universal normal control
	PRO1302	colon tumor	universal normal control
	PRO1302	lung tumor	universal normal control
	PRO1302	breast tumor	universal normal control
40	PRO1302	rectal tumor	universal normal control
	PRO1266	colon tumor	universal normal control
	PRO1336	colon tumor	universal normal control
	PRO1336	lung tumor	universal normal control
	PRO1336	breast tumor	universal normal control
45	PRO1278	colon tumor	universal normal control
	PRO1278	lung tumor	universal normal control
	PRO1270	breast tumor	universal normal control
	PRO1298	colon tumor	universal normal control
	PRO1298	lung tumor	universal normal control
50	PRO1301	lung tumor	universal normal control
	PRO1301	breast tumor	universal normal control
	PRO1268	colon tumor	universal normal control
	PRO1268	breast tumor	universal normal control
	PRO1327	lung tumor	universal normal control
55	PRO1327	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1328	colon tumor	universal normal control
	PRO1328	lung tumor	universal normal control
	PRO1328	breast tumor	universal normal control
5	PRO1329	colon tumor	universal normal control
	PRO1329	lung tumor	universal normal control
	PRO1329	breast tumor	universal normal control
	PRO1339	colon tumor	universal normal control
	PRO1339	lung tumor	universal normal control
10	PRO1342	colon tumor	universal normal control
	PRO1342	lung tumor	universal normal control
	PRO1342	breast tumor	universal normal control
	PRO1342	rectal tumor	universal normal control
	PRO1487	colon tumor	universal normal control
15	PRO1487	breast tumor	universal normal control
	PRO3579	lung tumor	universal normal control
	PRO3579	breast tumor	universal normal control
	PRO1472	colon tumor	universal normal control
	PRO1472	lung tumor	universal normal control
20	PRO1385	lung tumor	universal normal control
	PRO1385	breast tumor	universal normal control
	PRO1461	colon tumor	universal normal control
	PRO1461	lung tumor	universal normal control
	PRO1461	breast tumor	universal normal control
25	PRO1429	colon tumor	universal normal control
	PRO1429	lung tumor	universal normal control
	PRO1429	breast tumor	universal normal control
	PRO1568	lung tumor	universal normal control
	PRO1568	breast tumor	universal normal control
30	PRO1569	colon tumor	universal normal control
	PRO1569	lung tumor	universal normal control
	PRO1569	breast tumor	universal normal control
	PRO1753	colon tumor	universal normal control
	PRO1753	lung tumor	universal normal control
35	PRO1570	colon tumor	universal normal control
	PRO1570	lung tumor	universal normal control
	PRO1570	breast tumor	universal normal control
	PRO1570	prostate tumor	universal normal control
	PRO1570	rectal tumor	universal normal control
40	PRO1559	colon tumor	universal normal control
	PRO1559	lung tumor	universal normal control
	PRO1559	breast tumor	universal normal control
	PRO1486	lung tumor	universal normal control
	PRO1486	breast tumor	universal normal control
45	PRO1433	colon tumor	universal normal control
	PRO1433	lung tumor	universal normal control
	PRO1433	breast tumor	universal normal control
	PRO1433	rectal tumor	universal normal control
	PRO1490	lung tumor	universal normal control
50	PRO1490	breast tumor	universal normal control
	PRO1482	lung tumor	universal normal control
	PRO1482	breast tumor	universal normal control
	PRO1409	colon tumor	universal normal control
	PRO1409	lung tumor	universal normal control
55	PRO1409	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1446	colon tumor	universal normal control
	PRO1446	lung tumor	universal normal control
	PRO1446	breast tumor	universal normal control
5	PRO1446	prostate tumor	universal normal control
	PRO1604	colon tumor	universal normal control
	PRO1604	lung tumor	universal normal control
	PRO1604	breast tumor	universal normal control
	PRO1491	colon tumor	universal normal control
10	PRO1491	lung tumor	universal normal control
	PRO1491	breast tumor	universal normal control
	PRO1431	colon tumor	universal normal control
	PRO1431	lung tumor	universal normal control
	PRO1563	colon tumor	universal normal control
15	PRO1563	lung tumor	universal normal control
	PRO1563	breast tumor	universal normal control
	PRO1571	colon tumor	universal normal control
	PRO1571	lung tumor	universal normal control
	PRO1571	breast tumor	universal normal control
20	PRO1572	lung tumor	universal normal control
	PRO1572	prostate tumor	universal normal control
	PRO1573	lung tumor	universal normal control
	PRO1573	breast tumor	universal normal control
	PRO1508	lung tumor	universal normal control
25	PRO1508	breast tumor	universal normal control
	PRO1485	colon tumor	universal normal control
	PRO1485	lung tumor	universal normal control
	PRO1564	colon tumor	universal normal control
	PRO1564	lung tumor	universal normal control
30	PRO1564	breast tumor	universal normal control
	PRO1550	colon tumor	universal normal control
	PRO1550	lung tumor	universal normal control
	PRO1550	breast tumor	universal normal control
	PRO1757	lung tumor	universal normal control
35	PRO1757	breast tumor	universal normal control
	PRO1757	prostate tumor	universal normal control
	PRO1758	lung tumor	universal normal control
	PRO1781	colon tumor	universal normal control
	PRO1781	lung tumor	universal normal control
40	PRO1781	breast tumor	universal normal control
	PRO1606	lung tumor	universal normal control
	PRO1606	breast tumor	universal normal control
	PRO1784	colon tumor	universal normal control
	PRO1784	lung tumor	universal normal control
45	PRO1784	breast tumor	universal normal control
	PRO1774	colon tumor	universal normal control
	PRO1774	lung tumor	universal normal control
	PRO1774	breast tumor	universal normal control
	PRO1605	colon tumor	universal normal control
50	PRO1605	lung tumor	universal normal control
	PRO1605	prostate tumor	universal normal control
	PRO1928	colon tumor	universal normal control
	PRO1928	lung tumor	universal normal control
	PRO1928	cervical tumor	universal normal control
55	PRO1865	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1865	liver tumor	universal normal control
	PRO1925	lung tumor	universal normal control
	PRO1926	liver tumor	universal normal control
5	PRO2630	colon tumor	universal normal control
	PRO2630	lung tumor	universal normal control
	PRO2630	breast tumor	universal normal control
	PRO2630	liver tumor	universal normal control
10	PRO3443	colon tumor	universal normal control
	PRO3443	lung tumor	universal normal control
	PRO3443	breast tumor	universal normal control
	PRO3301	colon tumor	universal normal control
	PRO3301	lung tumor	universal normal control
	PRO3301	breast tumor	universal normal control
15	PRO3301	rectal tumor	universal normal control
	PRO3442	colon tumor	universal normal control
	PRO3442	lung tumor	universal normal control
	PRO3442	rectal tumor	universal normal control
20	PRO4978	colon tumor	universal normal control
	PRO4978	lung tumor	universal normal control
	PRO4978	breast tumor	universal normal control
	PRO4978	rectal tumor	universal normal control
	PRO5801	colon tumor	universal normal control
	PRO5801	breast tumor	universal normal control
25	PRO19630	colon tumor	universal normal control
	PRO203	colon tumor	universal normal control
	PRO204	colon tumor	universal normal control
	PRO204	lung tumor	universal normal control
	PRO204	breast tumor	universal normal control
30	PRO204	prostate tumor	universal normal control
	PRO210	colon tumor	universal normal control
	PRO210	lung tumor	universal normal control
	PRO223	lung tumor	universal normal control
	PRO223	breast tumor	universal normal control
35	PRO247	colon tumor	universal normal control
	PRO247	lung tumor	universal normal control
	PRO247	breast	universal normal control
	PRO358	lung tumor	universal normal control
	PRO358	breast tumor	universal normal control
40	PRO358	prostate tumor	universal normal control
	PRO724	lung tumor	universal normal control
	PRO868	colon tumor	universal normal control
	PRO868	lung tumor	universal normal control
	PRO868	prostate tumor	universal normal control
45	PRO868	rectal tumor	universal normal control
	PRO740	colon tumor	universal normal control
	PRO1478	colon tumor	universal normal control
	PRO1478	lung tumor	universal normal control
	PRO162	colon tumor	universal normal control
50	PRO162	lung tumor	universal normal control
	PRO162	breast tumor	universal normal control
	PRO828	colon tumor	universal normal control
	PRO828	lung tumor	universal normal control
	PRO828	breast tumor	universal normal control
55	PRO828	cervical tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO828	liver tumor	universal normal control
	PRO819	lung tumor	universal normal control
	PRO819	breast tumor	universal normal control
5	PRO819	rectal tumor	universal normal control
	PRO813	colon tumor	universal normal control
	PRO813	lung tumor	universal normal control
	PRO813	breast tumor	universal normal control
	PRO813	prostate tumor	universal normal control
10	PRO1194	colon tumor	universal normal control
	PRO1194	lung tumor	universal normal control
	PRO1194	breast tumor	universal normal control
	PRO887	colon tumor	universal normal control
	PRO887	lung tumor	universal normal control
15	PRO887	rectal tumor	universal normal control
	PRO1071	colon tumor	universal normal control
	PRO1071	lung tumor	universal normal control
	PRO1071	breast tumor	universal normal control
	PRO1029	colon tumor	universal normal control
20	PRO1029	lung tumor	universal normal control
	PRO1029	breast tumor	universal normal control
	PRO1190	lung tumor	universal normal control
	PRO1190	breast tumor	universal normal control
	PRO4334	lung tumor	universal normal control
25	PRO1155	colon tumor	universal normal control
	PRO1155	lung tumor	universal normal control
	PRO1157	breast tumor	universal normal control
	PRO1157	cervical tumor	universal normal control
	PRO1122	lung tumor	universal normal control
30	PRO1122	breast tumor	universal normal control
	PRO1183	colon tumor	universal normal control
	PRO1183	lung tumor	universal normal control
	PRO1183	breast tumor	universal normal control
	PRO1337	colon tumor	universal normal control
35	PRO1337	lung tumor	universal normal control
	PRO1337	breast tumor	universal normal control
	PRO1480	colon tumor	universal normal control
	PRO1480	lung tumor	universal normal control
	PRO1480	breast tumor	universal normal control
40	PRO19645	colon tumor	universal normal control
	PRO9782	colon tumor	universal normal control
	PRO1419	colon tumor	universal normal control
	PRO1575	colon tumor	universal normal control
	PRO1575	lung tumor	universal normal control
45	PRO1567	colon tumor	universal normal control
	PRO1567	lung tumor	universal normal control
	PRO1567	breast tumor	universal normal control
	PRO1891	colon tumor	universal normal control
	PRO1889	colon tumor	universal normal control
50	PRO1889	lung tumor	universal normal control
	PRO1785	lung tumor	universal normal control
	PRO1785	prostate tumor	universal normal control
	PRO6003	colon tumor	universal normal control
	PRO4333	colon tumor	universal normal control
55	PRO4356	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4352	colon tumor	universal normal control
	PRO4354	colon tumor	universal normal control
	PRO4354	lung tumor	universal normal control
5	PRO4354	prostate tumor	universal normal control
	PRO4369	colon tumor	universal normal control
	PRO6030	colon tumor	universal normal control
	PRO4433	colon tumor	universal normal control
	PRO4424	colon tumor	universal normal control
10	PRO4424	breast tumor	universal normal control
	PRO6017	colon tumor	universal normal control
	PRO19563	colon tumor	universal normal control
	PRO6015	colon tumor	universal normal control
	PRO5779	colon tumor	universal normal control
15	PRO5776	colon tumor	universal normal control
	PRO4430	lung tumor	universal normal control
	PRO4421	colon tumor	universal normal control
	PRO4499	colon tumor	universal normal control
	PRO4423	colon tumor	universal normal control
20	PRO5998	colon tumor	universal normal control
	PRO5998	lung tumor	universal normal control
	PRO4501	colon tumor	universal normal control
	PRO6240	colon tumor	universal normal control
	PRO6245	colon tumor	universal normal control
25	PRO6175	colon tumor	universal normal control
	PRO9742	colon tumor	universal normal control
	PRO7179	colon tumor	universal normal control
	PRO6239	colon tumor	universal normal control
	PRO6493	colon tumor	universal normal control
30	PRO9741	colon tumor	universal normal control
	PRO9822	colon tumor	universal normal control
	PRO6244	colon tumor	universal normal control
	PRO9740	colon tumor	universal normal control
	PRO9739	colon tumor	universal normal control
35	PRO7177	colon tumor	universal normal control
	PRO7178	colon tumor	universal normal control
	PRO6246	colon tumor	universal normal control
	PRO6241	colon tumor	universal normal control
	PRO9835	colon tumor	universal normal control
40	PRO9857	colon tumor	universal normal control
	PRO7436	colon tumor	universal normal control
	PRO9856	colon tumor	universal normal control
	PRO19605	colon tumor	universal normal control
	PRO9859	colon tumor	universal normal control
45	PRO12970	colon tumor	universal normal control
	PRO19626	colon tumor	universal normal control
	PRO9883	colon tumor	universal normal control
	PRO19670	colon tumor	universal normal control
	PRO19624	colon tumor	universal normal control
50	PRO19680	colon tumor	universal normal control
	PRO19675	colon tumor	universal normal control
	PRO9834	colon tumor	universal normal control
	PRO9744	colon tumor	universal normal control
	PRO19644	colon tumor	universal normal control
55	PRO19625	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO19597	colon tumor	universal normal control
	PRO16090	colon tumor	universal normal control
	PRO19576	colon tumor	universal normal control
5	PRO19646	colon tumor	universal normal control
	PRO19814	colon tumor	universal normal control
	PRO19669	colon tumor	universal normal control
	PRO19818	colon tumor	universal normal control
	PRO20088	colon tumor	universal normal control
10	PRO16089	colon tumor	universal normal control
	PRO20025	colon tumor	universal normal control
	PRO20040	colon tumor	universal normal control
	PRO1760	adrenal tumor	universal normal control
	PRO1760	breast tumor	universal normal control
15	PRO1760	cervical tumor	universal normal control
	PRO1760	colon tumor	universal normal control
	PRO1760	liver tumor	universal normal control
	PRO1760	lung tumor	universal normal control
	PRO1760	prostate tumor	universal normal control
20	PRO1760	rectal tumor	universal normal control
	PRO6029	adrenal tumor	universal normal control
	PRO6029	colon tumor	universal normal control
	PRO6029	prostate tumor	universal normal control
	PRO1801	colon tumor	universal normal control
25	PRO1801	lung tumor	universal normal control

WHAT IS CLAIMED IS:

1. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence that encodes an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID

NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure
262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID
NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure
276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID
NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure
5 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID
NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure
304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID
NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure
318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID
10 NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure
332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID
NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure
346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID
NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure
15 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID
NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure
374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID
NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure
388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID
20 NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure
402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID
NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure
416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID
NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure
25 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID
NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure
444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID
NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure
458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID
30 NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure
472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID
NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure
486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID
NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure
35 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID
NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure
514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID

NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

2. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure 71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID

NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure 339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID

NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure 605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

3. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the full-length coding sequence of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure

71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure

339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure

605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

4. Isolated nucleic acid having at least 80% nucleic acid sequence identity to the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

5. A vector comprising the nucleic acid of Claim 1.

6. A host cell comprising the vector of Claim 5.

7. The host cell of Claim 6, wherein said cell is a CHO cell.

8. The host cell of Claim 6, wherein said cell is an *E. coli*.

9. The host cell of Claim 6, wherein said cell is a yeast cell.

10. A process for producing a PRO polypeptide comprising culturing the host cell of Claim 6 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.

11. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID

[illegible]

NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

12. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence encoded by the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

13. A chimeric molecule comprising a polypeptide according to Claim 11 fused to a heterologous amino acid sequence.

14. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is an epitope tag sequence.

15. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is a Fc region of an immunoglobulin.

16. An antibody which specifically binds to a polypeptide according to Claim 11.

17. The antibody of Claim 16, wherein said antibody is a monoclonal antibody, a humanized antibody or a single-chain antibody.

18. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:

(a) a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure

188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure

454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ

ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure
 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID
 NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure
 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID
 NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure
 5 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID
 NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure
 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID
 NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure
 10 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID
 NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure
 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID
 NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure
 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID
 NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure
 15 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID
 NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure
 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID
 NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure
 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID
 20 NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure
 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID
 NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure
 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID
 NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure
 25 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID
 NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure
 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID
 NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure
 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID
 30 NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure
 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID
 NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure
 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID
 NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure
 35 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID
 NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure
 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID

NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or

(c) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18

(SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID

NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID

NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

19. An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) an amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID

NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID

NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ

[illegible]

NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or

(c) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure

34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40),
Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID
NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ
ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64
(SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure
5 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78),
Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID
NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ
ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102
(SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108),
10 Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ
ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure
124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID
NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure
138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID
15 NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure
152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID
NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure
166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID
NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure
20 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID
NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure
194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID
NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure
208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID
25 NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure
222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID
NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure
236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID
NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure
30 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID
NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure
264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID
NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure
278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID
35 NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure
292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID
NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure

[illegible]

572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

20. A method for stimulating the release of TNF- α from human blood, said method comprising contacting said blood with a PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567 or PRO4333 polypeptide, wherein the release of TNF- α from said blood is stimulated.

21. A method for stimulating the proliferation or differentiation of chondrocyte cells, said method comprising contacting said cells with a PRO6029 polypeptide, wherein the proliferation or differentiation of said cells is stimulated.

22. A method for detecting the presence of tumor in an mammal, said method comprising comparing the level of expression of any PRO polypeptide shown in Table 8 in (a) a test sample of cells taken from said mammal and (b) a control sample of normal cells of the same cell type, wherein a higher level of expression of said PRO polypeptide in the test sample as compared to the control sample is indicative of the presence of tumor in said mammal.

23. The method of Claim 22, wherein said tumor is adrenal tumor, lung tumor, colon tumor, breast tumor, prostate tumor, rectal tumor, cervical tumor or liver tumor.

24. An oligonucleotide probe derived from any of the nucleotide sequences shown in the accompanying figures.

1/615

FIGURE 1

GAAGGCTGCCTCGCTGGTCCGAATTCGGTGGCGCCACGTCCGCCCTTCTCGCATCGCGGCTTCGGCG
GCTTCCACCTAGACACCTAACAGTCGCGGAGCCGGCCGCGTCGTGAGGGGGTCGGCACGGGGAGTCGGGCGGTCT
TGTGCATCTTGGCTACCTGTGGGTCAAGATGTCGGACATCGGAGACTGGTTTCAAGAGCATCCCGCGGATCACGC
GCTATTGGTTTCGCCGCCACCGTCGCCCTGGCTGGTCCGCAAACTCGGCCCTCATCAGCCCGGCTACCTCTTCC
TCTGGCCCGAAGCCTTCTTTATCGCTTTCAGATTTGGAGGCCAATCACTGCCACCTTTTATTTCCCTGTGGGTC
CAGGAACTGGATTCTTTATTTGGTCAATTTATATTTCTTATATCAGTATTCTACGCGACTTGAACAGGAGCTT
TTGATGGGAGGCCAGCAGACTATTTATTCATGCTCCTCTTAACTGGATTTGCATCGTGATTACTGGCTTAGCAA
TGGATATGCAGTTGCTGATGATTCCTCTGATCATGTCTAGTACTTTATGTCTGGGCCCAGCTGAACAGAGACATGA
TTGTATCATTTTGGTTTGGAAACAGATTTAAGCCCTGCTATTTACCCTGGGTATCCTTGGATTCAACTATATCA
TCGGAGGCTCGGTAATCAATGAGCTTATTGGAAATCTGGTTGGACATCTTATTTTTTCTAATGTTTCAGATACC
CAATGGACTTGGGAGGAAGAAATTTTCTATCCACACCTCAGTTTTTGTACCGCTGGCTGCCAGTAGGAGAGGAG
GAGTATCAGATTTGGTGTGCCCCCTGCTAGCATGAGGCGAGCTGCTGATCAGAATGGCGGAGGCGGAGACACA
ACTGGGGCCAGGGCTTTTCGACTTGGAGACCAGTGAAGGGGCGGCCCTCGGGCAGCCGCTCCTCTCAAGCCACATTT
CCTCCCAGTGCTGGGTGCACTTAACAACTGCGTTCTGGCTAACACTGTTGGACCTGACCCACACTGAATGTAGTC
TTTCAGTACGAGACAAAGTTTCTTAAATCCCGAAGAAAAATATAAGTGTTCACAAAGTTTCACGATTCCTATTCA
AGTCCCTTACTGCTGTGAAGAACAATAACCACTGTGCAAAATGCAAACTGACTACATTTTTTGGTGTCTTCTCT
TCTCCCTTTCGGTCTGAATAATGGGTTTTCAGCGGCTCTAATCTGCTGGCATTGAGCTGGGGCTGGGTACCAA
ACCTTTCACAAAAGGACCTTATCTCTTCTTGCACACATGCTCTCTCCCACTTTTCCCAACCCCCACATTTGCA
ACTAGAAAAAGTTGCCCATAAATTTGCTCTGCCCTTGACAGGTTCTGTTATTTATTGACTTTTGCCAAGGCTGGT
CACAAACATCATATTCACGTTATTTCCCTTTTGGTGGCAGAACTGTTACCAATAGGGGGAGAAGACAGCCACG
GATGAAGCGTTTCTCAGCTTTTGGAAATGCTTTCGACTGACATCCGTTGTTAACCGTTTGGCACTCTTCAGATATT
TTTTATAAAAAAGTACCACTGAGTTCATGAGGGCCACAGATTGGTTATTAATGAGATACGAGGGTTGGTGTCTGG
GTGTTTGTCTCTGAGCTAAGTGATCAAGACTGTAGTGGAGTTGCAGCTAACATGGGTTAGGTTTAAACCATGGG
GGATGCACCCCTTTGCGTTTCATATGTAGCCCTACTGGCTTTGTGTAGCTGGAGTAGTTGGGTTGCTTTGTGTTA
GGAGGATCCAGATCATGTTGGCTACAGGGAGATGCTCTCTTTGAGAGGTCCTGGGCATTGATTTCCATTTCAATC
TCATTCGGATATGTGTTTCATTGAGTAAAGGAGGAGAGACCTCATACGCTATTTAAATGTCACTTTTTTGCCTA
TCCCCCGTTTTTGGTCATGTTTCAATTAATTGTGAGGAAGGCGCAGCTCCTCTCTGCACGTAGATCATTTTTTA
AAGCTAATGTAAGCACATCTAAGGGAATAACATGATTTAAGGTTGAAATGGCTTTAGAATCATTTGGGTTTGGAG
GTGTGTTATTTTGAATCATGAATGTACAAGCTCTGTGAATCAGACCAGCTTAAATACCCACACCTTTTTTTCGTA
GGTGGGCTTTTCCCTATCAGAGCTTGGCTCATAACCAATAAAGTTTTTTGAAGGCCATGGCTTTTCACACAGTTA
TTTTATTTTATGACGTTATCTGAAAGCAGACTGTTAGGAGCAGTATTGAGTGGCTGTACACTTTGAGGCAACTA
AAAAGGCTTCAAACGTTTTGATCAGTTTCTTTTCAGGAAACATTGTGCTCTAACAGTATGACTATTCTTTCCCC
ACTCTTAAACAGTGTGATGTGTGTTATCCTAGGAAATGAGAGTTGGCAAACAACCTTCTCATTTTGAATAGAGTTT
GTGTGTAATCTCCATATTTAATTTATATGATAAAATAGGTGGGAGAGTCTGAACCTTAACTGTCTGTTTGT
TGTTTCATCTGTGGCCACAATAAAGTTTACTTGTAAATTTTAGAGGCCATTACTCCAATTATGTTGCACGTACAC
TCATTGTACAGGCGTGGAGACTCATTGTATGTATAAGAATATTTCTGACAGTGAGTGACCCGGAGTCTCTGGTGT
ACCTCTTACCAGTCAGCTGCCGAGCAGTCATTTTTCTTAAAGGTTTACAAGTATTTAGAAGTTTTCAGTT
CAGGGCAAAATGTTTCATGAAGTTATTCCTCTTAAACATGGTTAGGAAGCTGATGACGTTATTGATTTTGTCTGGA
TTATGTTTCTGGAATAATTTTACCAAAACAAGCTATTTGAGTTTTGACTTGACAAGGCAAAACATGACAGTGGAT
TCTCTTTACAAATGGAATAAATCCTTATTTGTATAAAGGACTTCCCTTTTTGTAAACTAATCCTTTTTAT
TGTTAAAAATTGTAAATTTAAATGTGCACTTG

2/615

FIGURE 2

MSDIGDWFRSIPAITRYWFAATVAVPLVGKLGGLISPAYLFLWPEAFLYRFQIWRPITATFYFPVGPGTGFLYLVN
LYFLYQYSTRLETGAFDGRPADYLEMLLFNWICIVITGLAMDMQLLMIPLIMSVLYVWAQLNRDMIVSFWFGTRF
KACYLPWVILGFNYIIGGSVINELIGNLVGHLYFFLMFRYPMDLGGRNFLSTPQFLYRWLPSRRGGVSGFGVPPA
SMRRAADQNGGGGRHNWGQGFR LGDQ

Transmembrane domain:

amino acids 98-116, 152-172

N-myristoylation site.

amino acids 89-95, 168-174, 176-182, 215-221, 221-227, 237-243

Glycosaminoglycan attachment site.

amino acids 218-222

3/615

FIGURE 3

GAGCGAGGCCGGGGACTGAAGGTGTGGGTGTGAGCCCTCTGGCAGAGGGTTAACCTGGGTCAAATGCACGGATT
CTCACCTCGTACAGTTACGCTCTCCCGCGGCACGTCCGCGAGGACTTGAAGTCCTGAGCGCTCAAGTTTGTCCGT
AGGTCTGAGAGAAGGCCATGGAGGTGCCGCCACCGGCACCGCGGAGCTTTCTCTGTAGAGCATTGTGCCTATTTCC
CCGAGTCTTTGCTGCCGAAGCTGTGACTGCCGATTGGAAGTCCTTGAGGAGCGTCAGAAGCGGCTTCCCTACGT
CCCAGAGCCCTATTACCCGGAATCTGGATGGGACCGCCTCCGGGAGCTGTTTGGCAAAGATGAACAGCAGAGAAT
TTCAAAGGACCTTGCTAATATCTGTAAGACGGCAGCTACAGCAGGCATCATTGGCTGGGTGTATGGGGGAATACC
AGCTTTTATTCATGCTAAACAACAATACATTGAGCAGAGCCAGGCAGAAATTTATCATAACCGGTTTGATGCTGT
GCAATCTGCACATCGTGCTGCCACACGAGGCTTCATTGCTTATGGCTGGCGCTGGGGTTGGAGAACTGCAGTGTT
TGTGACTATATTCAACACAGTGAACACTAGTCTGAATGTATACCGAAATAAAGATGCCTTAAGCCATTTTGTAAAT
TGCAGGAGCTGTCACGGGAAGTCTTTTTAGGATAAACGTAGGCCTGCGTGGCCTGGTGGCTGGTGGCATAATTGG
AGCCTTGCTGGGCACCTCCTGTAGGAGGCCTGCTGATGGCATTTCAGAAGTACGCTGGTGAGACTGTTCAGGAAAG
AAAACAGAAGGATCGAAAGGCACTCCATGAGCTAAACTGGAAGAGTGGAAAGGCAGACTACAAGTTACTGAGCA
CCTCCCTGAGAAAATTGAAAGTAGTTTACGGGAAGATGAACCTGAGAATGATGCTAAGAAAATTGAAGCACTGCT
AAACCTTCCTAGAAAACCTTCAGTAATAGATAAAACAAGACAAGGACTGAAAGTGCTCTGAACTTGAACTCACTG
GAGAGCTGAAGGGAGCTGCCATGTCCGATGAATGCCAACAGACAGGCCACTCTTTGGTCAGCCTGCTGACAAATT
TAAGTGTGGTACCTGTGGTGGCAGTGGCTTGCTCTTGTCTTTTCTTTTCTTTTAACTAAGAATGGGGCTGTT
GTACTCTCACTTTACTTATCCTTAAATTTAATACATACTTATGTTGTATTAATCTATCAATATATGCATACAT
GGATATATCCACCCACCTAGATTTTAAGCAGTAAATAAAACATTTGCAAAAGATTAAAGTTGAATTTTACAGTTT

4/615

FIGURE 4

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA23318
><subunit 1 of 1, 285 aa, 1 stop
><MW: 32190, pI: 9.03, NX(S/T): 2
MEVPPPAPRSFLCRALCLFPRVFAAEAVTADSEVLEERQKRLPYVPEPYYPESGWDRLRELFGKDEQQRISKDLA
NICKTAATAGIIGWVYGGIPAFIHAKQQYIEQSQAETIYHNRFDAVQSAHRAATRGFIRYGWRWGWRTAVFVTIFN
TVNTSLNVYRNKDALSHFVIAGAVTGSLFRINVGLRGLVAGGIIGALLGTPVGGLLMAFQKYAGETVQERKQKDR
KALHELKLEEWKGRQLQVTEHLPEKIESSLREDEPENDAKKIEALLNLPRNPSVIDKQDKD
```

Important Features:**Signal Peptide:**

amino acids 1-24

Transmembrane domains:

amino acids 76-96 and 171-195

N-glycosylation site:

amino acids 153-156

5/615

FIGURE 5

CGGACGCGTGGGCGCGGGACGCCGGCAGGGTTGTGGCGCAGCAGTCTCCTTCCTGCGCGCGCGCCTGAAGTCGGC
GTGGGCGTTTTGAGGAAGCTGGGATACAGCATTTAATGAAAAATTTATGCTTAAGAAGTAAAAATGGCAGGCTTCC
TAGATAATTTTCGTTGGCCAGAATGTGAATGTATTGACTGGAGTGAGAGAAGAAATGCTGTGGCATCTGTTGTCTG
CAGGTATATTGTTTTTACAGGCTGGTGGATAATGATTGATGCAGCTGTGGTGTATCCTAAGCCAGAACAGTTGA
ACCATGCCCTTTCACACATGTGGTGTATTTCCACATTGGCTTCTTCATGATAAATGCTGTATCCAATGCTCAGG
TGAGAGGTGATAGCTATGAAAGCGGCTGTTTAGGAAGAACAGGTGCTCGAGTTTGGCTTTTCATTGGTTTCATGT
TGATGTTTGGGTCACCTTATTGCTTCCATGTGGATTCTTTTGGTGCATATGTTACCCAAAATACTGATGTTTATC
CGGGACTAGCTGTGTTTTTCAAATGCACTTATATTTTTTAGCACTCTGATCTACAAATTTGGAAGAACCGAAG
AGCTATGGACCTGAGATCACTTCTTAAGTCACATTTTCCTTTTGTATATTCTGTTTGTAGATAGGTTTTTTATC
TCTCAGTACACATTGCCAAATGGAGTAGATTGTACATTAAATGTTTTGTTTCTTTACATTTTTATGTTCTGAGTT
TTGAAATAGTTTTATGAAATTTCTTTATTTTTTTCATTGCATAGACTGTTAATATGTATATAATACAAGACTATATG
AATTGGATAATGAGTATCAGTTTTTTTATTCTGAGATTTAGAAGTTGATCTACTCCCTGAGCCAGGGTTACATCA
TCTTGTCATTTTAGAAGTAACCACTCTTGTCTCTCTGGCTGGGCACGGTGGCTCATGCCTGTAATCCCAGCACTT
TGGGAGGCCGAGGCGGGCCGATTGCTTGAGGTCAAGTGTTTGAGACCAGCCTGGCCAACATGGCGAAACCCCATC
TACTAAAAATACAAAAATTAGCCAGGCATGGTGGTGGGTGCCTGTAATCCCAGCTACCTGGGAGGCTGAGGCAGG
AGAATCGCTTGAACCCGGGGGCGAGAGTTGCAGTGAGCTGAGTTTGCGCCACTGCACTCTAGCCTGGGGGAGAA
AGTGAAACTCCCTCTCAAAAAAAGACCACTCTCAGTATCTCTGATTTCTGAAGATGTACAAAAAATATAGCTT
CATATATCTGGAATGAGCACTGAGCCATAAAAGGTTTTTCAGCAAGTTGTAACCTATTTTGGCCTAAAAATGAGGT
TTTTTTGGTAAAGAAAAAATATTTGTTCTTATGTATTGAAGAAGTGACTTTTATATAATGATTTTTTAAATGCC
CAAAGGACTAGTTTGAAGCTTCTTTTAAAAAGAATTCTCTAATATGACTTTATGTGAGAA

6/615

FIGURE 6

MAGFLDNFRWPECECIDWSERRNAVASVVAGILFFTGWIMIDAADVYPKPEQLNHAFHTCGVFSTLAFFMINAV
SNAQVRGDSYESGCLGRTGARVWLFIFGMLMFGSLIASMWILFGAYVTQNTDVYPGLAVFFQNALIFFSTLIYKF
GRTEELWT

Important features:

Signal peptide:

amino acids 1-44

Transmembrane domains:

amino acids 23-42 (type II), 60-80, 97-117, 128-148

7/615

FIGURE 7

CGGTGGTTTTTGTCTGCAATAGGCGGCTTAGAGGGAGGGGCTTTTTCGCCTATACCTACTGTAGCTTCTCCACG
TATGGACCCCTAAAGGCTACTGCTGCTACTACGGGGCTAGACAGTTACTGTCTCAGCTCTAGGATGTGCGTTCTTC
CACTAGAAGCTCTTCTGAGGGAGGTAATTAACAAACAGTGGAAATGGAAAAACAGTGTGTAGTCATCCTGTAATA
TGCTCCTTGTCACCAATGTATACATTCTGCTAGGTGCCATATTCATTGCTTTAAGCTCAAGTCGCATCTTACTA
GTGAAGTATTCTGCCAATGAAGAAAACAAGTATGATTATCTTCCAACTACTGTGAATGTGTGCTCAGAAGCTGGTG
AAGCTAGTTTTCTGTGTGCTTGCTGTCATTCTGTGTTATAAAGAAAGATCATCAAAGTAGAAATTTGAAATATGCT
TCCTGGAAGGAATTCTCTGATTTCATGAAGTGGTCCATTCCTGCCTTTCTTTATTTCCCTGGATAACCTTGATTGTC
TTCTATGTCCCTGTCTATCTTCAACCAGCCATGGCTGTTATCTTCTCAAATTTTAGCATTATAACACAGCTCTT
CTATTCCAGGATAGTGTGAAGAGGCGTCTAACTGGATCCAGTGGGCTTCCCTCTGACTTTATTTTTGTCTATT
GTGGCCTTGACTGCCGGGACTAAAACCTTTACAGCACAACCTTGGCAGGACGTGGATTTCATCACGATGCCCTTTTC
AGCCCTTCCAATTCCTGCCTTCTTTTCAGAAGTGAGTGTCCAGAAAAGACAATTGTACAGCAAAGGAATGGACT
TTTCTGAAAGCTAAATGGAACACCACAGCCAGAGTTTTCAGTCACATCCGCTTGGCATGGGCCATGTTCTTATT
ATAGTCCAGTGTTTTTATTTCTTCAATGGCTAATATCTATAATGAAAAGATACTGAAGGAGGGGAACCAAGCTCACT
GAAAGCATCTTCATACAGAACAGCAAACCTCTATTTCTTTGGCATTCTGTTTAATGGGCTGACTCTGGGCCCTTCAG
AGGAGTAACCGTGATCAGATTAAGAACTGTGGATTTTTTATGGCCACAGTGCATTTTCAGTAGCCCTTATTTTT
GTAAGTGCATTCCAGGGCCTTTTCAGTGGCTTTCATTCTGAAGTTCCTGGATAACATGTTCCATGTCTTGATGGCC
CAGGTTACCACTGTCTATCACAACAGTGTCTGCTGGTCTTTGACTTCAGGCCCTCCCTGGAATTTTCTTG
GAAGCCCCATCAGTCCCTCTCTCTATATTTATTTATAATGCCAGCAAGCCTCAAGTTCGGAATACGCACCTAGG
CAAGAAAGGATCCGAGATCTAAGTGGCAATCTTTGGGAGCGTTCAGTGGGGATGGAGAAGAACTAGAAAGACTT
ACCAAACCCAAAGAGTGATGAGTCAGATGAAGATACTTTCTAACTGGTACCCACATAGTTTGCAGCTCTCTTGAAC
CTTATTTTTCATATTTTCAGTGTGTGTAATATTTATCTTTTCACTTTGATAAACCAGAAATGTTTCTAAATCCTAA
TATTTCTTGCATATATCTAGCTACTCCCTAAATGGTCCATCCAAGGCTTAGAGTACCCAAAGGCTAAGAAATTC
TAAAGAACTGATACAGGAGTAACAATATGAAGAATTCATTAATATCTCAGTACTTGATAAATCAGAAAGTTATAT
GTGCAGATTATTTTCTTGGCCTTCAAGCTTCCAAAAAAGCTTGAATAATCATGTTAGCTATAGCTTGATATAC
ACATAGAGATCAATTTGCCAAATATTCACAATCATGTAGTCTAGTTTACATGCCAAAGTCTTCCCTTTTAAACA
TTATAAAAGCTAGGTTGTCTCTTGAATTTTGAGGCCCTAGAGATAGTCATTTTGCAGTAAGAGCAACGGGACC
CTTTCTAAAAACGTTGGTTGAAGGACCTAAATACCTGGCCATACCATAGATTTGGGATGATGTAGTCTGTGCTAA
ATATTTTGTCTGAAGAAGCAGTTTCTCAGACACAACATCTCAGAATTTTAAATTTTATAGAAATTCATGGGAAATGG
ATTTTTGTATAATCTTTTGATGTTTTAAACATTGGTCCCTAGTCACCATAGTTACCACTTGATTTTTAAGTCA
TTTAAACAAGCCACGGTGGGGCTTTTTCTCCTCAGTTGAGGAGAAAAATCTTGATGTCATTACTCCTGAATTA
TTACATTTTGGAGAATAAGAGGGCATTTTATTTTATTAGTTACTAATTCAGCTGTGACTATTGTATATCTTTCC
AAGAGTTGAAATGCTGGCTTCAGAATCATACCAGATTGTCAGTGAAGCTGATGCCTAGGAACTTTTAAAGGGATC
CTTTCAAAGGATCACTTAGCAAACACATGTTGACTTTTAACTGATGTATGAATATTAATACTCTAAAAATAGAA
AGACCAGTAATATATAAGTCACTTTACAGTGCTACTTCACACTTAAAGTGCATGGTATTTTTCATGGTATTTTG
CATGCAGCCAGTTAACTCTCGTAGATAGAGAAGTCAGGTGATAGATGATATTAATAATTAGCAAACAAAAGTGAC
TTGCTCAGGGTCATGCAGCTGGGTGATGATAGAAGAGTGGCTTTAACTGGCAGGCCTGTATGTTTACAGACTAC
CATACTGTAAATATGAGCTTTATGGTGTCATTCTCAGAACTTATACATTTCTGCTCTCTTTCTCCTAAGTTTC
ATGCAGATGAATATAAGGTAATATACTATTATATAATTCATTTGTGATATCCACAATAATATGACTGGCAAGAAT
TGGTGGAATTTGTAATTAATAAATTATTAAACCT

8/615

FIGURE 8

MEKQCCSHPVICSLSTMYTFLLGAI FIALSSSRILLVKYSANEENKYDYLPTTVNVCSELVKLVFCVLVSFCVIK
KDHQSRNLKYASWKEFSDFMKWSIPAFLYFLDNLIVFYVLSYLQ PAMAVIFS NFSIITTALLFRIVLKRRLNWIQ
WASLLTLFLSIVALTAGTKTLQHNLAGRGFHHDAFFSPSNSCLLFRSECPRKDNCTAKEWTFPEAKWNTTARVFS
HIRLGMGHVLIIVQCFISSMANIYNEKILKEGNQLTESIFIQNSKLYFFGILFNGLTLGLQRSNRDQIKNCGFFY
GHSASFVALIFVTAFQGLSVAFILKFLDNMFHVLMAQVTTVIITTVSVLVFDFRPSLEFFLEAPSVLLSIFIYNA
SKPQVPEYAPRQERIRDLSGNLWERSSSGDGEELERLTKPKSDESEDTF

Transmembrane domains:

amino acids 16-36 (type II), 50-74, 147-168, 229-250, 271-293, 298-318,
328-368

N-glycosylation sites.

amino acids 128-132, 204-208, 218-222, 374-378

Glycosaminoglycan attachment site.

amino acids 402-406

N-myristoylation sites.

amino acids 257-263, 275-281, 280-286, 284-290, 317-323

9/615

FIGURE 9

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATGAGCAGGTCTG
AAGACTAACATTTTGTGAAGTTGTAAAACAGAAAACCTGTTAGAAATGTGGTGGTTTCAGCAAGGCCTCAGTTTC
CTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTTTCATACATTACTGCAGTAACACTCCACCAT
ATAGACCCGGCTTTACCTTATATCAGTGACACTGGTACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTA
AATATTGCGGCAGTTTTATGCATTGCTACCATTTATGTTGTTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAG
AACGTTATCATCAAATTAACAAGGCTGGCCTTGTAAGTGGAAATACTGAGTTGTTTAGGACTTTCTATTGTGGCA
AACTTCCAGAAAAACAACCTTTTTGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCATTATAT
ATGTTTGTTCAGACCATCCTTTCTACCAAATGCAGCCCAAATCCATGGCAAACAAGTCTTCTGGATCAGACTG
TTGTTGGTTATCTGGTGTGGAGTAAGTGCACTTAGCATGCTGACTTGCTCATCAGTTTGCACAGTGGCAATTTT
GGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGGACAAAGGTTATGTGCTTCACATGATCACTACTGCA
GCAGAAATGGTCTATGTCAATTTCTTCTTTGGTTTTTCTGACTTACATTGCTGATTTTCAGAAAATTTCTTTA
CGGGTGGAGCCAATTTACATGGATTAACCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGG
CTACTTTCCAGAGATATTTGATGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATTCTTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACTGATGAATGCT
GATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCATCAAGAAGACTATTAAAAACA
CCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAGACTATG

10/615

FIGURE 10

MWWFQQGLSFLPSALVIWTSAAFIYSYITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAVLCIATYVRY
KQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTTLFAAHVSGAVLTFGMGSLYMFVQTILSYQMOPKI
HGKQVFWIRLLLVWCGVSALSMLTCSSVLHSGNFGTDLEQKLHWNPEDKGYVLHMITTAAEWSMSFSFFGFFLT
YIRDFQKISLRVEANLHGLTLYDTAPCPINNERTRLLSRDI

11/615

FIGURE 11

CCCACGCGTCCGCCCCGCGCTGCGTCCCGGAGTGCAAGTGAGCTTCTCGGCTGCCCCGCGGGCCGGGGTGCGGAG
CCGACATGCGCCCCGCTTCTCGGCCTCCTTCTGGTCTTCGCCGGCTGCACCTTCGCCTTGTAATTGCTGTCGACGC
GACTGCCCCGCGGGCGGAGACTGGGCTCCACCGAGGAGGCTGGAGGCAGGTCGCTGTGGTTCCTCCGACCTGG
CAGAGCTGCGGGAGCTCTCTGAGGTCCCTCGAGAGTACCGGAAGGAGCACCAGGCCTACGTGTTCCCTGCTCTTCT
GCGGCGCCTACCTCTACAAACAGGGCTTTGCCATCCCCGGCTCCAGCTTCCTGAATGTTTAGCTGGTGCCTTGT
TTGGGCCATGGCTGGGGCTTCTGCTGTGCTGTGTGTGACCTCGGTGGGTGCCACATGCTGCTACCTGCTCTCCA
GTATTTTTGGCAAACAGTTGGTGGTGTCTACTTTCCTGATAAAGTGGCCCTGCTGCAGAGAAAGGTGGAGGAGA
ACAGAAACAGCTTGTTTTTTTTCTATTGTTTTTGAGACTTTTCCCATGACACCAAAGTGGTCTTGAACCTCT
CGGCCCCAATTCTGAACATTCCCATCGTGCAGTTCTTCTCTCAGTTCTTATCGGTTTGATCCCATATAATTTCA
TCTGTGTGCAGACAGGGTCCATCCTGTCAACCCTAACCTCTCTGGATGCTCTTTTCTCCTGGGACACTGTCTTTA
AGCTGTTGGCCATTGCCATGGTGGCATTAAATTCCTGGAACCCTCATTAAAAAATTTAGTCAGAAACATCTGCAAT
TGAATGAAACAAGTACTGCTAATCATATACACAGTAGAAAAGACACATGATCTGGATTTTCTGTTTGCCACATCC
CTGGACTCAGTTGCTTATTTGTGTAATGGATGTGGTCCCTCTAAAGCCCTCATTGTTTTTGATTGCCTTCTATAG
GTGATGTGGACACTGTGCATCAATGTGCAGTGTCTTTTCAGAAAGGACACTCTGCTCTTGAAGGTGTATTACATC
AGGTTTTCAAACCAGCCCTGGTGTAGCAGACACTGCAACAGATGCCTCCTAGAAAATGCTGTTTGTGGCCGGGCG
CGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCCGGTGATTCACAAGGTGAGGAGTTCAAGACC
AGCCTGGCCAAGATGGTGAATCCTGTCTCTAATAAAAAATACAAAAATTAGCCAGGCGTGGTGGCAGGCACCTGT
AATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATTGCTTGAACCAAGGTGGCAGAGGTTGCAGTAAGCCAAGAT
CACACCACTGCACTCCAGCCTGGGTGATAGAGTGAGACACTGTCTTGAC

12/615

FIGURE 12

MRPLLGLLLVFAGCTFALYLLSTRLPGRRLGSTEAGGRSLWFPSDLAELRELSEVLREYRKEHQAYVFLLFCG
AYLYKQGFAIPGSSFLNVLGALFGFWLGLLCCVLTSSVGATCCYLLSSIFGKQLVVSYPDPKVALQKVEENR
NSLFFFLFLRLFPMTPNWFLNLSAPILNIPVQFFSVLIGLIPYNFICVQTGSILSTLTSLDALFSWDTVFKL
LAIAMVALIPGTLIKFSQKHLQLNETSTANHIHSRKDT

Important features:**Signal peptide:**

amino acids 1-17

Transmembrane domains:

amino acids 101-123, 189-211

N-glycosylation sites.

amino acids 172-176, 250-254

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 240-244, 261-265

N-myristoylation site.

amino acids 13-19, 104-110, 115-121, 204-210

Amidation site.

amino acids 27-31

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 4-15

Protein splicing proteins.

amino acids 25-31

Sugar transport proteins.

amino acids 162-172

13/615

FIGURE 13

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGCGAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACCGTGTGAG
GGGGCCTGTGGCCCCAGCGTGCTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTCCTTACACTTCGCCA
TGAGTTTCCTCATCGACTCCAGCATCATGATTACCTCCAGATACTATTTTTTGGATTGGGTGGCTTTTCTTCA
TGCGCCAATTGTTTAAAGACTATGAGATACGTCAGTATGTTGTACAGGTGATCTTCTCCGTGACGTTTGCATTTT
CTTGACCATGTTTGAGCTCATCATCTTTGAAATCTTAGGAGTATTGAATAGCAGCTCCCGTTATTTTCACTGGA
AAATGAACCTGTGTGTAATTCGCTGATCCTGGTTTTTCATGGTGCCTTTTTACATTGGCTATTTTATTGTGAGCA
ATATCCGACTACTGCATAAACAACGACTGCTTTTTTCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGA
AAGTAGGAGATCCCTTTCCATTCTCAGCCCCAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTG
GTGTGATTGGAGTGACTCTCATGGCTCTTCTTTCTGGATTGGTGCTGTCAACTGCCCATACACTTACATGTCTT
ACTTCTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGATCA
TAAGCAAAAAGAAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGGAAGTGCATAACAAACCATCAG
GTTTCTGGGGAATGATAAAAAGTGTACCCTTCAGCATCAGGAAGTGAATCTTACTCTTATTCAACAGGAAG
TGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGGAACAGCTGATCTATATGCTACCAAGGAGAGAATAG
AATACTCCAAAACCTTCAAGGGGAAATATTTTAATTTTCTGGTTACTTTTTCTCTATTTACTGTGTTTGGAAAA
TTTTCATGGCTACCATCAATATTGTTTTTGATCGAGTTGGGAAAACGGATCCTGTCACAAGAGGCATTGAGATCA
CTGTGAATTATCTGGGAATCCAATTTGATGTGAAGTTTGGTCCCAACACATTTCTTCTATTCTTGTGGAATAA
TCATCGTCACATCCATCAGAGGATTGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCCT
CCAATGTCATTGTCTCTGCTATTAGCACAGATAATGGGCATGTACTTTGTCTCTCTGTGCTGCTGATCCGAATGA
GTATGCCTTTAGAATAACCGACCATTAATCACTGAAGTCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGT
TTGATGTGATCTTCTGGTCAGCGCTCTCTAGCATACTCTTCTCTATTTGGCTCACAAACAGGCACCAGAGA
AGCAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTCAAATTTAGATATAAGAGG
GGGGAAAAATGGAACAGGCGCTGACATTTTATAAACAACAAAATGCTATGGTAGCATTTTTCACCTTCATAGC
ATACTCCTTCCCCGTGAGGTGATACTATGACCATGAGTAGCATCAGCCAGAACATGAGAGGGGAGAACTAACTCAA
GACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGGTGTAGAGGCGGAGAGGAGCCAAAGAACTAAAG
GTGAAAAATACACTGGAACCTCTGGGGCAAGACATGTCTATGGTAGCTGAGCCAAACAGTAGGATTTCCGTTTTTA
AGGTTACATGGAAGGTTATAGCTTTGCCTTGAGATTGACTCATTAAAATCAGAGACTGTACAAAAA
AAAAAAAAAAGGGCGCCGCGACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCACTTGTTTATTG
CAGCTTATAATG

14/615

FIGURE 14

MSFLIDSSIMITSQILFFGFGWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGVLNSSSRYPFW
KMNL CVILLILVFMVPFYIGYFIVSNIRLLHKQRLLFSCLLWLTFFMYFFWKLGDPFPILSPKHGILSIEQLISRV
GVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERLLQTMDMIISKKKRMAMARRTMFQKGEVHNKPS
GEWGMISVTTTSASGSENLTLIQEVDAL EELSRQLFLETADLYATKERIEYSKTFKGKYNFLGYFFSIYCVWK
IFMATINIVFDRVGKTDVPTRGIEITVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKS
SNVIVLLLAQIMGYFVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLV SALSSILFLYLAHKQAPE
KQMAP

Important features:**Signal peptide:**

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398, 425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

15/615

FIGURE 15

GACGGAAGAACAGCGCTCCCCGAGGCCGCGGGAGCCTGCAGAGAGGACAGCCGGCCTGCGCCGGGACATGCGGCCC
CAGGAGCTCCCCAGGCTCGCGTTCCCGTTGCTGCTGTTGCTGTTGCTGCTGCTGCCGCCGCCGCCGTGCCCTGCC
CACAGCGCCACGCGCTTCGACCCCCACCTGGGAGTCCCTGGACGCCGCCAGCTGCCCGCGTGGTTTTGACCAGGCC
AAGTTCGGCATCTTCATCCACTGGGAGTGTTCCTGCGTGCCAGCTTCGGTAGCGAGTGGTTCTGGTGGTATTGG
CAAAAGGAAAAGATACCGAAGTATGTGGAATTTATGAAAGATAATTACCTCCTAGTTTTCAATATGAAGATTTT
GGACCACTATTTACAGCAAAATTTTAAATGCCAACCAAGTGGGCAGATATTTTTCAGGCCTCTGGTGCCAAATAC
ATTGTCTTAACTTCCAAACATCATGAAGGCTTTACCTTGTGGGGTCAAGATATTCGTGGAACCTGGAATGCCATA
GATGAGGGGGCCCAAGAGGGACATTGTCAAGGAACCTGAGGTAGCCATTAGGAACAGAACTGACCTGCGTTTTGGA
CTGTACTATTCCTTTTTGAATGGTTTCATCCGCTCTTCCTTGAGGATGAATCCAGTTCATTCCATAAGCGGCAA
TTTCCAGTTTCTAAGACATTGCCAGAGCTCTATGAGTTAGTGAACAACATATCAGCCTGAGGTTCTGTGGTCCGAT
GGTGACGGAGGAGCACCGGATCAATACTGGAACAGCACAGGCTTCTTGGCCTGGTTATATAATGAAAGCCAGTT
CGGGGCACAGTAGTCACCAATGATCGTTGGGGAGCTGGTAGCATCTGTAGCATGGTGGCTTCTATACCTGCAGT
GATCGTTATAACCCAGGACATCTTTTGGCCACATAAATGGGAAAACCTGCATGACAATAGACAAACTGTCCTGGGGC
TATAGGAGGGAAGCTGGAATCTCTGACTATCTTACAATTGAAGAATTGGTGAAGCAACTGTAGAGACAGTTTCA
TGTGGAGGAAATCTTTTGATGAATATTGGGCCCACACTAGATGGCACCATTTCTGTAGTTTTTGGAGCGGACTG
AGGCAAGTGGGGTCTGGCTAAAAGTCAATGGAGAAGCTATTTATGAAACCTATACCTGGCGATCCCAGAATGAC
ACTGTCAACCCAGATGTGTGGTACACATCCAAGCCTAAAGAAAATTAGTCTATGCCATTTTTCTTAAATGGCCC
ACATCAGGACAGCTGTTCTTGGCCATCCCAAAGCTATTCTGGGGGCAACAGAGGTGAACTACTGGGCCATGGA
CAGCCACTTAACTGGATTTCTTTGGAGCAAAATGGCATTATGGTAGAACTGCCACAGCTAACCATTCATCAGATG
CCGTGTAAATGGGGCTGGGCTCTAGCCCTAACTAATGTGATCTAAAGTGCAGCAGAGTGGCTGATGCTGCAAGTT
ATGTCTAAGGCTAGGAATATCAGGTGTCTATAATTGTAGCACATGGAGAAAGCAATGTAACTGGATAAGAAAA
TTATTTGGCAGTTCAGCCCTTTCCCTTTTTCCCACTAAATTTTTCTTAAATTACCCATGTAAACATTTTAACTCT
CCAGTGCACCTTTGCCATTAAAGTCTCTTCACATTGATTTGTTTCCATGTGTGACTCAGAGGTGAGAATTTTTTCA
CATTATAGTAGCAAGGAATTGGTGGTATTATGGACCGAACTGAAAATTTTATGTTGAAGCCATATCCCCATGAT
TATATAGTTATGCATCACTTAATATGGGGATATTTTCTGGGAAATGCATTGCTAGTCAATTTTTTTTTGTGCCAA
CATCATAGAGTGTATTTACAAAATCCTAGATGGCATAGCCTACTACACCTAATGTGTATGGTATAGACTGTTG
CTCCTAGGCTACAGACATATACAGCATGTTACTGAATACTGTAGGCAATAGTAACAGTGGTATTTGTATATCGAA
ACATATGGAAACATAGAGAAGGTACAGTAAAAATACTGTAAAATAAATGGTGCACCTGTATAGGGCACTTACCAC
GAATGGAGCTTACAGGACTGGAAGTTGCTCTGGGTGAGTCAGTGAGTGAATGTGAAGGCCTAGGACATTATTGAA
CACTGCCAGACGTTATAAATACTGTATGCTTAGGCTACACTACATTTATAAAAAAAGTTTTTCTTCTTCAATT
ATAAATTAACATAAGTGTACTGTAACCTTTACAAACGTTTTTAATTTTTTAAACCTTTTTGGCTCTTTGTAAATAAC
ACTTAGCTTAAACATAAACTCATTGTGCAATGTAA

16/615

FIGURE 16

MRPQELPRLAFPLLLLLLLLLLPPPPCPAHSATRFDPTWESLDARQLPAWFDQAKFGIFIHGWFVSVPSTGSEWFW
WYWQKEKIPKYVEFMKDNYPSPFKYEDFGPLFTAKFFNANQWADIFQASGAKYIVLTSKHHEGFTLWGSEYSWNW
NAIDEGPKRDIVKELEVAIRNRTDLRFGLYYSLEFWFHPLEDESSSFHKRQFPVSKTLPELYELVNNYQPEVL
WSDGDGGAPDQYWNSTGFLAWLYNESPVRGTVVTNDRWGAGSICKHGGFYTCSDRYNPGHLLPHKWENCMTIDKL
SWGVRREAGISDYLTIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVFEERLRQVGSWLKVNGEAIYETYTWS
QNDTVTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGATEVKLLGHGQPLNWISEQNGIMVELPQLTI
HQMPCCKGWALALTNVI

Signal sequence:
amino acids 1-28

N-glycosylation site.
amino acids 171-175, 239-243, 377-381

Casein kinase II phosphorylation site.
amino acids 32-36, 182-186, 209-213, 227-231, 276-280, 315-319, 375-375

Tyrosine kinase phosphorylation site.
amino acids 361-369, 389-397

N-myristoylation site.
amino acids 143-149, 178-184, 255-261, 272-278, 428-434

Leucine zipper pattern.
amino acids 410-432

Alpha-L-fucosidase putative active site.
amino acids 283-295

17/615

FIGURE 17

CCCACGCGTCCGCTGGTGTAGATCGAGCAACCCTCTAAAAGCAGTTTAGAGTGGTAAAAAAAAAAAAAACACA
CCAAACGCTCGCAGCCACAAAAGGGATGAAATTTCTTCTGGACATCCTCCTGCTTCTCCCGTTACTGATCGTCTG
CTCCCTAGAGTCCCTTCGTGAAGCTTTTTATTCCCTAAGAGGAGAAAAATCAGTCACCGGCGAAATCGTGCTGATTAC
AGGAGCTGGGCATGGAATTGGGAGACTGACTGCCTATGAATTTGCTAAACTTAAAAGCAAGCTGGTTCTCTGGGA
TATAAATAAGCATGGACTGGAGGAAACAGCTGCCAAATGCAAGGGACTGGGTGCCAAGGTTTCATACCTTTGTGGT
AGACTGCAGCAACCGAGAAGATATTTACAGCTCTGCAAAGAAGGTGAAGGCAGAAATTGGAGATGTTAGTATTTT
AGTAAATAATGCTGGTGTAGTCTATACATCAGATTTGTTTGCTACACAAGATCCTCAGATTGAAAAGACTTTTGA
AGTTAATGTACTTGCACATTTCTGGACTACAAAGGCATTTCTTCCTGCAATGACGAAGAATAACCATGGCCATAT
TGTCATGTGGCTTCGGCAGCTGGACATGTCTCGGTCCCCTTCTTACTGGCTTACTGTTCAAGCAAGTTTGCTGC
TGTTGGATTTTATAAACTTTGACAGATGAACTGGCTGCCTTACAAATAACTGGAGTCAAACAACATGTCTGTG
TCCTAATTTTCGTAAACACTGGCTTCATCAAAAATCCAAGTACAAGTTTGGGACCCACTCTGGAACCTGAGGAAGT
GGTAAACAGGCTGATGCATGGGATTCGACTGAGCAGAAGATGATTTTTATTCCATCTTCTATAGCTTTTTTTAAC
AACATTGGAAAGGATCCTTCCTGAGCGTTTCCTGGCAGTTTAAAACGAAAAATCAGTGTTAAGTTTGATGCAGT
TATTGGATATAAAATGAAAGCGCAATAAGCACCTAGTTTCTGAAAACCTGATTACCAGGTTTAGGTTGATGTCA
TCTAATAGTGCCAGAATTTAATGTTTGAACCTCTGTTTTTTCTAATTATCCCCATTTCTTCAATATCATTTTTG
AGGCTTTGGCAGTCTTCATTTACTACCACTTGTTCTTTAGCCAAAAGCTGATTACATATGATATAAACAGAGAAA
TACCTTTAGAGGTGACTTTAAGGAAAATGAAGAAAAAGAACCAAAATGACTTTATTAAAAATAATTTCCAAGATTA
TTTGTGGCTCACCTGAAGGCTTTGCAAAATTTGTACCATAACCGTTTATTTAACATATATTTTATTTTTGATTG
CACTTAAATTTTGTATAATTTGTGTTTCTTTTCTGTTCTACATAAAATCAGAACTTCAAGCTCTCTAAATAAA
ATGAAGGACTATATCTAGTGGTATTTTACAATGAATATCATGAACCTCTCAATGGGTAGGTTTCATCCTACCCATT
GCCACTCTGTTTCTGAGAGATACCTCACATTCCAATGCCAAACATTTCTGCACAGGGAAGCTAGAGGTGGATAC
ACGTGTTGCAAGTATAAAAGCATCACTGGGATTTAAGGAGAATTGAGAGAATGTACCCACAAATGGCAGCAATAA
TAAATGGATCACACTTAAA
AAA

18/615

FIGURE 18

MKFLLDILLLLPLLVCSLESFVKLFIPKRRKSVTGEIVLITGAGHGIGRLTAYEFAKLKSKL
VLWDINKHGLEETAACKCKGLGAKVHTFVVDCSNREDIYSSAKKVKAIEIGDVSILVNNAGVVYT
SDLFATQDPQIEKTFEVNVLAHFWTTKAFLPAMTKNNHGHIVTVASAAGHVSVPFLLAYCSSK
FAAVGFHKTLTDELAALQITGVKTTCLCPNFVNTGFIKNPSTSLGPTLEPEEVNRLMHGILT
EQKMIFIPSSIAFLTTLERILPERFLAVLKRKISVKFDAVIGYKMKAQ

Signal sequence:

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34, 283-287

Casein kinase II phosphorylation site.

amino acids 52-56, 95-99, 198-202, 267-271

N-myristoylation site.

amino acids 43-49, 72-78, 122-128, 210-216

19/615

FIGURE 19

CCCACGCGTCCGCTCCGCGCCCTCCCCCGCCTCCCGTGCGGTCCGTCGGTGGCCTAGAGAT
GCTGCTGCCGCGGTTGCAGTTGTGCGGCACGCCTCTGCCCGCCAGCCCGCTCCACCGCCGTAG
CGCCCGAGTGTGCGGGGGGCGCACCCGAGTCGGGGCCATGAGGCCGGGAACCGCGCTACAGGCCG
TGCTGCTGGCCGTGCTGCTGGTGGGGCTGCGGGCCGCGACGGGTGCGCTGCTGAGTGCCTCGG
ATTTGGACCTCAGAGGAGGGCAGCCAGTCTGCCGGGGAGGGACACAGAGGCCCTTGTTATAAAG
TCATTTACTTCCATGATACTTCTCGAAGACTGAACTTTGAGGAAGCCAAAGAAGCCTGCAGGA
GGGATGGAGGCCAGCTAGTCAGCATCGAGTCTGAAGATGAACAGAACTGATAGAAAAGTTCA
TTGAAAACCTCTTGCCATCTGATGGTGACTTCTGGATTGGGCTCAGGAGGCGTGAGGAGAAAC
AAAGCAATAGCACAGCCTGCCAGGACCTTTATGCTTGGACTGATGGCAGCATATCACAATTTA
GGAAC TGGTATGTGGATGAGCCGTCTGCGGCAGCGAGGTCTGCGTGGT CATGTACCATCAGC
CATCGGCACCCGCTGGCATCGGAGGCCCTTACATGTTCCAGTGGAATGATGACCGGTGCAACA
TGAAGAACAATTTCAATTTGCAAATATTCTGATGAGAAACCAGCAGTTCCTTCTAGAGAAGCTG
AAGGTGAGGAAACAGAGCTGACAACACCTGTACTTCCAGAAGAAACACAGGAAGAAGATGCCA
AAAAAACATTTAAAGAAAGTAGAGAAGCTGCCCTGAATCTGGCCTACATCCTAATCCCCAGCA
TTCCCTTCTCCTCCTCCTTGTGGTCACCACAGTTGTATGTTGGGTTTGGATCTGTAGAAAAA
GAAAACGGGAGCAGCCAGACCCTAGCACAAAGAAGCAACACACCATCTGGCCCTCTCCTCACC
AGGGAAACAGCCCGGACCTAGAGGTCTACAATGTCATAAGAAAACAAAGCGAAGCTGACTTAG
CTGAGACCCGGCCAGACCTGAAGAATATTTCAATCCGAGTGTGTTGCGGAGAAGCCACTCCCG
ATGACATGTCTTGTGACTATGACAACATGGCTGTGAACCCATCAGAAAGTGGGTTTGTGACTC
TGGTGAGCGTGGAGAGTGGATTTGTGACCAATGACATTTATGAGTTCTCCCCAGACCAAATGG
GGAGGAGTAAGGAGTCTGGATGGGTGGAAAATGAAATATATGGTTATTAGGACATATAAAAAA
CTGAAACTGACAACAATGGAAAAGAAATGATAAGCAAATCCTCTTATTTTCTATAAGGAAAA
TACACAGAAGGTCTATGAACAAGCTTAGATCAGGTCCTGTGGATGAGCATGTGGTCCCCACGA
CCTCCTGTTGGACCCCCACGTTTTGGCTGTATCCTTTATCCCAGCCAGTCATCCAGCTCGACC
TTATGAGAAGGTACCTTGCCAGGTCTGGCACATAGTAGAGTCTCAATAAATGTCACTTGTT
GGTTGTATCTAACTTTTAAAGGGACAGAGCTTTACCTGGCAGTGATAAAGATGGGCTGTGGAGC
TTGGAAAACACCTCTGTTTTCTTGCTCTATACAGCAGCACATATTATCATACAGACAGAAA
ATCCAGAATCTTTTCAAAGCCACATATGGTAGCACAGGTTGGCCTGTGCATCGGCAATTCTC
ATATCTGTTTTTTTCAAAGAATAAAATCAAATAAAGAGCAGGAAAAAAAAA

20/615

FIGURE 20

MRPGTALQAVLLAVLLVGLRAATGRLLSASDLDLRGGQPVCRRGGTQRPCYKVIYFHDTSRRLN
FEEAKEACRRDGGQLVSIESEDEQKLIKFIENLLPSDGDGFWIGLRRREEKQSNSTACQDLYA
WTDGSISQFRNWYVDEPSCGSEVCVVMYHQPSAPAGIGGPYMFQWNDDRCNMKNNFICKYSDE
KPAVPSREAEGETELTTPVLPEETQEEDAKKTFKESREAALNLAYILIPSIPLLLLLLVVTTV
VCVWVICRKRKREQPDPTKKQHTIWPSPHQGNPDLEVYNVIRKQSEADLAETRPDLKNISF
RVCSGEATPDDMSCDYDNMAVNPSESGFVTILSVESGFVTNDIYEFSPDQMGRSKESGWVENE
IYGY

Signal sequence:

amino acids 1-21

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 117-121, 312-316

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 296-300

Casein kinase II phosphorylation site.amino acids 28-32, 30-34, 83-87, 100-104, 214-218, 222-226,
299-303, 306-310, 323-327**N-myristoylation site.**

amino acids 18-24, 37-43, 76-82, 146-152

21/615

FIGURE 21

AGGCTCCCGCGCGGGCTGAGTGCAGGACTGGAGTGGGAACCCGGGTCCCGCGCTTAGAGAACACGCGATGACCA
CGTGGAGCCTCCGGCGGAGGCCGCCGACGCTGGGACTCCTGCTGCTGGTCTTGGGCTTCCCTGGTGCTCC
GCAGGCTGGACTGGAGCACCTGGTCCCTCTGCGGCTCCGCCATCGACAGCTGGGGCTGCAGGCCAAGGGCTGGA
ACTTCATGCTGGAGGATTCCACCTTCTGGATCTTGGGGGCTCCATCCACTATTTCCGTGTGCCAGGGAGTACT
GGAGGGACCGCTGCTGAAGATGAAGGCCTGTGGCTTGAACACCCCTCACCACCTATGTTCCGTGGAACCTGCATG
AGCCAGAAAGAGGCAAAATTTGACTTCTCTGGGAACCTGGACCTGGAGGCCTTCGTCTGATGGCCGCAGAGATCG
GGCTGTGGGTGATTCTGCGTCCAGGCCCCATACATCTGCAGTGAGATGGACCTCGGGGGCTTGCCAGCTGGCTAC
TCCAAGACCCCTGGCATGAGGCTGAGGACAACTTACAAGGGCTTCACCGAAGCAGTGGACCTTTATTTTGACCACC
TGATGTCCAGGGTGGTGCCACTCCAGTACAAGCGTGGGGGACCTATCATTGCCGTGCAGGTGGAGAATGAATATG
GTTCCATAAATAAGACCCCGCATACATGCCCTACGTCAAGAAGGCAGTGGAGGACCGTGGCATTGTGGAACTGC
TCCTGACTTCAGACAACAAGGATGGGCTGAGCAAGGGGATTGTCCAGGGAGTCTTGGCCACCATCAACTTGCACT
CAACACACGAGCTGCAGCTACTGACCACCTTTCTCTTCAACGTCCAGGGGACTCAGCCCAAGATGGTGATGGAGT
ACTGGACGGGGTGGTTTACTCGTGGGGAGGCCCTCACAATATCTTGGATTCTTCTGAGGTTTTGAAAACCGTGT
CTGCCATTGTGGACGCCGGCTCCTCCATCAACCTCTACATGTTCCACGGAGGCACCAACTTTGGCTTCATGAATG
GAGCCATGCACCTCCATGACTACAAGTCAGATGTCAACGCTATGACTATGATGCTGTGCTGACAGAAGCCGGCG
ATTACACGGCCAAGTACATGAAGCTTCGAGACTTCTTCGGCTCCATCTCAGGCATCCCTCTCCCTCCCCCCTG
ACCTTCTTCCCAAGATGCCGTATGAGCCCTTAACGCCAGTCTTGTACCTGTCTCTGTGGGACGCCCTCAAGTACC
TGGGGGAGCCAATCAAGTCTGAAAAGCCCATCAACATGGAGAACCTGCCAGTCAATGGGGGAAATGGACAGTCCCT
TCGGGTACATTCTCTATGAGACCAGCATCACCTCGTCTGGCATCCTCAGTGGCCACGTGCATGATCGGGGGCAGG
TGTTTGTGAACACAGTATCCATAGGATTCTTGGACTACAAGACAAGAAATGCTGTCCCCCTGATCCAGGTT
ACACCGTCTGAGGATCTTGGTGGAGAATCGTGGGCGAGTCAACTATGGGGAGAATATTGATGACCAGCGCAAAG
GCTTAATTGGAATCTCTATCTGAATGATTCACCCCTGAAAACTTCAGAACTATAGCCTGGATATGAAGAAGA
GCTTCTTTTCAAGGTTTCGGCTGGACAAATGNGTTCCTCCAGAAACACCCACATTACCTGCTTTCTTCTTGG
GTAGCTTGTCCATCAGCTCCACGCCCTTGTGACACCTTCTGAAGCTGGAGGGCTGGGAGAAGGGGTTGTATTCA
TCAATGGCCAGAACCTTGGACGTTACTGGAACATTGGACCCAGAAGACGCTTTACCTCCCAGGTCCCTGGTTGA
GCAGCGGAATCAACAGGTCATCGTTTTTGGAGAGACGATGGCGGGCCCTGCATTACAGTTACCGGAAACCCCC
ACCTGGGCAGGAACAGTACATTAAGTGAAGCGGTGGCACCCCTCCTGCTGGTGCCAGTGGGAGACTGCCGCCTC
CTCTTGACCTGAAGCCTGGTGGCTGCTGCCCCACCCCTCACTGCAAAAGCATCTCCTTAAGTAGCAACCTCAGGG
ACTGGGGGTACAGTCTGCCCCCTGTCTCAGCTCAAAACCTAAGCCTGCAGGGAAAGGTGGGATGGCTCTGGGCC
TGGCTTTGTTGATGATGGCTTTCCTACAGCCCTGCTCTTGTGCCAGGCTGTGCGGCTGTCTTAGGGTGGGAGC
AGCTAATCAGATCGCCAGCCTTTGGCCCTCAGAAAAAGTGCTGAAACGTGCCCTTGCACCGGACGTCACAGCCC
TGCGAGCATCTGCTGGACTCAGGCGTGTCTTTGCTGGTTCTGGGAGGCTTGGCCACATCCCTCATGGCCCCAT
TTTATCCCCGAAATCCTGGGTGTGTACCAGTGTAGAGGGTGGGGAAGGGGTGTCTCACCTGAGCTGACTTTGTT
CTTCCTTCACAACTTCTGAGCCTTCTTTGGGATTCTGGAAGGAACCTCGGCGTGAGAAACATGTGACTTCCCCCT
TCCCTTCCCACTCGCTGCTTCCACAGGGTGACAGGCTGGGCTGGAGAAACAGAAATCCTCACCCCTGCGTCTTCC
CAAGTTAGCAGGTGTCTCTGGTGTTCAGTGAGGAGGACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCA
CATCCAGGGAGGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCACATCC
AGGGAGGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCACATCCAGGGA
GGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCACATCCAGGGAGGAGG
ACAGAAGGCCAGCTCAGTGGCCCCGCTCCCCACCCCCACGCCGAACAGCAGGGGCAGAGCAGCCCTCCTTC
GAAGTGTGTCCAAGTCCGCATTTGAGCCTTGTCTGGGGCCAGCCCAACACCTGGCTTGGGCTCACTGTCTGA
GTTGCAGTAAAGCTATAACCTTGAATCACA

22/615

FIGURE 22

MTTWSLRRRPPARTLGLLLLLVVLGFLVLRRLDWSTLVPLRLRHRQLGLQAKGWNFMLEDSTFWI
FGGSIHYFRVPREYWRDRLKMKACGLNTLT TYVPWNLHEPERGKFD FSGNLDLEAFVLMAAE
IGLWVILRPGPYICSEMDLGGLPSWLLQDPGMRLRTTYKGFTEAVDLYFDHLMSRVVPLQYKR
GGPIIAVQVENEYGSYNKDPAYMPYVKKALEDRGIVELLLTSDNKDGLSKGIVQGVLATINLQ
STHELQLLTTFLFNVQGTQPKMVMEYWTGWFD SWGGPHNILD SSEVLKTVSAIVDAGSSINLY
MFHGGTNFGFMNGAMHFHDYKSDVTSYDYDAVLTEAGDY TAKYMKLRDFFGSISGIPLPPPD
LLPKMPYEPLTPVLYLSLWDALKYLGEPIKSEKPINMENLPVNGGNGQSFGYILYETSITSSG
ILSGHVHDRGQVFVNTV SIGFLDYKTTKIAVPLIQGYTVLRILVENRGRVNYGENIDDQRKGL
IGNLYLNDSP LKNFRIYS LDMKKSFFQRFGLDKWXS L PETPTLP AFFLGSLSISSTPCDTFLK
LEGWEKGVVFINGQNLGRYWNIGPQKTLYLPGPWLSSGINQVIVFEETMAGPALQFTETPHLG
RNQYIK

Signal sequence:

amino acids 1-27

Casein kinase II phosphorylation site.

amino acids 141-118, 253-257, 340-344, 395-399, 540-544, 560-564

N-myristoylation site.amino acids 146-152, 236-242, 240-246, 244-250, 287-293, 309-315,
320-326, 366-372, 423-429, 425-431, 441-447, 503-509, 580-586

FIGURE 23

[illegible]

24/615

FIGURE 24

MNSSKSSETQCTERGCFSSQMFLWTVAGIPILFLSACFITRCVVTFRIQTCDEKKFQLPENF
TELSCYNYGSGSVKNCCPLNWEYFQSSCYFFSTDITISWALSLKNCSAMGAHLVVINSQEEQEF
LSYKKPKMREFFIGLSDQVVEGQWQWVDGTPLTKSLSFWDVGEPNNIATLEDCAIMRDSSNPR
QNWNDVTCFLNYFRICEMVGINPLNKGKSL

Signal sequence:

amino acids 1-42

N-glycosylation site.

amino acids 2-6, 62-66, 107-111

Casein kinase II phosphorylation site.

amino acids 51-55, 120-124, 163-167, 175-179, 181-185

N-myristoylation site.

amino acids 15-21, 74-80, 155-161

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 27-38

25/615

FIGURE 25

GGGGACGCGGAGCTGAGAGGCTCCGGGCTAGCTAGGTGTAGGGGTGGACGGGTCCCAGGACCC
TGGTGAGGGTTCTCTACTTTGGCCTTCGGTGGGGGTCAAGACGCAGGCACCTACGCCAAAGGGG
AGCAAAGCCGGGCTCGGCCCCGAGGCCCCCAGGACCTCCATCTCCCAATGTTGGAGGAATCCGA
CACGTGACGGTCTGTCCGCCGTCTCAGACTAGAGGAGCGCTGTAAACGCCATGGCTCCCAAGA
AGCTGTCCCTGCCTTCGTTCCCTGCTGCTGCCGCTCAGCCTGACGCTACTGCTGCCCCAGGCAG
ACACTCGGTTCGTTTCGTAGTGGATAGGGGTTCATGACCGGTTTCTCCTAGACGGGGCCCCGTTCC
GCTATGTGTCTGGCAGCCTGCACTACTTTTCGGGTACCGCGGGTGCTTTGGGCCGACCGGCTTT
TGAAGATGCGATGGAGCGGCCTCAACGCCATACAGTTTTATGTGCCCTGGAACCTACCACGAGC
CACAGCCTGGGGTCTATAACTTTAATGGCAGCCGGGACCTCATTCGCTTTCTGAATGAGGCAG
CTCTAGCGAACCTGTTGGTCATACTGAGACCAGGACCTTACATCTGTGCAGAGTGGGAGATGG
GGGGTCTCCCATCCTGGTTGCTTCGAAAACCTGAAATTCATCTAAGAACCTCAGATCCAGACT
TCCTTGCCGCAGTGGACTCCTGGTTCAGGTCTTGCTGCCCAAGATATATCCATGGCTTTATC
ACAATGGGGGCAACATCATTAGCATTTCAGGTGGAGAATGAATATGGTAGCTACAGAGCCTGTG
ACTTCAGCTACATGAGGCACCTTGGCTGGGCTCTTCCGTGCACTGCTAGGAGAAAAGATCTTGC
TCTTCACCACAGATGGGCCTGAAGGACTCAAGTGTGGCTCCCTCCGGGGACTCTATACCCTG
TAGATTTTGGGCCAGCTGACAACATGACCAAAATCTTTACCTGCTTCGGAAGTATGAACCCC
ATGGGCCATTGGTAAACTCTGAGTACTACACAGGCTGGCTGGATTACTGGGGCCAGAATCACT
CCACACGGTCTGTGTCAGCTGTAACCAAAGGACTAGAGAACATGCTCAAGTTGGGAGCCAGTG
TGAACATGTACATGTTCCATGGAGGTACCAACTTTGGATATTGGAATGGTGCCGATAAGAAGG
GACGCTTCCTTCCGATTACTACCAGCTATGACTATGATGCACCTATATCTGAAGCAGGGGACC
CCACACCTAAGCTTTTTGCTCTTCGAGATGTCATCAGCAAGTTCCAGGAAGTTCTTTGGGAC
CTTTACCTCCCCCGAGCCCCAAGATGATGCTTGGACCTGTGACTCTGCACCTGGTTGGGCATT
TACTGGCTTTCTAGACTTGCTTTGCCCCCGTGGGCCCATTCATTCAATCTTGCCAATGACCT
TTGAGGCTGTCAAGCAGGACCATGGCTTCATGTTGTACCGAACCTATATGACCCATACCATTT
TTGAGCCAACACCATTCCTGGGTGCCAAATAATGGAGTCCATGACCGTGCCTATGTGATGGTGG
ATGGGGTGTTCAGGGTGTGTTGGAGCGAAATATGAGAGACAAACTATTTTTGACGGGGAAAC
TGGGGTCCAACTGGATATCTTGGTGGAGAACATGGGGAGGCTCAGCTTTGGGTCTAACAGCA
GTGACTTCAAGGGCCTGTTGAAGCCACCAATTCTGGGGCAACAATCCTTACCCAGTGGATGA
TGTTCCCTCTGAAAATTGATAACCTTGTGAAGTGGTGGTTTCCCTCCAGTTGCCAAAATGGC
CATATCCTCAAGCTCCTTCTGGCCCCACATTCTACTCCAAAACATTTCCAATTTTAGGCTCAG
TTGGGGACACATTTCTATATCTACCTGGATGGACCAAGGGCCAAGTCTGGATCAATGGGTTTA
ACTTGGGGCCGGTACTGGACAAAGCAGGGGCCACAACAGACCCTCTACGTGCCAAGATTCCTGC
TGTTTTCTAGGGGAGCCCTCAACAAAATTACATTGCTGGAACCTAGAAGATGTACCTCTCCAGC
CCCAAGTCCAATTTTTGGATAAGCCTATCCTCAATAGCACTAGTACTTTGCACAGGACACATA
TCAATTCCTTTTCAGCTGATACACTGAGTGCCTCTGAACCAATGGAGTTAAGTGGGCACTGAA
AGGTAGGCCGGGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCTGAGACGGGTG
GATTACCTGAGGTGAGGACTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCGTCTCCACTA
AAAATACAAAATTAGCCGGGCGTGATGGTGGGCACCTCTAATCCCAGCTACTTGGGAGGCTG
AGGGCAGGAGAATTGCTTGAATCCAGGAGGCAGAGGTTGCAGTGAGTGGAGGTTGTACCACTG
CACTCCAGCCTGGCTGACAGTGAGACACTCCATCTCAAAAAAAAAAAAA

26/615

FIGURE 26

MAPKKLSCLRSLLLPLSLTLLLPQADTRSFVVDGRGHRFLLDGAPFRYVSGSLHYFRVPRVLW
ADRLKMRWSGLNAIQFYVPWNYHEPQPGVYNFNGSRDLIAFLNEAALANLLVILRPGPYICA
EWEMGGLPSWLLRKPEIHLRTSDPDFLAAVDSWFKVLLPKIYPWLYHNGGNIISIQVENEYGS
YRACDFS YMRHLAGLFRALLGEKILLFTTDGPEGLKCGSLRGLYTTVDGFPADNMTKIFTLLR
KYEPHGPLVNSEYYTGWLDYWGQNHSTRSVSAVTKGLENMLKLGASVNMVMFHGGTNFGYWNG
ADKKGRFLPITTSYDYDAPISEAGDPTPKLFALRDVISKFQEVPLGPLPPPSPKMMLGPVTLH
LVGHLLAFLDLLCPRGPIHSILPMTFEAVKQDHGFMLYRTYMTHTIFEPTPFWVPNNGVHDRA
YVMVDGVFQGVVERNMRDKLFLTGKLGSKLDILVENMGRLSFGSNSSDFKGLLKPPILGQTIL
TQWMMFPLKIDNLVKWWFPLQLPKWPYPQAPSGPTFYSKTFPILGSVGDFTFLYLPGWTKGQVW
INGFNLGRYWTQGPQQTLYVPRFLLFPRGALNKITLLELEDVPLQPQVQFLDKPILNSTSTL
HRTHINSLSADTLSASEPMELSGH

Signal sequence:
amino acids 1-27

N-glycosylation site.
amino acids 97-101, 243-247, 276-280, 486-490, 625-629

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 4-8

Casein kinase II phosphorylation site.
amino acids 148-152, 234-238, 327-331, 423-427, 469-473, 550-554,
603-607, 644-648

Tyrosine kinase phosphorylation site.
amino acids 191-198

N-myristoylation site.
amino acids 131-137, 176-182, 188-194, 203-209, 223-229, 227-233,
231-237, 274-280, 296-300, 307-313, 447-453, 484-490

FIGURE 27

[illegible]

28/615

FIGURE 28

MGLLLLVPLLLLPGSYGLPFYNGFYYSNSANDQNLGNHGKDLLNGVKLVVETPEETLFTYQG
ASVILPCRYRYEPALVSPRRVRVKWWKLSENGAPEKDVLAIGLRHRSFGDYQGRVHLRQDKE
HDVSLEIQDLRLLEDYGRYRCEVIDGLEDESGLVELELRGVVFPYQSPNGRYQFNFHEGQQVCA
EQAAVASFEQLFRAWEEGLDWCNAGWLQDATVQYPIMLPRQPCGGPGLAPGVRSYGPRHRL
HRYDVFCFATALKGRVYYLEHPEKLTLEAREACQEDDATIAKVGQLFAAWKFHGLDRCDAGW
LADGSVRYPVVHPHPNCGPPEPGVRSFGFPDPQSRLYGVYCYRQH

Signal sequence:

amino acids 1-17

Casein kinase II phosphorylation site.

amino acids 29-33, 53-57, 111-115, 278-282

Tyrosine kinase phosphorylation site.

amino acids 137-145

N-myristoylation site.amino acids 36-42, 184-190, 208-214, 237-243, 297-303,
307-313

29/615

FIGURE 29

GCAAGCGGCGAAATGGCGCCCTCCGGGAGTCTTGCAGTTCCCCTGGCAGTCCTGGTGCTGTTG
CTTTGGGGTGCTCCCTGGACGCACGGGCGGCGGAGCAACGTTTCGCGTCATCACGGACGAGAAC
TGGAGAGAACTGCTGGAAGGAGACTGGATGATAGAATTTTATGCCCCGTGGTGCCCTGCTTGT
CAAAATCTTCAACCGGAATGGGAAAGTTTTGCTGAATGGGGAGAAGATCTTGAGGTAAATATT
GCGAAAGTAGATGTCACAGAGCAGCCAGGACTGAGTGGACGGTTTATCATAACTGCTCTTCCT
ACTATTTATCATTTGTAAAGATGGTGAATTTAGGCGCTATCAGGGTCCAAGGACTAAGAAGGAC
TTCATAAACTTTATAAGTGATAAAGAGTGAAGAGTATTGAGCCCGTTTCATCATGGTTTGGT
CCAGGTTCTGTTCTGATGAGTAGTATGTCAGCACTCTTCAGCTATCTATGTGGATCAGGACG
TGCCATAACTACTTTATTGAAGACCTTGGATTGCCAGTGTGGGGATCATATACTGTTTTTGCT
TTAGCAACTCTGTTTTCCGGACTGTTATTAGGACTCTGTATGATATTTGTGGCAGATTGCCTT
TGTCCTTCAAAAAGGCGCAGACCACAGCCATACCCATACCCTTCAAAAAAATTATTATCAGAA
TCTGCACAACCTTTGAAAAAGTGGAGGAGGAACAAGAGGCGGATGAAGAAGATGTTTCAGAA
GAAGAAGCTGAAAGTAAAGAAGGAACAAACAAAGACTTCCACAGAATGCCATAAGACAACGC
TCTCTGGGTCCATCATTGGCCACAGATAAATCCTAGTTAAATTTTATAGTTATCTTAATATTA
TGATTTTGTATAAAACAGAAGATTGATCATTTTGTGGTTTGAAGTGAAGTGTGACTTTTTTT
GAATATTGCAGGGTTCAGTCTAGATTGTCATTAAATTGAAGAGTCTACATTCAGAACATAAAA
GCACTAGGTATACAAGTTTGAATATGATTTAAGCACAGTATGATGGTTTAAATAGTTCTCTA
ATTTTGTAAAAATCGTGCCAAGCAATAAGATTTATGTATATTTGTTTAAATAATAACCTATTTT
AAGTCTGAGTTTTGAAAATTTACATTTCCCAAGTATTGCATTATTGAGGTATTTAAGAAGATT
ATTTTAGAGAAAAATATTTCTCATTTGATATAATTTTCTCTGTTTCACTGTGTGAAAAAAG
AAGATATTTCCCATAAATGGGAAGTTTGGCCATTGTCTCAAGAAATGTGTATTTCACTGACAA
TTTCGTGGTCTTTTATAGAGGTATATCCAAAATTTCTTGTATTTTATAGGTATGCAACTAAT
AAAACTACCTTACATTAATTAATTACAGTTTTCTACACATGGTAATACAGGATATGCTACTG
ATTTAGGAAGTTTTTAAGTTCATGGTATTCTCTTGATTCCAACAAAGTTTGATTTTCTCTTGT
ATTTTCTTACTTACTATGGGTACATTTTTTATTTTTCAAATTGGATGATAATTTCTTGGAA
ACATTTTTTATGTTTTAGTAAACAGTATTTTTTGTGTTTCAAAGTGAAGTTTACTGAGAGA
TCCATCAAATTGAACAATCTGTTGTAATTTAAATTTTGGCCACTTTTTTCAGATTTTACATC
ATTCTTGCTGAAGTTCAACTTGAAATTGTTTTTTTTTCTTTTGGATGTGAAGGTGAACATT
CCTGATTTTTTGTCTGATGTGAAAAAGCCTTGGTATTTTACATTTTGAAGTTCAAAGAAGCTT
AATATAAAAGTTTGCATTCTACTCAGGAAAAAGCATCTTCTGTATATGTCTTAAATGTATTT
TTGTCCTCATATACAGAAAGTTCTTAATTGATTTTACAGTCTGTAATGCTTGATGTTTTTAA
TAATAACATTTTTATATTTTTTAAAGACAACTTCATATTATCCTGTGTTCTTCTCTGACTG
GTAATATTGTGTGGGATTTTACAGGTAAAAGTCAGTAGGATGGAACATTTAGTGTATTTTTA
CTCCTTAAAGAGCTAGAATACATAGTTTTTACCTTAAAGAGGGGGGAAAAATCATAAATACAA
TGAATCAACTGACCATTACGTAGTAGACAATTTCTGTAATGTCCCCTTCTTTCTAGGCTCTGT
TGCTGTGTGAATCCATTAGATTTACAGTATCGTAATATACAAGTTTTCTTTAAAGCCCTCTCC
TTTAGAATTTAAATATTGTACCATTAAAGAGTTTGGATGTGTAAGTGTGATGCCTTAGAAA
AATATCCTAAGCACAAAATAAACCTTTCTAACCCTTCATTAAAGCTGAAAAAATAAAAAA
AAA

30/615

FIGURE 30

MAPSGSLAVPLAVLVLLWLGAPWTHGRRSNVRVITDENWRELLEGDWMIEFYAPWCPACQNLQ
PEWESFAEWGEDLEVNIKVDVTEQPGLSGRFIITALPTIYHCKDGEFRRYQGPRTKKDFINF
ISDKEWKSIEPVSSWFGPGSVLMSSMSALFQLSMWIRTCHNYFIEDLGLPVWGSYTVFALATL
FSGLLLGLCMIFVADCLCPSKRRRPQYPYPYPSKLLSESAQPLKKVEEQEAEEDVSEEEAE
SKEGTNKDFPQNAIRQPSLGPSTADKS

Signal sequence:

amino acids 1-26

Transmembrane domain:

amino acids 182-201

Casein kinase II phosphorylation site.

amino acids 68-72, 119-123, 128-132, 247-251, 257-261

Tyrosine kinase phosphorylation site.

amino acids 107-115

N-myristoylation site.

amino acids 20-26, 192-198

Amidation site.

amino acids 25-29

31/615

FIGURE 31

AGATGGCGGTCTTGGCACCTCTAATTGCTCTCGTGTATTTCGGTGCCGCGACTTTCACGATGGC
TCGCCCCAACCTTACTACCTTCTGTCGGCCCTGCTCTCTGCTGCCTTCCTACTCGTGAGGAAAC
TGCCGCCGCTCTGCCACGGTCTGCCACCCCAACGCGAAGACGGTAACCCGTGTGACTTTGACT
GGAGAGAAGTGGAGATCCTGATGTTTCTCAGTGCCATTGTGATGATGAAGAACC GCAGATCCA
TCACTGTGGAGCAACATATAGGCAACATTTTCATGTTTAGTAAAGTGGCCAACACAATTCTTT
TCTTCCGCTTGGATATTTCGCATGGGCCTACTTTACATCACACTCTGCATAGTGTTCTGATGA
CGTGCAAACCCCCCTATATATGGGCCCTGAGTATATCAAGTACTTCAATGATAAAACCATTG
ATGAGGAACTAGAACGGGACAAAGAGGGTCACTTGGATTGTGGAGTTCTTTGCCAATTGGTCTA
ATGACTGCCAATCATTTGCCCTTATCTATGCTGACCTCTCCCTTAAATACAACGTGTACAGGGC
TAAATTTTGGGAAGGTGGATGTTGGACGCTATACTGATGTTAGTACGCGGTACAAAGTGAGCA
CATCACCCCTCACCAAGCAACTCCCTACCCTGATCCTGTTCCAAGGTGGCAAGGAGGCAATGC
GGCGGCCACAGATTGACAAGAAAGGACGGGCTGTCTCATGGACCTTCTCTGAGGAGAATGTGA
TCCGAGAATTTAACTTAAATGAGCTATACCAGCGGGCCAAGAACTATCAAAGGCTGGAGACA
ATATCCCTGAGGAGCAGCCTGTGGCTTCAACCCCCACCACAGTGTGAGATGGGGAAAACAAGA
AGGATAAAATAAGATCCTCACTTTGGCAGTGCTTCCTCTCCTGTCAATTCCAGGCTCTTTCCAT
AACCACAAGCCTGAGGCTGCAGCCTTTNATTNATGTTTTCCCTTTGGCTGNGACTGGNTGGGG
CAGCATGCAGCTTCTGATTTTAAAGAGGCATCTAGGGAATTGTCAGGCACCTACAGGAAGGC
CTGCCATGCTGTGGCCAACTGTTTCACTGGAGCAAGAAAGAGATCTCATAGGACGGAGGGGGA.
AATGGTTTCCCTCCAAGCTTGGGTGAGTGTGTTAACTGCTTATCAGCTATTGAGACATCTCCA
TGGTTTCTCCATGAACTCTGTGGTTTCACTATTCCTTCTTAGTTGACCTGCACAGCTTGGTT
AGACCTAGATTTAAACCCTAAGGTAAGATGCTGGGGTATAGAACGCTAAGAATTTTCCCCAAG
GACTCTTGCTTCCTTAAGCCCTTCTGGCTTCGTTTATGGTCTTCATTAAAAGTATAAGCCTAA
CTTTGTCGCTAGTCCTAAGGAGAAACCTTTAACCACAAAGTTTTATCATTGAAGACAATATT
GAACAACCCCTATTTTGTGGGGATTGAGAAGGGGTGAATAGAGGCTTGAGACTTTCCTTTGT
GTGGTAGGACTTGGAGGAGAAATCCCCTGGACTTTCACTAACCCCTCTGACATACTCCCCACAC
CCAGTTGATGGCTTTCGTAATAAAAAGATTGGGATTTCTTTTG

32/615

FIGURE 32

MAVLAPLIALVYSVPRLSRWLAQPYLLSALLSAAFLLVRLPPLCHGLPTQREDGNPCDFDW
REVEILMFLSAIVMMKNRRSITVEQHIGNIFMFSKVANTILFFRLDIRMGLLYITLCIVFLMT
CKPPLYMGPEYIKYFNDKTIDEELERDKRVTWIVEFFANWSNDCQSFAPYADLSLKYNCTGL
NFGKVDVGRYTDVSTRYKVSTSPSTKQLPTLILFQGGKEAMRRPQIDKKGRAVSWTFSEENV
REFNLNELYQRAKKLSKAGDNIPEEQPVASTPTTVSDGENKKDK

Signal sequence:

amino acids 1-48

Transmembrane domain:

amino acids 111-125

N-glycosylation site.

amino acids 165-169, 185-189

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 154-158, 265-269

Casein kinase II phosphorylation site.

amino acids 51-55, 145-149, 245-249, 286-290, 288-292

N-myristoylation site.

amino acids 188-194, 225-231

Myb DNA-binding domain repeat signature 1.

amino acids 244-253

33/615

FIGURE 33

CGGACGCGTGGGGTGCCCGACATGGCGAGTGTAGTGCTGCCGAGCGGATCCCAGTGTGCGGCG
GCAGCGGCGGGCGGGCGGCCTCCCGGGCTCCGGCTTCTGCTGTTGCTCTTCTCCGCCGCGGCA
CTGATCCCCACAGGTGATGGGCAGAATCTGTTTACGAAAGACGTGACAGTGATCGAGGGAGAG
GTTGCGACCATCAGTTGCCAAGTCAATAAGAGTGACGACTCTGTGATTCAGCTACTGAATCCC
AACAGGCAGACCATTTATTTTCAGGGACTTCAGGCCTTTGAAGGACAGCAGGTTTCAGTTGCTG
AATTTTTCTAGCAGTGAACCTCAAAGTATCATTGACAAACGTCTCAATTTCTGATGAAGGAAGA
TACTTTTGCCAGCTCTATAACCGATCCCCACAGGAAAGTTACACCACCATCACAGTCCTGGTC
CCACCACGTAATCTGATGATCGATATCCAGAAAGACACTGCGGTGGAAGGTGAGGAGATTGAA
GTCAACTGCACTGCTATGGCCAGCAAGCCAGCCACGACTATCAGGTGGTTCAAAGGGAACACA
GAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACACTGTGACCAGTCAGCTG
ATGCTGAAGGTGCACAAGGAGGACGATGGGGTCCCAGTGATCTGCCAGGTGGAGCACCCCTGCG
GTCAGTGGAAACCTGCAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCTCAAGTGCACATT
CAGATGACTTATCCTCTACAAGGCTTAACCCGGGAAGGGGACGCGCTTGAGTTAACATGTGAA
GCCATCGGGAAGCCCCAGCCTGTGATGGTAACTTGGGTGAGAGTCGATGATGAAATGCCTCAA
CACGCCGTACTGTCTGGGCCCCAACCTGTTTCATCAATAACCTAAACAAAACAGATAATGGTACA
TACCGCTGTGAAGCTTCAAACATAGTGGGGAAAGCTCACTCGGATTATATGCTGTATGTATAC
GATCCCCCACAACCTATCCCTCCTCCCAACAACACCACCACCACCACCACCACCACCACCACC
ACCATCCTTACCATCATCACAGATTCCCGAGCAGGTGAAGAAGGCTCGATCAGGGCAGTGGAT
CATGCCGTGATCGGTGGCGTCGTGGCGGTGGTGGTGTTCGCCATGCTGTGCTTGCTCATCATT
CTGGGGCGCTATTTTGCCAGACATAAAGGTACATACTTCACTCATGAAGCCAAAGGAGCCGAT
GACGCAGCAGACGCAGACACAGCTATAATCAATGCAGAAGGAGGACAGAACAACCTCCGAAGAA
AAGAAAGAGTACTTCATCTAGATCAGCCTTTTTGTTTCAATGAGGTGTCCAACCTGGCCCTATT
TAGATGATAAAGAGACAGTGATATTGG

34/615

FIGURE 34

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39518
<subunit 1 of 1, 440 aa, 1 stop
<MW: 48240, pI: 4.93, NX(S/T): 7
MASVVLPSGSQCAAAAAAAPPGLRLLLLLFSAAALIPTGDGQNLFTKDVTVIEGEVATISCO
VNSDDSVIQLLNPNRQTIIYFRDFRPLKDSRFQLLNFSSELKVSLTNVSIISDEGRYFCQLYT
DPPQESYTTTITVLVPPRNLMDIQKDTAVEGEEIEVNCTAMASKPATTIRWFKGNTTELKGKSE
VEEWSDMYTVTSQMLMLKVHKEDDGVPVICQVEHPAVTGNLQTQRYLEVQYKPQVHIQMTYPLQ
GLTREGDALELTCEAIGKPQPMVMTWVRVDDEMPQHAVLSGPNLFINNLNKTDNGTYRCEASN
IVGKAHSDYMLYVYDPPTTIPPTTTTTTTTTTTTTTILTIITDSRAGEEGSIRAVDHAIVGGV
VAVVVFAMLCLLIILGRYFARHKGTFTHEAKGADDAADADTAIINAEGGQNNSEEKKEYFI
```

Signal sequence.
amino acids 1-36

Transmembrane domain.
amino acids 372-393

N-glycosylation sites.
amino acids 65-69, 99-103, 111-115, 163-167, 302-306, 306-310,
430-434

Tyrosine kinase phosphorylation sites.
amino acids 233-240, 319-328

N-myristoylation sites.
amino acids 9-15, 227-233, 307-313, 365-371, 376-382, 402-408,
411-417, 427-433, 428-432

35/615

FIGURE 35

GGTTGCCACAGCTGGTTTATAGGGCCCCGACCACTGGGGCCCCCTTGTCTCAGGAGGAGACAGCCTCCCGGCCCGGGGAG
GACAAGTCGCTGCCACCTTTGGCTGCCGACGTGATTCCCTGGGACGGTCCGTTTCCTGCCGTGAGCTGCCGGCCG
AGTTGGGTCTCCGTGTTTCAGGCCGGCTCCCCCTTCTCGGTCTCCCTTCTCCCGCTGGGCCGGTTATCGGGAGG
AGATTGTCTTCCAGGGCTAGCAATTGGACTTTTGTATGATGTTTGACCCAGCGGCAGGAATAGCAGGCAACGTGAT
TTCAAAGCTGGGCTCAGCCTCTGTTTCTTCTCTCGTGAATCGCAAAACCCATTTTGGAGCAGGAATTCCAATCA
TGTCTGTGATGGTGGTGAGAAAGAGGTGACACGGAAATGGGAGAACTCCAGGCAGGAACACCTTTTGCTGTG
ATGGCCCGCTCATGATGGCCCGGCAAAAGGGCATTTCCTACCTGACCCTTTTCTCATCTTGGGGACATGTACAC
TCTTCTTCGCCTTTGAGTGCCGCTACCTGGCTGTTGAGCTGTCTCCTGCCATCCCTGTATTTGCTGCCATGCTCT
TCCTTTTCTCCATGGCTACACTGTTGAGGACCAGCTTCAGTGACCCTGGAGTGATTCTCGGGCGCTACCAGATG
AAGCAGCTTTCATAGAAATGGAGATAGAAGCTACCAATGGTGCGGTGCCCCAGGGCCAGCGACCACCGCCTCGTA
TCAAGAATTTCCAGATAAACCAACAGATTGTGAAACTGAAATACTGTTACACATGCAAGATCTTCGGCCCTCCCC
GGCCCTCCCATTCGAGCATCTGTGACAACTGTGTGGAGCGCTTCGACCATCACTGCCCCCTGGGTGGGGAATTGTG
TTGGAAAGAGGAACTACCGCTACTTCTACCTCTTCATCCTTTCTCTCTCCCTCCTCACAATCTATGTCTTCGCCT
TCAACATCGTCTATGTGGCCCTCAAATCTTTGAAAATTTGGCTTCTTGAGACATTGAAAGAACTCCTGGAACCTG
TTCTAGAAGTCTCATTTTGCTTCTTTACACTCTGGTCCGTGCGTGGGACTGACTGGATTTTATACCTTTCCTCGTGG
CTCTCAACCAGACAACCAATGAAGACATCAAAGGATCATGGACAGGGAAGAATCGCGTCCAGAATCCCTACAGCC
ATGGCAATATTGTGAAGAACTGCTGTGAAGTGTGTGTGGCCCTTGCCCCCAGTGTGTGGATCGAAGGGGTA
TTTTGCCACTGGAGGAAAGTGGAAAGTGCAGCTCCAGTACTCAAGAGACCAGTAGCAGCCTCTTGCCACAGAGCC
CAGCCCCACAGAACACCTGAATCAAATGAGATGCCGGAGGACAGCAGCACTCCCGAAGAGATGCCACCTCCAG
AGCCCCAGAGCCACCACAGGAGGCAGCTGAAGCTGAGAAGTAGCCTATCTATGGAAGAGACTTTGTTTGTGTT
TAATTAGGGCTATGAGAGATTTAGGTGAGAAGTTAAACCTGAGACAGAGAGCAAGTAAGCTGTCCCTTTTAACT
GTTTTTCTTTGGTCTTTAGTCACCCAGTTGCACACTGGCATTTCCTTGTCTGCAAGCTTTTTTAAATTTCTGAACT
CAAGGCAGTGGCAGAAGATGTCAGTCACCTCTGATAACTGGAAAAATGGGTCTCTTGGGCCCTGGCACTGGTTCT
CCATGGCCTCAGCCACAGGGTCCCCCTTGGACCCCTCTCTTCCCTCCAGATCCAGCCCTCCTGCTTGGGGTCAC
TGGTCTCATTCTGGGGCTAAAAGTTTTTGGAGACTGGCTCAAATCCTCCCAAGCTGCTGCACGTGCTGAGTCCAGA
GGCAGTCACAGAGACCTTGGCCAGGGGATCCTAACTGGGTTCTTGGGGTCTTCAGGACTGAAGAGAGGGAGAG
TGGGGTCAGAAGATTCTCCTGGCCACCAAGTGCCAGCATTGCCACAAATCCTTTTAGGAATGGGACAGGTACCT
TCCACTTGTGTANNNNNNNNNNNNNNNNNNNNNNNNNNNNTTGTTCCTTTTACTCCTGCTCCCATAGGAG
CAGGAATGGCAGTAATAAAAGTCTGCACTTTGGTCAATTTCTTTTCTCAGAGGAAGCCCGAGTGCTCACTTAAAC
ACTATCCCTCAGACTCCCTGTGTGAGGCCTGCAGAGGCCCTGAATGCACAAATGGGAAACCAAGGCACAGAGAG
GCTCTCCTCTCCTCTCCTCTCCCCGATGTACCTCAAAAAAAAAAAATGCTAACCAGTTCTTCCATTAAGCCT
CGGCTGAGTGAGGGAAGCCAGCACTGCTGCCCTCTCGGGTAACCTACCCCTAAGGCCTCGGCCACCTCTGGCT
ATGGTAACCACACTGGGGGCTTCCCTCCAAGCCCCGCTCTTCCAGCACTTCCACCGGCAGAGTCCAGAGCCACTT
CACCCTGGGGGTGGGCTGTGGCCCCAGTCAGCTGCTCAGGACCTGCTCTATTTAGGGAAGAAGATTTATGT
ATTATATGTGGCTATATTTCTAGAGCACCTGTGTTTTCTCTTTCTAAGCCAGGGTCTGTCTGGATGACTTAT
CGGCTGGGGGAGTGTAACCGGAACTTTCATCTATTTGAAGGCGATTAACTGTGTCTAATGCA

36/615

FIGURE 36

MSVMVVRKKVTRKWEKLPGRNTFCCDGRVMMARQKGI FYLT LFLILGTCTLFFAFECRYLAVQ
LSPAIPVFAAMLFLFSMATLLRTSFSDPGVIPRALPDEAAFIEMEIEATNGAVPQGQRPPPRI
KNFQINNQIVKLKYCYTCKIFRPPRASHCSICDNCVERFDHCPWVGNCVGKRNRYFYLFIL
SLSLTTIYVFAFNIVYVALKSLKIGFLET LKETPGTVLEVLI CFFTLWSVVGLTGFHTFLVAL
NQT T NEDIKGSWTGKNRVQNPYSHGNIVKNCCEVL CGPLPPSVLDRRGILPLEESGSRPPSTQ
ETSSSLLPQSPAPTEHLNSNEMPEDSSTPEEMP PPEPPEPPQEAAEAEK

Putative transmembrane domains:

amino acids 36-55 (type II TM), 65-84, 188-208, 229-245

37/615

FIGURE 37

GGCGGAGCAGCCCTAGCCGCCACCGTCGCTCTCGCAGCTCTCGTCGCCACTGCCACCGCCGCCGCCGTCCTACTGCG
TCCTGGCTCCGGCTCCCGCGCCCTCCCGGCCGGCCATGCAGCCCCGCCGCCAGGCGCCCGGTGCGCAGCTGC
TGCCCCGCGCTGGCCCTGCTGCTGCTGCTGCTCGGAGCGGGGCCCGAGGCAGCTCCCTGGCCAACCCGGTGCCCCG
CCGCGCCCTTGCTGCGCCCCGGGCCGTGCGCCGCGCAGCCCTGCCGGAATGGGGGTGTGTGCACCTCGCGCCCTG
AGCCGGACCCGCAGCACCCGGCCCCCGCCGGCGAGCCTGGCTACAGCTGCACCTGCCCCGCCGGGATCTCCGGCG
CCAACTGCCAGCTTGTTGCGAGATCCTTGTCGACGAACCCCTGTCAACATGGCAACTGCAGCAGCAGCAGCAGCA
GCAGCAGCGATGGCTACCTCTGCATTTGCAATGAAGGCTATGAAGGTCCCAACTGTGAACAGGCACCTTCCAGTCT
TCCCAGCCACTGGCTGGACCGAATCCATGGCACCCCGACAGCTTCAGCCTGTTCTCTGCTACTCAGGAGCCTGACA
AAATCCTGCCCTCGCTCTCAGGCAACGGTGACACTGCCTACCTGGCAGCCGAAAAACAGGGCAGAAAGTTGTAGAAA
TGAAATGGGATCAAGTGGAGGTGATCCCAGATATTGCCCTGTGGGAATGCCAGTTCTAACAGCTCTCGGGGTGGCC
GCCTGGTATCCTTTGAAGTGCCACAGAACACCTCAGTCAAGATTGCGCAAGATGCCACTGCCTCACTGATTTTTGC
TCTGGAAGGTACGGCCACAGGATTCCAACAGTGCTCCCTCATAGATGGACGAAGTGTGACCCCCCTTCAGGCTT
CAGGGGGACTGGTCTCTGGAGGAGATGCTCGCCTTGGGGAATAACTACTTTATTGGTTTTGTGAATGATTCTG
TGACTAAGTCTATTGTGGCTTTGCGCTTAACCTGTGGTGGTGAAGGTGAGCACTGTGTGCCGGGGGAGAGTCAAG
CAAATGACTTGGAGTGTTCAAGAAAAGGAAATGCACCAAGCCGTGAGAGCAACTTTTTCTGTACCTGTG
AGGAGCAGTACCTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAACGCGAGCT
GTATTGATGCAAATGAAAAGCAAGATGGGAGCAATTTACCTGTGTTGCTTCTGTTTATACTGGAGAGCTTT
GCCAGTCCAAGATTGATTACTGCATCCTAGACCCATGCAGAAATGGAGCAACATGCATTTCCAGTCTCAGTGGAT
TCACCTGCCAGTGTCCAGAAGGATACTTCGGATCTGCTTGTGAAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGT
GCCAGAACCAACGGCACCTGCTATGTGGACGGGGTACACTTTACCTGCAACTGCAGCCCCGGGCTTCACAGGGCCGA
CCTGTGCCCAGCTTATTGACTTCTGTGCCCTCAGCCCTGTGCTCATGGCACGTGCCGACGCTGGGCACACAGCT
ACAAATGCCTCTGTGATCCAGGTTACCATGGCCTCTACTGTGAGGAGGAATATAATGAGTGCCTCTCCGCTCCAT
GCCTGAATGCAGCCACCTGCAGGGACCTCGTTAATGGCTATGAGTGTGTGTGCCTGGCAGAAATACAAAGGAACAC
ACTGTGAATTGTACAAGGATCCCTGCGCTAACGTGAGTGTCTGAACGGAGCCACCTGTGACAGCGACGGCCTGA
ATGGCACGTGCATCTGTGACCCGGGTTTACAGGTGAAGAGTGCACATTGACATAAATGAATGTGACAGTAACC
CCTGCCACCATGGTGGGAGCTGCCTGGACAGCCCAATGGTTATAACTGCCACTGCCCGCATGGTTGGGTGGGAG
CAAAGTGTGAGATCCACCTCCAATGGAAGTCCGGGCACATGGCGGAGAGCCTCACCAACATGCCACGGCACTCCC
TCTACATCATATTGGAGCCCTCTGCGTGGCCTTCATCCTTATGCTGATCATCCTGATCGTGGGGATTTGCCGCA
TCAGCCGCATTGAATACCAGGGTTCTTCCAGGCCAGCCTATGAGGAGTTCTACAAC TGCCGACGATCGACAGCG
AGTTCAGCAATGCCATTGCATCCATCCGGCATGCCAGGTTTGGAAGAAATCCCGCCCTGCAATGTATGATGTGA
GCCCCATCGCCTATGAAGATTACAGTCTGATGACAAACCCCTGGTCACACTGATTAAAACTAAAGATTTGTAAT
CTTTTTTTGGATTATTTTTCAAAAAGATGAGATACTACACTCATTTAAATATTTTTTAAGAAAATAAAAAGCTTAA
GAAATTTAAATGCTAGCTGCTCAAGAGTTTTAGTAGAATAATTTAAGAACTAATTTCTGCAGCTTTTAGTTTG
GAAAAATATTTTTAAACAAAATTTGTGAAACCTATAGACGATGTTTTAATGTACCTTCAGCTCTCTAACTGT
GTGCTTCTACTAGTGTGTGCTCTTTTCACTGTAGACACTATCACGAGACCCAGATTAAATTTCTGTGGTTGTTACA
GAATAAGTCTAATCAAGGAGAAGTTTCTGTTTGACGTTTGAGTGCCGGCTTCTGAGTAGAGTTAGGAAAACCAC
GTAACGTAGCATATGATGTATAATAGAGTATACCCGTTACTTAAAAAGAACTCTGAAATGTTGCTTTTGTGGAAA
AGAACTAGTTAAATTTACTATTCTAACCAGAAATGAAATTAGCCTTTGCCTTATTCTGTGCATGGGTAAGTAAC
TTATTTCTGCACTGTTTTGTTGAACCTTTGTGGAAACATTCTTCGAGTTTGTGTTTTGTCATTTTCGTAACAGTCG
TCGAACTAGGCCTCAAAAACATACGTAACGAAAAGGCCTAGCGAGGCAAATTTCTGATTGATTTGAATCTATATTT
TTCTTTAAAAAGTCAAGGGTTCTATATTGTGAGTAAATTAATTTACATTTGAGTTGTTTGTGCTAAGAGGTAG
TAAATGTAAGAGAGTACTGGTTCCTTCAGTAGTGAGTATTTCTCATAGTGCAGCTTTATTTATCTCCAGGATGTT
TTTGTGGCTGATTTGATTGATATGTGCTTCTCTGATTCTTGCTAATTTCCAACCATATTGAATAAATGTGATC
AAGTCA

38/615

FIGURE 38

><subunit 1 of 1, 737 aa, 1 stop
><MW: 78475, pI: 5.09, NX(S/T): 11
MQPRRAQAPGAQLLPALALLLLLLGAGPRGSSSLANPVPAAPLSAPGPCAAQPCRNGGVCTSRP
EPDPQHPAPAGEPGYSCTCPAGISGANCOLVADPCASNPCHHGNCSSSSSSSSDGYLCICNEG
YEGPNCEQALPSLPATGWTESMAPRQLQPVPATQEPDKILPRSQTATVTLPTWQPKTGQKVDEM
KWDQVEVIPDIACGNASSNSSAGGRLVSFEVPQNTSVKIRQDATASLILLWKVTATGFQQCSL
IDGRSVTPLQASGGLVLEEMLALGNNHFIGFVNDVTKSIVALRLTLVVKVSTCVPGESHAN
DLECSGKGKCTTKPSEATFSC TCEEQYVGTFCEEYDACQRKPCQNNASCIDANEKQDGSNFTC
VCLPGYTGELCQSKIDYCIIDPCRNGATCISSLSGFTCCQPEGYFGSACEEKVDPCASSPCQN
NGTCYVDGVHFTCNCSPGFTGPTCAQLIDFCALSPCAHGTCRSVGT SYKCLCDPGYHGLYCEE
EYNECL SAPCLNAATCRDLVNGYECVCLA EYKGT HCELYKDPCANV SCLNGATCDS DGLNGTC
ICAPGFTGEECDIDINECD SNPCHHGGSCLDQPNGYNCHCPHG WVGANCEIHLQWKSGHMAES
LTNMPRHSLYIIIGALCVAFILMLIILIVGICRISRIEYQGS SRPAYEEFYNCRSIDSEFSNA
IASIRHARFGKSRPAMYDVSP IAYEDYSPDDKPLVTLIKTKDL

Signal sequence.

amino acids 1-28

Transmembrane domain.

amino acids 641-660

N-glycosylation sites.amino acids 107-111, 204-208, 208-212, 223-227, 286-290, 361-365,
375-379, 442-446, 549-553, 564-568**Glycosaminoglycan attachment site.**

amino acids 320-324

Tyrosine kinase phosphorylation sites.

amino acids 490-498, 674-682

N-myristoylation sites.amino acids 30-36, 56-62, 57-63, 85-91, 106-112, 203-209,
373-379, 449-455, 480-486, 562-568, 565-571**Amidation site.**

amino acids 702-706

Aspartic acid and asparagine hydroxylation site.

amino acids 520-532, 596-608

EGF-like domain cysteine pattern signatures.amino acids 80-92, 121-133, 336-348, 378-390, 416-428, 454-466,
491-503, 529-541, 567-579, 605-617

FIGURE 39

[illegible]

40/615

FIGURE 40

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39979
><subunit 1 of 1, 204 aa, 1 stop
><MW: 22147, pI: 8.37, NX(S/T): 3
MVCGGFACSKNCLCALNLLYTLVSLLLIGIAAWGIGFGLISSLRVVGVVIAVGIFLFLIALVG
LIGAVKHHQVLLFFYMIILLVLFIVQFSVSCACLALNQEQQGQLLEVGNNTASARNDIQRNL
NCCGFRSVNPNDTCLASCVKSDHSCSPCAPIIGEYAGEVLRVGGIGLFFSFTEILGVWLTyr
YRNQKDPRANPSAFL
```

Signal Peptide:
amino acids 1-34

Transmembrane domains:
amino acids 47-63, 72-95 and 162-182

41/615

FIGURE 41

CAGTCACCAATGAAGCTGGGCTGTGTCCTCATGGCCTGGGCCCTCTACCTTTCCTTGGTGTGC
TCTGGGTGGCCAGATGCTACTGGCTGCCAGTTTTTGAGACGCTGCAGTGTGAGGGACCTGTCT
GCACTGAGGAGAGCAGCTGCCACACGGAGGATGACTTGACTGATGCAAGGGAAGCTGGCTTCC
AGGTCAAGGCCTACACTTTCAGTGAACCCTTCCACCTGATTGTGTCCTATGACTGGCTGATCC
TCCAAGGTCCAGCCAAGCCAGTTTTTGAAGGGGACCTGCTGGTCTGCGCTGCCAGGCCTGGC
AAGACTGGCCACTGACTCAGGTGACCTTCTACCGAGATGGCTCAGCTCTGGGTCCCCCGGGC
CTAACAGGGAATTCTCCATCACCGTGGTACAAAAGGCAGACAGCGGGCACTACCACTGCAGTG
GCATCTTCCAGAGCCCTGGTCCTGGGATCCAGAAACAGCATCTGTTGTGGCTATCACAGTCC
AAGAAGTGTTCAGCGCCAATTCTCAGAGCTGTACCCTCAGCTGAACCCCAAGCAGGAAGCC
CCATGACCCTGAGTTGTCAGACAAAGTTGCCCCCTGCAGAGGTCAGCTGCCCGCCTCCTCTTCT
CCTTCTACAAGGATGGAAGGATAGTGCAAAGCAGGGGGCTCTCCTCAGAATTCCAGATCCCCA
CAGCTTCAGAAGATCACTCCGGGTCACTACTGGTGTGAGGCAGCCACTGAGGACAACCAAGTTT
GGAAACAGAGCCCCCAGCTAGAGATCAGAGTGCAGGGTGCTTCCAGCTCTGCTGCACCTCCCA
CATTGAATCCAGCTCCTCAGAAATCAGCTGCTCCAGGAACTGCTCCTGAGGAGGGCCCTGGGC
CTCTGCCTCCGCCGCCAACCCCATCTTCTGAGGATCCAGGCTTTTCTTCTCCTCTGGGGATGC
CAGATCCTCATCTGTATCACCAGATGGGCCTTCTTCTCAAACACATGCAGGATGTGAGAGTCC
TCCTCGGTCACTGCTCATGGAGTTGAGGGAATTATCTGGCCACCAGAAGCCTGGGACCACAA
AGGCTACTGCTGAATAGAAGTAAACAGTTCATCCATGATCTCACTTAACCAACCCCAATAAATC
TGATTCTTTATTTTCTCTTCTGTCCTGCACATATGCATAAGTACTTTTACAAGTTGTCCCAG
TGTTTTGTTAGAATAATGTAGTTAGGTGAGTGTAATAAATTTATATAAAGTGAGAATTAGAG
TTTAGCTATAATTGTGTATTCTCTTAAACACAACAGAATTCTGCTGTCTAGATCAGGAATTT
CTATCTGTTATATCGACCAGAATGTTGTGATTTAAAGAGAACTAATGGAAGTGGATTGAATAC
AGCAGTCTCAACTGGGGGCAATTTTGGCCCCCAGAGGACATTGGGCAATGTTTGGAGACATTT
TGGTCATTATACTTGGGGGGTTGGGGGATGGTGGGATGTGTGTCTACTGGCATCCAGTAAATA
GAAGCCAGGGGTGCCGCTAAACATCCTATAATGCACAGGGCAGTACCCCAACGAAAAATAA
TCTGGCCCCAAATGTCAGTTGTACTGAGTTTGAGAAACCCAGCCTAATGAAACCCCTAGGTGT
TGGGCTCTGGAATGGGACTTTGTCCCTTCTAATTATTATCTCTTCCAGCCTCATTTCAGCTAT
TCTTACTGACATAACAGTCTTTAGCTGGTGCTATGGTCTGTTCTTTAGTTCTAGTTTGTATCC
CCTCAAAAGCCATTATGTTGAAATCCTAATCCCCAAGGTGATGGCATTAAGAAGTGGGCCTTT
GGGAAGTGATTAGATCAGGAGTGCAGAGCCCTCATGATTAGGATTAGTGCCCTTATTTAAAAA
GGCCCCAGAGAGCTAACTCACCCCTCCACCATATGAGGACGTGGCAAGAAGATGACATGTATG
AGAACCACAAAAACAGCTGTCGCCAAACACCGACTCTGTGTTGCCCTTGATCTTGAAGTTCCAG
CCTCCAGAACTATGAGAAATAAAATTCTGGTTGTTGTAGCCTAA

42/615

FIGURE 42

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA40594
><subunit 1 of 1, 359.aa, 1 stop
><MW: 38899, pI: 5.21, NX(S/T): 0
MKLGCVLMAWALYLSLGV LWVAQMLLAASFETLQCEGPFVCTEESCHTEDDLTDAREAGFQVK
AYTFSEPFHLIVSYDWLILQGPAKPVFEGDLLVLRQAWQDWPLTQVTFYRDGSALGPPGPNR
EFSITVVQKADSGHYHCSGIFQSPGPGIPETASVVAITVQELFPAPILRAVPSAEPQAGSPMT
LSCQTKLPLQRSAARLLFSFYKDGRIVQSRGLSSEFQIPTASEDHSGSYWCEAATEDNQVWKQ
SPQLEIRVQGASSSAAPPTLNPAPQKSAAPGTAPEEAPGPLPPPPTPSSDPGFSSPLGMPDP
HLYHQMGLLLLKHMQDVRVLLGHLLMELRELSGHQKPGTTKATAE
```

Signal sequence:

amino acids 1-17

Leucine zipper pattern sequence:

amino acids 12-33

Protein kinase C phosphorylation site:

amino acids 353-355

43/615

FIGURE 43

GCGAGTGTCCAGCTGCGGAGACCCGTGATAATTCGTTAACTAATTCAACAAACGGGACCCTTC
TGTGTGCCAGAAACCGCAAGCAGTTGCTAACCCAGTGGGACAGGCGGATTGGAAGAGCGGGAA
GGTCCTGGCCAGAGCAGTGTGACACTTCCCTCTGTGACCATGAACTCTGGGTGTCTGCATT
GCTGATGGCCTGGTTTGGTGTCTGAGCTGTGTGCAGGCCGAATTCTTCACCTCTATTGGGCA
CATGACTGACCTGATTTATGCAGAGAAAGAGCTGGTGCAGTCTCTGAAAGAGTACATCCTTGT
GGAGGAAGCCAAGCTTTCCAAGATTAAGAGCTGGGCCAACAAAATGGAAGCCTTGACTAGCAA
GTCAGCTGCTGATGCTGAGGGCTACCTGGCTCACCTGTGAATGCCTACAACTGGTGAAGCG
GCTAAACACAGACTGGCCTGCGCTGGAGGACCTTGTCTGCAGGACTCAGCTGCAGGTTTTAT
CGCCAACCTCTCTGTGCAGCGGCAGTTCTTCCCCACTGATGAGGACGAGATAGGAGCTGCCAA
AGCCCTGATGAGACTTCAGGACACATACAGGCTGGACCCAGGCACAATTTCCAGAGGGGAACT
TCCAGGAACCAAGTACCAGGCAATGCTGAGTGTGGATGACTGCTTTGGGATGGGCCGCTCGGC
CTACAATGAAGGGGACTATTATCATACGGTGTGTGGATGGAGCAGGTGCTAAAGCAGCTTGA
TGCCGGGGAGGAGGCCACCACAACCAAGTCACAGGTGCTGGACTACCTCAGCTATGCTGTCTT
CCAGTTGGGTGATCTGCACCGTGCCCTGGAGCTCACCCGCCGCTGCTCTCCCTTGACCCAAG
CCACGAACGAGCTGGAGGGAATCTGCGGTACTTTGAGCAGTTATTGGAGGAAGAGAGAGAAAA
AACGTTAACAAATCAGACAGAAGCTGAGCTAGCAACCCCAAGGCATCTATGAGAGGCCTGT
GGACTACCTGCCTGAGAGGGATGTTTACGAGAGCCTCTGTCTGGGGAGGGTGTCAAACCTGAC
ACCCCGTAGACAGAAGAGGCTTTTCTGTAGGTACCACCATGGCAACAGGGCCCCACAGCTGCT
CATTGCCCCCTTCAAAGAGGAGGACGAGTGGGACAGCCCGCACATCGTCAGGTACTACGATGT
CATGTCTGATGAGGAAATCGAGAGGATCAAGGAGATCGCAAAACCTAAACTTGCACGAGCCAC
CGTTCGTGATCCCAAGACAGGAGTCCTCACTGTGCCAGCTACCGGGTTTCCAAAAGCTCCTG
GCTAGAGGAAGATGATGACCTGTTGTGGCCCGAGTAAATCGTCGGATGCAGCATATCACAGG
GTTAACAGTAAAGACTGCAGAATTGTTACAGGTTGCAAAATTATGGAGTGGGAGGACAGTATGA
ACCGCACTTCGACTTCTCTAGGCGACCTTTTGACAGCGGCCCTCAAAACAGAGGGGAATAGGTT
AGCGACGTTTCTTAACCTACATGAGTGTGATGTAGAAGCTGGTGGTGCCACCGTCTTCCCTGATCT
GGGGGCTGCAATTTGGCCTAAGAAGGGTACAGCTGTGTTCTGGTACAACCTCTTGCGGAGCGG
GGAAGGTGACTACCGAACAAGACATGCTGCCTGCCCTGTGCTTGTGGGCTGCAAGTGGGTCTC
CAATAAGTGGTTCCATGAACGAGGACAGGAGTTCTTGAGACCTTGTGGATCAACAGAAGTTGA
CTGACATCCTTTTCTGTCTTCCCCTTCCCTGGTCCTTCAGCCCATGTCAACGTGACAGACACC
TTTGTATGTTCCCTTGTATGTTCCCTATCAGGCTGATTTTGGAGAAATGAATGTTTGTCTGGA
GCAGAGGGAGACCATACTAGGGCGACTCCTGTGTGACTGAAGTCCCAGCCCTTCCATTCAGCC
TGTGCCATCCCTGGCCCCAAGGCTAGGATCAAAGTGGCTGCAGCAGAGTTAGCTGTCTAGCGC
CTAGCAAGGTGCCTTTGTACCTCAGGTGTTTTAGGTGTGAGATGTTTCAGTGAACCAAAGTTC
TGATACCTTGTTTACATGTTTGTGTTTTATGGCATTTCTATCTATTGTGGCTTACCAAAAAAT
AAAATGTCCCTACCAGAAAAA

44/615

FIGURE 44

MKLWVSALLMAWFGVLSCVQAEFFTSIGHMTDLIYAEKELVQSLKEYILVEEAKLSKIKSWAN
KMEALTSKSAADAEGYLAHPVNAYKLVKRLNTDWPALDLVLQDSAAGFIANLSVQRQFFPTD
EDEIGAALKMRLQDQTYRLDPGTISRGEIPGTYQAMLSVDDCFGMGRSAYNEGDIYHTVLWM
EQVLKQLDAGEEATTTKSQVLDYLSYAVFQLGDLHRALELTRRLSLDPSHERAGGNLRYFEQ
LLEEEREKTLTNQTEAELATPEGIYERPDYLPEDVYESLCRGEVGLTPRRQKRLFCRYHH
GNRAPQLLIAPFKEEDEWDSPIVRYDVMSDEEIERIKEIAKPKLARATVRDPKTGVLTVAS
YRVSKSSWLEEDDDPVVARVNRMQHITGLTVKTAELLQVANYGVGGQYEPHFDFSRRPFDSG
LKTEGNRLATFLNYMSDVEAGGATVFPDLGAAIWPKKGTAVFWYNLLRSGEVDYRTRHAACP
LVGCKWVSNKWFHERGQEFRLPCGSTVD

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 115-119, 264-268

Glycosaminoglycan attachment site.

amino acids 490-494

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 477-481

Casein kinase II phosphorylation site.amino acids 43-47, 72-76, 125-129, 151-155, 165-169, 266-270,
346-350, 365-369, 385-389, 457-461, 530-534**Tyrosine kinase phosphorylation site.**

amino acids 71-80, 489-496

N-myristoylation site.

amino acids 14-20, 131-137, 171-177, 446-452

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 8-19

Leucine zipper pattern.

amino acids 213-235

45/615

FIGURE 45

GGGGCCTTGCCCTTCCGCACTCGGGCGCAGCCGGGTGGATCTCGAGCAGGTGCGGAGCCCCGGG
CGGCGGGGCGCGGGTGCGAGGGATCCCTGACGCCTCTGTCCCTGTTTCTTTGTCGCTCCCAGCC
TGTCTGTGTCGTTTTTGGCGCCCCCGCCTCCCCGCGGTGCGGGGTTGCACACCGATCCTGGGC
TTCGCTCGATTTGCCGCGGAGGCGCCTCCCAGACCTAGAGGGGCGCTGGCCTGGAGCAGCGGG
TCGTCTGTGTCCTCTCTCTCTGCGCCGCGCCCCGGGGATCCGAAGGGTGCGGGGCTCTGAGGA
GGTGACGCGCGGGGCTCCCGCACCTTGGCCTTGGCCGCACTTCTCCCTCTCTCCCAGGTGTGA
GCAGCCTATCAGTCACCAATGTCCGCGAGCCTGGATCCCCGGCTCTCGGCCTCGGTGTGTGTCTGC
TGCTGCTGCCGGGGCCCCGCGGGCAGCGAGGGAGCCGCTCCCATTGCTATCACATGTTTTACCA
GAGGCTTGACATCAGGAAAGAGAAAGCAGATGTCTCTGCCAGGGGGCTGCCCTCTTGAGG
AATTCTCTGTGTATGGGAACATAGTATATGCTTCTGTATCGAGCATATGTGGGGCTGCTGTCC
ACAGGGGAGTAATCAGCAACTCAGGGGGACCTGTACGAGTCTATAGCCTACCTGGTCGAGAAA
ACTATTCCTCAGTAGATGCCAATGGCATCCAGTCTCAAAATGCTTTCTAGATGGTCTGCTTCTT
TCACAGTAACTAAAGGCAAAAGTAGTACACAGGAGGCCACAGGACAAGCAGTGTCCACAGCAC
ATCCACCAACAGGTAAACGACTAAAGAAAACACCCGAGAAGAAAAGTGGCAATAAAGATTGTA
AAGCAGACATTGCATTTCTGATTGATGGAAGCTTTAATATTGGGCAGCGCCGATTTAATTTAC
AGAAGAATTTTGTGGAAAAGTGGCTCTAATGTTGGGAATTGGAACAGAAGGACCACATGTGG
GCCTTGTTCAAGCCAGTGAACATCCCAAAATAGAATTTTACTTGAAAACTTTACATCAGCCA
AAGATGTTTTGTTTGCCATAAAGGAAGTAGGTTTCAGAGGGGGTAATCCAATACAGGAAAAG
CCTTGAGCATACTGCTCAGAAATTCCTCACGGTAGATGCTGGAGTAAGAAAAGGGATCCCCA
AAGTGGTGGTGGTATTTATTGATGGTTGGCCTTCTGATGACATCGAGGAAGCAGGCATTGTGG
CCAGAGAGTTTGGTGTCAATGTATTTATAGATTTCTGTGGCCAAGCCTATCCCTGAAGAACTGG
GGATGGTTCAGGATGTACATTTGTTGACAAGGCTGTCTGTGCGGAATAATGGCTTCTTCTCTT
ACCACATGCCCAACTGGTTTGGCACCAAAAATACGTAAAGCCTCTGGTACAGAAGCTGTGCA
CTCATGAACAAATGATGTGCAGCAAGACCTGTTATAACTCAGTGAACATTGCCTTTCTAATTG
ATGGCTCCAGCAGTGTGGAGATAGCAATTTCCGCCTCATGCTTGAATTTGTTTCCAACATAG
CCAAGACTTTTGAAATCTCGGACATTGGTGCCAAGATAGCTGCTGTACAGTTTACTTATGATC
AGCGCACGGAGTTCAGTTTCACTGACTATAGCACCAAAGAGAATGTCCTAGCTGTCATCAGAA
ACATCCGCTATATGAGTGGTGGAACAGCTACTGGTGATGCCATTTCTTCACTGTTAGAAATG
TGTTTGGCCCTATAAGGGAGAGCCCCAACAAAGAACTTCCTAGTAATTGTCACAGATGGGCAGT
CCTATGATGATGTCCAAGGCCCTGCAGCTGCTGCACATGATGCAGGAATCACTATCTTCTCTG
TTGGTGTGGCTTGGGCACCTCTGGATGACCTGAAAGATATGGCTTCTAAACCGAAGGAGTCTC
ACGCTTTCTTCACAAGAGAGTTCACAGGATTAGAACCAATTGTTTCTGATGTCATCAGAGGCA
TTTGTAGAGATTTCTTAGAATCCCAGCAATTAATGGTAAACATTTTGACAACTGAAAGAAAAAGT
ACAAGGGGATCCAGTGTGTAAATTGTATTCTCATAATACTGAAATGCTTTAGCATACTAGAAT
CAGATACAAAACCTATTAAGTATGTCAACAGCCATTTAGGCAAATAAGCACTCCTTTAAAGCCG
CTGCCCTCTGGTTACAATTTACAGTGTACTTTGTTAAAAACACTGCTGAGGCTTCATAATCAT
GGCTCTTAGAAACTCAGGAAAGAGGAGATAATGTGGATTAAACCTTAAGAGTTCTAACCATG
CCTACTAAATGTACAGATATGCAATTCATAGCTCAATAAAAGAATCTGATACTTAGACCAA
AAAAAAA

46/615

FIGURE 46

MSAAWIPALGLGVCLLLLLPGPAGSEGAAPIAITCFTRGLDIRKEKADVLCPGGCPLLEFSVYG
NIVYASVSSICGAAVHRGVISNSGGPVRVYSLPGRENYSSVDANGIQSQMLSRWSASFVTKG
KSSTQEATGQAVSTAHPPTGKRLKKTPEKKTGNKDCKADIAFLIDGSFNIGQRRFNLQKNFVG
KVALMLGIGTEGPHVGLVQASEHPKIEFYLNFTSAKDVLFAlKEVGFRGGNSNTGKALKHTA
QKFFTVDAGVRKGI PKVVVVFIDGWPSDDIEEAGIVAREFGVNVFIVSVAKPIPEELGMVQDV
TFVDKAVCRNNGFFSYHMPNWF GTTKYVKPLVQKLCTHEQMMCSKTCYNSVNI AFLIDGSSSV
GDSNFRMLLEFVSNI AKT FEISDIGAKIAAVQFTYDQRT EFSFTDYSTKENVLAVIRNIRYMS
GGTATGDAISFTVRNVFGPIRESPNKNFLVIVTDGQSYDDVQGPAAAAHDAGITIFSVGVAVA
PLDDLKDMASKPKESHAF T TREF TGLEPIVSDVIRGICRDFLESQQ

Signal sequence:

amino acids 1-24

N-glycosylation site.

amino acids 100-104, 221-225

Casein kinase II phosphorylation site.amino acids 102-106, 129-133, 224-228, 316-320, 377-381, 420-424,
425-429, 478-482, 528-532**N-myristoylation site.**amino acids 10-16, 23-29, 81-87, 135-141, 158-164, 205-211,
239-245, 240-246, 261-267, 403-409, 442-448, 443-449**Amidation site.**

amino acids 145-149

47/615

FIGURE 47

GCCCCGCGCCCCGGCGCCGGGCGCCCCGAAGCCGGGAGCCACCGCCATGGGGGGCGCTGCCTGGGAG
CCTGCTCCCTGCTCAGCTGCGCGTCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCT
GCTGCCCCGCCAGCCGCAACTCCACCGTGAGCCGCTCATCTTCACGTTCTTCCTCTTCCTGG
GGGTGCTGGTGTCCATCATTATGCTGAGCCCCGGGCGTGAGAGTCAGCTCTACAAGCTGCCCT
GGGTGTGTGAGGAGGGGGCGGGATCCCCACCGTCCTGCAGGGCCACATCGACTGTGGCTCCC
TGCTTGGCTACCGCGCTGTCTACCGCATGTGCTTCGCCACGGCGGCCTTCTTCTTCTCTTTT
TCACCCTGCTCATGCTCTGCGTGAGCAGCAGCCGGGACCCCCGGGCTGCCATCCAGAATGGGT
TTTGGTTCTTTAAGTTCCTGATCCTGGTGGGCTCACCGTGGGTGCCTTCTACATCCCTGACG
GCTCCTTCACCAACATCTGGTTCTACTTCGGCGTCGTGGGCTCCTTCTTCTTCATCCTCATCC
AGCTGGTGCTGCTCATCGACTTTGCGCACTCCTGGAACCAGCGGTGGCTGGGCAAGGCCGAGG
AGTGCGATTCCCGTGCTGGTACGAGGCCTCTTCTTCTTCACTCTCCTCTTCTACTTGCTGT
CGATCGCGGCCGTGGCGCTGATGTTTCATGTACTACACTGAGCCCAGCGGCTGCCACGAGGGCA
AGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCCATCGCTGCTGTCTGCCCCA
AGGTCCAGGACGCCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTATCACCTCTACACCA
TGTTTGTACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCCATTTGCCAA
CCCAGCTGGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATG
CCCCGAGCATTGTGGGCCTCATCATCTTCCTCCTGTGCACCCTCTTCATCAGTCTGCGTCCT
CAGACCACCGGCAGGTGAACAGCCTGATGCAGACCGAGGAGTGCCACCTATGCTAGACGCCA
CACAGCAGCAGCAGCAGCAGGTGGCAGCCTGTGAGGGCCGGGCCTTTGACAACGAGCAGGACG
GCGTCACCTACAGCTACTCCTTCTTCCACTTCTGCCTGGTGCTGGCCTCACTGCACGTCATGA
TGACGCTCACCAACTGGTACAAGCCCGGTGAGACCCGGAAGATGATCAGCACGTGGACCGCCG
TGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCTCCTCTACCTGTGGACCCTGGTAGCCC
CACTCCTCCTGCGCAACCGCGACTTCAGTTGAGGCAGCCTCACAGCCTGCCATCTGGTGCCTC
CTGCCACCTGGTGCCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTCCCCACACCAATCAGCC
AGGCTGAGCCCCACCCCTGCCCCAGCTCCAGGACCTGCCCCCTGAGCCGGGCTTCTAGTCGT
AGTGCCTTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCACACCCAC
ACGGTGGAGCTGCCTCTTCCTTCCCCTCCTCCCTGTTGCCCATACTCAGCATCTCGGATGAAA
GGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACCTCCCACC
ACAGTGGGGCATCCGGCACTGAAGCCCTGGTGTTCCTGGTCACGTCCCCCAGGGGACCCTGCC
CCCTCCTGGACTTCGTGCCTTACTGAGTCTCTAAGACTTTTCTAATAAAACAAGCCAGTGCG
TGTAATAAAAAA

48/615

FIGURE 48

MGACLGACSLSCASCLCGSAPCILCSCCPASRNSTVSRLIETFFLFLGVLVSIIMLSPGVES
QLYKLPWVCEEAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFFFTLLMLCVSSSRDPR
AAIQNGFWFFKFLILVGLTVGAFYIPDGSFTNIWFYFGVVGSFLFILIQLVLLIDFAHSWNQR
WLGKAEEDCSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTFVCVVS
IAAVLPKVQDAQPNSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGY
ETQWWDAPSIVGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQVAACEGRA
FDNEQDGVITYSYSFFHFCLVLASLHVMMTLTNWYKPGETRMISTWTAVWVKICASWAGLLLY
LWTLVAPLLLRNRDFS

Signal sequence:
amino acids 1-20

Transmembrane domains:
amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

49/615

FIGURE 49

[illegible]

50/615

FIGURE 50

MAGIPGLLFLLFFLLCAVGQVSPYSAPWKPTWPAYRLPVVLPQSTLNLAKPDFGAEAKLEVSS
SCGPQCHKGTPLPTYEEAKQYLSYETLYANGSRTETQVGIYILSSSGDGAQHRDSGSSGKSRR
KRQIYGYDSRFSIFGKDFLLNYPFSTSVKLSTGCTGTLVAEKHVLTAAHCIHDGKTYVKGTQK
LRVGFLKPKFKDGGRGANDSTSAMPEQMKEQWIRVKRTHVPKGWIKGNANDIGMDYDYALLEL
KKPHKRKFMKIGVSPPAKQLPGGRIHFSGYDNDRPGNLVYRFCDVKDETYDLLYQQCDAQPGA
SGSGVYVRMWKRQQQKWERKIIGIFSGHQWVDMNGSPQDFNVAVRITPLKYAQICYWIKGNYL
DCREG

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 93-97, 207-211

Glycosaminoglycan attachment site.

amino acids 109-113, 316-320

Casein kinase II phosphorylation site.

amino acids 77-81, 95-99, 108-112, 280-284, 351-355

N-myristoylation site.

amino acids 159-165, 162-168, 202-208, 205-211, 314-320, 338-344

Serine proteases, trypsin family, histidine active site.

amino acids 171-177

51/615

FIGURE 51

GGGAGGGGGCTCCGGGCGCCGCGCAGCAGACCTGCTCCGGCCGCGCGCCTCGCCGCTGTCTCCGGGAGCGGCAG
CAGTAGCCCGGCGGCGAGGGCTGGGGGTTCTCGAGACTCTCAGAGGGGCGCCTCCCATCGGCGCCACCACCC
CAACCTGTTCTCGCGCGCCACTGCGCTGCGCCCCAGGACCCGCTGCCAACATGGATTCTCTCGCGCTGGT
GCTGGTATCCTCGCTCTACCTGCAGGCGGCGCCGAGTTGACGGGAGGTGGCCAGGCAAATAGTGTCTCGAT
TGGCCTATGTCGTTATGGTGGGAGGATTGACTGCTGCTGGGGCTGGGCTCGCCAGTCTTGGGGACAGTGTGAGCC
TGTGTGCCAACCACGATGCAAACATGGTGAATGTATCGGGCCAAACAAGTGCAGTGTCTCATCTGGTTATGCTGG
AAAAACCTGTAATCAAGATCTAAATGAGTGTGGCCTGAAGCCCCGGCCCTGTAAGCACAGGTGCATGAACACTTA
CGGCAGCTACAAGTGTACTGTCTCAACGGATATATGCTCATGCCGGATGGTTCTGTCTCAAGTGCCCTGACCTG
CTCCATGGCAAACCTGTCAGTATGGCTGTGATGTTGTTAAAGGACAAATACGGTGCCAGTGCCCATCCCCGGCCT
GCACCTGGCTCCTGATGGGAGGACCTGTGTAGATGTTGATGAATGTGCTACAGGAAGAGCCTCCTGCCCTAGATT
TAGGCAATGTGTCAACACTTTTGGGAGCTACATCTGCAAGTGTGATAAAGGCTTCGATCTCATGTATATTGGAGG
CAAATATCAATGTCATGACATAGACGAATGCTCACTTGGTCAGTATCAGTGCAGCAGCTTTGCTCGATGTTATAA
CGTACGTGGGTCCTACAAGTGCAAATGTAAAGAAGGATACAGGGGTGATGGACTGACTTGTGTGTATATCCCAA
AGTTATGATTGAACCTTCAGGTCCAATTCATGTACCAAAGGGAAATGGTACCATTTTAAAGGGTGACACAGGAAA
TAATAATTGGATTCTGATGTTGGAAGTACTTGGTGGCCTCCGAAGACACCATATATTCCTCCTATCATTACCAA
CAGGCCTACTTCTAAGCCAACAACAAGACCTACACCAAAGCCAACACCAATTCCTACTCCACCACCACCACC
CCTGCCAACAGAGCTCAGAACACCTCTACCACCTACAACCCCAAGGCAACCACCGGACTGACAACTATAGC
ACCAGCTGCCAGTACACCTCCAGGAGGGATTACAGTTGACAACAGGGTACAGACAGACCCTCAGAAACCCAGAGG
AGATGTGTTTCAGTGTCTGGTACACAGTTGTAATTTTACCATGGACTTTGTGGATGGATCAGGGAGAAAGACAA
TGACTTGCAGTGGGAACCAATCAGGGACCCAGCAGGTGGACAATATCTGACAGTGTGGCAGCCAAAGCCCCAGG
GGGAAAAGCTGCACGCTTGGTGTACCTCTCGGCCGCTCATGCATTACAGGGACCTGTGCTGTCTCATTACAGGCA
CAAGGTGACGGGGCTGCACTCTGGCACACTCCAGGTGTTTGTGAGAAAACAGGTGCCACGGAGCAGCCCTGTG
GGGAAGAAATGGTGGCCATGGCTGGAGGCAAACACAGATCACCTTGCAGGGGGCTGACATCAAGAGCGAATCACA
AAGATGATTAAAGGGTTGGAAAAAAGATCTATGATGGAAAATTAAAGGAACTGGGATTATTGAGCCTGGAGAAG
AGAAGACTGAGGGGCAAACCATTTGATGGTTTTCAAGTATATGAAGGGTTGGCACAGAGAGGGTGGCGACCAGCTG
TTCTCCATATGCACTAAGAATAGAACAAAGAGGAACTGGCTTAGACTAGAGTATAAGGGAGCATTTCTTGGCAGG
GGCCATTGTTAGAATACTTCATAAAAAAAGAGTGTGAAAATCTCAGTATCTCTCTCTTTCTAAAAAATTAGA
TAAAAATTTGTCTATTTAAGATGGTTAAAGATGTTCTTACCCAAGGAAAAGTAACAAATTATAGAATTTCCCAA
AGATGTTTTGATCCTACTAGTAGTATGCAGTGAAAATCTTTAGAACTAAATAATTGGACAAGGCTTAATTTAGG
CATTTCCCTCTTGACCTCCTAATGGAGAGGGATTGAAAGGGGAAGAGCCACCAATGCTGAGCTCACTGAAATA
TCTCTCCCTTATGGCAATCCTAGCAGTATTAAGAAAAAAGGAACTATTTATTCCAAATGAGAGTATGATGGAC
AGATATTTTAGTATCTCAGTAATGTCTAGTGTGGCGGTGGTTTTCAATGTTTCTTCATGGTAAAGGTATAAGCC
TTTCATTTGTTCAATGGATGATGTTTCAAGATTTTTTTTTTTTAAAGAGATCCTTCAAGGAACACAGTTCAGAGAG
ATTTTCATCGGGTGCACTCTCTGCTTCGTGTGTGACAAGTTATCTTGGCTGCTGAGAAAGAGTGCCCTGCCCC
ACACCGGCAGACCTTTCTTTCACCTCATCAGTATGATTCACTTTCTCTTATCAATTGGACTCTCCAGGTTCCAC
AGAACAGTAATATTTTTTGAACAATAGGTACAATAGAAGGTCTTCTGTCTTTAACCTGGTAAAGGCAGGGCTGG
AGGGGGGAAATAAATCATTAAGCCTTTGAGTAACGGCAGAATATATGGCTGTAGATCCATTTTTTAATGGTTTATT
TCCTTTATGGTCATATACTGCACAGCTGAAGATGAAAGGGGAAAATAAATGAAAATTTTACTTTTCGATGCCAA
TGATACATTGCACTAACTGATGGAAGAAGTTATCCAAAGTACTGTATAACATCTTGTATTATTTAATGTTTT
CTAAAAATAAAATGTTAGTGGTTTTCCAAATGGCCTAATAAAAACAATTATTTGTAAATAAAAACACTGTTAGTAAT

52/615

FIGURE 52

MDFLLLALVLVSSSLYLQAAAEFDGRWPRQIVSSIGLCRYGGRIDCCWGWARQSWGQCQPVCQPR
CKHGECIGPNKCKCHPGYAGKTCNQDLNECGLKPRPCKHRCMNTYGSYKCYCLNGYMLMPDGS
CSSALTCSMANCQYGCDVVKGQIRCQCPSPLHLAPDGRTCVDVDECATGRASCPFRQCVNT
FGSYICKCHKGFDLMIYIGGKYQCHDIDECSLGQYQCSSFARCYNVRGSYKCKCKEGYQGDGLT
CVYIPKVMIEPSGPIHVPKGNGTILKGD TGNNNWIPDVGSTWWPPKTPYIPPIITNRPTSKPT
TRPTPKPTPIPTPPPPPLPTLRTPLPPTTPERPTTGLTTIAPAASTPPGGITVDNRVQTD
QKPRGDVFSVLVHSCNFDHGLCGWIREKDN DLHWEPIRDPAGGQYLTVSAAKAPGGKAARLVL
PLGRIMHSGDLCLSFRHKVTGLHSGTLQVFVRKHGAHGAALWGRNGGHGWRQTQITLRGADIK
SESQR

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 273-277

Casein kinase II phosphorylation site.

amino acids 166-170, 345-349

Tyrosine kinase phosphorylation site.

amino acids 199-206

N-myristoylation site.amino acids 109-115, 125-131, 147-153, 191-197, 221-227, 236-242,
421-427, 433-439, 462-468, 476-482**Aspartic acid and asparagine hydroxylation site.**

amino acids 104-116, 186-198, 231-243

Cell attachment sequence.

amino acids 382-385

EGF-like domain cysteine pattern signature.

amino acids 75-87

53/615

FIGURE 53

CGGGCCGCCCCCGGGCCCCATTTCGGGCCGGGCCTCGCTGCGGCGGGCGACTGAGCCAGGCTGGG
CCGCGTCCCTGAGTCCCAGAGTCGGCGCGGGCGGGCAGGGGCAGCCTTCCACCACGGGGAGCC
CAGCTGTCAGCCGCCTCACAGGAAGATGCTGCGTCGGCGGGGCAGCCCTGGCATGGGTGTGCA
TGTGGGTGCAGCCCTGGGAGCACTGTGGTTCTGCCTCACAGGAGCCCTGGAGGTCCAGGTCCC
TGAAGACCCAGTGGTGGCACTGGTGGGCACCGATGCCACCCTGTGCTGCTCCTTCTCCCCTGA
GCCTGGCTTCAGCCTGGCACAGCTCAACCTCATCTGGCAGCTGACAGATACCAAACAGCTGGT
GCACAGCTTTTGTGAGGGCCAGGACCAGGGCAGCGCCTATGCCAACCGCACGGCCCTCTTCCC
GGACCTGCTGGCACAGGGCAACGCATCCCTGAGGCTGCAGCGCGTGCCTGTGGCGGACGAGGG
CAGCTTCACCTGCTTCGTGAGCATCCGGGATTTTCGGCAGCGCTGCCGTGAGCCTGCAGGTGGC
CGCTCCCTACTCGAAGCCCAGCATGACCCTGGAGCCCAACAAGGACCTGCGGCCAGGGGACAC
GGTGACCATCACGTGCTCCAGCTACCAGGGCTACCCCTGAGGCTGAGGTGTTCTGGCAGGATGG
GCAGGGTGTGCCCCCTGACTGGCAACGTGACCACGTCGCAGATGGCCAACGAGCAGGGCTTGT
TGATGTGCACAGCGTCCCTGCGGGTGGTGTGGGTGCGAATGGCACCTACAGCTGCCTGGTGGC
CAACCCCGTGCTGCAGCAGGATGCGCACRGCTCTGTACCATCACAGGGCAGCCTATGACATT
CCCCCAGAGGCCCTGTGGGTGACCGTGGGGCTGTCTGTCTGTCTCATTGCACTGCTGGTGGC
CCTGGCTTTCTGTGTCTGGAGAAAGATCAAACAGAGCTGTGAGGAGGAGAATGCAGGAGCTGA
GGACCAGGATGGGGAGGGAGAAGGCTCCAAGACAGCCCTGCAGCCTCTGAAACACTCTGACAG
CAAAGAAGATGATGGACAAGAAATAGCCTGACCATGAGGACCAGGGAGCTGCTACCCCTCCCT
ACAGCTCCTACCCTCTGGCTGCAATGGGGCTGCACTGTGAGCCCTGCCCCAACAGATGCATC
CTGCTCTGACAGGTGGGCTCCTTCTCCAAAGGATGCGATACACAGACCACTGTGCAGCCTTAT
TTCTCCAATGGACATGATTCCCAAGTCATCCTGCTGCCTTTTTTCTTATAGACACAATGAACA
GACCACCCACAACCTTAGTTCTCTAAGTCATCCTGCCTGCTGCCTTATTTACAGTACATACA
TTTCTTAGGGACACAGTACACTGACCACATCACCACCCTCTTCTTCCAGTGCTGCGTGGACCA
TCTGGCTGCCTTTTTTCTCCAAAAGATGCAATATTGAGACTGACTGACCCCTGCCTTATTTT
ACCAAAGACACGATGCATAGTCACCCCGGCCTTGTTTCTCCAATGGCCGTGATACACTAGTGA
TCATGTTGAGCCCTGCTTCCACCTGCATAGAATCTTTCTTCTCAGACAGGGACAGTGCGGCC
TCAACATCTCCTGGAGTCTAGAAGCTGTTTCTTTCCCTCCTTCCCTGCCCAAGTGAA
GACAGGGCAGGGCCAGGAATGCTTTGGGGACACCGAGGGGACTGCCCCCACCACCATGG
TGCTATTCTGGGGCTGGGGCAGTCTTTTCTGGCTTGCCCTCTGGCCAGCTCCTGGCCTCTGGT
AGAGTGAGACTTCAGACGTTCTGATGCCTTCCGGATGTCATCTCTCCCTGCCCCAGGAATGGA
AGATGTGAGGACTTCTAATTTAAATGTGGGACTCGGAGGGATTTTGTAACTGGGGGTATATT
TTGGGGAAAAATAAATGTCTTTGTAAAAAAAAAAAAAAAAAAAAA

54/615

FIGURE 54

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA41386
><subunit 1 of 1, 316 aa, 1 stop, 1 unknown
><MW: -1, pI: 4.62, NX(S/T): 4
MLRRRGSPGMGVHVGAAALGALWFCLTGALEVQVPEDPVVALVGTDATLCCSFSPPEPGFSLAQL
NLIWQLTDTKQLVHSFAEGQDQGSAYANRTALFPDLLAQGNASLRLQVRVVADEGSFTCFVSI
RDEGSAAVSLQVAAPYSKPSMTLEPNKDLRPGDTVTITCSSYQGYPEAEVFWQDGQGVPLTGN
VTTSQMANEQGLFDVHSLRVVLGANGTYSCLVRNPVLQQDAHXSVTITGQPMTFPPEALWVT
VGLSVCLIALLLVALAFVCWRKIKQSCEEENAGAEDQDGEGEKSTALQPLKHSDSKEDDGQEIA
```

Important features:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 251-270

N-glycosylation site.

amino acids 91-94, 104-107, 189-192 and 215-218

Homologous region to Immunoglobulins and MHC

amino acids 217-234

55/615

FIGURE 55

GAGTCTTGACCGCCGCCGGGCTCTTGGTACCTCAGCGCGAGCGCCAGGCGTCCGGCCGCCGTG
GCTATGTTCGTGTCCGATTTCCGCAAAGAGTTCTACGAGGTGGTCCAGAGCCAGAGGGTTCCTT
CTCTTCGTGGCCTCGGACGTGGATGCTCTGTGTGCGTGCAAGATCCTTCAGGCCTTGTTCCAG
TGTGACCACGTGCAATATACGCTGGTTCCAGTTTCTGGGTGGCAAGAACTTGAACTGCATTT
CTTGAGCATAAAGAACAGTTTCATTATTTTATTCTCATAACTGTGGAGCTAATGTAGACCTA
TTGGATATTCTTCAACCTGATGAAGACACTATATTCTTTGTGTGTGACTCCCATAGGCCAGTC
AATGTCGTCAATGTATACAACGATACCCAGATCAAATTACTCATTAAACAAGATGATGACCTT
GAAGTTCCTCGCCTATGAAGACATCTTCAGGGATGAAGAGGAGGATGAAGAGCATTTCAGGAAAT
GACAGTGATGGGTGAGAGCCTTCTGAGAAGCGCACACGGTTAGAAGAGGAGATAGTGGAGCAA
ACCATGCGGAGGAGGCAGCGGCGAGAGTGGGAGGCCCGGAGAAGAGACATCCTCTTTGACTAC
GACAGTATGAATATCATGGGACATCGTCAGCCATGGTGATGTTTGAGCTGGCTTGGATGCTG
TCCAAGGACCTGAATGACATGCTGTGGTGGGCCATCGTTGGACTAACAGACCAGTGGGTGCAA
GACAAGATCACTCAAATGAAATACGTGACTGATGTTGGTGTCTGCAGCGCCACGTTTCCCGC
CACAAACCACCGGAACGAGGATGAGGAGAACACACTCTCCGTGGACTGCACACGGATCTCCTTT
GAGTATGACCTCCGCCTGGTGCTCTACCAGCACTGGTCCCTCCATGACAGCCTGTGCAACACC
AGCTATACCGCAGCCAGGTTCAAGCTGTGGTCTGTGCATGGACAGAAGCGGCTCCAGGAGTTC
CTTGACAGACATGGGTCTTCCCCTGAAGCAGGTGAAGCAGAAGTTCAGGCCATGGACATCTCC
TTGAAGGAGAATTTGCGGGAAATGATTGAAGAGTCTGCAAATAAATTTGGGATGAAGGACATG
CGCGTGACAGACTTTCAGCATTCTTTTTGGGTTCAGCACAAAGTTTCTGGCCAGCGACGTGGTC
TTTGCCACCATGTCTTTGATGGAGAGCCCCGAGAAGGATGGCTCAGGGACAGATCACTTCATC
CAGGCTCTGGACAGCCTCTCCAGGAGTAACCTGGACAAGCTGTACCATGGCCTGGAACCTCGCC
AAGAAGCAGCTGCGAGCCACCCAGCAGACCATTGCCAGCTGCCTTTGCACCAACCTCGTCATC
TCCCAGGGGCCTTTCTGTACTGCTCTCTCATGGAGGGCACTCCAGATGTCATGCTGTTCTCT
AGGCCGGCATCCCTAAGCCTGCTCAGCAAACACCTGCTCAAGTCCTTTGTGTGTTGACAAAAG
AACCGGCGCTGCAAACCTGCTGCCCCCTGGTGATGGCTGCCCCCTGAGCATGGAGCATGGCACA
GTGACCGTGGTGGGCATCCCCCAGAGACCGACAGCTCGGACAGGAAGAAGTTTTTTGGGAGG
GCGTTTGAGAAGGCAGCGGAAAGCACCAGCTCCCGGATGCTGCACAACCATTTTGACCTCTCA
GTAATTGAGCTGAAAGCTGAGGATCGGAGCAAGTTTCTGGACGCACTTATTTCCCTCCTGTCC
TAGGAATTTGATTCTTCCAGAATGACCTTCTTATTTATGTAAGTGGCTTTTCATTTAGATTGTA
AGTTATGGACATGATTTGAGATGTAGAAGCCATTTTTTATTAAATAAAATGCTTATTTTAGGAAA

56/615

FIGURE 56

MFVSDFRKEFYEVVQSQRVLLFVASDVDALCACKILOALFQCDHVQYTLVPVSGWQELETAFL
EHKEQFHYFILINCGANVDLLDILQPDEDITFFVCDSHRPVNVVNVYNDTQIKLLIKQDDDL
VPAYEDIFRDEEEDEEHSGNDSGSEPSEKTRLEEEIVEQTMRRRQRREWEARRRDILFDYE
QYEHGTSSAMVMFELAWMLSKDLNDMLWWAIVGLTDQWVQDKITQMKYVTDVGVLQRHVSRH
NHRNEDEENTLSVDCTRISFEYDLRLVLYQHWSLHDSL CNTSYTAARFKLWSVHGQKRLQEFL
ADMGLPLKQVKQKFQAMDISLKENLREMIEESANKFGMKDMRVQTF SIHFGFKHKFLASDVVF
ATMSLMESPEKDGSGTDHFIQALDSLRSNLDKLYHGLELAKKQLRATQQTIASCLCTNLVIS
QGPFLYCSLMEGTPDVMLFSRPASLSLLSKHLLKSFVCSTKNRRCKLLPLVMAAPLSMEHGT
TVVGIPPETDSSDRKNFFGRAFEKAAESTSSRMLHNHFDLSVIELKAEDRSKFLDALISLLS

57/615

FIGURE 57

CGCCGCCGTTGGGGCTGGAAGTTCCCGCCAGGTCCGTGCCGGGCGAGAGAGATGCTGCCCGGC
CCGCTCGGCTTTGAGGCGAGAGAAGTGTCCCAGACCCATTTGCCTTGCTGACGGCGTCGAG
CCCTGGCCAGACATGTCCACAGGGTTCTCCTTCGGGTCCGGGACTCTGGGCTCCACCACCGTG
GCCGCCGGCGGGACCAGCACAGGCGGCGTTTTCTCCTTCGGAACGGGAACGTCTAGCAACCCT
TCTGTGGGGCTCAATTTTGGAAATCTTGGAAGTACTTCAACTCCAGCAACTACATCTGCTCCT
TCAAGTGGTTTTTGGAAACCGGGCTCTTTGGATCTAAACCTGCCACTGGGTTCACTCTAGGAGGA
ACAAATACAGGTGCCTTGCACACCAAGAGGCCTCAAGTGGTCACCAATATGGAACCCTGCAA
GGAAAACAGATGCATGTGGGGAAGACACCCATCCAAGTCTTTTAGGAGTCCCCTTCTCCAGA
CCTCCTCTAGGTATCCTCAGGTTTGCACCTCCAGAACCCCGGAGCCCTGGAAAGGAATCAGA
GATGCTACCACCTACCCGCCTGGATGGAGTCTCGCTCTGTGCCAGGCTGGAGTGCAGTGGCA
CGATCTCGGCTCACTGCAACCTCCGCCTCCCGGGTTCAAGCGAGTCTCCTGCCTCAGCCTCTG
AGTGTCTGGGGCTACAGGTGCCTGCAGGAGTCTGGGGCCAGCTGGCCTCGATGTACGTCAGC
ACGCGGGAACGGTACAAGTGGCTGCGCTTCAGCGAGGACTGTCTGTACCTGAACGTGTACGCG
CCGGCGCGCGCGCCCGGGGATCCCCAGCTGCCAGTGATGGTCTGGTTCCCGGGAGGCGCCTTC
ATCGTGGGCGCTGCTTCTTCGTACGAGGGCTCTGACTTGGCCGCCCGCGAGAAAGTGGTGCTG
GTGTTTCTGCAGCACAGGCTCGGCATCTTCGGCTTCCTGAGCACGGACGACAGCCACGCGCGC
GGGAAC TGGGGGCTGCTGGACCAGATGGCGGCTCTGCGCTGGGTGCAGGAGAACATCGCAGCC
TTCGGGGGAGACCCAGGAATGTGACCCTGTTTCGGCCAGTCGGCGGGGGCCATGAGCATCTCA
GGACTGATGATGTCACCCCTAGCCTCGGGTCTCTTCCATCGGGCCATTTCCCAGAGTGGCACC
GCGTTATTTCAGACTTTTCATCACTAGTAACCCACTGAAAGTGGCCAAGAAGGTTGCCCACCTG
GCTGGATGCAACCACAACAGCACACAGATCCTGGTAAACTGCCTGAGGGCACTATCAGGGACC
AAGGTGATGCGTGTGTCCAACAAGATGAGATTCTTCCAAC TGAAC TCCAGAGAGACCCGGAA
GAGATTATCTGGTCCATGAGCCCTGTGGTGGATGGTGTGGTGTATCCAGATGACCCTTTGGTG
CTCCTGACCCAGGGGAAGGTTTCATCTGTGCCCTACCTTCTAGGTGTCAACAACCTGGAATTC
AATTGGCTCTTGCCTTATAATATCACCAAGGAGCAGGTACCACTTGTGGTGGAGGAGTACCTG
GACAAATGTCAATGAGCATGACTGGAAGATGCTACGAAACCGTATGATGGACATAGTTCAAGAT
GCCACTTTCGTGTATGCCACACTGCAGACTGCTCACTACCACCGAGAAACCCCAATGATGGGA
ATCTGCCCTGCTGGCCACGCTACAACAAGGATGAAAAGTACCTGCAGCTGGATTTTACCACAA
GAGTGGGCATGAAGCTCAAGGAGAAGAAGATGGCTTTTTTGGATGAGTCTGTACCAGTCTCAAA
GACCTGAGAAGCAGAGGCAATTCTAAGGGTGGCTATGCAGGAAGGAGCCAAAGAGGGGTTTGC
CCCCACCATCCAGGCCCTGGGGAGACTAGCCATGGACATACCTGGGGACAAGAGTTCTACCCA
CCCCAGTTTAGAACTGCAGGAGCTCCCTGCTGCCCTCCAGGCCAAAGCTAGAGCTTTTGCCTGT
TGTGTGGGACCTGCACTGCCCTTTCAGCCTGACATCCCATGATGCCCTCTACTTCACTGTT
GACATCCAGTTAGGCCAGGCCCTGTCAACACCACACTGTGCTCAGCTCTCCAGCCTCAGGACA
ACCTCTTTTTTTCCCTTCTTCAAATCCTCCCACCCTTCAATGTCTCCTTGTGACTCCTTCTTA
TGGGAGGTCGACCCAGACTGCCACTGCCCTGTCACTGCACCCAGCTTGGCATTACCATCCA
TCCTGCTCAACCTTGTTCCTGTCTGTTACATTGGCCTGGAGGCCTAGGGCAGGTTGTGACAT
GGAGCAAAC TTTTGGTAGTTTGGGATCTTCTCTCCCACCCACACTTATCTCCCCAGGGCCAC
TCCAAAGTCTATACACAGGGGTGGTCTCTTCAATAAAGAAGTGTGATTAGAAAAAAAAAAAA

58/615

FIGURE 58

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44179
<subunit 1 of 1, 545 aa, 1 stop
<MW: 58934, pI: 9.45, NX(S/T): 4
MSTGFSFGSGTLGSTTVAAGGTSTGGVFSFGTGTSSNPSVGLNFGNLGSTSTPATTSA PSSGF
GTGLFGSKPATGFTLGGTNTGALHTKRPQVVTKYGT LQGKQMHVGKTP IQVFLGVPFSRPPLG
ILRFAPPEPPEPWKGIRDATTYPGWSLALSPGWSAVARSRLTATSASRVQASLLPQPLSVWG
YRCLQESWGQLASMYVSTREYKWLRFSEDCLYLNVYAPARAPGDPQLPVMVWFPGGAFIVGA
ASSYEGSDLAAREKVVLVFLQHRLGIFGFLSTDDSHARGNWGLLDQMAALRWVQENIAAFGGD
PGNVTLFGQSAGAMSISGLMMSPLASGLFHRAISQSGTALFRLFITSNPLKVAKKVAHLACN
HNSTQILVNCRLALSGTKVMRVS NKMRFQLNFQRP EEI IWSMSPVVDGVVIPDDPLVLLTQ
GKVSSVPYLLGVNNLEFNWLLPYNITKEQVPLVVEEYLDNVNEHDWKMLRNRMMDIVQDATFV
YATLQTAHYHRETPMMGICPAGHATTRMKSTCSWILPQEWA
```

Important features:**Signal peptide:**

amino acids 1-29

Carboxylesterases type-B serine active site.

amino acids 312-327

Carboxylesterases type-B signature 2.

amino acids 218-228

N-glycosylation sites.

amino acids 318-321, 380-383 and 465-468

59/615

FIGURE 59

CGGACGCGTGGGCTGGGCGCTGCAAAGCGTGTCGCCGGGGTCCCCGAGCGTCCCGCGCCCTC
GCCCCGCCATGCTCCTGCTGCTGGGGCTGTGCCTGGGGCTGTCCCTGTGTGTGGGGTCGCAGG
AAGAGGCGCAGAGCTGGGGCCACTCTTCGGAGCAGGATGGACTCAGGGTCCCGAGGCAAGTCA
GACTGTTGCAGAGGCTGAAAACCAACCTTTGATGACAGAATTCTCAGTGAAGTCTACCATCA
TTTCCCGTTATGCCTTCACTACGGTTTCTGCAGAATGCTGAACAGAGCTTCTGAAGACCAGG
ACATTGAGTTCAGATGCAGATTCCAGCTGCAGCTTTCATCACCAACTTCACTATGCTTATTG
GAGACAAGGTGTATCAGGGCGAAATTACAGAGAGAGAAAAGAAGAGTGGTGATAGGGTAAAAG
AGAAAAGGAATAAAACCACAGAAGAAAATGGAGAGAAGGGGACTGAAATATTCAGAGCTTCTG
CAGTGATTCCCAGCAAGGACAAAGCCGCCTTTTTCTGAGTTATGAGGAGCTTCTGCAGAGGC
GCCTGGGCAAGTACGAGCACAGCATCAGCGTGCGGCCCCAGCAGCTGTCCGGGAGGCTGAGCG
TGGACGTGAATATCCTGGAGAGCGCGGGCATCGCATCCCTGGAGGTGCTGCCGCTTCACAACA
GCAGGCAGAGGGGAGTGGGCGCGGGGAAGATGATTCTGGGCCTCCCCATCTACTGTCATTA
ACCAAAATGAAACATTGCCAACATAATTTTAAACCTACTGTAGTACAACAAGCCAGGATTG
CCCAGAATGGAATTTTGGGAGACTTTATCATTAGATATGACGTCAATAGAGAACAGAGCTTG
GGGACATCCAGGTTCTAAATGGCTATTTTGTGCACACTTCTTGCTCCTAAAGACCTTCCTCCTT
TACCCAAGAATGTGGTATTCTGCTTGACAGCAGTGCTTCTATGGTGGGAACCAAACCTCCGGC
AGACCAAGGATGCCCTCTTCACAATTCTCCATGACCTCCGACCCAGGACCGTTTCAGTATCA
TTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCACTTGATATCAGTCACTCCAGACAGCA
TCAGGGATGGGAAAGTGACATTACCATATGTACCCACTGGAGGCACAGACATCAACGGGG
CCCTGCAGAGGGCCATCAGGCTCCTCAACAAGTACGTGGCCACAGTGGCATTGGAGACCGGA
GCGTGTCCTCATCGTCTTCTGACGGATGGGAAGCCACGGTCGGGGAGACGCACACCCTCA
AGATCCTCAACAACACCCGAGAGGCCGCCGAGGCCAAGTCTGCATCTTCACCATTGGCATCG
GCAACGACGTGGACTTCAGGCTGCTGGAGAACTGTGCTGGAGAACTGTGGCCTCACACGGC
GCGTGCACGAGGAGGAGGACGCAGGCTCGCAGCTCATCGGGTCTACGATGAAATCAGGACCC
CGCTCCTCTCTGACATCCGCATCGATTATCCCCCAGCTCAGTGGTGCAGGCCACCAAGACCC
TGTTCCCCAACTACTTCAACGGCTCGGAGATCATCATTGCGGGGAAGCTGGTGGACAGGAAGC
TGGATCACCTGCACGTGGAGGTCACCGCCAGCAACAGTAAGAAATTCATCATCCTGAAGACAG
ATGTGCCTGTGCGGCCTCAGAAGGCAGGGAAAGATGTACAGGAAGCCCCAGGCCTGGAGGCG
ATGGAGAGGGGGACACCAACCACATCGAGCGTCTCTGGAGCTACCTCACCACAAAGGAGCTGC
TGAGCTCCTGGCTGCAAAGTGACGATGAACCGGAGAAGGAGCGGCTGCGGCAGCGGGCCAGG
CCCTGGCTGTGAGCTACCGCTTCCTCACTCCCTTCACCTCCATGAAGCTGAGGGGGCCGGTCC
CACGCATGGATGGCCTGGAGGAGGCCACGGCATGTGCGCTGCCATGGGACCCGAACCGGTGG
TGCAGAGCGTGCGAGGAGCTGGCACGCAGCCAGGACCTTTGCTCAAGAAGCCAACTCCGTCA
AAAAAAAACAAAACAAAACAAAAAAGACATGGGAGAGATGGTGTTTTTCTCTCCACCACC
TGGGGATACGATTGAGAGATGGCCACCTGCAAGCCAGGAAGACGGCCCTCACCAGACACCATG
TCTGCTGGCACCTTGATCTTGACCTCCAGCCTCCAGAACTGTGAGAAATAAATGTGTTTTG
TTTAAGCTAAAAA

60/615

FIGURE 60

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44192
<subunit 1 of 1, 694 aa, 1 stop
<MW: 77400, pI: 9.54, NX(S/T): 6
MLLLGLCLGLSLCVGSQEEAQSWGHSSEQDGLRVPRQVRLQLKTKPLMTEFSVKSTIISR
YAFTTVSCRMLNRASEDQDIEFQMQUIPAAAFITNFTMLIGDKVYQGEITEREKKSGDRVKEKR
NKTTEENGEKGTEIFRASAVIPSKDKAAFFLSYEELLQRRLGKYEHSISVRPQQLSGRLSVDV
NILESAGIASLEVLPLHNSRQRGSGRGEDDSGPPPSTVINQNETFANIIIFKPTVVQQARIAQN
GILGDFIIRYDVNREQSIGDIQVLNGYFVHYFAPKDLPLPKNVVFVLDSSASMVGTKLRQTK
DALEFTILHDLRPQDRFSIIGFSNRKIKVWKDHLISVTPDSIRDGKVYIHHMSPTGGTDINGALQ
RAIRLLNKYVAHSGIGDRSVSLIVFLTGDGKPTVGETHTLKIILNNTREAARGQVCIFTIGIGND
VDFRLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLEP
NYFNGSEIIIIAGKLVDRKLDHLHVEVTASNSKKFIILKTDVPVVRPQKAGKDVTSRPPGGDGE
GDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRM
DGLEEAHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPNSVKKKQNKTKKRHGRDGVFPLHHLGIR
```

Signal sequence.

amino acids 1-14

N-glycosylation sites.

amino acids 97-101, 127-131, 231-235, 421-425, 508-512, 674-678

Glycosaminoglycan attachment sites.

amino acids 213-217, 391-395

N-myristoylation sites.

amino acids 6-12, 10-16, 212-218, 370-376, 632-638, 638-644

61/615

FIGURE 61

CAGGAACCCTCTCTTTGGGTCTGGATTGGGACCCCTTTCCAGTACCATTTTTTCTAGTGAACC
ACGAAGGGGACGATACCAGAAAACACCCTCAACCCAAAGGAAATAGACTACAGCCCCAATTGGC
TGACTTTGGCTATAGAAAAAGAAAGGAACGAAAAGAGACAGTTTTTTTTTGGAAAGCTAAGTC
TTCCCTTTATCGAGTCAAGAAACCCCCCTTCTTGAGCTATTTACAGCTTTTAACAATTGAGT
AAAGTACGCTCCGGTCACCATGGTGACAGCCGCCCTGGGTCCCGTCTGGGCAGCGCTCCTGCT
CTTTCTCCTGATGTGTGAGATCCGTATGGTGGAGCTCACCTTTGACAGAGCTGTGGCCAGCGG
CTGCCAACGGTGCTGTGACTCTGAGGACCCCCCTGGATCCTGCCCATGTATCCTCAGCCTCTTC
CTCCGGCCGCCCCACGCCCTGCCTGAGATCAGACCCTACATTAATATCACCATCCTGAAGGG
TGACAAAGGGGACCCAGGCCCAATGGGCCTGCCAGGGTACATGGGCAGGGAGGGTCCCCAAGG
GGAGCCTGGCCCTCAGGGCAGCAAGGGTGACAAGGGGGAGATGGGCAGCCCCGGCGCCCCGTG
CCAGAAGCGCTTCTTCGCCTTCTCAGTGGGCCGCAAGACGGCCCTGCACAGCGGCGAGGACTT
CCAGACGCTGCTCTTCGAAAGGGTCTTTGTGAACCTTGATGGGTGCTTTGACATGGCGACCGG
CCAGTTTGTCTGCTCCCCCTGCGTGGCATCTACTTCTTCAGCCTCAATGTGCACAGCTGGAATTA
CAAGGAGACGTACGTGCACATTATGCATAACCAGAAAGAGGCTGTCATCCTGTACGCGCAGCC
CAGCGAGCGCAGCATCATGCAGAGCCAGAGTGTGATGCTGGACCTGGCCTACGGGGACCGCGT
CTGGGTGCGGCTCTTCAAGCGCCAGCGCGAGAACGCCATCTACAGCAACGACTTCGACACCTA
CATCACCTTCAGCGGCCACCTCATCAAGGCCGAGGACGACTGAGGGCCTCTGGGCCACCCCTCC
CGGCTGGAGAGCTCAGGTGCTGGTCCCGTCCCCCTGCAGGGCTCAGTTTGCAGTCTGTGAAGC
AGGAAGGCCAGGGAGGTCCCCGGGGACCTGGCATTCTGGGGAGACCCTGCTTCTATCTTGGCT
GCCATCATCCCTCCAGCCTATTTCTGCTCCTCTCTTCTCTCTTGGACCTATTTTAAGAAGCT
TGCTAACCTAAATATTCTAGAACCTTTCCAGCCTCGTAGCCAGCACTTCTCAAACCTTGAAA
TGCATGCGAATCACCCGGGGTTCGTGTTAAATGCAGATTCTGACTCAGCAGGTCTGAGTGGGT
CCAGGATTCTGTGTTTCTCATATGTTCTGGGTGATGCTGATGGGGTCACTATGAACCACA
CTGGAGCAACCAGGTTCTAGGACTTTCTCAATATTCTAGTACTTTCTGAACATTCTGGAATCC
TCCCCACATTCTAGAACTTCTCCCAACATTTTTTTTTTCTTGAGACAGAGTCTTGCTCTGTTGCC
CAGGCTAGAGTGCAGTGGTGCAATCTCAGTTCACTGCAACCTCTGCCTCCCGGTTCAAGCGA
TTCTTCTGCCTCAGCCTCCCTAGTGGCTGGGATTACAGGCGCCTGCTACCATGCTGGCTAAT
TTTTGTATTTTAGTAGAGATGGGGTTTACCATATTGGCCAGGCTGGTCTTGAACCTCTGAC
TTCAGGTGACCCACCGCCTCGGCCCTCTCAAAATGCTGGGATTACAGGTGTGAGCCACCGTGC
CTGGCCAATTCCAACATTCTTAAATTCTCTCATCCCTCCAGGGCTCCCCGTGCTATGTTCTCT
TTACCCCTTCCCCCTTCTCTTGTCTCAGGCCTGCACCACTGCAGCCACCGTTCATTTATTCA
TTCATTAAACACTGAGCACTCACTCTGTGCTGGGTCCCGGGAAGGGTGAGGGGGTCAGACACA
GGCCCTGCCCTGCCCTCAGTGAAGTGGCCAGTCCAGCCCAGGCGGGGAGAGATGTGTACATAG
GTTTTAAAGCAGACCCAGAGCTCATGGGGGCTGTGTTCTGGGTGTTCAAGGTGCTGCTGGTCC
TCCATTACCACTGCTCCCCAAGGCTGGTGGGACGGGGTCCCGGTGGCAGGGGAGGATATCTC
CTTCCCGTTCCTCATCCACCTGCCAGTGCTCATCGTTACAGCAAACCCAGGGGGCCTTGGC
CAGGTCAAGGGTTCTGTGAGGAGAGGACCCAGGAGTGTGGGGGCATTTGGGGGGTGAAGTGGC
CCCCGAAGAATGGAACCCACACCCATAGCTCTCCCCACAGCTGATACGGCATCCTGCGAGAAG
ACCTGCCCTCCTCACTGGGATCCCCCTTCCCTGCCTCCTCCAGGGCTCTGCCAGGGCCTTGCTC
AGTCCCTTCCACCAAAGTCATCTGAACCTCCGTTTCCCCAGGGCCTCCAGCTGCCCTCAGACA
CTGATGTCTGTCCCCAGGTGCTCTCTGCCCTCATGCCCTCTCACCGGCCAGTGCCCCGAC
TCTCCAGGCTTTATCAAGGTGCTAAGGCCCGGGTGGGCAGCTCCTCGTCTCAGAGCCCTCCTC
CGGCCTGGTGCTGCCTTTACAAACACCTGCAGGAGAAGGGCCACGGAAGCCCCAGGCTTTAGA
GCCCTCAGCAGGTCTGGGGAGCTAGAGCAAAGGAGGGACCTCAGGCCTTCCGTTTCTTCTTCC
AGGGTGGGGTGGCCTGGTGTTCCTTAGCCTTCCAAACCCAGGTGGCCTGCCCTTCTCCCCAG
AGGGAGGCGGCCTCCGCCATTGGTGCTCATGCAGACTCTGGGGCTGAGGTGCCCGGGGGGT
GATCTCTGGTGCTCACAGCCGAGGGAGCCGTGGCTCCATGGCCAGATGACGGAAACAGGGTCT
GACCAAGTGCCAGGAAGACCTGTGCTATAAACACCCCTGCCTGATCCTGCCCTGCCTGACCC
CGCCACGCCCTGCCGTCCAGCATGATTAAAGAATGCTGTCTCCTCTTGAAAAAAAAAAAAAAAA

62/615

FIGURE 62

MVTAALGPVWAALLLFLLMCEIRMVELTFDRAVASGCQRCCDSEDPLDPAHVSSASSSSGRPHA
LPEIRPYINITILKGDGDPGPMGLPGYMGREGPGQEPGPQSGKDGKGEMGSPGAPCQKRFFA
FSVGRKTALHSGEDFQTLLFERVFNLDGCFDMATGQFAAPLRGIYFFSLNVHSWNYKETYVH
IMHNQKEAVILYAQPSESRIMQSQSVMLDLAYGDRVWVRLFKRQRENAIYSNDFDTYITFSGH
LIKAEDD

Important features:**Signal peptide:**

amino acids 1-20

N-glycosylation site.

amino acids 72-75

Clq domain proteins.

amino acids 144-178, 78-111 and 84-117

63/615

FIGURE 63

ATGGGAAGCCAGTAACACTGTGGCCTACTATCTCTTCCGTGGTGCCATCTACATTTTTTGGGAC
TCGGGAATTATGAGGTAGAGGTGGAGGCGGAGCCGGATGTCAGAGGTCCTGAAATAGTCACCA
TGGGGGAAAAATGATCCGCCTGCTGTTGAAGCCCCCTTCTCATTCCGATCGCTTTTTTGGCCTTG
ATGATTTGAAAAATAAGTCTGTGACCAGATGCAGATGCTGTTGCTGCACAGATCCTGTCAC
TGCTGCCATTGAAGTTTTTTTCCAATCATCGTCATTGGGATCATTGCATTGATATTAGCACTGG
CCATTGGTCTGGGCATCCACTTCGACTGCTCAGGGAAGTACAGATGTCGCTCATCCTTTAAGT
GTATCGAGCTGATAGCTCGATGTGACGGAGTCTCGGATTGCAAAGACGGGGAGGACGAGTACC
GCTGTGTCCGGGTGGGTGGTCAGAATGCCGTGCTCCAGGTGTTACAGCTGCTTCGTGGAAGA
CCATGTGCTCCGATGACTGGAAGGGTCACTACGCAAATGTTGCCTGTGCCAACTGGGTTTTCC
CAAGCTATGTGAGTTCAGATAACCTCAGAGTGAGCTCGCTGGAGGGGCAGTTCCGGGAGGAGT
TTGTGTCCATCGATCACCTCTTGCCAGATGACAAGGTGACTGCATTACACCACTCAGTATATG
TGAGGGAGGGATGTGCCTCTGGCCACGTGGTTACCTTGCAAGTGCACAGCCTGTGGTCATAGAA
GGGGCTACAGCTCACGCATCGTGGGTGGAAACATGTCTTGTCTCGCAGTGGCCCTGGCAGG
CCAGCCTTCAGTTCAGGGCTACCACCTGTGCGGGGGCTCTGTTCATCACGCCCCCTGTGGATCA
TCACTGCTGCACACTGTGTTTATGACTTGTACCTCCCCAAGTCATGGACCATCCAGGTGGGTC
TAGTTTCCCTGTTGGACAATCCAGCCCCATCCCCTTGGTGGAGAAGATTGTCTACCACAGCA
AGTACAAGCCAAAGAGGCTGGGCAATGACATCGCCCTTATGAAGCTGGCCGGGGCCACTCACGT
TCAATGAAATGATCCAGCCTGTGTGCCTGCCCAACTCTGAAGAGAACTTCCCCGATGGAAAAG
TGTGCTGGACGTCAGGATGGGGGGCCACAGAGGATGGAGGTGACGCCTCCCCTGTCTGAACC
ACGCGGCCGTCCCTTTGATTTCCAACAAGATCTGCAACCACAGGGACGTGTACGGTGGCATCA
TCTCCCCCTCCATGCTCTGCGCGGGCTACCTGACGGGTGGCGTGGACAGCTGCCAGGGGGACA
GCGGGGGGGCCCCCTGGTGTGTCAAGAGAGGAGGCTGTGGAAGTTAGTGGGAGCGACCAGCTTTG
GCATCGGCTGCGCAGAGGTGAACAAGCCTGGGGTGTACACCCGTGTACCTCCTTCTTGACT
GGATCCACGAGCAGATGGAGAGAGACCTAAAAACCTGAAGAGGAAGGGGACAAGTAGCCACCT
GAGTTCCTGAGGTGATGAAGACAGCCCGATCCTCCCCTGGACTCCCGTGTAGGAACCTGCACA
CGAGCAGACACCCTTGGAGCTCTGAGTTCGGCACCAGTAGCAGGCCCGAAAGAGGCACCCTT
CCATCTGATTCCAGCACAACTTCAAGCTGCTTTTTGTTTTTGTTTTTTTGAGGTGGAGTCT
CGCTCTGTTGCCCAGGCTGGAGTGCAGTGGCGAAATCCCTGCTCACTGCAGCCTCCGCTTCCC
TGGTTCAGCGATTCTCTTGCCCTCAGCTTCCCCAGTAGCTGGGACCACAGGTGCCCGCCACCA
CACCCAACATAATTTTTGTATTTTAGTAGAGACAGGGTTTCACCATGTTGGCCAGGCTGCTCT
CAAACCCCTGACCTCAAATGATGTGCCTGCTTCAGCCTCCACAGTGCTGGGATTACAGGCAT
GGGCCACCACGCCTAGCCTCACGCTCCTTTCTGATCTTCACTAAGAACAAAAGAAGCAGCAAC
TTGCAAGGGCGGCCCTTCCCACTGGTCCATCTGGTTTTCTCTCCAGGGTCTGCAAAATTCCT
GACGAGATAAGCAGTTATGTGACCTCACGTGCAAAGCCACCAACAGCCACTCAGAAAAGACGC
ACCAGCCCAGAAGTGCAGAACTGCAGTCACTGCACGTTTTTCATCTCTAGGGACCAGAACCAAA
CCCACCCTTTCTACTTCCAAGACTTATTTTCACATGTGGGGAGGTTAATCTAGGAATGACTCG
TTTAAGGCCTATTTTCATGATTTCTTTGTAGCATTTGGTGCTTGACGTATTATTGTCCTTTGA
TTCCAAATAATATGTTTCCTTCCCTCATTGTCTGGCGTGTCTGCGTGGACTGGTGACGTGAAT
CAAAATCATCCACTGAAA

64/615

FIGURE 64

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45234
><subunit 1 of 1, 453 aa, 1 stop
><MW: 49334, pI: 6.32, NX(S/T): 1
MGENDPPAVEAPFSFRSLFGLDDLKISPVAPDADAVAAQILSLLPLKFFPIIVIGIILAL
AIGLGIHFDCSGKYRCRSSFKCIELIARCDGVSDCKDGEDEYRCVRVGGQNAVLOVFTAASWK
TMCSDDWKGHYANVACAQLGFPSYVSSDNLRVSSLEGQFREEFVSIHLLPDDKVTALHHSVY
VREGCASGHVVTLQCTACGHRRGYSSRIVGGNMSLLSQWPWQASLQFGYHLCGGSVITPLWI
ITAHCVDYDLYLPKSWTIQVGLVSLLDNPAPSHLVEKIVYHSKYKPKRLGNDIALMKLAGPLT
FNEMIQPVCLPNSEENFPDGKVCWTSGWGATEDGGDASPVLNHAAPLISNKICNHRDVYGGI
ISPSMLCAGYLTGGVDSCQGDSSGGLVCQERRLWKLVGATSTFGIGCAEVNKPGRVYTRVTSFLD
WIHEQMERDLKT
```

Signal Peptide:

amino acids 1-20

Transmembrane domain:

amino acids 240-284

65/615

FIGURE 65

CGGGCCAGCCTGGGGCGGCCGGCCAGGAACCAACCCGTTAAGGTGTCTTCTCTTTAGGGATGGT
GAGGTTGGAAAAAGACTCCTGTAACCCCTCCTCCAGGATGAACCACCTGCCAGAAGACATGGAG
AACGCTCTCACCGGGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCC
ACACAACCTCATGGCCAGGATTGAGTCCTATGAAGGAAGGAAAAGAAAGGCATATCTGATGTC
AGGAGGACTTCTGTTTGTGTTGTCACCTTTGACCTCTTATTCGTAACATTACTGTGGATAATA
GAGTTAAATGTGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTAC
TATTCCTTCATATTTTGATATATTTCTTCTGGCAGTTTTTTCGATTTAAAGTGTTAATACTTGCA
TATGCTGTGTGCAGACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCC
TTTTTACTAGCAAAAGTGATCCTTTTGAAGCTTTTCTCTCAAGGGGCTTTTGGCTATGTGCTG
CCCATCATTTTCATTCATCCTTGCCCTGGATTGAGACGTGGTTCCTGGATTTCAAAGTGTTACCT
CAAGAAGCAGAAGAAGAAAACAGACTCCTGATAGTTCAGGATGCTTCAGAGAGGGCAGCACTT
ATACCTGGTGGTCTTTCTGATGGTCAGTTTTATTCCCCTCCTGAATCCGAAGCAGGATCTGAA
GAAGCTGAAGAAAAACAGGACAGTGAGAAACCACTTTTAGAACTATGAGTACTACTTTTGTTA
AATGTGAAAAACCCCTCACAGAAAGTCATCGAGGCAAAAAGAGGCAGGCAGTGGAGTCTCCCTG
TCGACAGTAAAGTTGAAATGGTGACGTCCACTGCTGGCTTTATTGAACAGCTAATAAAGATTT
ATTTATTGTAATACCTCACAAACGTTGTACCATATCCATGCACATTTAGTTGCCTGCCTGTGG
CTGGTAAGGTAATGTCATGATTCATCCTCTCTTCAGTGAGACTGAGCCTGATGTGTTAACAAA
TAGGTGAAGAAAGTCTTGTGCTGTATTCCTAATCAAAAGACTTAATATATTGAAGTAACACTT
TTTTAGTAAGCAAGATACCTTTTTATTTCAATTCACAGAATGGAATTTTTTGTTCATGTCT
CAGATTTATTTTGTATTTCTTTTTTAACACTCTACATTTCCCTTGTTTTTAACTCATGCACA
TGTGCTCTTTGTACAGTTTTTAAAAGTGTAATAAAATCTGACATGTCAATGTGGCTAGTTTTA
TTTTTCTTGTTTTGCATTATGTGTATGGCCTGAAGTGTGGACTTGCAAAAGGGGAAGAAAGG
AATTGCGAATACATGTAAAATGTCACCAGACATTTGTATTATTTTATCATGAAATCATGTTT
TTCTCTGATTGTTCTGAAATGTTCTAAATACTCTTATTTTGAATGCACAAAATGACTTAAACC
ATTCATATCATGTTTCCTTTGCGTTCAGCCAATTTCAATTAAAATGAACTAAATTAAAAA

66/615

FIGURE 66

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDL
LFVTLWIIELNVNGGIENTLEKEVMQYDYYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAI
ALTTAVTSAFLLAKVILSKLFSQGAFGYVLPPIISFILAWIETWFLDFKVL PQEAEENRLLIV
QDASERAALIPGGLSDGQFYSPPESEAGSEEAEKQDSEKPLLEL

Important features of the protein:**Signal peptide:**

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

67/615

FIGURE 67

AATAAAGCTTCCTTAATGTTGTATATGTCTTTGAAGTACATCCGTGCATTTTTTTTTTAGCATC
CAACCATTCCTCCCTTGTAGTTCTCGCCCCCTCAAATCACCTCTCCCGTAGCCCACCCGACT
AACATCTCAGTCTCTGAAAATGCACAGAGATGCCTGGCTACCTCGCCCTGCCTTCAGCCTCAC
GGGGCTCAGTCTCTTTTTCTCTTTGGTGCCACCAGGACGGAGCATGGAGGTCACAGTACCTGC
CACCTCAACGTCTCAATGGCTCTGACGCCCCGCTGCCCTGCACCTTCAACTCCTGCTACAC
AGTGAACCACAAACAGTTCTCCCTGAACTGGACTTACCAGGAGTGCAACAACGTCTGAGGA
GATGTTCTCCTCAGTTCCGCATGAAGATCATTAACTGAAGCTGGAGCGGTTTCAAGACCGCGT
GGAGTTCTCAGGGAACCCAGCAAGTACGATGTGTCTGGTGATGCTGAGAAACGTGCAGCCGGA
GGATGAGGGGATTTACAACCTGCTACATCATGAACCCCCCTGACCGCCACCGTGGCCATGGCAA
GATCCATCTGCAGGTCTCATGGAAGAGCCCCCTGAGCGGGACTCCACGGTGGCCGTGATTGT
GGGTGCCCTCCGTGCGGGGCTTCTGGCTGTGGTCATCTTGGTGCTGATGGTGGTCAAGTGTGT
GAGGAGAAAAAAGAGCAGAAGCTGAGCACAGATGACCTGAAGACCGAGGAGGAGGGCAAGAC
GGACGGTGAAGGCAACCCGGATGATGGCGCCAAGTAGTGGGTGGCCGGCCCTGCAGCCTCCCG
TGTCCCGTCTCTCCCTCTCCGCCCTGTACAGTGACCTGCCTGCTCGCTCTTGGTGTGCTT
CCCGTGACCTAGGACCCCAGGGCCCACCTGGGGCCTCCTGAACCCCCGACTTCGTATCTCCCA
CCCTGCACCAAGAGTGACCCACTCTCTCCATCCGAGAAACCTGCCATGCTCTGGGACGTGTG
GGCCCTGGGGAGAGGAGAGAAAGGGCTCCCACCTGCCAGTCCCTGGGGGGAGGCAGGAGGCAC
ATGTGAGGGTCCCCAGAGAGAAGGGAGTGGGTGGGCAGGGGTAGAGGAGGGGCCGCTGTACC
TGCCCAGTGCTTGCTGGCAGTGGCTTCAGAGAGGACCTGGTGGGGAGGGAGGGCTTTCCTGT
GCTGACAGCGCTCCCTCAGGAGGGCCTTGGCCTGGCACGGCTGTGCTCCTCCCTGCTCCCAG
CCCAGAGCAGCCATCAGGCTGGAGGTGACGATGAGTTCCTGAACTTGGAGGGGCATGTTAAA
GGGATGACTGTGCATTCCAGGGCACTGACGGAAAGCCAGGGCTGCAGGCAAAGCTGGACATGT
GCCCTGGCCCAGGAGGCCATGTTGGGCCCTCGTTTCCATTGCTAGTGGCCTCCTTGGGGCTCC
TGTTGGCTCCTAATCCCTTAGGACTGTGGATGAGGCCAGACTGGAAGAGCAGCTCCAGGTAGG
GGGCCATGTTTCCCAGCGGGGACCCACCAACAGAGGCCAGTTTCAAAGTCAGCTGAGGGGCTG
AGGGGTGGGGCTCCATGGTGAATGCAGGTGCTGCAGGCTCTGCCTTCTCCATGGGGTAACCA
CCCTCGCCTGGGGCAGGGCAGCCAAGGCTGGGAAATGAGGAGGCCATGCACAGGGTGGGGCAG
CTTTCTTTGGGGCTTCAGTGAGAACTCTCCAGTTGCCCTTGGTGGGGTTTTCCACCTGGCTTT
TGGCTACAGAGAGGGAAGGGAAAGCCTGAGGCCGGCATAAGGGGAGGCCTTGGAACCTGAGCT
GCCAATGCCAGCCCTGTCCCATCTGCGGCCACGCTACTCGCTCCTCTCCCAACAACCTCCCTTC
GTGGGGACAAAAGTGACAATTGTAGGCCAGGCACAGTGGCTCACGCCTGTAATCCCAGCACTT
TGGGAGGCCAAGGCGGGTGGATTACCTCCATCTGTTTAGTAGAAATGGGCAAAACCCCATCTC
TACTAAAAATACAAGAATTAGCTGGGCGTGGTGGCGTGTGCCTGTAATCCCAGCTATTGGGA
GGCTGAGGCAGGAGAATCGCTTGAAGCCGGGAAGCAGAGGTTGCAGTGAAGTGAAGATAGTGAT
AGTGCCACTGCAATTCAGCCTGGGTGACATAGAGAGACTCCATCTCAAAAAAA

68/615

FIGURE 68

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45415
<subunit 1 of 1, 215 aa, 1 stop
<MW: 24326, pI: 6.32, NX(S/T): 4
MHRDAWLPRPAFSLTGLSLFFSLVPPGRSMEVTVPATLNVLNQSDARLPCTFNSCYTVNHKQF
SLNWTYQECNNCSEEMFLQFRMKIINLKLERFQDRVEFSGNPSKYDVSVMRLRVQPEDEGIYN
CYIMNPPDRHRHGKIHLOVLMEEPPEPDSTVAVIVGASVGGFLAVVILVLMVVKCVRRKKEQ
KLSTDDLKTEEEGKTDGEGNPDDGAK
```

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 161-179

Immunoglobulin-like fold:

amino acids 83-127

N-glycosylation sites.

amino acids 42-45, 66-69 and 74-77

69/615

FIGURE 69

GGCGCCTGGTTCCTGCGCGTACTGGCTGTACGGAGCAGGAGCAAGAGGTCGCCGCCAGCCTCCGCCGCCGAGCCTC
GTTCTGTGTCCTCGCTCCTGCTCAGCTACTGCTCAGAAACGCTGGGGCGCCACCCTGGCAGACTAACGAA
GCAGCTCCCTTCCACCCCAACTGCAGGTCTAATTTTGGACGCTTTGCCTGCCATTTCTTCCAGGTTGAGGGAGC
CGCAGAGGCGGAGGCTCGCGTATTCCTGCAGTCAGCACCCACGTCGCCCCCGACGCTCGGTGCTCAGGCCCTTC
GCGAGCGGGGCTCTCCGTCTGCGGTCCCTTGTGAAGGCTCTGGGCGGCTGCAGAGGCCGGCCGTCCGGTTTGGCT
CACCTCTCCAGGAACTTCACACTGGAGAGCCAAAAGGAGTGGAAGAGCCTGTCTTGGAGATTTTCTGGGGAA
ATCCTGAGGTCATTATTGAAGTGTACCGCGCGGGAGTGGCTCAGAGTAACCACAGTGCTGTTTCATGGCTAGA
GCAATTCAGCCATGGTGGTTCCTCAATGCCACTTTTATTTGGAGAACTTTTGGAAAAATACATGGATGAGGATGGT
GAGTGGTGGATAGCCAAACAACGAGGGGAAAAGGGCCATCACAGACAATGACATGCAGAGTATTTTGGACCTTCAT
AATAAATTACGAAGTCAGGTGTATCCAACAGCCTCTAATATGGAGTATATGACATGGGATGTAGAGCTGGAAAGA
TCTGCAGAATCCTGGGCTGAAAGTTGCTTGTGGGAACATGGACCTGCAAGCTTGCTTCCATCAATTGGACAGAAT
TTGGGAGCACACTGGGGAAGATATAGGCCCCCGACGTTTCATGTACAATCGTGGTATGATGAAGTGAAAGACTTT
AGTACCCCATATGAACATGAATGCAACCCATATTGTCCATTGAGTGTCTGGCCCTGTATGTACACATTATACA
CAGGTCTGTGGGCAACTAGTAACAGATCGGTTGTGCCATTAAATTTGTGTCTAATACATGAACATCTGGGGGCGAG
ATATGGCCCAAAGCTGTCTACCTGGTGTGCAATTACTCCCCAAAGGGAACTGGTGGGGCCATGCCCTTACAAA
CATGGGCGGCCCTGTTCTGCTTGCACCTAGTTTGGAGGGGGCTGTAGAGAAAATCTGTGCTACAAAGAAGGG
TCAGACAGGTATTATCCCCCTCGAGAAGAGGAAACAAATGAAATAGAACGACAGCAGTCACAAGTCCATGACACC
CATGTCGGACAAGATCAGATGATAGTAGCAGAAATGAAGTCATAAGCGCACAGCAAATGTCCCAAATTGTTTCT
TGTGAAGTAAGATTAAGAGATCAGTGCAAGGAACAACCTGCAATAGGTACGAATGTCCTGCTGGCTGTTTGGAT
AGTAAAGCTAAAGTTATTGGCAGTGTACATTATGAATGCAATCCAGCATCTGTAGAGCTGCAATTCATTATGGT
ATAATAGACAATGATGGTGGCTGGGTAGATATCACTAGACAAGGAAGAAAGCATTATTTTCATCAAGTCCAATAGA
AATGGTATTCAAACAATTGGCAAATATCAGTCTGCTAATTCCTTCACAGTCTCTAAAGTAACAGTTCAGGCTGTG
ACTTGTGAACAACCTGTGGAACAGCTCTGTCCATTTCATAAGCCTGCTTCACATTGCCCAAGAGTATACTGTCT
CGTAACTGTATGCAAGCAAATCCACATTATGCTCGTGTAAATTGGAACTCGAGTTTATTCTGATCTGTCCAGTATC
TGCAGAGCAGCAGTACATGCTGGAGTGGTTCGAAATCACGGTGGTTATGTTGATGTAATGCCTGTGGACAAAAGA
AAGACCTACATTGCTTCTTTTCAGAATGGAATCTTCTCAGAAAGTTTACAGAATCCTCCAGGAGGAAAGGCATTTC
AGAGTGTGTTGCTGTGTGTCGAACTGAATACTTGAAGAGGACCATAAAGACTATTCCAAATGCAATATTTCTGA
ATTTTGTATAAACTGTAACTACTGTACAGAGTACATCAACTATTTTCAGCCCAAAAAGGTGCCAAATGCATA
TAAATCTTGATAAAACAAAGTCTATAAAATAAAACATGGGACATTAGCTTTGGGAAAAGTAATGAAAATATAATGG
TTTTAGAAATCCTGTGTTAAATATTGCTATATTTTCTTAGCAGTTATTTCTACAGTTAATTACATAGTCATGATT
GTTCTACGTTTCATATATTATATGGTGGCTTTGTATATGCCACTAATAAAATGAATCTAAACATTGAATGTGAATG
GCCCTCAGAAAATCATCTAGTGCATTTAAAAATAATCGACTCTAAACTGAAAGAAACCTTATCACATTTTCCCC
AGTTCAATGCTATGCCATTACCAACTCCAAATAATCTCAAATAATTTTCCACTTAATAACTGTAAAGTTTTTTTC
TGTTAATTTAGGCATATAGAAATATTAAATTTCTGATATTGCACCTTCTTATTTTATATAAAATAATCCTTTAATATC
CAAATGAATCTGTTAAATGTTTGATTCTTTGGGAATGGCCTTAAAAATAAATGTAATAAAGTCAGAGTGGTGGT
ATGAAAACATTCTAGTGATCATGTAGTAAATGTAGGGTTAAGCATGGACAGCCAGAGCTTTCTATGTACTGTTA
AAATTGAGGTCACATATTTTCTTTTGTATCCTGGCAAATACTCCTGCAGGCCAGGAAGTATAATAGCAAAAAGTT
GAACAAAGATGAACATAATGTATTACATTACCATTGCCACTGATTTTTTTTAAATGGTAAATGACCTTGTATATAA
ATATTGCCATATCATGGTACCTATAATGGTGATATATTTGTTTCTATGAAAAATGTATTGTGCTTTGATACATAA
AATCTGTAAATGTTAGTTTTGGTAATTTTTTTTCTGCTGGTGGATTACATATTAAATTTTTTCTGCTGGTGGAA
TAAACATTAAATTAATCATGTTTCAAAAAAAAAAAAAA

70/615

FIGURE 70

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45417
<subunit 1 of 1, 500 aa, 1 stop
<MW: 56888, pI: 8.53, NX(S/T): 2
MKCTAREWLRVTTVLFMARAI PAMVVPNATLLEKLLEKYMDEDEGEWWIAKQRGKRAITDNDMQ
SILDLHNKLR SQVYPTASNMEYMTWDVELERSAESWAESCLWEHGPASLLPSIGQNLGAHWGR
YRPPTFHVQSWYDEVKDFSYPYEHECNPYCPFRCSGPVCTHYTQV VWATSNRIGCAINLCHNM
NIWGQIWPKAVYLV CNYS PKGNWWGHAPYKHGRPC SACPPSFGGGCRENL CYKEGSDRYYP PR
EETNEIERQQSQVHDTHV RTRSDSSRNEVIS AQQMSQIVSCEVRLRDQCKGTT CNRYECPA
GCLDSKAKVIGSVHYEMQSSICRAAIHYGIIDNDGGWVDITRQGRKHYFIKSNRNGIQ TIGKY
QSANSFTVSKVTVQAVTCETTVEQLCPFHKPASHCPRVYCP RNCMQANPHYARVIGTRVYSDL
SSICRAAVHAGVVRNHGGYVDVMPVDRKRTYIASFQNGIFSESLQNPPGGKAFRVFAVV
```

Important features:**Signal peptide:**

amino acids 1-20

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 protein

amino acids 165-186, 196-218, 134-146, 96-108 and 58-77

N-glycosylation site

amino acids 28-31

71/615

FIGURE 71

CAGCCCCGCGCGCCGGCCGAGTCGCTGAGCCGCGGGCTGCCGGACGGGACGGGACCGGCTAGGC
TGGGCGCGCCCCCGGGCCCCGCCGTGGGCATGGGCGCACTGGCCCCGGGCGCTGCTGCTGCCT
CTGCTGGCCCCAGTGGCTCCTGCGCGCCGCCCCGGAGCTGGCCCCCGCGCCCTTCACGCTGCCC
CTCCGGGTGGCCGCGGCCACGAACCGCGTAGTTGCGCCACCCCGGGACCCGGGACCCCTGCC
GAGCGCCACGCCGACGGCTTGGCGCTCGCCCTGGAGCCTGCCCTGGCGTCCCCCGCGGGCGCC
GCCAACTTCTTGGCCATGGTAGACAACCTGCAGGGGGACTCTGGCCGCGGCTACTACCTGGAG
ATGCTGATCGGGACCCCCCGCAGAAGCTACAGATTCTCGTTGACACTGGAAGCAGTAACTTT
GCCGTGGCAGGAACCCCCGCACTCCTACATAGACACGTACTTTGACACAGAGAGGTCTAGCACA
TACCGCTCCAAGGGCTTTGACGTCACAGTGAAGTACACACAAGGAAGCTGGACGGGCTTCGTT
GGGGAAGACCTCGTCACCATCCCCAAAGGCTTCAATACTTCTTTTCTTGTC AACATTGCCACT
ATTTTGAATCAGAGAATTTCTTTTGCCTGGGATTAAATGGAATGGAATACTTGGCCTAGCT
TATGCCACACTTGCCAAGCCATCAAGTTCTCTGGAGACCTTCTTCGACTCCCTGGTGACACAA
GCAACATCCCCAACGTTTTCTCCATGCAGATGTGTGGAGCCGGCTTGCCCGTTGCTGGATCT
GGGACCAACGGAGGTAGTCTTGTCTTGGGTGGAATTGAACCAAGTTTGTATAAAGGAGACATC
TGGTATACCCCCTATTAAGGAAGAGTGGTACTACCAGATAGAAATTCTGAAATTGGA AATTGGA
GGCCAAAGCCTTAATCTGGACTGCAGAGAGTATAACGCAGACAAGGCCATCGTGGACAGTGGC
ACCACGCTGCTGCGCCTGCCCCAGAAGGTGTTTGATGCGGTGGTGAAGCTGTGGCCCGCGCA
TCTCTGATTCCAGAATTCTCTGATGGTTTTCTGGACTGGGTCCCAGCTGGCGTGCTGGACGAAT
TCGGAAACACCTTGGTCTTACTTCCCTAAAATCTCCATCTACCTGAGAGACGAGAACTCCAGC
AGGTCATTCCGTATCACAATCCTGCCTCAGCTTTACATTACAGCCCATGATGGGGGCCGGCCTG
AATTATGAATGTTACCGATTTCGGCATTTCCTCCATCCACAAATGCGCTGGTGATCGGTGCCACG
GTGATGGAGGGCTTCTACGTCATCTTCGACAGAGCCCAGAAGAGGGTGGGCTTCGACGCGAGC
CCCTGTGCAGAAATTGCAGGTGCTGCAGTGTCTGAAATTTCCGGGCCTTTCTCAACAGAGGAT
GTAGCCAGCAACTGTGTCCCCGCTCAGTCTTTGAGCGAGCCCATTTTGTGGATTGTGTCTTAT
GCGCTCATGAGCGTCTGTGGAGCCATCCTCCTTGTCTTAATCGTCCTGCTGCTGCTGCCGTT
CGGTGTCAGCGTCGCCCCCGTGACCCTGAGGTCGTCAATGATGAGTCCTCTCTGGTCAGACAT
CGCTGGAATGAATAGCCAGGCCTGACCTCAAGCAACCATGAACTCAGCTATTAAGAAAATCA
CATTTCCAGGGCAGCAGCCGGGATCGATGGTGGCGCTTTCTCCTGTGCCACCCGCTCTTCAAT
CTCTGTTCTGCTCCAGATGCCTTCTAGATTCACTGTCTTTTGATTCTTGATTTTCAAGCTTT
CAAATCCTCCCTACTTCCAAGAAAAATAATTAAAAAAAACCTTCATTCTAA

72/615

FIGURE 72

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45493
><subunit 1 of 1, 518 aa, 1 stop
><MW: 56180, pI: 5.08, NX(S/T): 2
MGALARALLPLLAQWLLRAAPELAPAPFTLPLRVAAATNRVVAPTGPGPCTPAERHADGLALA
LEPALASPAGAANFLAMVDNLQGDSEGRGYYLEMLIGTPPQKLQILVDTGSSNFAVAGTPHSYI
DTYFDTERSSTYRSKGFDTVTKYTQGSWTGFGEDLVTIPKGFNTSFLVNIATIFESENFLLP
GIKWNGILGLAYATLAKPSSSLETFFDSLVTQANIPNVFSMQMCGAGLPVAGSGTNGGSLVLG
GIEPSLYKGDWYTPIKEEWYYQIEILKLEIGGQSLNLDREYNADKAIVDSGTTLLRLPQKV
FDAVVEAVARASLIPEFSDGFWTGSQACWTNSETPWSYFPKISYLRDENSSRSFRITILPQ
LYIQPMMGAGLNYECYRFGISPSTNALVIGATVMEGFYVIFDRAQKRVGFAASPCAETAGAAV
SEISGPFSTEDVASNCVPAQSLSEPIWIVSYALMSVCGAILLVLLVLLLLPFRRCQRRPRDPE
VVNDESSLVRHRWK
```

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 466-494

N-glycosylation sites.

amino acids 170-173 and 366-369

Leucine zipper pattern.

amino acids 10-31 and 197-118

Eukaryotic and viral aspartyl proteases

amino acids 109-118, 252-261 and 298-310

FIGURE 73

CGCGCGGGGAGAGCGCGCCAGGCCCGCGCGCATGCGCGCGCGCCAGGACGCCCTCTCCGCTGCTGGCCGGG
CGCGGGCCCTGACTGCGTGTCTGCTGCTGCTGCTGGGCCATGGCGGGCGCGGGCGCTGGGGCGCCCCGGGCCAGG
AGCGGGCGGGCGGGCGGGCGGACGGSCCCCCGCGGCAGACGGCGAGGACGGACAGGACCCGCACAGCAAGACC
TGTAACGGCCGACATGTTACAGCGAGGGATCCAGAGCGCGCGCACTTCGTCACTGTTCTTCGCGCCCTGGTGTG
GACACTGCCAGCGGCTCGAGCCGACTTGGAAATGACCTGGGAGACAAATACACAGCATGGAAGATGCCAAAGTCT
ATGTGGCTAAAGTGGACTGACAGGCCCACTCCGACGTGTGCTCCGCCAGGGGGTGGCAGGATACCCACCTTAA
AGCTTTTCAAGCCAGGCCAAGAAGCTGTGAAGTACCAGGGTCTCGGGACTTCAGACACTGGAAACTGGATGC
TGACAGACTGAACGAGGAGCCAGTGACACCAGCCGGAAGTGAACCCGCCAGTGGCCCCGAGCTCAAGCAAG
GGCTGTATGAGCTCTCAGCAAGCAACTTTGAGCTGCAGTGTGCACAGGCGACCACTTTATCAAGTCTCTCGCTC
CTGGTGTGGTCACTCGAAAGCCCTGGCTCCAACCTGGGAGCAGCTGGCTCTGGGCCCTTGAACATTCGAAACTG
TCAAGATTGGCAAGGTTGATTGTACACAGCACTATGAACCTGCTCCGGAACCAGGTTCTGGCTATCCCACTC
TTCTCTGGTTCGAGATGGGAAAAGGTGGATCAGTACAAGGGAAAGCGGGATTGGAGTCACTAGGGAGTACG
TGGAGTCGCAGCTGCAGCGCACAGACAGTGGAGCGACGGAGACCGTCAACGCCCTCAGAGGCCCGCGTGGCAG
CTGAGCCCCAGGCTGCACAGGGCAGACTGTGTGGCACTCACTGGAATAACTTCGATGACACCATTCGACAGGAA
TTAAGCTTCATCAAGTTTATGCTCCATGGTGTGGTCACTTGAAGACTGTGGCTCTACTTGGGAGGAAGTCTCTA
AAAAGGAATTCCTGGTCTGGCGGGGGTCAAGATCGCCGAAGTAGACTGCACTGCTGAACGGAATATCTGCAGCA
AGTATTCGGTACGAGGCTACCCACGTTATTGCTTTCCGAGGAGGGAAGAAAGTCAGTGAGCACAGTGGAGGCA
GAGACCTTGCACTCGTTACACCGCTTTGCTGAGCCAAAGCAAAGACGAACTTAGGAACACAGATTGGAGGTCA
CTCTCCTGGCCAGCTCCCGCACCCCTGCGTTTAGGAGTTCACTCCCAAGAGGCCACTGGGTTCCAGTGGTGGCT
GTTCAGAAAGCAGAACATACTAAGCTGAGGATCTCTTTGTGTGTGTTTCCAAGCCAACACACTCTACAG
ATTCTTTATTAAGTTAAGTTTCTCTAAGTAAATGTGTAAGTCACTGCTGTAACATTTTCACTGGCGATA
TATCCCCTTTGACCTTCTCTTGATGAAATTTACATGTTTCTTTGAGACTAAAATAGCGTTAGGGAAATGAA
TTGCTGGACTATTTGTGGCTCCTGAGTTGAGTGATTTTGTGAAAGAAAGCATCCAAAGCATAGTTTACCTGC
CCACGAGTTCTGGAAGAGGTGGCTGTGGCAGTATTGACGTTCTCTGATCTTAAGTCAAGTTGACTCAATAC
TGTGTTGGTCCGTAGCATGGAGCATGATTGAAATGCAAAAACCCACACTCTGGAAGATACCTTCACGGCCGCTGC
TGGAGCTTCFPTTGTCTGTGAATACTTCTCTCAGTGTGAGAGGTTAGCCGTGATGAAAGCAGCGTTACTTCTGACC
GTGCTGAGTAAGAGAATGCTGATGCCATAACTTTATGTGCGATACTTGTCAAATCAGTTACTGTTACAGGGGAT
CCTTCTGTTTCTCACGGGGTGAACATGCTTTAGTTCCCTCATGTTAAACAGAGCCAGAGCCCAATGAACGTGT
TGGATGTCCTTCTAGAAAGGTAGGCATGGAAATCCACAGGGCTCATCTCAGTATCTCAATTAAGTCAATGTA
AAGATTCCAGTTGATATTTGTCACTGGGGTGACAGACAGCAGGCTTTCCAGGCCCTGGGTATCCAGGGAGGC
TCTGCAGCCCTGCTGAAGGGCCCTAACTAGAGTTCTAGAGTTTCTGATTCTGTTTCTCAGTAGTCTTTTAGAGG
CTTGCTATACTTGGTCTGCTTCAAGGAGGTGACCTTCTAATGTATGAAGAATGGGATGCATTTGATCTCAAGAC
CAAAGACAGATGTCAGTGGGCTGCTCTGBCCTGGTGTGCACGGCTGTGGCAGCTGTTGATGCCAGTGTCTCTA
ACTCATGCTGTCTTGTGATTAAACACCTCTATCTCCCTTGGGAATAAGCACATACAGGCTTAAAGCTATAAGTA
GATAGGTTGTTGCTCTTTTACCATCGAGCTACTTCCCAATAAACCATTGTCATCCAACACTCTTCAACCACCT
CCCATACGCAAGGGGATGTGGATACTTGGCCCAAAGTAACTGGTGGTAGGAATCTTAGAAACAAGACCACTTATA
CTGTCTGTCTGAGGCAGAAGATAACAGCAGCATCTCGACCAGCCTCTGCCTTAAAGGAATCTTTATTAATCAG
TATGTTTACAGATATGATCTTTTTTAAAAAACCCAACTCCTAGAGAAGCACAACCTGTCAAGAGTCTTGTACA
CACAACCTCAGCTTTGTCATCAGAGTCTTGTATTCCAAGAAAACAAAGTGGTACAATTTGTTTGTTTACACTAT
GATACTTTCTAAATAAACTCTTTTTTTTAA

74/615

FIGURE 74

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA46776
><subunit 1 of 1, 432 aa, 1 stop
><MW: 47629, pI: 5.90, NX(S/T): 0
MPARPGRLLPLLARPAALTALLLLLLLGHGGGGRWGARAQEAAAAAADGPPAADGEDGQDPHSK
HLYTADMFTHGIQSAAHFVMFFAPWCGHCQRLQPTWNDLGDKYNSMEDAKVYVAKVDCTAHS
VCSAQGVRGYP TLKLFKPGQEAVKYQGPRDFQTLNWM LQTLNEEPVTPEPEVEPPSAPELKQ
GLYEL SASNFELHVAQGDHFIKFFAPWCGHCKALAPTWEQLALGLEHSETVKIGKVDCTQH YE
LCSGNQVRGYPTLLWFRDGKKVDQYKGKRDLESLREYVESQLQRTETGATETVTPSEAPVLAA
EPEADKGTVLALTENNFDDTIAEGITFIKFYAPWCGHCKTLAPTWEELSKKEFPGLAGVKIAE
VDCTAERNICKYSVRGYPTLLLFRGGKKVSEHSGGRDLDSLH R FVLSQAKDEL
```

Signal sequence:
amino acids 1-32

75/615

FIGURE 75A

CGGACGCGTGGGCGGACGCGTGGGCAAAAGAACTCGGAGTGCCAAAGCTAAATAAGTTAGCTGAGAAAACGCACG
CAGTTTGACAGCGCTTGGCCGGGTGCGCCAACTACGCCAAAGACCAAGCGGGCTCCGCGCGGACCGGCCGCGGGG
TAGGGACCCGGCTTTGGCCTTCAGGCTCCCTAGCAGCGGGGAAAAGGAATTGCTGCCCGGAGTTTCTGCGGAGGT
GGAGGGAGATCAGGAAACGGCTTCTTCTCACTTCGCGCGCTGGTGAGTGTCGGGGAGATTGGCAAACGCTTAGG
AAAGGACTGGGGAATAAGCCCTGGGAAAGTGGAGAAGGTGATCAGGAGGCCGGTCCACTACGGCAGTTTATCTG
TCTGATCAGAGCCAGACGCGACGCGTCCACTTCGCAGTTCTTCCAGGTGTGGGGACCGCAGGACAGACGCCCCA
TCCCGCCGCCCTCCGTACCAGCACTCCAGGAGAGTCAAGCTCGCTCCCCAACGTCGAGGGCGCTCTGCCCACGA
AAAGTTCCTGTCCACTGTGATTCTCAATTCTTGTGTTGGTTTTTCTCCAGAGAACTTTTGGGTGGAGATATTA
ACTTTTTCTTTTTTTTTTCCCTTGGTGGAAGCTGCTAGGGAGGGGGGAGGAGGAGGAGGAGAAAGTGAAATGTGC
TGGAGAAGAGCGAGCCCTCCTTGTCTTCCGGAGTCCCATCCATTAAGCCATCACTTCTGGAAGATTAAAGTTGT
CGGACATGGTGACAGCTGAGAGGAGAGGAGGATTTCTGCCAGGTGGAGAGTCTTACCGTCTGTTGGGTGCATG
TGTGCGCCCGCAGCGGGCGCGGGCGCGTGGTTCTCCGCGTGGAGTCTCACCTGGGACCTGAGTGAATGGCTCCCA
GGGGCTGTGCGGGGCATCCGCTCCGCTTCTCCACAGGCCTGTGTCTGCTGGAAAGATGCTAGCAATGGGG
CGCTGGCAGGATTCTGGATCCTCTGCCTCCTCACTTATGTTTACCTGTCTGGGGCCAGGCCTTAGAAGAGGAGG
AAGAAGGGGCCCTTACTAGCTCAAGCTGGAGAGAACTAGAGCCCAGCACAACTTCCACCTCCAGCCCATCTCA
TTTTCATCTAGCGGATGATCAGGGATTTAGAGATGTGGGTACCACGGATCTGAGATTAACACCTACTCTTG
ACAAGCTCGCTGCCGAAGGAGTTAACTGGAGAAGTACTATGTCCAGCCTATTGACACCATCCAGGAGTCAGT
TTATTACTGGAAAGTATCAGATACACACCGGACTTCAACATTCTATCATAAGACCTACCCAACCACTGTTTAC
CTCTGGACAATGCCACCTACCTCAGAACTGAAGGAGGTTGGATATCAACGCATATGGTCGGAATAAGGCACT
TGGGTTTTTAACAGAAAAGAAATGCATGCCACCAAGAGAGGATTTGATACCTTTTTTGGTTCCCTTTGGGAAGTG
GGGATTACTATACACACTACAAATGTGACAGTCTGGGATGTGTGGCTATGACTTGTATGAAAACGACAATGCTG
CCTGGGACTATGACAATGGCATATCTCCACACAGATGTACACTCAGAGAGTACAGCAAATCTTAGCTTCCATA
ACCCCAAAAGCCTATATTTTATATACTGCCTATCAAGCTGTTCACTCACCAGTCAAGCTCCTGGCAGGTATT
TCGAACACTACCGATCCATTATCAACATAAACAGGAGAAGATATGCTGCCATGCTTCTGCTTAGATGAAGCAA
TCAACAACGTGACATTGGCTCTAAAGACTTATGTTTCTATAACAACAGCATTATCATTACTCTTCAGATAATG
GTGGCCAGCCTACGGCAGGAGGGAGTAAGTGGCCTCTCAGAGGTAGCAAAGGAACATATTGGGAAGGAGGGATCC
GGGCTGTAGGCTTTGTGCATAGCCACTTCTGAAAACAAGGGAACAGTGTGTAAGGAACCTGTGCACATCACTG
ACTGGTACCCCACTCTCATTTCACTGGCTGAAGGACAGATTGATGAGGACATTCAACTAGATGGCTATGATATCT
GGGAGACCATAAGTGAGGGTCTTCGCTCACCCGAGTAGATATTTGCATAACATTGACCCCTATACACCAAGGC
AAAAAATGGCTCCTGGGCAGCAGGCTATGGGATCTGGAACACTGCAATCCAGTCAGCCATCAGAGTGCAGCACTG
GAAATTGCTTACAGGAAATCCTGGCTACAGCGACTGGGTCCCCCTCAGTCTTTCAGCAACCTGGGACCGAACCG
GTGGCACAATGAACGGATCACCTTGTCACTGGCAAAGTGTATGGCTTTCAACATCACAGCCGACCCATATGA
GAGGGTGGACCTATCTAACAGGTATCCAGGAATCTGGAAGAAGCTCCTACGAGGGCTCTCACAGTTCAACAAAAC
TGCAGTGCCGGTCAGGTATCCCCCAAAGACCCCAAGAACTAACCTAGGCTCAATGGAGGGGTCTGGGGACCATG
GTATAAGAGGAAACCAAGAAAAGCAAGCAAAAATCAGGCTGAGAAAAAGCAAAAGAAAAGCAAAAAA
GAAGAAGAAAACAGCAGAAAGCAGTCTCAGGTAAACCAAGCAAAATTTGGCTCGATAATATCGTGGCCTAAGCGTCA
GGCTTGTTTTCATGCTGTGCCACTCCAGAGACTTCTGCCACCTGGCCGCCACACTGAAAAGTGTCTGCTCAGTG
CCAAGGTGCTACTCTTGCAAGCCACACTTAGAGAGAGTGGAGATGTTTATTTCTCTCGCTCCTTTAGAAAACGTG
GTGAGTCTGAGTTCCTGCTGTGCTTCACTCAACTGACCAACACTGCTTTGAATTATAGGAGGAGAACAATA
ACCTACCATCCGCAAGCATGCTAATTTGATGGAAGTTACAGGTTAGCATGATTAAACTACCTTTGATAAATTAC
AGTCAAAGATTGTGTACCTCAAAGGCCTTGAGAATATATTTTCTTGGTGAATTTTTGTATGTCTGTCAATGA
CACTTGGGTTTTTTAATTAATTTCTATTTTATATATATAATATATGTTTCTTTTCTGTGAAAAGCTGTTTTCT
CACATGTGAACAGCTTGCACCTCATTTTACCATGCGTGAGGGAATGGCAAATAAGAATGTTTGAGCACACTGCCC
ACAATGAATGTAATATTTTCTAAACACTTTACTAGAAGAACATTTCACTATAAAAAACCTAATTTATTTTACA
GAAAAATATTTTGTGTTTTTATAAAAAGTTATGCAATGACTTTTATTTTATTTTCTGCTACCATTAGAAGA
ATTTTATTTTCAATTTCTCAAATTATCAAGCACTGTAATACTATAAATTAATGTAATACTGTGTGAATTCAGACTA
TAAAAAACATCATTCAAGAACTTTATAATCGTCATTGTTCAATCAAGATTTTGAATGTAATAAGATGAATATAT
ATTACTTGGAAATTCATGTTTGTGCAGAGTTGAGACAACCTTTATGTTTCTATCATAAACTATTTATGTATCTT
AATTATTAATGATTTACTTTATGGCACTAGAAAATTTACTGTGGCTTTTCTGATCTAATCTCTAGCTAAATTT
GTATCATTTGGTCTTAAAAATAAAAAATCTTTACTAATAGGCAATTTGAAGGAATGGTTTGTAAACAACACAGTAA
TATAATATGATTTACAGATAGATGCTTCCCTTGGCTATGACATGGAGAAAGATTTCCCATATAATAACTAA
TATTTATATAGGTTGGTGCAAAAGTGTGGTTTTTCCCATTAAGTAATAAAGTAACTTACTCTTACTTACAAAGT
GGACACTGTGGGGAGATACAGAGAAATGGAAGATACGGATCCTGCCTGGAGTAGGTAACCTTGTGTTGAAACCCC
ACATGCAAACGTCATGAGGAGAATTAAAGGAGTATTATCAGTAATGAAGTTTATCATGGGTCAATGAGCATA
GATTGGTGTGGATCCTGTAGACCCTGGTGTCTTTTGAAGTGCCCTCTCCTAATGCAGAGGCCTTGAAGCTTAC

76/615

FIGURE 75B

[illegible]

77/615

FIGURE 76

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48296
><subunit 1 of 1, 515 aa, 1 stop
><MW: 56885, pI: 6.49, NX(S/T): 5
MAPRGCAGHPPPPSPQACVCPGKMLAMGALAGFWILCLLTYGYLSWGQALEEEEEEGALLAQAGEKLEPSTTSTSQ
PHLIFILADDQGFDRDVGYPHGSEIKTPTLDKLAAGVVKLENYYVQPICTPSRSQFITGKYQIHTGLQHSIIRPTQP
NCLPLDNATLPQKLKEVGYSTHVMVGKWHLGFNKECMPTRRGFDTFFGSLLGSGDYTHYKCDSPGMCQGYDLYEN
DNAAWDYDNGIYSTQMYTORVQQILASHNPTKPIFLYTAYQAVHSPLQAPGRYFEHYRSIININRRRYAAMLSCSCL
DEAINNVTLALKTYGFYNNSSIIYSSDNGGQPTAGGSNWPLRGSKGTYWEGGIRAVGFVHSPLLKNKGTVCHELKELV
HITDWYPTLISLAEGQIDEDIQLDGYDIWETISEGLRSPRVDIENIDPYTPRQKMAPGQQAMGSGTLQSSQPSE
CSTGNCLQEILATATGSPLSLSATWDRTGGTMNGSPCQLAKVYGFSTSQPTHMRGWYTLTG IQES
```

Important Features:**Signal Peptide:**

amino acids 1-37

Sulfatases signature 1.

amino acids 120-132

Sulfatases signature 2.

amino acids 168-177

Tyrosine kinase phosphorylation site.

amino acids 163-169

N-glycosylation sites.

amino acids 157-160, 306-309 and 318-321

78/615

FIGURE 77

AAAAAGCTCACTAAAGTTTCTATTAGAGCGAATACGGTAGATTTCCATCCCCTTTTGAAGAACAGTACTGTGGA
GCTATTTAAGAGATAAAAACGAAATATCCTTTCTGGGAGTTCAAGATTGTGCAGTAATTGGTTAGGACTCTGAGC
GCGCTGTTCAACCATCGGGGAGAGAAAAGCGGAGATCCTGCTCGCCTTGACGCGCCTGAAGCACAAGCAGAT
AGCTAGGAATGAACCATCCCTGGGAGTATGTGGAAACAACGGAGGAGCTCTGACTTCCCAACTGTCCCATTCTAT
GGGCGAAGGAACTGCTCCTGACTTCAGTGGTTAAGGGCAGAATTGAAAATAATTCTGGAGGAAGATAAGAATGAT
TCCTGCGGAGCTGCACCGGGACTACAAAGGGCTTGCTGCTGGGAATCCTCCTGGGGACTCTGTGGGAGACCGG
ATGCACCCAGATACGCTATTCACTTCGGGAAGAGCTGGAGAAAGGCTCTAGGGTGGGCGACATCTCCAGGGACCT
GGGGCTGGAGCCCCGGGAGCTCGCGGAGCGCGGAGTCCGCATCATCCCAGAGGTAGGACGCAGCTTTTCGCCCT
GAATCCGCGCAGCGGCAGCTTGGTCACGGCGGGCAGGATAGACCGGGAGGAGCTCTGTATGGGGGCCATCAAGTG
TCAATTAATCTAGACATTCTGATGGAGGATAAAGTGAATAATATGGAGTAGAAGTAGAAGTAAGGGACATTAA
CGACAATGCGCCTTACTTTCTGTAAGTGAATTAGAAAATAAAATTAGTGAATGCAGCCACTGAGATGCGGTT
CCCTCTACCCACGCGCTGGGATCCGGATATCGGGAGAAGTCTCTGCAGAGCTACGAGCTCAGCCCGAACACTCA
CTTCTCCCTCATCGTGCAAAATGGAGCCGACGGTAGTAAGTACCCGAATTGGTGCTGAAACGCGCCCTGGACCG
CGAAGAAAAGGCTGCTCACCACCTGGTCTTACGGCCTCCGACGGGGCGACCCGGTGCACAGGCACCGCGCG
CATCCGCGTGATGGTTCTGGATGCGAACGACAACGCACCGAGCGTTTGCTCAGCCGAGTACCGCGCGAGCGTTCC
GGAGAATCTGGCCTTGGGCACGAGCTGCTTGATGTAACGCTACCGACCTGACGAAGGAGTCAATGCGGAAGT
GAGGTATTCTCTCCGGTATGTGGACGACAAGGCGGCCCAAGTTTTCAACTAGATTGTAATTGAGGGACAATATC
AACAATAGGGGAGTTGGACCACGAGGAGTCAAGATTCTACAGATGGAAGTGCAAGCAATGGATAATGCAGGATA
TTCTGCGCGAGCCAAAGTCTGATCACTGTTCTGGACGTGAACGACAATGCCCGAGAAGTGGTCTCTCACCTCTCT
CGCCAGCTCGGTTCCCGAAAACCTCTCCAGAGGGACATTAATTGCCCTTTTAAATGTAATGACCAAGATTCTGA
GGAAAACGGACAGGTGATCTGTTTCATCCAAGGAAATCTGCCCTTTAAATTAGAAAATCTTACGGAAATTACTA
TAGTTTAGTCACAGACATAGTCTTGGATAGGGACAGGTTCTAGCTACAACATCACAGTGACCGCCACTGACCG
GGGAACCCCGCCCTATCCACGGAACCTCATATCTCGCTGAACGTGGCAGACACCAACGACAACCCGCGGTCTT
CCCTCAGGCCTCCTATTCCGCTTATATCCAGAGCAACATCCAGAGGAGTTTCCCTCGTCTCTGTGACCCGCCA
CGACCCGACTGTGAAGAGAACGCCCAGATCACTTATTCCCTGGCTGAGAACACCATCCAAGGGGCAAGCCTATC
GTCCTACGTGTCCATCAACTCCGACACTGGGGTACTGTATGCGCTGAGCTCCTTCGACTACGAGCAGTTCCGAGA
CTTGCAAGTGAAAGTGATGGCGCGGGACAACGGGCACCCGCCCCCTCAGCAGCAACGTGTCTGTTGAGCCTGTTCTG
GCTGGACAGAACGACAATGCGCCCGAGATCCTGTACCCCGCCCTCCCCACGGACGGTTCCACTGGCGTGGAGCT
GGTCCCCGCTCCGAGAGCCCGGCTACCTGGTGACCAAGGTGGTGGCGGTGGACAGAGACTCCGGCCAGAACGC
CTGGCTGTCTACCGTCTGTCAAGGCCAGCGAGCCGGGACTCTTCTCGGTGGGTCTGCACACGGGCGAGGTGCG
CACGGCGCGAGCCCTGCTGGACAGAGACGCGCTCAAGCAGAGCCTCGTAGTGGCCGTCCAGGACCACGGCCAGCC
CCCTCTCTCCGCCACTGTACGCTCACCCTGGCCGTGGCCGACAGCATCCCCAAGTCTTGGCGGACCTCGGCAG
CCTCGAGTCTCCAGCTAACTCTGAAACCTCAGACCTCACTCTGTACCTGGTGGTAGCGGTGGCCGCGGTCTCCTG
CGTCTTCTGGCCTTCGTCACTTGTGCTGGCGCTCAGGCTGCGGCGCTGGCACAAGTCAGCCTGTCTGCAGGC
TTCAGGAGGCGGCTTGACAGGAGCGCCGGCTCGCACTTTGTGGCGGTGGACGGGGTGCAGGCTTTCTGCAGAC
CTATTCCCACGAGGTTTCCCTCACCACGAGCTCGCGGAAGAGTCACTGATCTTCCCCAGCCCAACTATGCAGA
CATGCTCGTCAGCCAGGAGAGCTTTGAAAAAAGCGACCCCTTTTGTCTGTCAGGTGATTCGGTATTTTCTAAAGA
CAGTCATGGGTAAATTGAGGTGAGTTTATATCAAATCTTCTTTCTTTTAAATTGCTCTGTCTCCCAAGC
TGGAGTGCAGCGGTACGATCATAGCTCACTGCGGCCTCAAACCTCCTAGGCTCAAGCAATTATCCACCTTTGCCT
CCGGTGTAACAGGGACTACAGGTGCAAGCCACCTACTGTCTGCCTATCTATCTATCTATCTATCTATCTATCTAT
CTATCTATCTATCTATCTATTACTTTCTTGTACAGACGGGAGTCTCACGCCTGTAATCCAGTACTTTGGGAGGC
CGAGGCGGGTGGATCACCTGAGGTTGGGAGTTTGGAGCCAGCCTGACCAACATGGAGAAACCCGCTCTATACTAA
AAAAATACAAATTAGCCGGGCGTGGTGGTGCATGTCTGTAATCCAGCTACTTGGGAGGCTGAGTCAGGAGAAT
TGCTTTAACCTGGGAGGTGGAGGTTGCAATGAGCTGAGATTGTGCCATTGCACTCCAGCCTGGGCAACAAGAGTG
AAACTCTATCTCA

79/615

FIGURE 78

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48306
><subunit 1 of 1, 916 aa, 1 stop
><MW: 100204, pI: 4.92, NX(S/T): 4
MIPARLHRDYKGLVLLGILLGLTWETGCTQIRYSVPPEELEKGSRVGDISRDLGLEPRELAERGVRRIIPRGRTQLF
ALNPRSGSLVTAGRIDREELCMGAIKCQLNLDILMEDKVKIYGEVEVEVRDINDNAPYFRESELEIKISENAATEM
RFPLPHAWDPDIGKNSLQSYELSPNTHFSLIVQNGADGSKYPELVLKRALDREEKAAHHLVLTASDGGDPVRTGT
ARIRVMVLDANDNAPAFAPQPEYRASVPENLALGTQLLVVNATDPDEGVNAEVRYSFYVDDKAAQVFKLDCNSGT
ISTIGELDHEESGFGYQMEVQAMDNAGYSARAKVLITVLDVNDNAPEVVLTSASSVPENSPRGTLIALLNVDNQD
SEENGQVICFIQGNLPFKLEKSYGNYSLVTDIVLDREQVPSYNITVTATDRGTPPLSTETHISLNVADTNDNPP
VFPQASYSAYIPENNPRGVSLSVSTAHPDCEENAQITYSLAENTIQGASLSSYVSINSDTGVLYALSSFDYEQF
RDLQVKVMARDNGHPPLSSNVSLSLFVLDQNDNAPEILYPALPTDGSTGVELAPRSAEPGYLVTKVAVDRDSGQ
NAWLSYRLKASEPGLFSVGLHTGEVRTARALLDRDALKQSLVVAVQDHGQPPLSATVTTLTVAVADSIPQVLADL
GSLESPANSETSDLTLYLVVAVAAVSCVFLAFVILLALRLRRWHKSRLLQASGGGLTGAPASHFVGVDGVQAF
QTYSHVSLTDSRKSHLIFPQPNYADMLVSQESFEKSEPLLLSGDSVFSKDSHGLIEVSLYQIFFLFFFNCSVS
QAGVQRYDHSSLRPQTPRLKQLSHLCLRCNRDRCPPPTVCLSIYLSIYLSIYLSIYLLLSCTDGSILTPVIPVLW
EAEAGGSPEVGSLRPA
```

Signal sequence:
amino acids 1-30

Transmembrane domains:
amino acids 693-711, 809-823, 869-888

80/615

FIGURE 79

AGCCGCTGCCCCGGGCGGGCGCCGCGGGCGGCACCATGAGTCCCCGCTCGTGCCCTGCGTTGCTGCGCCTCCTC
GTCTTCGCCGCTTCTCTCAGCCGCCGCGAGCAACTGGCTGTACCTGGCCAAGCTGTGTCGGTGGGGAGCATCTCA
GAGGAGGAGACGTGCGAGAAACTCAAGGGCCTGATCCAGAGGCAGGTGCAGATGTGCAAGCGGAACCTGGAAGTC
ATGGACTCGGTGCGCGCGGGTGGCCAGCTGGCCATTGAGGAGTGCCAGTACCAGTTCCGGAACCGGCGCTGGAAC
TGCTCCCACTCGACTCCTTGCCCGTCTTCGGCAAGGTGGTGACGCAAGGGACTCGGGAGGCGGCCCTTCGTGTAC
GCCATCTCTTCGGCAGGTGTGGCCTTTGCAGTGACGCGGGCGTGACAGTGGGGAGCTGGAGAAGTGC GGCTGT
GACAGGACAGTG CATGGGGTCAGCCACAGGGCTTCCAGTGGTCAGGATGCTCTGACAACATCGCCTACGGTGTG
GCCTTCTCAGAGTCGTTTGTGGATGTGCGGGAGAGAAGCAAGGGGGCCTCGTCCAGCAGAGCCCTCATGAACCTC
CACAACAATGAGGCCGGCAGGAAGGCCATCCTGACACACATGCGGGTGGAATGCAAGTGCCACGGGGTGT CAGGC
TCCTGTGAGGTAAAGACGTGCTGGCGAGCCGTGCCGCCCTTCGCCAGGTGGGTACGCACTGAAGGAGAAGTTT
GATGGTGCCACTGAGGTGGAGCCACGCCGCGTGGGTCCTCCAGGGCACTGGTACCACGCAACGCACAGTTCAAG
CCGCACACAGATGAGGACCTGGTGTACTTGGAGCCTAGCCCCGACTTCTGTGAGCAGGACATGCCGAGCGGCGTG
CTGGGCACGAGGGGCGCACATGCAACAAGACGTCCAAGGCCATCGACGGCTGTGAGCTGCTGTGCTGTGGCCGC
GGCTTCCACACGGCGCAGGTGGAGCTGGCTGAACGCTGCAGCTGCAAATCCACTGGTGTGCTTCGTCAAGTGC
CGGCAGTGCCAGCGGCTCGTGGAGTTGCACACGTGCCGATGACCGCCTGCCTAGCCCTGCGCCGGCAACCACCTA
GTGGCCAGGGGAAGGCCGATAATTTAAACAGTCTCCACCACCTACCCCAAGAGATACTGGTTGTATTTTGTGTT
CTGGTTTGGTTTTTGGGTCTCATGTTATTTATTGCCGAAACCAGGCAGGCAACCCCAAGGGCACCACAGGGC
CTCCCCAAAGCCTGGGCCTTTGTGGCTGCCACTGACCAAAGGGACCTTGCTCGTGCCGCTGGCTGCCCGCATGTG
GCTGCCACTGACCACTCAGTTGTTATCTGTGTCCGTTTTTCTACTTGACAGACCTAAGGTGGAGTAACAAGGAGTA
TTACCACCACATGGCTACTGACCGTGT CATCGGGGAAGAGGGGGCCTTATGGCAGGGAAAATAGGTACCGACTTG
ATGGAAGTCACACCCTCTGAAAAAAGAACTCTTAACTCTCCAGCACACATACACATGGACTCCTGGCAGCTTGA
GCCTAGAAGCCATGTCTCTCAAATGCCCTGAGAAAGGGAACAAGCAGATACCAGGTCAAGGGCACCAGGTT CATT
TCAGCCCTTACATGGACAGCTAGAGGTTGCATATCTGTGGGTCTTCCAGGCAAGAAGAGGGAGATGAGAGCAAG
AGACGACTGAAGTCCCACCCTAGAACCCAGCCTGCCCCAGCCTGCCCTGGGAAGAGGAACTTAACCACTCCCC
AGACCCACCTAGGCAGGCATATAGGCTGCCATCCTGGACCAGGGATCCCGGCTGTGCCTTTGCAGT CATGCCCGA
GTCACCTTTCACAGCGCTGTTCTCCATGAACTGAAAAACACACACACACACACACACACACACACACACAC
ACACACACACGGACACACACACACACCTGCGAGAGAGAGGGAGGAAAGGCTGTGCCTTTGCAGTCATGCCCGAG
TCACCTTTCACAGCACTGTTCTC

81/615

FIGURE 80

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48328
<subunit 1 of 1, 351 aa, 1 stop
<MW: 39052, pI: 8.97, NX(S/T): 2
MSPRSLRSLRLIVFAVFSAAASNWLYLAKLSSVGSISEEETCEKLKGLIQRQVQMCKRNLEVMDSVRRGAQLAI
EECQYQFRNRWNCSTLDSLPLVFGKVVTQGTREAAFVYAISSAGVAFVTRACSSGELEKCGCDRTVHGVSPQGF
QWSGCSDNIAYGVAFSQSFVDVREERSKGASSSRALMNLHNNEAGRKAILTMRVECKCHGVSGSCEVKTWCWRAVP
PFRQVGHALKEKFDGATEVEPRRVGSSRALVPRNAQFKPHTDEDLVYLEPSPDFCEQDMRSGVLGTRGRTCNKTS
KAIDGCELLCCGRGFHTAQVELAERCSCKFHWCCFVKCRQCQRLVELHTCR

Important features:**Signal peptide:**

amino acids 1-22

N-glycosylation sites.

amino acids 88-91 and 297-300

Wnt-1 family signature.

amino acids 206-215

Homologous region to Wnt-1 family proteins

amino acids 183-235, 305-350, 97-138, 53-92 and 150 -174

82/615

FIGURE 81

CCGAGCCGGGCGCGCAGCGACGGAGCTGGGGCCGGCCTGGGACCATGGGCGTGAGTGCAATCTACGGATCAGTCT
CTGATGGTGGGTCGTTAACCTCAGTGGGGACTCCAAGATTTCCATGAAGAAAATCAGTTGTCTTCATTCAAGAAT
TGGGGTCTGGCTCAGAATTCCTGCAGCTGGTGAAAATCTGTTTTCTAGAAGAGGTTTAATTAATGCCTGCAGTCT
GACATGTTCCCGATTTGAGGTGAAACCATGAAGAGAAAATAGAATACTTAATAATGCTTTTCCGCAACCGCTTCT
TGCTGCTGCTGGCCCTGGCTGCGCTGCTGGCCTTTGTGAGCCTCAGCCTGCAGTTCCTCCACCTGATCCCGGTGT
CGACTCCTAAGAATGGAATGAGTAGCAAGAGTCGAAAGAGAATCATGCCCGACCTGTGACGGAGCCCCCTGTGA
CAGACCCCGTTTATGAAGCTCTTTTGTACTGCAACATCCCCAGTGTGGCCGAGCGCAGCATGGAAGGTCATGCC
CGCATCATTTTAAGCTGGTCTCAGTGCATGTGTTCAATCGCCACGGAGACAGGTACCCACTGTATGTCAATCCCA
AAACAAAGCGACCAAGAAATTGACTGCATCTGGTGGCTAACAGGAAACCGTATCACCCAAAACCTGGAAGCTTTCA
TTAGTCACATGTCAAAAGGATCCGGAGCCTCTTTGCAAAGCCCCTTGAACCTCCTTGCTCTTTACCCAAATCACC
CATTGTGTGAGATGGGAGAGCTCACACAGACAGGAGTTGTGCAGCATTTCAGAACGGTCAGCTGCTGAGGGATA
TCTATCTAAAGAAACACAACTCCTGCCCAATGATTGGTCTGCAGACCAGCTCTATTTAGAGACCACTGGGAAAA
GCCGGACCTACAAAGTGGGCTGGCCTTGCTTTATGGCTTTCTCCAGATTTTGACTGGAAGAAGATTTATTTCA
GGCACCAGCAAGTGGCTGTTCTGCTCTGGAAGCTGCTATTGCCCGGTAAGAAACAGTATCTGGAAGGAGC
AGCGTCGTCAGTACCTCCTACGTTTGAAAAACAGCCAGCTGGAGAAGACCTACGGGGAGATGGCCAAGATCGTGG
ATGTCCCCACCAAGCAGCTTAGAGCTGCCAACCCCATAGACTCCATGCTCTGCCACTTCTGCCACAATGTGAGCT
TTCCCTGTACCAGAAATGGCTGTGTTGACATGGAGCACTTCAAGGTAATTAAGACCCATCAGATCGAGGATGAAA
GGGAAAGACGGGAGAAGAAATTGTAATTCGGGTATTCTCTCCTGGGTGCCACCCCATCCTGAACCAAAACCATCG
GCCGGATGCAGCGTGCCACCGAGGGCAGGAAAGAAGAGCTCTTTGCCCTCTACTCTGCTCATGATGTCACTCTGT
CACCAGTTCTCAGTGCCTTGGGCCCTTTCAGAAGCCAGGTTCCCAAGGTTTGCAGCCAGGTTGATCTTTGAGCTTT
GGCAAGACAGAGAAAAGCCCAGTGAACATTCCGTCCGGATTCTTTACAATGGCGTCGATGTCACTTCCACACCT
CTTTCTGCCAAGACCACCACAAGCGTTCTCCAAGCCATGTGCCCGCTTGAAAACCTTGGTCCGCTTTGTGAAAA
GGGACATGTTGTAGCCCTGGGTGGCAGTGGTACAAATTATTATGATGCATGTACAGGGAAGGATTCTAAAGG
TATGCAGTACAGCAGTATAGAATCCATGCCAATACAGAGCATAGGGAAGGTCCACTTCTAGTTTGTCTGTTAC
TAAGGGTAGAAGATTATTGCTTTTTTAAAGGCTAAATATTGTTTGTGGGAACCACAGATGGTTGGGGTTGAACAGT
AAGCACATTGCTGCAATGTGGTACGTGAATTGCTTGGTACAAAATGGCCAGTTCACAGAGGAATAGAAGTACTT
TATCATAGCCAGACTTCGCTTAGAATGCCAGAATAATATAGTTCAAGACCTGAAGTTGCCAATCCAAGTTTGCAC
TCTTCTGGCCTGCCCCATGTTACTATGTGATGGAACCAGCACACCTCAACCAAAATTTTTTAACTTTAGACATT
TTTACCTTGTCCTTGTTAAGAATTTCTTGAAGTGATTTATCTAAATAAAGGTTGGCAAACCTTTTTCTGTAAAGG
GCCAGATTGTAAATATTTTCAGACTGTGTGGACCAAAAGGCCACATACAGTCTCTGTCACTAATACTCAACTCTGT
TTCTGAAGCAGGAAAGCCACCACAGACAGTACATAAAGGAATATGTGTAGCTGGGTCCCAGGCCAGACAAAACA
GATGGTGACCAGACTTGGCCCTGGGCTGTAGTTTGTGACCCCTCATCTAAAAAATAGGCTATACTACAATTGC
ACTTCCAGCACTTTGAGAACGAGTTGAATACCAAGAATTATTCAATGGTTCCCTCCAGTAACTTCTGCTAGAAACA
CAGAATTTGGTCTGTATCTGACACTAGAACAAAACCTTGAGGGTAAATAAACATTGAATTAGAATGAATCATAGAA
AACTGATTAGAAGAATACTTGATGTTTATGATGATTGTGGTACAAGATAGTTTTAAGTATGTTCTAAATATTTGT
CTGCTGTAGTCTATTTGCTGTATATGCTGAAATTTTGTATGCCATTAGTATTTTATAGTTTAGGAAAATATT
TTCTAAGACCAGTTTTAGATGACTCTTATTCCTGTAGTAATATTCAATTTGCTGTACCTGCTGGTGGTTAGAAG
GAGGCTAGAAGATGAATTCAGGCACTTTCTTCCAATAAACTAATATGGCTCATTCCCTTTGACAAGCTGTAGA
ACTGGATTCATTTTAAACCATTTTCATCAGTTTCAAATGGTAAATCTGATTGATTTTTAAATGCGTTTTTGG
AGAACTTTGCTATTAGGTAGTTTACAGATCTTTATAAGGTGTTTTATATATTAGAAGCAATTATAATTACATCTG
TGATTTCTGAACATAATGGTGCTAATTCAGAGAAATGGAAGTGAAGTGAGATTCTCTGTTGTATCGGCATTCC
AACTTTTTCTCTTTGTTTTGTCCAGTGTGCATTTGAATATGTCTGTTCTATAAATAAATTTTTTAAGAATAA

83/615

FIGURE 82

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48329

><subunit 1 of 1, 480 aa, 1 stop

><MW: 55240, pI: 9.30, NX(S/T): 2

MLFRNRFLLLLAIAALLAFVSLSLQFFHLIPVSTPKNGMSSKSRKRIMPDVTEPPVTDPVYEALLYCNIPSVAE
RSMEGHAPHHFKLVSVHVFIRHGDYPLYVIPKTKRPEIDCTLVANRKPYPHPKLEAFISHMSKSGSGASFESPLNS
LPLYPNHPLCEMGELTQTGVVQHLQNGQLLRDIYLLKKHKLLPNDWSADQLYLETTGKSRTLQSGLALLYGFLPDF
DWKKIYFRHQPSALFCSGSCYCPVRNQYLEKEQRRQYLLRLKNSQLEKTYGEMAKIVDVPTKQLRAANPIDSMC
HFCHNVSPCTRNGCVDMEHFKVIKTHQIEDERERREKKLYFGYSLLGAHPILNQTIGRMQRATEGRKEELFALY
SAHDVTLSPLSALGLSEARFPFAARLIFELWQDREKPSHSVRILYNGVDVTFHTSFCQDHHKRSPPKPMCPLE
NLVRFVKRDMFVALGGSGTNYDACHREGF

Signal sequence:

amino acids 1-18

84/615

FIGURE 83

TCTCGCAGATAGTAAATAATCTCGGAAAGGCGAGAAAGAGCTGTCTCCATCTTGTCTGTATCCGCTGCTCTTGT
GACGTTTGTGGAGATGGGGAGCGTCTTGGGGCTGTGCTCCATGGCGAGCTGGATACCATGTTTGTGTGGAAAGTGCC
CCGTGTTTGTCTATGCCGATGCTGTCTAGTGGAACAACCTCCACTGTAAGTATGATCTATGCACCTTTCTTG
CTTGTTGGAGTATGTGTAGCTTGTGTAATGTTGATACCAGGAATGGAAGAACAACCTGAATAAGATTCTGGGATTT
TGTGAGAAATGAGAAAGGTGTTGTCCCTTGTAAACATTTTGGTTGGCTATAAAGCTGTATATCGTTTGTGCTTTGGT
TTGGCTATGTTCTATCTTCTCTCTCTTACTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGCAGTG
CACAAATGGATTTTGGTTCTTTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGCATTCTTCATTCCAGAAGGA
ACTTTTACAACCTGTGTGGTTTTATGTAGGCATGGCAGGTGCCTTTTGTTCATCCTCATACAACCTAGTCTTACTT
ATTGATTTTGCACATTATGGAATGAATCGTGGGTTGAAAAATGGAAGAAGGGAACCTCGAGATGTTGGTATGCA
GCCTTGTATCAGCTACAGCTCTGAATTATCTGCTGTCTTTAGTTGCTATCGTCTGTTCTTGTCTACTACACT
CATCCAGCCAGTTGTTTCAAAAAACAAGGCGTTTCATCAGTGTCAACATGCTCCTCTGCGTTGGTGTCTCTGTAATG
TCTATACTGCCAAAAATCCAAGAAATCACAACCAAGATCTGGTTTGTACAGTCTTCAGTAATTACAGTCTACACA
ATGTATTTGACATGGTCAGCTATGACCAATGAACCAGAAACAATTGCAACCCAGTCTACTAAGCATAATTGGC
TACAATACAACAAGCACTGTCCCAAAGGAAGGGCAGTCAGTCCAGTGGTGGCATGCTCAAGGAATTATAGGACTA
ATTCTCTTTTGTGTGTGTATTTTATTCCAGCATCCGTACTTCAAACAATAGTCAGGTTAATAAAGTACTCTA
ACAAGTGAATCTACATTAATAGAAGATGGTGGAGCTAGAAGTGAATGGATCACTGGAGGATGGGGACGATGTT
CACCGAGCTGTAGATAATGAAAGGGATGGTGTCACTTACAGTTATTCCTTCTTTCACTTCATGCTTTTCTGGCT
TCACCTTATATCATGATGACCCCTTACCAACTGGTCCAGGTATGAACCTCTCGTGAGATGAAAAGTCAAGTGGACA
GCTGTCTGGGTGAAAAATCTCTCCAGTTGGATTGGCATCGTGTCTGTATGTTTGGACACTCGTGGCACCCTTGTT
CTTACAAATCGTGATTTTGAAGTGAAGTCTAGCATGAAAGTCCCACTTTGATTATTGCTTATTTGAAAAC
AGTATTTCCCACTTTTGTAAAGTTGTGTATGTTTTGCTTCCCATGTAACCTTCTCCAGTGTTCTGGCATGAATTA
GATTTTACTGCTTGTCATTTTTGTATTTTCTTACCAGTGCATTGATATGTGAAGTAGAATGAATTGCAGAGGAA
AGTTTTATGAATATGGTGTAGTGTAGTAAAAGTGGCCATTATTGGGCTTATTCTCTGCTCTATAGTTGTGAAAT
GAAGAGTAAAAACAATTTGTTGACTATTTTAAATATATTAGACCTTAAGCTGTTTGTAGCAAGCATTAAGC
AAATGTATGGCTGCCTTTTTGAATATTTGATGTGTTGCTGGCAGGATACTGCAAAGAACATGGTTTATTTTAAA
ATTTATAAACAAGTCACTTAAATGCCAGTTGTCTGAAAAATCTTATAAGSTTTTACCCTTGATACGGAATTTACA
CAGGTAGGGAGTGTTTAGTGGACAATAGTGTAGGTTATGGATGGAGGTGTCGGTACTAAATGAATAACGAGTAA
ATAATCTTACTTGGGTAGAGATGGCCTTTGCCAACAAAGTGAAGTGTGTTGGTTGTTTTAACTCATGAAGTATG
GGTTCAGTGGAAATGTTTGGAACTCTGAAGGATTTAGACAAGSTTTTGAAGAAGATAATCATGGGTAGAGGAA
GTGTTTTGAAAGTCACTTTGAAAGTGTAGTTTTGGGCCAGCAGGTAGCTCACCCTTGGTAAATCCAGCACTTTG
GGAGCTTAAGTGGGTAGATTACTTGAGCCAGGAATTCAGACCAGCTTGGCACATGGTGAACCTGTTCTATAAAA
ATAATCTGGCTTTGAGCATATGCCTGTGGTCCAGCACTGAGAGGCTAGTGAAGATTGCTGAGCCAGAGCCAAAG
GTTGCAGTGAGCAAGTCACTGCACTCTAGCTGGCACAGAGTAAGCCAAAAAATATATATATATTGAAAT
CAAGGAGGCAAAATTTGACAGGGAAGGAAGTAACTGCAAAACCACTAGGCTTTAGTAGGTACTTATATAAAATC
TAGTCCAGTTCTCTCATTTAAAAAATGAAGCACTGAAATACAGACTTAAATAGCTCAGATAGCTAATTAGGAA
ATTTCAAGTTGGCCAATAATAGCATTCTCTGACATTTAAAAATAATTTCTATTCAAAATACATGCATATTGAT
TTACACCTCATACTGTGATAATTAATGTGATGTGGATTGCTGGTCCAGCATGACCCATAAACAGGTGAGAAGA
ATGATGGAATGTTTGAATAAACTCCTGCTTATAGTATACTACACAGTTCAAAAGATGTTTAAATGCTTTTGT
ATTTACTGCCATGTAATTGAAATATATAGATTATTGTAACCTTTCAACCTGAAAATCAAGCAGTATGAGAGTTTA
GTTATTTGTATGTGTCACTAGTGTCTAATGAAGCTTTTAAATCTACATTTCTTCTTTAAAAATATTTATTAAT
GTGAATGGAATATAACAATTCAGCTTAATCCCCAACCTTATTCTGTGTGTAGACATTGTATTCCACAATTTTGA
ATGCTGTGTTTTTACCTCTAAATAAATGAATTCAGAGAAAAA

85/615

FIGURE 84

MGSVLGLCSMASWIPCLCGSAPCLLCRCCPSGNNSTVTRLIYALFLLVGVCVACVMLIPGMEEQLNKIPGFCENE
KGVVPCNILVGKAVYRLCFGLAMFYLLLSLLMIKVKSSSDPRAAVHNGFWFFKFAAAIAIIIGAFFIPEGTFTT
VWFYVGMAGAFCFILIQVLVLLIDFAHSWNESWVEKMEEGNSRCWYAALLSATALNYLLSLVAIVLFFVYYTHPAS
CSENKAFISVNMLLCVGASVMSILPKIQESQPRSGLLQSSVITVYTMYLTSAMTNEPETNCNPSLLSIIGYNTT
STVPKEGQSVQWWHAQGIIGLILFLLCVFYSSIRTSNNSQVNKLTLTSDESTLIEDGGARSDGSLEDGDDVHRAV
DNERDGVITYSYSFFHFMLFLASLYIMMTLTNWSRYEPSREMKSQWTAVVVKISSSWIGIVLYVWTLVAPLVLTNRDFD

86/615

FIGURE 85

AACAAAGTTCAGTGACTGAGAGGGCTGAGCGGAGGCTGCTGAAGGGGAGAAAGGAGTGAGGAGCTGCTGGGCAGA
GAGGGACTGTCCGGCTCCAGATGCTGGGCCTCCTGGGGAGCACAGCCCTCGTGGGATGGATCACAGGTGCTGCT
GTGGCGGTCTGCTGCTGCTGCTGCTGCTGGCCACCTGCCTTTTCCACGGACGGCAGGACTGTGACGTGGAGAGG
AACCGTACAGCTGCAGGGGGAACCGAGTCCGCCGGGCCCAGCCTTGGCCCTTCCGGCGGCGGGGCCACCTGGGA
ATCTTTCACCATCACCGTCATCCTGGCCACGTATCTCATGTGCCGAATGTGGGCCTCCACCACCACCACCCCC
CGCCACACCCCTCACCACCTCCACCACCACCACCACCCCCACCGCCACCATCCCGCCACGCTCGCTGAGGCTGC
TGTCGCCGGTGCCTGTGGACAGCAGCTGCCCCCTGCCCTCCCATCTGTTCCCAGGACAAGTGGACCCCATGTTTCC
ATGTGGAAGGATGCATCTCTGGGGTGAACGAGGGGAACAATAGACTGGGGCTTGCTCCAGCTGCATTTGCATGGC
ATGCCCCAGTGTAATATGGCAGCAGAGAATGGAGGAACACTGGGTCTGCAGTGCTGAAGGGTTTGGGGAGTGGAG
AGCAAGGGTGCTCTTTCGGGGCTGGACAGCCCGTCTTGTGACAGTGACTCCAGTGAGCCCCAGAAATGACAAGC
GTGTCTTGGCAGAGCCAGCACACAAGTGGATGTGAAGTGCCCGTCTTGACCTCCTCATCAGGCTGCTGCAGGCCT
CTGGCGGGCAGGGCACTGGGAGAGGCCCTGAGAATGTCCTTTTGGTTTGGAGAAGGCAGTGTGAGGCTGCACAGT
CAATTCATCGGTGCCTTAGTCCAAGAAAATAAAAACCACTAAGAAGCTTTAAAAAAAAAAAAAAAAAAAAA

87/615

FIGURE 86

MLGLLGSTALVGWITGAAVAVLLLLLLLATCLFHGRQDCDVERNRTAAGGNRVRAQPWPFRRRGHLGIFHHHRH
PGHVSHVPNVGLHHHHHPRTPHHLHHHHHPHRHHPRHAR

88/615

FIGURE 87

CCCACGCGTCCGTCTAGTCCCCGGGCCAACTCGGACAGTTTGCTCATTTATTGCAACGGTCAAGGCTGGCTTGT
GCCAGAACGGCGCGCGCGCGCACGCACACACACGGGGGAACTTTTTTAAAAATGAAAGGCTAGAAGA
GCTCAGCGGCGCGCGCGCGCTGCGCGAGGGCTCCGGAGCTGACTCGCCGAGGCAGGAAATCCCTCCGGTCCGCGA
CGCCCCGGCCCCGGCTCGGCGCGCGCTGGGATGGTGCAGCGCTCGCCGCGGGGCCGAGAGCTGCTGCACTGAAG
GCCGGCGACGATGGCAGCGCGCCCCGTGCCCGTGTCCCCGCGCGCCCTCCTGCTCGCCCTGGCCGGTGTCT
GCTCGCGCCCTGCGAGGCCCGAGGGGTGAGCTTATGGAACCAAGGAAGAGCTGATGAAGTTGTCAAGTGCCTCTGT
TCGGAGTGGGGACCTCTGGATCCAGTGAAGAGCTTCGACTCCAAGAATCATCCAGAAGTGTGAATATTCGACT
ACAACGGGAAAGCAAAGAAGTATCATAAATCTGGAAAGAAATGAAGGTCTCATTGCCAGCAGTTTCACGGAAAC
CCACTATCTGCAAGACGGTACTGATGTCTCCCTCGCTCGAAATTACACGGGTCACTGTTACTACCATGGACATGT
ACGGGGATATTCTGATTACGAGTCACTCTCAGCACGTGTTCTGGTCTCAGGGGACTTATTGTGTTTGAATGA
AAGCTATGCTTAGAACCAATGAAAAGTGCAACCAACAGATACAACTCTTCCCAGCGAAGAAGCTGAAAAGCGT
CCGGGGATCATGTGGATCACATCACAACACACCAAACTCGCTGCAAGAATGTGTTCCACCACCTCTCAGAC
ATGGGCAAGAAGGCATAAAAGAGAGACCTCAAGGCACTAAGTATGTGGAGCTGGTGTGCTGGCAGACAACCG
AGAGTTTCAGAGGCAAGGAAAAGATCTGAAAAAGTTAAGCAGCGATTAATAGAGATTGCTAATCACGTTGACAA
GTTTTACAGACCACTGAACATTCCGATCGTGTGGTAGGCGTGGAAAGTGTGGAATGACATGGACAAATGCTCTGT
AAGTCAGGACCCATTACACAGCTCCATGAATTTCTGGACTGGAGGAAGATGAAGCTTCTACCTCGCAATCCCA
TGACAATGCGCAGCTTGTCAAGTGGGGTTTATTTCCAAGGGACCACTCGGCATGGCCCCAATCATGAGCATGTG
CACGGCAGACCAGTCTGGGGGAATTGTCTGACCACTCAGACAATCCCTTGGTGCAGCCGTGACCTGGCACA
TGAGCTGGGGCCACAATTTCCGGATGAATCATGACACACTGGACAGGGGCTGTAGCTGTCAAATGGCGGTTGAGAA
AGGAGGCTGCATCATGAACGCTTCCACCGGGTACCCATTTCCCATGGTGTTCAGCAGTTGCAGCAGGAAGGACTT
GGAGACCAGCTGGAGAAAGGAATGGGGGTGTGCCTGTTTAACTGCCGGAAGTCAGGGAGTCTTTCGGGGGCCA
GAAGTGTGGGAACAGATTTGTGGAAGAAGGAGAGGAGTGTGACTGTGGGGAGCCAGAGGAATGTATGAATCGCTG
CTGCAATGCCACCACCTGTACCTGAAGCCGGACGTGTGTGCGCACATGGGCTGTGCTGTGAAGACTGCCAGCT
GAAGCCTGCAGGAACAGCGTGCAGGGACTCCAGCAACTCCTGTGACCTCCAGAGTTCTGCACAGGGGCCAGCCC
TCACTGCCAGCCAATGTGTACCTGCACGATGGGCACTCATGTGAGGATGTGGACGGCTACTGCTACAATGGCAT
CTGCCAGACTCACGAGCAGCAGTGTGTACGCTCTGGGGACAGGTGCTAAACCTGCCCTGGGATCTGCTTTGA
GAGAGTCAATTTCTGCAGGTGATCCTTATGGCAACTGTGGCAAAGTCTCGAAGAGTTCCCTTTGCCAATGCGAGAT
GAGAGATGCTAAATGTGAAAAATCCAGTGTCAAGGAGGTGCCAGCCGGCCAGTCATTGGTACCAATGCCGTTTC
CATAGAAAACAAACATCCCTCTGCAGCAAGGAGGCCGATTTCTGTGCCGGGGGACCCACGTGTACTTGGGCGATGA
CATGCCGGACCCAGGGCTTGTGCTTGCAGGCACAAAGTGTGCAGATGGAAAAATCTGCCTGAATCGTCAATGTCA
AAATATTAGTGTCTTTGGGGTTCACGAGTGTGCAATGCAGTGCCACGGCAGAGGGGTGTGCAACAACAGGAAGAA
CTGCCACTGCGAGGGCCACTGGGCACCTCCCTTCTGTGACAAGTTTGGCTTTGGAGGAAGCACAGACAGCGGCC
CATCCGGCAAGCAGAAGCAAGGCAGGAAGCTGCAGAGTCCAACAGGGAGCGCGGCCAGGGCCAGGAGCCCGTGGG
ATCGCAGGAGCATGCGTCTACTGCCTCACTGACACTCATCTGAGCCCTCCCATGACATGGAGACCGTGACCAGTG
CTGCTGCAGAGGAGGTACGCGTCCCCAAGGCCCTCTGTGACTGGCAGCATTGACTCTGTGGCTTTGCCATCGTT
TCCATGACAACAGACACAACACAGTTCTCGGGGCTCAGGAGGGGAAGTCCAGCCTACCAGGCACGTCTGCAGAAA
CAGTGAAGGAAGGGCAGCGACTTCTGGTTGAGCTTCTGCTAAACATGGACATGCTTCAGTGTCTCCTGAG
AGAGTAGCAGGTTACCACTCTGGCAGGCCCGAGCCCTGCAGCAAGGAGGAAGAGGACTCAAAAGTCTGGCCTTTC
ACTGAGCCTCCACAGCAGTGGGGGAGAAGCAAGGTTGGGCCCAGTGTCCCTTTCCCCAGTGACACCTCAGCCT
TGGCAGCCCTGATGACTGGTCTCTGGCTGCAACTTAATGCTCTGATATGGCTTTTAGCATTTATTATATGAAAAAT
AGCAGGGTTTTAGTTTTTAATTTATCAGAGACCCTGCCACCCATTCCATCTCCATCCAAGCAAAGTGAATGGCAA
TGAAACAAACTGGAGAAGAAGGTAGGAGAAAGGGCGGTGAAGTCTGGCTCTTTGCTGTGGACATGCGTGACCAGC
AGTACTCAGGTTTGGGGTTTGCAGAAAGCCAGGGAACCCACAGAGTCACCAACCTTCATTTAACAGTAAGAA
TGTTAAAAAGTGAACAATGTAAGAGCCTAACTCCATCCCCCGTGGCCATTACTGCATAAAATAGAGTGCATTT
GAAAT

89/615

FIGURE 88

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49624

><subunit 1 of 1, 735 aa, 1 stop

><MW: 80177, pI: 7.08, NX(S/T): 5

MAARPLPVSPARALLLALAGALLAPCEARGVSLWNQGRADEVVVSASVRSGDLWIPVKSFD SKNHPEVLNIRLQRE
SKELIINLERNEGLIASSFTETHYLQDGTDVSLARNYTGHCYYHGHVVRGYSDSAVSLSTCSGLRGLIVFENESYV
LEPMKSATNRYKLFPAKKLKSVRGSCGSHHNTPNLAAKNVFPFPSQTWARRHKRETLKATKYVELVIVADNREFQ
ROGKDLEKVKQRLIEIANHVDKFYRPLNIRIVLVGVEVWNDMDKCSVSQDPFTSLHEFLDWRKMKLLPRKSHDNA
QLVSGVYFQGTIGMAPIMSMCTADQSGGIVMDHSDNPLGAAVTLAHELGHNFGMNHDTLDRGCSCQMAVEKGGC
IMNASTGYPFPMVFSSCSRKDLETSLEKGMGVCLFNLPEVRESFGGQKCGNRFVEEGEECDCEPEECMNRCCNA
TTCTLKPDAVCAHGLCCEDCQLKPAGTACRDSSNSCDLPEFCTGASPHCPANVYLHDGHSCQDQVDGYCYNGICQT
HEQQCVTLWGPGAKPAPGICFERVNSAGDPYGNCGKVS KSSFAKCEMRDAKCGKIQCGGASRPVIGTNAVSIET
NIPLQQGGRIICRGTHVYLGDDMPDPLVLAGTKCADGKICLNRCQNISVFGVHECAMQCHGRGVCNNRKNCHC
EAHWAPPFCDFKFGFGGSTDSGPIRQAEARQEAAESNRERGGQEPVGSQEHASTSLTLI

Signal peptide:

amino acids 1-28

90/615

FIGURE 89

CTGCTGCATCCGGGTGTCTGGAGGCTGTGGCCGTTTTGTTTTCTTGGCTAAAATCGGGGGAGTGAGGCGGGCCGG
CGCGGCGCGACACCGGGCTCCGGAACCACTGCACGACGGGGCTGGACTGACCTGAAAAAATGTCTGGATTTCTA
GAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGGGAAAAGCGCAATACTATTGCTTCCATTGCTGCTGGTGTA
CTATTTTTTACAGGCTGGTGGATTATCATAGATGCAGCTGTTATTTATCCCACCATGAAAGATTTCAACCACTCA
TACCATGCCTGTGGTGTATAGCAACCATAGCCTTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGAGGT
GATAGTTACAGTGAAGGTGTCTGGGTCAAACAGGTGCTCGCATTTGGCTTTTCGTTGGTTTCATGTTGGCCTTT
GGATCTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTTGCTAAAGAAAAAGACATAGTATACCCTGGA
ATTGCTGTATTTTTCCAGAATGCCTTCATCTTTTTTGGAGGGCTGGTTTTTAAGTTTGGCCGCACTGAAGACTTA
TGGCAGTGAACACATCTGATTTCCACAGCACAAACAGCCCTGCATGGGTTTGTGTTTTTTTTTACTGCTCACTCC
CAACCTTTTGTAATGCCATTTTCTAAACTTATTTCTGAGTGTAGTCTCAGCTTAAAGTTGTGTAATACTAAAATC
ACGAGAACACCTAAACAACAACCAAAAATCTATTGTGGTATGCACTTGATTAACCTATAAAATGTTAGAGGAAAC
TTTCACATGAATAATTTTTGTCAAATTTTATCATGGTATAATTTGTA AAAATAAAAAGAAATTACAAAAGAAATT
ATGGATTTGTCAATGTAAGTATTTGTCATATCTGAGGTCCAAAACCACAATGAAAGTGCTCTGAAGATTTAATGT
GTTTATTCAAATGTGGTCTCTTCTGTGTCAAATGTTAAATGAAATATAAACATTTTTTAGTTTTTAAATATTCC
GTGGTCAAATTTCTCCTCACTATAATTGGTATTTACTTTTACC AAAATTTCTGTGAACATGTAATGTAAGTGGC
TTTTGAGGGTCTCCCAAGGGGTGAGTGGACGTGTTGGAAGAGAGAAGCACCATGGTCCAGCCACCAGGCTCCCTG
TGTCCCTTCCATGGGAAGGTCTTCCGCTGTGCCTCTCATTTCCAAGGGCAGGAAGATGTGACTCAGCCATGACACG
TGTTTCTGGTGGGATGCACAGTCACTCCACATCCACCACTG

91/615

FIGURE 90

MSGFLEGLRCSECIDWGEKRNTIASIAAGVLFFTGWWIIIDAAVIYPTMKDFNHSYHACGVIATIAFLMINAVSN
GQVRGDSYSEGCLGQTGARIWLFVGFMLAFGSLIASMWILFGGYVAKEKDIVYPGIAVFFQNAFIFFGGLVFKFG
RTEDLWQ

92/615

FIGURE 91

CGACGCCGGCGTGATGTGGCTTCCGCTGGTGCTGCTCCTGGCTGTGCTGCTGCTGGCCGTCTCTGCAAAGTTTA
CTTGGGACTATTCTCTGGCAGCTCCCCGAATCCTTTCTCCGAAGATGTCAAACGGCCCCAGCGCCCTGGTAAC
TGACAAGGAGGCCAGGAAGAAGGTTCTCAAACAAGCTTTTTCAGCCCAACCAAGTGCCGGAGAAGCTGGATGTGGT
GGTAATTGGCAGTGGCTTTGGGGGCGCTGGCTGCAGCTGCAATTCTAGCTAAAGCTGGCAAGCGAGTCTCTGGTGCT
GGAACAACATACCAAGGCAGGGGGCTGCTGTACATACCTTTGGAAAGAATGGCCTTGAATTTGACACAGGAATCCA
TTACATTGGGCGTATGGAAGAGGGCAGCATTGGCCGTTTTATCTTGGACCAGATCACTGAAGGGCAGCTGGACTG
GGCTCCCCCTGTCTCTCTTTTACATCATGGTACTGGAAGGGCCCAATGGCCGAAAGGAGTACCCCATGTACAG
TGGAGAGAAAGCCTACATTCAAGGGCTCAAGGAGAAGTTTCCACAGGAGGAAGCTATCATTGACAAATATATAAA
GCTGGTTAAGGTGGTATCCAGTGGAGCCCCCTCATGCCATCCTGTTGAAATTCCTCCCATTGCCCCGTGGTTCACT
CCTCGACAGGTGTGGGCTGCTGACTCGTTTCTCTCCATTCTTCAAGCATCCACCCAGAGCCTGGCTGAGGTCTCT
GCAGCAGCTGGGGGCGCTCCTCTGAGCTCCAGGCAGTACTCAGCTACATCTTCCCCACTTACGGTGTCACCCCAA
CCACAGTGCCTTTTCCATGCACGCCCTGCTGGTCAACCACTACATGAAGAGGAGCTTTTATCCCCGAGGGGGTTC
CAGTGAATTTGCCTTCCACACCATCCCTGTGATTACAGCGGGCTGGGGGCGCTGTCTCACAAGGCCACTGTGCA
GAGTGTGTTGCTGGACTCAGCTGGGAAAGCCTGTGGTGTGAGTGTGAAGAGGGGCATGAGCTGGTGAACATCTA
TTGCCCATCGTGGTCTCCAACGCAGGACTGTTCAACACCTATGAACACCTACTGCCGGGGAACGCCCGCTGCCT
GCCAGGTGTGAAGCAGCAACTGGGGACGGTGCAGGCCGGCTTAGGCATGACCTCTGTTTTCATCTGCCTGCGAGG
CACCAGGAAGACCTGCATCTGCCGTCCACCACTACTATGTTTACTATGACACGGACATGGACAGGCGATGGA
CGCTACGTCTCCATGCCAGGGAAGAGGCTGCCGAACACATCCCTCTTCTCTTCTCGCTTTCCCATCAGCCAA
AGATCCGACCTGGGAGGACCGATTCCAGGCCGCTCCACCATGATCATGCTCATACCACTGCCCTACGAGTGGTT
TGAGGAGTGGCAGGCGGAGCTGAAGGGAAGCGGGGCGAGTACTATGAGACCTTCAAAAACCTCCTTGTGGAAGC
CTCTATGTGAGTGGTCTGAACTGTTCACAGCTGGAGGGGAAGGTGGAGAGTGTGACTGCAGGATCCCCACT
CACCACCAAGTTCTATCTGGCTGCTCCCCGAGGTGCCTGCTACGGGGCTGACCATGACCTGGGGCGCTGCACCC
TTGTGTGATGGCCTCCTTGAAGGCCAGAGCCCCATCCCCAACCTCTATCTGACAGGCCAGGATATCTTACCTG
TGGACTGGTGGGGGCGCTGCAAGGTGCCCTGCTGTGCAGCAGCGCCATCCTGAAGCGGAACCTGTACTCAGACCT
TAAGAATCTTGATTCTAGGATCCGGGCACAGAAGAAAAAGAAATAGTTCCATCAGGGAGGAGTCAGAGGAATTTG
CCCAATGGCTGGGGCATCTCCCTTGACTTACCCATAATGTCTTCTGCAATTAGTTCCTTGCAGGTATAAAGCACT
CTAATTTGGTTCTGATGCCTGAAGAGAGGCGCTAGTTTAAATCACAATTCGGAATCTGGGGCAATGGAATCACTGC
TTCCAGCTGGGGCAGGTGAGATCTTACGCCCTTTTATAACATGCCATCCCTACTAATAGGATATGACTTGGATA
GCTTGATGTCTCATGACGAGCGCGCTCTGCATCCCTACCCATGCCTCCTAACTCAGTGATCAAAGCGAATATT
CCATCTGTGGATAGAACCCCTGGCAGTGTGTGCTCAGCTCAACCTGGTGGGTTCACTTCTGTCTGAGGCTTCTGCT
CTCATTCATTTAGTGCTACGCTGCACAGTTCTACACTGTCAAGGGAAGGGAGACTAATGAGGCTTAACCTCAA
ACCTGGGCGTGGTTTTTGGTTGCCATTCCATAGGTTTGGAGAGCTCTAGATCTCTTTTGTGCTGGGTTCACTGGCT
CTTCAGGGACAGGAAATGCTGTGTCTGGCCAGTGTGGTTCTGGAGCTTTGGGTAACAGCAGGATCCATCAGT
TAGTAGGGTGCATGTGATGATCATATCCAATTATATGGAAGTCCCGGGTCTGTCTTCCCTATCATCGGGGTG
GCAGCTGGTTCTCAATGTGCCAGCAGGGACTCAGTACCTGAGCCTCAATCAAGCCTTATCCACCAATAACACAGG
GAAGGGTGATGCAGGGAAGGGTGACATCAGGAGTCAGGGCATGGACTGGTAAGATGAATACTTTGCTGGGCTGAA
GCAGGCTGCAGGGCATTCAGCCAAGGGCACAGCAGGGGACAGTGCAGGGAGGTGTGGGGTAAGGGAGGGAAGTC
ACATCAGAAAAGGGAAAGCCACGGAATGTGTGTAAGCCCAGAAATGGCATTTCAGTTAATTAGCACATGTGAG
GGTTAGACAGGTAGGTGAATGCAAGCTCAAGGTTTGGAAAAATGACTTTTCAGTTATGTCTTTGGTATCAGACAT
ACGAAAGGTCTCTTTGTAGTTCGTGTTAATGTAACATTAATAAATTTATTGATTCCATTGCTTTAAAAA
AAAA

93/615

FIGURE 92

MWLPLVLLAVLLAVLCKVYLGLFSGSSPNPFSEDKRPPAPLVTDKEARKKVLKQAFSANQVPEKLDVVVIGS
GFGGLAAAAILAKAGKRVLVLEQHTKAGGCCHTFGKNGLEFDTGIHYIGRMEEGSIGRFILDQITEGQLDWAPLS
SPFDIMVLEGPNGRKEYPMYSGEKAYIQGLKEKFPQEEAIIIDKYIKLVKVVSSGAPHAILLKFLPLPVVQLLDRC
GLLTRFSPFLQASTQSLAEVLQQLGASSELQAVLSYIFPTYGVTPNHSAFSMHALLVNHYMKGGFYPRGGSSEIA
FHTIPVIQRAGGAVLTkATVQSVLLDSAGKACGVSVKKGHELVNIYCPVVSNAGLFNTYEHLLPGNARCLPGVK
QQLGTVRPGLGMTSVFICLRGTKEIDLHLPSTNYVYYDDTMDQAMERYVSMFREEAAEHIPLLFFAFPSAKDPTW
EDRFPGRSTMIMLIPTAYEWFEWQAEKKGKRGSDYETFKNSFVEASMSVVLKLFPPQLEGKVESVTAGSPLTNQF
YLAAPRGACYGADHDLGRLHPCVMASLRAQSPINLYLTGQDIFTCGLVGALQGALLCSSAILKRNLSDLNLD
SRIRAQKKKN

94/615

FIGURE 93

GGGAAAGATGGCGGCGACTCTGGGACCCCTTGGGTCGTGGCAGCAGTGGCGGCGATGTTTGTGGGCTCGGGATGG
GTCCAGGATGTTACTCCTTCTTCTTTGTTGGGGTCTGGGCAGGGGCCACAGCAAGTCGGGGCGGGTCAAACGTT
CGAGTACTTGAAACGGGAGCACTCGCTGTCGAAGCCCTACCAGGGTGTGGGCACAGGCAGTTCCCTCACTGTGGAA
TCTGATGGGCAATGCCATGGTGATGACCCAGTATATCCGCCCTTACCCAGATATGCAAAGTAAACAGGGTGCCTT
GTGGAACCGGGTGCCATGTTTCCTGAGAGACTGGGAGTTGCAGGTGCACCTTCAAATCCATGGACAAGGAAAGAA
GAATCTGCATGGGGATGGCTTGGCAATCTGGTACACAAAGGATCGGATGCAGCCAGGGCCTGTGTTTGGAAACAT
GGACAAATTTGTGGGGCTGGGAGTATTTGTAGACACCTACCCCAATGAGGAGAAGCAGCAAGAGCGGGTATTCCC
CTACATCTCAGCCATGGTGAACAACGGCTCCCTCAGCTATGATCATGAGCGGGATGGGCGGCCTACAGAGCTGGG
AGGCTGCACAGCCATTGTCCGCAATCTTCATTACGACACCTTCCTGGTGATTGCTACGTCAAGAGGCATTTGAC
GATAATGATGGATATTGATGGCAAGCATGAGTGGAGGGACTGCATTGAAGTGCCCGAGTCCGCCCTGCCCGCGG
CTACTACTTCGGCACCTCCTCCATCACTGGGGATCTCTCAGATAATCATGATGTCATTTCTTGAAGTTGTTTGA
ACTGACAGTGGAGAGAACCCAGAAAGAGGAAAAGCTCCATCGAGATGTGTTCTTGCCCTCAGTGGACAATATGAA
GCTGCCCTGAGATGACAGCTCCACTGCCGCCCCTGAGTGGCCTGGCCCTCTTCTCATCGTCTTTTTCTCCCTGGT
GTTTTCTGTATTTGCCATAGTCATTGGTATCATACTCTACAAACAAATGGCAGGAACAGAGCCGAAAGCGCTTCTA
CTGAGCCCTCCTGCTGCCACCACTTTTGTGACTGTACCCATGAGGTATGGAAGGAGCAGGCAGTGGCCTGAGCA
TGCAGCCTGGAGAGTGTCTTGTCTCTAGCAGCTGGTTGGGGACTATATTCTGTCACTGGAGTTTTGAATGCAGG
GACCCCGCATTTCCCATGGTTGTGCATGGGGACATCTAACTCTGGTCTGGGAAGCCACCCACCCAGGGCAATGCT
GCTGTGATGTGCCTTTCCCTGCAGTCCTTCCATGTGGGAGCAGAGGTGTGAAGAGAATTTACGTGGTTGTGATGC
CAAATCACAGAACAGAAATTTCATAGCCAGGCTGCCGTGTTGTTTGAAGTCAAGAGGCCCTTCTACTTCACTTTT
GAATCCACAAAGAATTAATAAAGTGGTAACACCACAGGCTTTCTGACCATCCATTGCTGGGTTTTGCATTTGACC
CAACCTCTGCCTACCTGAGGAGCTTTCTTTGGAACACAGGATGGAACTTCTTCCCTGCCTTACCTTCTTTCA
CTCCATTCAATTGTCTCTCTGTGTGCAACCTGAGCTGGGAAAGGCATTTGGATGCCTCTCTGTTGGGGCCTGGGG
CTGCAGAACACACCTGCGTTTCACTGGCCTTCATTAGGTGGCCCTAGGGAGATGGCTTTCTGCTTTGGATCACTG
TTCCCTAGCATGGGTCTTGGGTCTATTGGCATGTCCATGGCCTTCCCAATCAAGTCTCTTCAGGCCCTCAGTGAA
GTTTGGCTAAAGGTTGGTGTAAATCAAGAGAAGCCTGGAAGACATCATGGATGCCATGGATTAGCTGTGCAAC
TGACCAGCTCCAGGTTTGATCAAACCAAAGCAACATTTGTGATGTGGTCTGACCATGTGGAGATGTTTCTGGAC
TTGCTAGAGCCTGCTTAGCTGCATGTTTTGTAGTTACGATTTTTGGAATCCCACTTTGAGTGCTGAAAGTGTAAG
GAAGCTTTCTTCTTACACCTTGGGCTTGGATATTGCCAGAGAAGAAATTTGGCTTTTTTTTTCTTAATGGACAA
GAGACAGTTGCTGTTCTCATGTTCCAAGTCTGAGAGCAACAGACCCTCATCATCTGTGCCTGGAAGAGTTCAGTG
TCATTGAGCAGCACAGCCTGAGTGCTGGCCTCTGTCAACCCTTATTCCACTGCCTTATTTGACAGGGGTTACAT
GCTGCTCACCTTACTGCCCTGGGATTAAATCAGTTACAGGCCAGAGTCTCCTTGGAGGGCCTGGAAGTCTGAGTC
CTCCTATGAACCTCTGTAGCCTAAATGAAATCTTAAATCACCGATGGAACCAAAAAAAAAAAAAAAAAAGGGCG
GCCGCGACTCTAGAGTCGACCTGCAGTAGGGATAACAGGGTAATAAGCTTGGCCGCCATGG

95/615

FIGURE 94

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50911

><subunit 1 of 1, 348 aa, 1 stop

><MW: 39711, pI: 8.70, NX(S/T): 1

MAATLGPLGSWQQWRRCLSARDGSRMLLLLLLLGSGQGPGQVGAGQTFEYLKREHSLSKPYQGVGTGSSSLWNLM
GNAMVMTQYIRLTPDMQSKQALWNRVPCFLRDWELQVHFQIHGQGKKNLHGDGLAIWYTKDRMQPGPVFGNMDK
FVGLGVFVDTPNEEKQQERVFPYISAMVNNGSLSYDHERDGRPTLGGCTAIVRNLYDTFLVIRYVKRHLTIM
MDIDGKHEWRDCIEVPGVRLPRGYFGTSSITGDLSDNHVISLKLFEFTVERTPEEEKLHRDVFLPSVDNMKLP
EMTAPLPPLSGLALFLIVFFSLVFSVFAIVIGIILYNKWQEQSRKRFY

Signal sequence:

amino acids 1-38

Transmembrane domain:

amino acids 310-329

96/615

FIGURE 95

CCTGTGTTAAGCTGAGGTTTCCCCTAGATCTCGTATATCCCCAACACATACCTCCACGCACACACATCCCCAAGA
ACCTCGAGCTCACACCAACAGACACACGCGCGCATACACACTCGCTCTCGTTGTCCATCTCCCTCCCGGGGGAG
CCGGCGCGCGCTCCACCTTTGCCGCACACTCCGGCGAGCCGAGCCCGCAGCGCTCCAGGATTCTGCGGGCTCGGA
ACTCGGATTGCAGCTCTGAACCCCCATGGTGGTTTTTTAAACACTTCTTTTCTCTCTCCTCGTTTTGATTGC
ACCGTTTCCATCTGGGGGCTAGAGGAGCAAGGCAGCAGCCTTCCCAGCCAGCCCTTGTGGCTTGCCATCGTCCA
TCTGGCTTATAAAAGTTTGTGAGCGCAGTCCAGAGGGCTCGCTGCTCGTCCCCCTCGGCTGGCAGAAGGGGGTG
ACGCTGGGCAGCGCGAGGAGCGCGCCGCTGCCTCTGGCGGGCTTTCGGCTTGAGGGGCAAGGTGAAGAGCGCAC
CGGCCGTGGGGTTTACCGAGCTGGATTGTATGTTGCACCATGCTTCTTGGATCGGGGGCTGTGATTCTTCCCCT
CTTGGGGCTGCTGCTCTCCCTCCCCGCGGGGCGGATGTGAAGGCTCGGAGCTGCGGAGAGGTCCGCCAGGCGTA
CGGTGCCAAGGGATTACGCTTGGCGGACATCCCCTACCAGGAGATCGCAGGGGAACACTTAAGAATCTGTCTCA
GGAATATACATGCTGCACCACAGAAATGGAAGACAAGTTAAGCCAACAAAGCAAACCTCGAATTTGAAAACCTTGT
GGAAGAGACAAGCCATTTTGTGCGCACCCTTTTGTGTCCAGGCATAAGAAATTTGACGAATTTTCCGAGAGCT
CCTGGAGAATGCAGAAAAGTCACTAAATGATATGTTTGTACGGACCTATGGCATGCTGTACATGCAGAATTCAGA
AGTCTTCCAGGACCTCTTTCACAGAGCTGAAAAGGTACTACACTGGGGGTAATGTGAATCTGGAGGAAATGCTCAA
TGACTTTTGGGCTCGGCTCCTGGAACGGATGTTTCAGCTGATAAACCTCAGTATCACTTCAGTGAAGACTACCT
GGAATGTGTGAGCAAATACACTGACCAGCTCAAGCCATTTGGAGACGTGCCCCGAAACTGAAGATTCAGGTTAC
CCGCGCCTTCATTGCTGCCAGGACCTTTGTCCAGGGGCTGACTGTGGGCAGAGAAGTTGCAAACCGAGTTTCCAA
GGTCAGCCCAACCCAGGGTGTATCCGTGCCCTCATGAAGATGCTGTACTGCCCATACTGTGCGGGGCTTCCCAC
TGTGAGGCCCTGCAACAACCTACTGTCTCAACGTCATGAAGGGCTGCTTGGCAAATCAGGCTGACCTCGACACAGA
GTGGAATCTGTTTATAGATGCAATGCTCTTGGTGGCAGAGCGACTGGAGGGGCCATTCAACATTGAGTCGGTCAT
GGACCCGATAGATGTCAAGATTTCTGAAGCCATTATGAACATGCAAGAAAACAGCATGCAGGTGTCTGCAAAGGT
CTTTCAGGGATGTGGTCAGCCCAACCTGCTCCAGCCCTCAGATCTGCCCGCTCAGCTCCTGAAAATTTTAATAC
ACGTTTCAGGCCCTACAATCCTGAGGAAAGACCAACAACCTGCTGCAGGCACAAGCTTGGACCGGCTGGTCACAGA
CATAAAAGAGAAATTTGAAGCTCTCTAAAAGGTCTGGTCAGCATTACCCTACACTATCTGCAAGGACGAGAGCGT
GACAGCGGGCAGCTCCAACGAGGAGGAATGCTGGAACGGGCACAGCAAAGCCAGATACTTGCCTGAGATCATGAA
TGATGGGCTCACCAACCAGATCAACAATCCCGAGGTGGATGTGGACATCACTCGGCCTGACACTTTCATCAGACA
GCAGATTATGGCTCTCCGTGTGATGACCAACAACTAAAAACGCCTACAATGGCAATGATGTCAATTTCCAGGA
CACAAAGTGATGAATCCAGTGGCTCAGGGAGTGGCAGTGGGTGCATGGATGACGTGTGTCCCACGGAGTTTGAGTT
TGTCACCACAGAGGCCCCCGCAGTGGATCCCGACCGGAGAGAGGTGGACTCTTCTGCAGCCAGCGTGGCCACTC
CCTGCTCTCCTGGTCTCTCACCTGCATTTGCTTGGCACTGCAGAGACTGTGCAGATAATCTTGGGTTTTTGGTCA
GATGAACTGCATTTTAGCTATCTGAATGGCCAACCTCACTTCTTTTCTTACACTCTTGGACAATGGACCATGCCA
CAAAAACCTTACCGTTTTCTATGAGAAGAGAGCAGTAATGCAATCTGCCTCCCTTTTGTGTTTTCCCAAAGAGTACC
GGGTGCCAGACTGAAGTCTTCTTCTTCTTCCAGCTATCTGTGGGGACCTTGTGTTATTCTAGAGAGAATTCTTA
CTCAAATTTTTCGTACCAGGAGATTTCTTACCTTCATTTGCTTTTATGCTGCAGAAGTAAGGAATCTCACGTT
GTGAGGGTTTTTTTTTCTCATTTAAAAAT

97/615

FIGURE 96

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50914
><subunit 1 of 1, 555 aa, 1 stop
><MW: 62736, pI: 5.36, NX(S/T): 0
MPSWIGAVILPLLGLLLSLPAGADV KARSCEV RQAYGAKGFSIADIPYQEIAGEHLRICPQEYTCCTTEMEDKL
SQQSKLEFENLVEETSHFVRTTFVSRHKKFDEFFRELLENAEKSLNDMFVRTYGMLYMQNSEVFQDLFTTELKRY
TGGNVNLEEMLNDFWARLLERMFQLINPOYHFSEDYLECYSKYTDQLKPFQDVPRKPKIQVTRAFIAARTFVQGL
TVGREVANRVSKVSPTPGCIRALMKMLYCPYCRGLPTVRPCNNYCLNVMKGCLANQADLDTWNLFI DAMLLVAE
RLEGPFNIESVMDPIDVKISEAIMNMQENSMQVSQKVFQCGQPKPAPALRSARSAPENFNTFRPYNPEERPTT
AAGTSLDRLVTDIKEKLKLSKKVWSALPYTICKDESVTAGTSNEEECWNGHSHKARYLPEIMNDGLTNQINNPEVD
VDITRPDTFIRQQIMALRVMTNKLKNAYNGNDVNFQDTSDESSGSGSGSGCMDDVCPTFEFEFVTEAPAVDPDRR
EVDSSAAQRGHSLLSWSLTCIVLALQRLCR
```

Signal peptide:
amino acids 1-23

98/615

FIGURE 97

GGCGGCGTCCGTGAGGGGCTCCTTTGGGCAGGGGTAGTGTGGTGTCCCTGTCTTGCGTGATATTGACAAACTG
AAGCTTTCCTGCACCACTGGACTTAAGGAAGAGTGACTCGTAGGCGGACAGCTTTAGTGGCCGGCCGGCCGCTC
TCATCCCCCGTAAGGAGCAGAGTCCTTTGTACTGACCAAGATGAGCAACATCTACATCCAGGAGCCTCCACGAA
TGGGAAGGTTTTATTGAAACTACAGCTGGAGATATTGACATAGAGTTGTGGTCCAAAGAAGCTCCTAAAGCTTG
CAGAAATTTTATCCAACCTTTGTTTGAAGCTTATTATGACAATACCATTTTTCATAGAGTTGTGCTGGTTTCAT
AGTCCAAGGCGGAGATCCTACTGGCACAGGGAGTGGTGGAGAGTCTATCTATGGAGCGCCATTCAAAGATGAATT
TCATTCACGGTTGCGTTTTAATCGGAGAGGACTGGTTGCCATGGCAAATGCTGGTTCTCATGATAATGGCAGCCA
GTTTTTCTTCACACTGGGTCGAGCAGATGAACCTTAACAATAAGCATACCATCTTTGGAAAGGTTACAGGGGATAC
AGTATATAACATGTTGCGACTGTCAGAAAGTAGACATTGATGATGACGAAAGACCACATAATCCACACAAAATAAA
AAGCTGTGAGGTTTTGTTTAAATCCTTTTGATGACATCATTCGAAGGGAATTTAAAGGCTGAAAAAGAGAAACC
AGAGGAGGAAGTAAAGAAATTGAAACCCAAAGGCACAAAAATTTTAGTTTACTTTTCATTTGGAGAGGAAGCTGA
GGAAGAAGAGGAGGAAGTAAATCGAGTTAGTCAGAGCATGAAGGGCAAAGCAAAGTAGTCATGACTTGCTTAA
GGATGATCCACATCTCAGTTCTGTTCCAGTTGTAGAAAGTGAAAAAGGTGATGCACCAGATTTAGTTGATGATGG
AGAAGATGAAAGTGACAGAGCATGATGAATATATTGATGGTGATGAAAGAACCTGATGAGAGAAAGAATTGCCAA
AAAATTAAGGACACAAGTGCGAATGTTAAATCAGCTGGAGAAGGAGAAGTGGAGAAGAAATCAGTCAGCCG
CAGTGAAGAGCTCAGAAAAGCAAGACAATTAACCGGGAACCTTAGCAGCAAAACAAAAAAGTAGAAAA
TGCAGCAAAACAAGCAGAAAAAGAAGTGAAGAGGAAGAAGCCCTCCAGATGGTGCTGTTGCCGAATACAGAAG
AGAAAAGCAAAAGTATGAAGCTTTGAGGAAGCAACAGTCAAAGAAGGGAACCTCCCGGAAGATCAGACCCTTGC
ACTGCTGAACCAAGTTTAAATCTAAACTCACTCAAGCAATTGCTGAAACACCTGAAATGACATTCTTGAAACAGA
AGTAGAAGATGATGAAGGATGGATGTCACATGTACTTCAGTTTGAGGATAAAAGCAGAAAAGTGAAAGATGCAAG
CATGCAAGACTCAGATACATTTGAAATCTATGATCCTCGGAATCCAGTGAATAAAAGAAGGAGGGAAGAAAGCAA
AAAGCTGATGAGAGAGAAAAAGAAGATAAATGAGAATAATGATAACCAGAACTTGCTGGAAATGTGCCT
ACAATGGCCTTGTAACAGCCATTGTTCCCAACAGCATCACTTAGGGGTGTGAAAAGAAGTATTTTGAACCTGTT
GTCTGGTTTTGAAAAACAATTATCTTGTTTTGCAAATTGTGGAATGATGTAAGCAAATGCTTTTGGTTACTGGTA
CATGTGTTTTTCTAGCTGACCTTTTATATTGCTAAATCTGAAATAAAATAACTTTCCTTCCACAAAAA
AAAAAAAAAAAAAAAAAAAA

99/615

FIGURE 98

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50919
><subunit 1 of 1, 472 aa, 1 stop
><MW: 53847, pI: 5.75, NX(S/T): 2
MSNIYIQEPPTNGKVLVLLKTTAGDIDELWSKEAPKACRNFIQLCL EAYYDNTIFHRVVPGFIVQGGDPTGTGSGG
ESIYGAPFKDEFHSRLRFNRRLVAMANAGSHDNGSQFFFTLGRADELNNKHTIFGKVTGDTVYNMLRLSEVDID
DDERPHNPHKIKSCEVLFPNPFDDII PREIKRLKKEKPEEEVKKLKPKGTKNFSILSFGEAAEEEEEEVN RVSQSM
KGKSKSSHDLKDDPHLSSVPVVESEKGDAPDLVDGEDESAEHDEYIDGDEKNLMRERI AKKLKDDTSANVKS A
GEGEVEKKSVSRSEELRKEARQLKRELLAAKQKKVENAAKQAEKRSEEEAAPDGA VAEYRREKQKYEALRKQQS
KKGTSREDQTLALLNQFKSKLTQAIAETPENDIPETEVEDDEGWMSHVLQFEDKSRKVKDASMQDSDTFEIYDPR
NPNVKRRREESKILMREKKERR
```

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 109-112 and 201-204

Cyclophilin-type peptidyl-prolyl cis-trans isomerase signature.

amino acids 49-66

Homologous region to Cyclophilin-type peptidyl-prolyl cis-trans isomerase

amino acids 96-140, 49-89 and 22-51

100/615

FIGURE 99

CTTTTCTGAGGAACCACAGCAATGAATGGCTTTGCATCCTTGCTTCGAAGAAACCAATTTATCCTCCTGGTACTA
TTTCTTTTGCAAATTCAGAGTCTGGGTCTGGATATTGATAGCCGTCTACCGCTGAAGTCTGTGCCACACACACA
ATTTCAACCAGGACCCAAAGGAGATGATGGTGAAAAAGGAGATCCAGGAGAAGAGGGAAAGCATGGCAAAGTGGGA
CGCATGGGGCCGAAAGGAATTAAGGAGAACTGGGTGATATGGGAGATCAGGGCAATATTGGCAAGACTGGGCCC
ATTGGGAAGAAGGGTGACAAAGGGGAAAAAGGTTTGCTTGAATACCTGGAGAAAAAGGCAAAGCAGGTACTGTC
TGTGATTGTGGAAGATACCGGAAATTTGTTGGACAACCTGGATATTAGTATTGCTCGGCTCAAGACATCTATGAAG
TTTGTCAAGAATGTGATAGCAGGGATTAGGGAACTGAAGAGAAATTTACTACATCGTGCAGGAAGAGAAGAAC
TACAGGGAATCCCTAACCCTGTCAGGATTCGGGGTGGAATGCTAGCCATGCCCAAGGATGAAGCTGCCAACACA
CTCATCGCTGACTATGTTGCCAAGAGTGGCTTCTTTCGGGTGTTTATTGGCGTGAATGACCTTGAAAGGGAGGGA
CAGTACATGTCCACAGACAACACTCCACTGCAGAACTATAGCAACTGGAATGAGGGGGAACCCAGCGACCCCTAT
GGTCATGAGGACTGTGTGGAGATGCTGAGCTCTGGCAGATGGAATGACACAGAGTGCCATCTTACCATGTACTTT
GTCTGTGAGTTCATCAAGAAGAAAAAGTAACTTCCCTCATCCTACGTATTTGCTATTTTCCCTGTGACCGTCATTA
CAGTTATTGTTATCCATCCTTTTTTTCCTGATTGTACTACATTTGATCTGAGTCAACATAGCTAGAAAATGCTAA
ACTGAGGTATGGAGCCTCCATCATCAAAAAAAAAAAAAAAAAA

101/615

FIGURE 100

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50980

><subunit 1 of 1, 277 aa, 1 stop

><MW: 30645, pI: 7.47, NX(S/T): 2

MNGFASLLRRNQFILLVLFLLQIQSLGLDIDSRPTAEVCATHTISPGPKGDDGEKGDGPGEKGKHGKVGRMGPKGI
KGELGDMGDQGNIGKTGPIGKKGDKGEKGLLGIPGEKGKAGTVCDGGRYRKFGVQLDISIARLKTSMKFVKNVIA
GIRETEEFYYIVQEEKNYRESLTHCRIRGGMLAMPKDEAANTLIADYVAKSGFRRVFIGVNDLEREGQYMSTDN
TPLQNYSNWNEGEPSDPYGHEDCVEMLSGRWNDTECHLTMYFVCEFIKKKK

Signal peptide:
amino acids 1-25

102/615

FIGURE 101

GCAACCTCAGCTTCTAGTATCCAGACTCCAGCGCCGCCCGGGCGCGGACCCCAACCCCGACCCAGAGCTTCTCC
AGCGGCGGGCGCAGCGAGCAGGGCTCCCCGCCCTTAACCTTCCCTCCGCGGGGCCCAGCCACCTTCGGGAGTCCGGGTT
GCCACCTGCAAACTCTCCGCCCTTCTGCACCTGCCACCCTGAGCCAGCGCGGGGCCCCGAGCGAGTCAATGGCCA
ACGCGGGGCTGCAGCTGTTGGGCTTCATTCTCGCCTTCCCTGGGATGGATCGGCGCCATCGTCAGCACTGCCCTGC
CCCAGTGGAGGATTTACTCCTATGCCGGCGACAACATCGTGACCGCCCAGGCCATGTACGAGGGGCTGTGGATGT
CCTGCGTGTGCGCAGAGCACCGGGCAGATCCAGTGCAAAGTCTTTGACTCCTTGCTGAATCTGAGCAGCACATTGC
AAGCAACCCGTGCCTTGATGGTGGTTGGCATCCTCCTGGGAGTGATAGCAATCTTTGTGGCCACCGTTGGCATGA
AGTGATGAAGTGCTTGGAAGACGATGAGGTGCAGAAGATGAGGATGGCTGTCAATTGGGGGTGCGATATTTCTTC
TTGCAGGTCTGGCTATTTTAGTTGCCACAGCATGGTATGGCAATAGAATCGTTCAAGAATTCATGACCCTATGA
CCCCAGTCAATGCCAGGTACGAATTTGGTCAGGCTCTCTTCACTGGCTGGGCTGCTGCTTCTCTGCTTCTGG
GAGGTGCCCTACTTTGCTGTTCTGTCCCCGAAAAACAACCTCTTACCCAACACCAAGGCCCTATCCAAAACCTG
CACCTTCCAGCGGGAAGACTACGTGTGACACAGAGGCAAAAGGAGAAAATCATGTTGAAACAAACCGAAAATGG
ACATTGAGTACTATCATTAAACATTAGGACCTTAGAATTTTGGGTATTGTAATCTGAAGTATGGTATTACAAAAC
AAACAAACAAACAAAAACCCATGTGTTAAAATACTCAGTGCTAAACATGGCTTAATCTTATTTTATCTTCTTTC
CTCAATATAGGAGGGAAGATTTTCCATTTGTATTACTGCTTCCCATGAGTAATCATACTCAAATGGGGGAAGG
GGTGCTCCTTAAATATATATAGATATGTATATATACATGTTTTCTATTAAAAATAGACAGTAAAAATACTATTCT
CATTATGTTGATACTAGCATACTTAAAATATCTCTAAAATAGGTAAATGTATTTAATTCCATATTGATGAAGATG
TTTATTGGTATATTTTCTTTTTCGTCCTTATATACATATGTAAACAGTCAAATATCATTACTCTTCTTCATTAGC
TTTGGGTGCCTTTGCCACAAGACCTAGCCTAATTTACCAAGGATGAATTCCTTCAATTCCTCATGCGTGCCCTTT
TCATATACTTATTTTATTTTTTACCATAATCTTATAGCACTTGCATCGTTATTAAGCCCTTATTTGTTTTGTGTT
TCATTGGTCTCTATCTCCTGAATCTAACACATTTCATAGCCTACATTTTAGTTTCTAAAGCCCAAGAAGATTTAT
TACAAATCAGAACCTTGGAGGCAATCTTCTGCATGACCAAGTGATAAATTCCTGTTGACCTTCCCACACAAT
CCCTGTACTCTGACCCATAGCACTCTTGTTTGCTTGAATAATTTGTCCAATTGAGTAGCTGCATGCTGTTCCC
CCAGGTGTTGTAACACAACCTTATTGATTGAATTTTAAAGCTACTTATTCATAGTTTTATATCCCCCTAACTAC
CTTTTTGTTCCTTCCCTTAAATGATTGTTTTTCCCAAGTGTAATTATCATGCGTTTTATATCTTCTTAATAAG
GTGTGGTCTGTTTGTCTGAACAAAGTGCTAGACTTTCTGGAGTGATAATCTGGTGACAAATATCTCTCTGTAGC
TGTAAGCAAGTCACTTAATCTTCTACCTCTTTTTCTATCTGCCAAATTGAGATAATGATACTTAACCAGTTAG
AAGAGGTAGTGTGAATATTAATTAGTTTATATTACTCTTATTCTTTGAACATGAACATATGCCTATGTAGTGTCTT
TATTTGCTCAGCTGGCTGAGACACTGAAGAAGTCACTGAACAAAACCTACACACGTACCTTCATGTGATTCACTG
CCTTCTCTCTCTACCAGTCTATTTCCACTGAACAAAACCTACACACATACCTTCATGTGGTTCACTGCCTTCCCT
CTCTCTACCAGTCTATTTCCACTGAACAAAACCTACGCACATACCTTCATGTGGCTCAGTGCCTTCCCTCTCTCTA
CCAGTCTATTTCCATTCTTTCAGCTGTGTCTGACATGTTTGTGCTCTGTTCCATTTTAAACAACTGCTCTTACTTT
TCCAGTCTGTACAGAATGCTATTTCACTTGAGCAAGATGATGAATGGAAAGGGTGTGGCACTGGTGTCTGGAG
ACCTGGATTTGAGTCTTGGTGCTATCAATCACCGTCTGTGTTTGAGCAAGGCATTTGGCTGCTGTAAGCTTATTG
CTTCATCTGTAAGCGGTGGTTTGAATTCCTGATCTTCCACCTCACAGTGATGTTGTGGGGATCCAGTGAGATA
GAATACATGTAAGTGTGGTTTTGTAATTTAAAAAGTGCTATACTAAGGGAAAGAATTGAGGAATTAAGTGCATAC
GTTTTGGTGTGCTTTTCAAATGTTTGAATAAAAAAATGTTAAG

103/615

FIGURE 102

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52185
><subunit 1 of 1, 211 aa, 1 stop
><MW: 22744, pI: 8.51, NX(S/T): 1
MANAGLQLLGFI LAFLGWIGAI VSTALPQWRIYSYAGDNIVTAQAMYEGLWMSCVSQSTGQIQCKVFDSLNLSS
TLQATRALMVVGILLGVIAIFVATVGMKCMKCLEDDEVQKMRMAVIGGAIFLLAGLAILVATAWYGNRIVQEFYD
PMTPVNARYEFGQALFTGWAAASLCLLGALLCCSCPRKTTSYPTPRPYPKPAPSSGKD YV
```

Important features:**Signal peptide:**

amino acids 1-21

Transmembrane domains:

amino acids 82-102, 118-142 and 161-187

N-glycosylation site.

amino acids 72-75

PMP-22 / EMP / MP20 family proteins

amino acids 70-111

ABC-2 type transport system integral membrane protein

amino acids 119-133

104/615

FIGURE 103

CCCACGCGTCCGCGGACGCGTGGGCTGGACCCCAGGTCTGGAGCGAATTCAGCCTGCAGGGCTGATAAGCGAGG
CATTAGTGAGATTGAGAGAGACTTTACCCCGCCGTGGTGGTTGGAGGGCGCGCAGTAGAGCAGCAGCACAGGCGC
GGGTCCCGGGAGGCCGGCTCTGCTCGCGCCGAGATGTGGAATCTCCTTCACGAAACCGACTCGGCTGTGGCCACC
GCGCGCCGCCCGCTGGCTGTGCGCTGGGGCGCTGGTGTGGCGGGTGGCTTCTTCTCCTCGGCTTCTCTTC
GGGTGGTTTATAAAATCCTCCAATGAAGCTACTAACATTACTCCAAAGCATAATATGAAAGCATTTTTGGATGAA
TTGAAAGCTGAGAACATCAAGAAGTTCTTACATAATTTTACACAGATACCACATTTAGCAGGAACAGAACAAAAC
TTTCAGCTTGCAAAGCAAATTCAATCCAGTGGAAGAATTTGGCCTGGATTCTGTTGAGCTAGCTCATTATGAT
GTCCTGTTGTCTTACCCAAATAAGACTCATCCCACTACATCTCAATAATTAATGAAGATGGAAATGAGATTTTC
AACACATCATTATTTGAACCACCTCCTCCAGGATATGAAAATGTTTCGGATATTGTACCACCTTTCAGTGCTTTC
TCTCCTCAAGGAATGCCAGAGGGCGATCTAGTGTATGTTAACTATGCACGAACTGAAGACTTCTTTAAATTGGAA
CGGGACATGAAAATCAATTGCTCTGGGAAAATTGTAAATTGCCAGATATGGGAAAGTTTTAGAGGAAATAAGGTT
AAAAATGCCAGCTGGCAGGGGCCAAAGGAGTCATTCTCTACTCCGACCCTGCTGACTACTTTGCTCCTGGGGTG
AAGTCCTATCCAGACGGTTGGAATCTTCTGGAGGTGGTGTCCAGCGTGGAAATATCCTAAATCTGAATGGTGCA
GGAGACCTCTCACACCAGGTTACCCAGCAAATGAATATGCTTATAGGCGTGGAAATTGCAGAGGCTGTTGGTCTT
CCAAGTATTCCTGTTTATCCAATTGGATACTATGATGCACAGAAGCTCCTAGAAAAAATGGGTGGCTCAGCACC
CCAGATAGCAGCTGGAGAGGAAGTCTCAAAGTGCCCTACAATGTTGGACCTGGCTTTACTGGAACTTTTCTACA
CAAAAAGTCAAGATGCACATCCACTCTACCAATGAAGTGACGAGAATTTACAATGTGATAGGTACTCTCAGAGGA
GCAGTGGAAACAGACAGATATGTCAATCTGGGAGGTCAACGGGACTCATGGGTGTTTGGTGGTATTGACCCTCAG
AGTGGAGCAGCTGTTGTTTATGAAATTTGTGAGGAGCTTTGGAACACTGAAAAAGGAAGGGTGGAGACCTAGAAGA
ACAATTTTGTGTTGCAAGCTGGGATGCAGAAGAATTTGGTCTTCTTGGTTCTACTGAGTGGGCAGAGGAGAATTCA
AGACTCCTTCAAGAGCGTGGCGTGGCTTATATTAATGTGACTCATCTATAGAAGGAACTACACTCTGAGAGTT
GATTGTACACCGCTGATGTACAGCTTGGTACACAACCTAACAAAAGAGCTGAAAAGCCCTGATGAAGGCTTTGAA
GGCAAATCTCTTTATGAAAGTTGGACTAAAAAAGTCCTTCCCAGAGTTCACTGGCATGCCAGGATAAGCAAA
TTGGGATCTGGAAATGATTTTGAGGTGTTCTTCCAACGACTTGGAAATTGCTTCAGGCAGAGCACGGTATACTAAA
AATTGGGAAACAAACAAATTCAGCGGCTATCCACTGTATCACAGTGTCTATGAAACATATGAGTTGGTGGAAAAG
TTTTATGATCCAATGTTTAAATATCACCTCACTGTGGCCAGGTTCCAGGAGGGATGGTGTGTTGAGCTAGCCAAT
TCCATAGTGCTCCCTTTTGATTGTGAGATTATGCTGTAGTTTTAAGAAAGTATGCTGACAAAATCTACAGTATT
TCTATGAAACATCCACAGGAATGAAGACATACAGTGTATCATTTGATTCATTTTTCTGCAGTAAAGAATTTT
ACAGAAATGCTTCCAAGTTCAGTGAGAGACTCCAGGACTTTGACAAAAGCAACCAATAGTATTAAAGAATGATG
AATGATCAACTCATGTTTCTGGAAAGAGCATTTATTGATCCATTAGGGTTACCAGACAGGCCTTTTTATAGGCAT
GTCATCTATGCTCCAAGCAGCCACAACAAGTATGCAGGGGAGTCATTCCCAGGAATTTATGATGCTCTGTTTGAT
ATTGAAAGCAAAGTGGACCCTTCCAAGGCCTGGGGAGAAGTGAAGAGACAGATTTATGTTGCAGCCTTCACAGTG
CAGGCAGCTGCAGAGACTTTGAGTGAAGTAGCCTTAAGAGGATTTTTAGAGAATCCGTATTGAATTTGTGTGGTA
TGTCACCTCAGAAAGAATCGTAATGGGTATATTGATAAATTTTAAAAATGGTATATTTGAAATAAAGTTGAATATT
ATATATAA

105/615

FIGURE 104

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA52756
><subunit 1 of 1, 750 aa, 1 stop
><MW: 84305, pI: 6.93, NX(S/T): 10
MWNLLHETDSAVATARRPRWLCAGALVLAGGFFLLGFLFGWFIKSSNEATNITPKHNMKAFLDELKAENIKKFLH
NFTQIPHLAGTEQNLFQLAQIQSQWKEFGLDSVELAHYDVLLSYPNKTHPNYISIINEDGNEIFNTSLFEP PPPG
YENVSDIVPPFSAFSPQGMPEGDLVYVNYARTEDDFKLERDMKINCSGKIVARYGKVFRGNKVNAQLAGAKGV
ILYSDPADYFAPGVKSYPDGWNLPGGGVQQRGNILNLNGAGDPLTPGYPANAYARRGIAEAVGLPSIPVHPIGYY
DAQKLLKMGGSAPPDSSWRGSLKVPYNVGPFTGNFSTQVKVMHIHSTNEVTRIYNVIGTLRGAVEPDRYVILG
GHRDSWVFGGIDPQSGAAVVHEIVRSFGTLKKEGWRPRRTILFASWDAEEFGLLGSTEWAEENSRLLOERGVAYI
NADSSIEGNYTLRVDCTPLMYSLVHNLTKEKSPDEGFEGKSLYESWTKKSPSPEFSGMPRISKLGSGNDFEVFF
QRLGIASGRARYTKNWETNKFSGYPLYHSVYETYELVEKFYDPMFKYHLTVAQVRGGMVFEANSIVLPFDCRDY
AVVLRKYADKIYSISMKHPQEMKTYSVSFDLSFAVKNFTEIASKFSERLQDFDKSNPIVLRMMNDQLMFLERAF
IDPLGLPDRPFYRHVIYAPSSHNKYAGESFPGIYDALFDIESKVDPSKAWGEVKRQIYVAAFTVQAAAETLSEVA
```

Signal sequence:
amino acids 1-40

N-glycosylation sites.
amino acids 76-80, 121-125, 140-144, 153-157, 195-199, 336-340, 459-463,
476-480, 638-642

Tyrosine kinase phosphorylation sites.
amino acids 363-372, 605-613, 606-613, 617-626

N-myristoylation sites.
amino acids 85-91, 168-174, 252-258, 256-262, 282-288, 335-341, 360-366,
427-433, 529-535, 707-713

106/615

FIGURE 105

TGAAGAGTAATAGTTGGAATCAAAAGAGTCAACGCAATGAACCTGTTATTTACTGCTGCGTTTTATGTTGGGAATT
CCTCTCCTATGGCCTTGTCTTGGAGCAACAGAAAACCTCTCAAACAAGAAAGTCAAGCAGCCAGTGGCATCTCAT
TTGAGAGTGAAGCGTGGCTGGGTGTGGAACCAATTTTTGTACCAGAGGAAATGAATACGACTAGTCATCACATC
GGCCAGCTAAGATCTGATTTAGACAATGGAACAATTCCTTCCAGTACAAGCTTTTGGGAGCTGGAGCTGGAAGT
ACTTTTATCATTGATGAAAGAACAGGTGACATATATGCCATACAGAAGCTTGATAGAGAGGAGCGATCCCTCTAC
ATCTTAAGAGCCCAGGTAATAGACATCGCTACTGGAAGGGCTGTGGAACTGAGTCTGAGTTTGTCTCAAAGTT
TCGGATATCAATGACAATGAACCAAAATTCCTAGATGAACCTTATGAGGCCATTGTACCAGAGATGTCTCCAGAA
GGAACATTAGTTATCCAGGTGACAGCAAGTGATGCTGACGATCCCTCAAGTGGTAATAATGCTCGTCTCCTCTAC
AGCTTACTTCAAGGCCAGCCATATTTTTCTGTTGAACCAACAACAGGAGTCATAAGAATATCTTCTAAAATGGAT
AGAGAACTGCAAGATGAGTATTGGGTAATCATTCAAGCCAAGGACATGATTGGTCAGCCAGGAGCGTTGTCTGGA
ACAACAAGTGTATTAATTAACCTTTTCAGATGTTAATGACAATAAGCCTATATTTAAAGAAAGTTTATACCGCTTG
ACTGCTCTGAATCTGCACCCACTGGGACTTCTATAGGAACAATCATGGCATATGATAATGACATAGGAGAGAAT
GCAGAAATGGATTACAGCATTGAAGAGGATGATTGCAAAACATTTGACATTATTACTAATCATGAACTCAAGAA
GGAATAGTTATATTAATAAAGAAAGTGGATTTTGGAGCACCAGAACCTACGGTATTAGAGCAAAAGTTAAAAAC
CATCATGTTTCTGAGCAGCTCATGAAGTACCACACTGAGGCTTCCACCCTTTCATTAAGATCCAGGTGGAAGAT
GTTGATGAGCCTCCTCTTTTCTCCTTCCATATTATGTATTTGAAGTTTTTGAAGAAACCCACAGGGATCATTT
GTAGGCGTGGTGTCTGCCACAGACCCAGACAATAGGAAATCTCCTATCAGGTATTCTATTACTAGGAGCAAAAGT
TTCAATATCAATGATAATGGTACAATCACTACAAGTAACCTCACTGGATCGTGAAATCAGTGCTTGGTACAACCTA
AGTATTACAGCCACAGAAAAATACAATATAGAACAGATCTCTTCGATCCCACTGTATGTGCAAGTTCTTAACATC
AATGATCATGCTCCTGAGTTCTCTCAATACTATGAGACTTATGTTTGTGAAAATGCAGGCTCTGGTCAGGTAATT
CAGACTATCAGTGCAGTGGATAGAGATGAATCCATAGAAGAGCACCATTTTTTACTTTAATCTATCTGTAGAAGAC
ACTAACAATTCAGTTTTTACAATCATAGATAATCAAGATAACACAGCTGTCATTTTGACTAATAGAAGTGGTTTT
AACCTTCAAGAAGAACCTGTCTTCTACATCTCCATCTTAATTGCCGACAATGGAATCCCGTCACTTACAAGTACA
AACACCTTACCATCCATGTCTGTGACTGTGGTGACAGTGGGAGCACACAGACCTGCCAGTACCAGGAGCTTGTG
CTTTCCATGGGATTCAAGACAGAAGTTATCATTGCTATTCTCATTGTCATTATGATCATATTTGGGTTTATTTTT
TTGACTTTGGGTTTAAAAACAACGGAGAAAACAGATTCTATTTCTGAGAAAAGTGAAGATTTAGAGAGAATATA
TTCCAATATGATGATGAAGGGGGTGGAGAAGAAGATACAGAGGCCCTTTGATATAGCAGAGCTGAGGAGTAGTACC
ATAATGCCGGAACGCAAGACTCGGAAAACCACAAGCGCTGAGATCAGGAGCCTATACAGGCAGTCTTTGCAAGTT
GGCCCCGACAGTGCCATATTTCAGGAAATTCATTCTGGAAGCTCGAAGAAGCTAATACTGATCCGTGTGCCCT
CCTTTTGATTCCCTCCAGACCTACGCTTTTGGAGGAACAGGGTCATTAGCTGGATCCCTGAGCTCCTTAGAATCA
GCAGTCTCTGATCAGGATGAAAGCTATGATTACCTTAATGAGTTGGGACCTCGCTTTAAAGATTAGCATGCATG
TTTGGTTCTGCAGTGCAGTCAAATAATTAGGGCTTTTTTACCATCAAAATTTTTAAAGTGCTAATGTGTATTCTGA
ACCCAATGGTAGTCTTAAAGAGTTTTTGTGCCCTGGCTCTATGGCGGGGAAAGCCCTAGTCTATGGAGTTTTCTGA
TTTCCCTGGAGTAAATACTCCATGGTTATTTTAAAGTACCTACATGCTGTCTATTGAACAGAGATGTGGGGAGAAA
TGTAACAATCAGCTCACAGGCATCAATACAACCAGATTTGAAGTAAAAATAATGTAGGAAGATATTAAGTAGA
TGAGAGGACACAAGATGTAGTCGATCCTTATGCGATTATATCATTATTTACTTAGGAAAGAGTAAAAATACCAAA
CGAGAAAATTTAAAGGAGCAAAAATTTGCAAGTCAAATAGAAATGTACAAATCGAGATAACATTTACATTTCTAT
CATATTGACATGAAAATTGAAAATGTATAGTCAGAGAAATTTTCATGAATTATTCATGAAGTATTGTTTCCTTT
ATTTAAA

107/615

FIGURE 106

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53906
><subunit 1 of 1, 772 aa, 1 stop
><MW: 87002, pI: 4.64, NX(S/T): 8
MNCYLLLRFMLGIPLLWPCLGATENSQTKKVKQPVRSHLRVKRGVWNQFFVPEEMNTTSHHIGQLRSDLONGNN
SFQYKLLGAGAGSTFIIDERTGDIYAIQKLDREERSLYILRAQVIDIATGRAVEPESEFVIKVSINDNEPKFLD
EPYEAIVPMSPEGTLLVIQVTASDADDPSSGNNARLLYSLLQGQPYFSVEPTTGVIIRISSKMDRELQDEYWVIIQ
AKDMIGQPGALSGTTSVLIKLSDVNDNKPIFKESLYRLTVSESAPTGTSGITIMAYDNDIGENAEMDYSIEEDDS
QTFDIITNHETOEGIVILKKKVD FEHQNHYGIRAKVKNHHVPEQLMKYHTEASTTFIKIQVEDVDEPPLFLLPY
VFEVFEETPQGSFVGVSATDPDNRKSPIRYSITRSKVFNINDNGTITTSNSLDREISAWYNLSITATEKYNIEQ
ISSIPLYVQVLNINDHAPEFSQYYETYVCENAGSGQVIQTISAVDRDESIEHHFYFNLSVEDTNNSSFTIIDNQ
DNTAVILTNRGTGNLQEEPVFYISILIADNGIPSLTSTNTLTIHVDCGDSGSTQTCQYQELVLSMGFKTEVIA
ILICIMIIFGFIFLTLGLKQRRKQILFPEKSEDFRENIFQYDDEGGGEEDTEAFDIAELRSSTIMRERKTRKTT
AEIRSLYRQSLQVGPDSAI FRKFILEKLEEANTDPCAPPFDSLQTYAFEGTGLAGSLSSLESASVSDQDES YDYL
NELGPRFKRLACMFGSAVQSNN
```

Important features:**Signal peptide:**

amino acids 1-21

Transmembrane domain:

amino acids 597-617

N-glycosylation sites.

amino acids 57-60, 74-77, 419-423, 437-440, 508-511, 515-518, 516-519 and 534-537

Cadherins extracellular repeated domain signature.

amino acids 136-146 and 244-254

108/615

FIGURE 107

ATCTGGTTGAACTACTTAAGCTTAATTTGTTAAACTCCGGTAAGTACCTAGCCCACATGATTTGACTCAGAGATT
CTCTTTTGTCCACAGACAGTCATCTCAGGGGCAGAAAGAAAGAGCTCCCAAATGCTATATCTATTTCAGGGGCTC
TCAAGAACAATGGAATATCATCCTGATTTAGAAAATTTGGATGAAGATGGATATACTCAATTACACTTCGACTCT
CAAAGCAATACCAGGATAGCTGTTGTTTCAGAGAAAGGATCGTGTGCTGCATCTCCTCCTGGCGCCTCATTGCT
GTAATTTTGGGAATCCTATGCTTGGTAATACTGGTGATAGCTGTGGTCTGGGTACCATGGGGTTCTTTCCAGC
CCTTGCTCCTAATTGGATTATATATGAGAAGAGCTGTTATCTATTCAGCATGTCACTAAATTCCTGGGATGGA
AGTAAAAGACAATGCTGGCAACTGGGCTCTAATCTCTAAAGATAGACAGCTCAAATGAATTGGGATTTATAGTA
AAACAAGTGCTTCCCAACCTGATAATTCATTTTGGATAGGCCTTTCTCGGCCCCAGACTGAGGTACCATGGCTC
TGGGAGGATGGATCAACATTCCTTCTAACTTATTTTCAGATCAGAACCACAGCTACCCAAGAAAACCCATCTCCA
AATTGTGTATGGATTACGTGTGCTCAGTCATTTATGACCAACTGTGTAGTGTGCCCTCATATAGTATTTGTGAGAAG
AAGTTTTCATGTAAGAGGAAGGGTGGAGAAGGAGAGAGAAATATGTGAGGTAGTAAGGAGGACAGAAAACAGAA
CAGAAAAGAGTAACAGCTGAGGTCAAGATAAATGCAGAAAATGTTTAGAGAGCTTGGCCAACCTGTAATCTTAACC
AAGAAATTGAAGGGAGAGGCTGTGATTTCTGTATTTGTCGACCTACAGGTAGGCTAGTATTATTTTCTAGTTAG
TAGATCCCTAGACATGGAATCAGGGCAGCCAAGCTTGAGTTTTTATTTTTTATTTATTTATTTTTTGGATAGG
GTCTCACTTTGTTACCCAGGCTGGAGTGCAGTGGCACAATCTCGACTCACTGCAGCTATCTCTCGCCTCAGCCCC
TCAAGTAGCTGGGACTACAGGTGCATGCCACCATGCCAGGCTAATTTTTGGTGTTTTTTGTAGAGACTGGGTTTT
GCCATGTTGACCAAGCTGGTCTCTAATCCTGGGCTTAAGTGATCTGCCCCGCTTGGCCTCCCAAAGTGCTGGGA
TTACAGATGTGAGCCACCACACCTGGCCCCAAGCTTGAATTTTCATTCTGCCATTGACTTGGCATTACCTTGGG
TAAGCCATAAGCGAATCTTAATTTCTGGCTCTATCAGAGTTGTTTCATGCTCAACAATGCCATTGAAGTGCACGG
TGTGTTGCCACGATTTGACCCCTCAACTTCTAGCAGTATATCAGTTATGAACTGAGGGTGAAATATATTTCTGAAT
AGCTAAATGAAGAAATGGGAAAAAATCTTCACCACAGTCAGAGCAATTTTATTATTTTCATCAGTATGATCATAA
TTATGATTATCATCTTAGTAAAAAGCAGGAACCTCTACTTTTTCTTTATCAATTAATAGCTCAGAGAGTACATC
TGCCATATCTCTAATAGAATCTTTTTTTTTTTTTTTTTTTTTTGAGACAGAGTTTCGCTCTTGTTGCCCAGGCTG
GAGTGCAACGGCACGATCTCGGCTCACCGCAACCTCCGCCCCCTGGGTTCAAGCAATTCCTCGCCTCAGCCTCC
CAAGTAGCTGGGATTACAGTCAGGCACCACCACACCCGGCTAATTTTGTATTTTTTTAGTAGAGACAGGGTTTCT
CCATGTGCGGTGAGGAGTCCCAGAACTCCTGACCTCAAGTGATCTGCCTGCCTCGGCCTCCCAAGTGCTGGGATT
ACAGGCGTGAGCCACTGCACCCAGCCTAGAATCTTGATAATATGTAATTGTAGGGAACTGCTCTCATAGGAAA
GTTTTCTGCTTTTTAAATACAAAAATACATAAAAATACATAAAATCTGATGATGAATATAAAAAAGTAACCAACC
TCATTGGAACAAGTATTAACATTTTGGAAATATGTTTTATTAGTTTTGTGATGTACTGTTTTACAATTTTTACCAT
TTTTTTCAGTAATTACTGTAAATGGTATTATTGGAATGAACTATATTTCTCATGTGCTGATTTGTCTTATTT
TTTTTCATACTTTCCCACTGGTGCTATTTTTTATTTCCAATGGATATTTCTGTATTACTAGGGAGGCATTTACAGTC
CTCTAATGTTGATTAATATGTGAAAAGAAATGTACCAATTTTACTAAATTATGCAGTTTAAATGGATGATTTT
ATGTTATGTGGATTTCAATTCATAAAAAAACTCTTATCAAAAAA

109/615

FIGURE 108

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53912
<subunit 1 of 1, 201 aa, 1 stop
<MW: 22563, pI: 4.87, NX(S/T): 1
MEYHPDLENLDEDGYTQLHFDSQSNTRIAVVSEKGS CAASPPWRLLIAVILGILCLVILVIAVVLGTMGVLSSPCP
PNWIIYEKSCYLFMSLSWDGSKRQCWQLGSNLLKIDSSNELGFIVKQVSSQPDNSFWIGLSRPQTEVPWLWED
GSTFSSNLFQIRTTATQENPSPNCVWIHVSVIYDQLCSVPSYSICEKKFSM

Important features:**Type II transmembrane domain:**

amino acids 45-65

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 197-200

N-myristoylation sites.

amino acids 35-40 and 151-156

Homologous region to LDL receptor

amino acids 34-67 and 70-200.

110/615

FIGURE 109

CTGCAAGTTGTTAAACGCCTAACACACAAGTATGTTAGGCTTCCACCAAAGTCCTCAATATACCTGAATACGCACA
ATATCTTAACTCTTCATATTTGGTTTTGGGATCTGCTTTGAGGTCCCATCTTCATTTAAAAAATACAGAGAC
CTACCTACCCGTACGCATACATACATATGTGTATATATATGTAACTAGACAAAGATCGCAGATCATAAAGCAAG
CTCTGCTTTAGTTTCCAAGAAGATTACAAAGAATTTAGAGATGTATTTGTCAAGATCCCTGTGCTGATTCATGCCCT
TTGGGTTACGGTGTCTCAGTGATGCAGCCCTACCTTTGGTTTTGGGGACATTATGATTTGTGTAAGACTCAGAT
TTACACGGAAGAAGGGAAGTTTGGGATTACATGGCCTGCCAGCCGGAATCCACGGACATGACAAAATATCTGAA
AGTGAAGTCTGATCCTCCGGATATTACCTGTGGAGACCCTCCTGAGACGTTCTGTGCAATGGGCAATCCCTACAT
GTGCAATAATGAGTGTGATGCGAGTACCCCTGAGCTGGCACACCCCCCTGAGCTGATGTTTGAATTTGAAGGAAG
ACATCCCTCCACATTTTGGCAGTCTGCCACTTGAAGGAGTATCCCAAGCCTCTCCAGGTTAACATCACTCTGTC
TTGGAGCAAACCATTTAGCTAACAGACAACATAGTTATTACCTTTGAATCTGGGCGTCCAGACCAAATGATCCT
GGAGAAGTCTCTCGATTATGGACGAACATGGCAGCCCTATCAGTATTATGCCACAGACTGCTTAGATGCTTTTCA
CATGGATCCTAAATCCGTGAAGGATTTATCACAGCATACGGTCTTAGAAATCATTTGCACAGAAGAGTACTCAAC
AGGGTATACAACAAATAGCAAAATAATCCACTTTTGAATCAAAGACAGGTTCCGCGCTTTTGTGCTGGACCTCGCCT
ACGCAATATGGCTTCCCTCTACGGACAGCTGGATACAACCAAGAACTCAGAGATTTCTTTACAGTCAAGACCT
GAGGATAAGGCTGTTAAGACCAGCCGTTGGGGAAATATTTGTAGATGAGCTACACTTGGCAGCTACTTTTACGC
GATCTCAGACATAAAGTGGCAGGAAGGTGCAAGTGAATCTCCATGCCACTGTATGTGTGTATGACAACAGCAA
ATTGACATGCGAATGTGAGCACAACACTACAGGTCCAGACTGTGGGAAATGCAAGAAGAATTATCAGGGCCGACC
TTGGAGTCCAGGCTCCTATCTCCCCATCCCCAAGGCAGTCAAAATACCTGTATCCCCAGTATTTCCAGTATTGG
TACGAATGTCTGCGACAACGAGCTCCTGCACTGCCAGAACGGAGGGACGTGCCACAACAACGTGCGCTGCCTGTG
CCCCGCCGCATACACGGGCATCCTCTGCGAGAAGCTGCCGTGCGAGGAGGCTGGCAGCTGCGGCTCCGACTCTGG
CCAGGGCGCGCCCCCGACGGCACCCACAGCGCTGCTGCTGCTGACCACGCTGCTGGGAACCGCCAGCCCCCTGGT
GTTCTAGGTGTACCTCCAGCCACACCGGACGGGCCTGTGCCGTGGGGAAGCAGACACAACCCAAACATTTGCTA
CTAACATAGGAAACACACATACAGACACCCCACTCAGACAGTGTACAACTAAGAAGGCCTAACTGAACATAA
GCCATATTTATCACCCGTGGACAGCACATCCGAGTCAAGACTGTTAATTTCTGACTCCAGAGGAGTTGGCAGCTG
TTGATATTATCACTGCAATCACATTGCCAGCTGCAGAGCATATTGTGGATTGGAAAGGCTGCGACAGCCCCCA
AACAGGAAAGACAAAAACAAACAAATCAACCGACCTAAAAACATTTGGCTACTCTAGCGTGGTGGCCCTAGTAC
GACTCCGCCCAGTGTGTGGACCAACCAATAGCATTCTTTGCTGTGAGGTGCATTGTGGGCATAAGGAAATCTGT
TACAAGCTGCCATATTGGCCTGCTTCCGTCCCTGAATCCCTTCCAACCTGTGCTTTAGTGAACGTTGCTCTGTAA
CCCTCGTTGGTTGAAAGATTTCTTTGTCTGATGTTAGTGATGCACATGTGTAACAGCCCCCTCTAAAAGCGCAAG
CCAGTCATACCCCTGTATATCTTAGCAGCACTGAGTCCAGTGCAGACACACCCACTATACAAGAGTGGCTATA
GGAAAAAAGAAAGTGTATCTATCCTTTTGTATTCAAATGAAGTTATTTTCTTGAACACTGTAATATGTAGATT
TTTTGTATTATTGCCAATTTGTGTTACCAAGACAATCTGTTAATGTATCTAATTCGAATCAGCAAAGACTGACATT
TTATTTTGTCTCTTTCTGTTCTGTTTGTTCCTGCTGTCAGAGATTTCTCTGTAAGGGCAACGAACGTGCTGGCA
TCAAAGAATATCAGTTTACATATATAACAAGTGAATAAGATTCCACCAAAGGACATTCTAAATGTTTTCTTGT
GCTTTAACTGGAAGATTTAAAGAATAAACTCCTGCATAAACGATTTTCAGGAATTTGTATTGCAATTTCTTA
AGATGAAAGGAACAGCCACCAAGCAGTTTCACTCACTTTACTGATTTCTGTGTGGACTGAGTACATTACAGCTG
ACGAATTTAGTTCACAGGAAGATGGATTGATGTTCACTAGCTTGGACAACCTCTGCAAAATATGAGACTATTTCC
ACTTGGGAAAAATTACAACAGCAAAAAAAAAAAAAAAAAAAAAA

111/615

FIGURE 110

MYLSRSLSIHALWVTVSSVMQPYPLVWGHYDLCKTQIYTEEGKVWDYMACQPESTDMTKYLKVKLDPPDITCGDP
PETFCAMGNPYMCNNECDASTPELAHPPELMFDFEGRHPSTFWQSATWKEYPKPLQVNITLSWSKTIELTDNIVI
TFESGRPDQMIKESLDYGRWQPYQYYATDCLDAFHMDPKSVKDLSQHTVLEIICTEEYSTGYTTNSKIIHFEI
KDRFALFAGPRLRNMASLYGQLDTTKLRDFFTVDLRIRLLRPAVGEIFVDELHLARYFYAISDIKVRGRCKCN
LHATVCVYDNSKLTCECEHNTTGPDCKGCKKNYQGRPWSPGSYLPIPKGTANTCIPSISSIGTNVCDNELLHCQN
GGTCHNNVRCLCPAAYTGILCEKLRCEEAGSCGSDSGQAPPHGTPALLLLTTLTGASPLVF

112/615

FIGURE 111

CGGTGCCGTGAGCTCGCCGGGCACCGGGCCTCGCCCTCGCCCTCGCCCTCGCCCTGCGCCTGCACCGCGTAGACCGAC
CCCCCCTCCAGCGCGCCACCCGGTAGAGGACCCCGCCCGTGGCCCGACCGGTCCCCGCCCTTTTGTAAAAGT
TAAAGCGGGCGCAGCATTAAACGCTTCCCGCCCCGGTGACCTCTCAGGGGTCTCCCCGCCAAAGGTGCTCCGCCGC
TAAGGAACATGCGGAAGGTGGAGCAGGTCTTGAGCCTCGAGCCGCGAGCAGAGCTCAAATTCGAGGTCCCTTCA
CCGATGTTGTCACCACCAACCTAAAGCTTGGCAACCCGACAGACCGAAATGTGTGTTTAAAGGTGAAGACTACAG
CACCACGTAGGTACTGTGTGAGGCCCAACAGCGGAATCATCGATGCAGGGGCCCTCAATTAATGTATCTGTGATGT
TACAGCCTTTGATTATGATCCCAATGAGAAAAGTAAACACAAGTTTATGGTTTCAGTCTATGTTTGCTCCAAGT
ACACTTCAGATATGGAAGCAGTATGGAAGGAGGCAAAACCGGAAGACCTTATGGATTCAAACTTAGATGTGTGT
TTGAATTGCCAGCAGAGAATGATAAACCATGATGTAGAAATAAATAAAATTATATCCAACTGCATCAAAGA
CAGAAACACCAATAGTGTCTAAGTCTCTGAGTTCTTCTTTGGATGACACCGAAGTTAAGAAGGTTATGGAAGAAT
GTAAGAGGCTGCAAGGTGAAGTTCAGAGGCTACGGGAGGAGAACAAGCAGTTCAGGAAGAAGATGGACTGCGGA
TGAGGAAGACAGTGCAGAGCAACAGCCCCATTTAGCATTAGCCCCAACTGGGAAGGAAGAAGGCTTAGCACCC
GGCTCTTGGCTCTGGTGGTTTTGTTCTTTATCGTTGGTGAATTATTGGGAAGATTGCCTTGTAGAGGTAGCATG
CACAGGATGGTAAATTGGATTGGTGGATCCACCATATCATGGGATTTAAATTTATCATAACCATGTGTAAAAAGA
AATTAATGTATGATGACATCTCACAGGTCTTGCCCTTTAAATTACCCCTCCCTGCACACACATACACAGATACACA
CACACAAATATAATGTAACGATCTTTTAGAAAGTTAAAAATGTATAGTAACTGATTGAGGGGGAAAAAGAATGAT
CTTTATTAATGACAAGGGAAACCATGAGTAATGCCACAATGGCATATTGTAATGTCAATTTAAACATTGGTAGG
CCTTGGTACATGATGCTGGATTACCTCTCTTAAATGACACCCCTTCCTCGCCTGTTGGTGTGGCCCTTGGGGAG
CTGGAGCCCAGCATGCTGGGGAGTGGGTGAGCTCCACACAGTAGTCCCCACGTGGCCCACTCCCGGCCAGGCT
GCTTTCCGTGTCTTCAGTTCTGTCCAAGCCATCAGCTCCTGGGACTGATGAACAGAGTCAGAAGCCCAAGGAA
TTGCACTGTGGCAGCATCAGACGTACTCGTCATAAGTGAGAGGCGTGTGTTGACTGATTGACCCAGCGCTTTGGA
AATAAATGGCAGTGCTTTGTTCACTTAAAGGGACCAAGCTAAATTTGTATTGGTTCATGTAGTGAAGTCAAAGT
TTATTGAGAGATGTTTAAATGCATATTTAACTTATTTAATGTATTTTCATCTCATGTTTTCTATTGTGACAAGAGT
ACAGTTAATGCTGCGTGCTGCTGAACCTCTGTTGGGTGAAGTGGTATTGCTGCTGGAGGGCTGTGGGCTCCTCTGT
CTCTGGAGAGTCTGGTCATGTGGAGGTGGGGTTTTATTGGGATGCTGGAGAAGAGCTGCCAGGAAGTGTTTTTTCT
GGGTCACTAAATAACAAGTGTATAGGGAGGGAAATTTCTCAGTAGTGACAGTCAACTCTAGGTTACCTTTTTTAA
TGAAGAGTAGTCAGTCTTCTAGATTGTTCTTATACCACCTCTCAACCATTACTCACACTTCCAGCGCCAGGTCC
AAGTCTGAGCCTGACCTCCCTTGGGGACCTAGCCTGGAGTCAGGACAAATGGATCGGGCTGCAGAGGGTTAGAA
GCGAGGGCACCAGCAGTTGTGGGTGGGGAGCAAGGGAAGAGAGAACTCTTCAGCGAATCCTTCTAGTACTAGTT
GAGAGTTTGACTGTGAATTAATTTTATGCCATAAAAGACCAACCCAGTTCTGTTTGACTATGTAGCATCTTGAAA
AGAAAAATTATAATAAAGCCCCAAAATTAAGAAAA

113/615

FIGURE 112

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53977

<subunit 1 of 1, 243 aa, 1 stop

<MW: 27228, pI: 7.43, NX(S/T): 2

MAKVEQVLSLEPQHELKFRGPFTDVVTTNLKLGNPTRNVCFKVKTTAPRRYCVRPNSGIIDAGASINVSVMLOP
FDYDPNEKSKHKFMVQSMFAPTDTSMEAVWKEAKPEDLMDSKLRVCFELPAENDKPHDVEINKIISTTASKTET
PIVSKSLSSSLDDTEVKKVMEECKRLQGEVQRLREENKQFKEEDGLRMKRTVQSNPISALAPTGKEEGLSTRLL
ALVVLFFIVGVIIGKIAL

Important features:**Transmembrane domain:**

amino acids 224-239

N-glycosylation site.

amino acids 68-71

N-myristoylation site.

amino acids 59-64, 64-69 and 235-240

114/615

FIGURE 113

CCCACGCGTCCGGGTGACCTGGGCGGAGCCCTCCCGGTGCGCTAAGATTGCTGAGGAGGCGGCGGGTAGCTGGCA
GGCGCCGACTTCCGAAGGCCGCCGTCCGGGCGAGGTGTCCTCATGACTTCTCTTGTGGACCATGTCCGTGATCTT
TTTTGCCGTGGGTACGGGTAAAGGATGGAGTGGCCCTCTCAGCCTCTACTGATTTTTACCACACCCAAGATTT
TTTGGAATGGAGGAGACGGCTCAAGAGTTTAGCCTTGGGACTGGCCAGTATCCAGGTGAGGTTCTGCAGAAGG
TTGTGACTTTAGTATACATTTTTCTTCTTTCGGGGACGTGGCCTGCATGGCTATCTGCTCCTGCCAGTGTCCAGC
AGCCATGGCCTTCTGCTTCTGGAGACCCTGTGGTGGGAATTACAGCTTCTATGACACTACCTGCATTGGCCT
AGCCTCCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTCAGAAAGTGAAGTGGCATTTTAACTATGTAAG
TTCCTCTCAGATGGAGTGCAGCTTGGAATAATTCAGGAGGAGCTCAAGTTGCAGCCTCCAGCGGTTCTCACTCT
GGAGGACACAGATGTGGCAAATGGGGTGATGAATGGTCACACACCGATGCACCTGGAGCCTGCTCCTAATTTCCG
AATGGAACAGTGACAGCCCTGGGTATCCTCTCCCTCATCTCAACATCATGTGTGCTGCCCTGAATCTCATTCTG
AGGAGTTCACCTTGCAACATTCTTTACAGGATCCAAGGAGCTGGTTCGCTGGTTGGACCAAACCTCGTGAAGC
CAGCCACCCCTGACCAAATGAGGAGAGCTCTGATTCTCCCATCCGGGAGCAGTGATGTCAAACCTCTGCTGCTG
GGGAAATCTCATCAGCAGGGAGCCTGTGGAAGGGCATGTCAGTGAATCTGGGAATGGCTGGATTGCGAAACA
TCTGCCCATGTGTATTGATGGCAGAGCTGTTGCCACAAAGCGCCTTTTATTTAGGGTAAATTAACAAATCCATT
CTATTCCTCTGACCCATGCTTAGTACATATGACCTTTAACCCCTACATTTATATGATTCTGGGGTTGCTTCAGAA
GTGTTATTTTCATGAATCATTCATATGATTTGATCCCCCAGGATTCATTTTGTGTTAATGGGCTTTTCTACTAAAA
GCATAAAATACTGAGGCTGATTTAGTCAGGGCAAACCATTTACTTTACATATTGTTTTCAATACTTGCTGTTC
ATGTTACACAAGCTTCTTACGGTTTCTTGTAAATAAATATTTGAGTAAATAATGGGTACATTTTAACAAC
TCAGTAGTACAACCTAACTTGTATAAAAGTGTGTAATAATGTATAGCCATTTATATCCTATGTATAAATTAAT
GAGGTGGCTTCAGAAATGGCAGAATAAATCTAAAGTGTATTATAAAAAAAAAAAAAAAAAAAAAAAG

115/615

FIGURE 114

MSVIFACVVRVRDGLPLSASTDFYHTQDFLEWRRRLKSLALRLAQYPGRGSAEGCDFSIHFSSFGDVACMAICS
CQCPAAMAFCFLETLWWEFTASYDTTCIGLASRPYAFLEFDSIIQVKWHFNYVSSSQMECSLEKIQEELKLQPP
AVLTLEDTDVANGVMNGHTPMHLEPAPNFRMEPVTALGILSLIINIMCAALNLIRGVHLAEHSLQDPRSWFCWLDQTS

116/615

FIGURE 115

CTCAGCGGCGCTTCCTCGTAGCGAGCCTAGTGGCGGGTGTTTGCATTGAAACGTGAGCGCGACCCGACCTTAAAG
AGTGGGGAGCAAAGGGAGGACAGAGCCCTTTAAACGAGGCGGGTGGTGCCTGCCCCCTTAAGGGCGGGGCGTCC
GGACGACTGTATCTGAGCCCCAGACTGCCCCGAGTTTCTGTGCGAGGCTGCGAGGAAAGGCCCTAGGCTGGGT
TGGGTGCTTGGCGGCGGGGCTTCCTCCCCGCTCGTCTCCCCGGGCCAGAGGCACCTCGGCTTCAGTCATGCT
GAGCAGAGTATGGAAGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGGATCCGCGAG
TGTATTATATCAACACTTCTGTTTGCAACACTGTACATCCTCTGCCACATCTTCCTGACCCGCTTCAAGAAGCCT
GCTGAGTTCACCACAGTGGATGATGAAGATGCCACCGTCAACAAGATTGCGCTCGAGCTGTGCACCTTTACCCCTG
GCAATTGCCCTGGGTGCTGTCTGCTCCTGCCCTTCTCCATCATCAGCAATGAGGTGCTGCTCTCCCTGCCCTCGG
AACTACTACATCCAGTGGCTCAACGGCTCCCTCATCCATGGCCTCTGGAACCTTGTTTTTCTTCCCCAACCTG
TCCCTCATCTTCTCATGCCCTTTGCATATTTCTTCACTGAGTCTGAGGGCTTTGCTGGCTCCAGAAAGGGTGT
CTGGGCGGGTCTATGAGACAGTGGTGATGTTGATGCTCCTCACTCTGCTGGTGCTAGGTATGGTGTGGGTGGCA
TCAGCCATTGTGGACAAGAACAAGGCCAACAGAGAGTCACTCTATGACTTTTGGGAGTACTATCTCCCCTACCTC
TACTCATGCATCTCCTTCCCTGGGGTTCTGCTGCTCCTGGTGCTACTCCACTGGGTCTCGCCCGCATGTTCTCC
GTCCTGGGAAGCTGCTAGTCAAGCCCCGGCTGCTGGAAGACCTGGAGGAGCAGCTGTACTGCTCAGCCTTTGAG
GAGGCAGCCCTGACCCGCGAGGATCTGTAATCCTACTTCCTGCTGGCTGCCCTTAGACATGGAGCTGCTACACAGA
CAGGTCTGGCTCTGCGACACAGAGGGTCCCTGCTGGAGAAGAGGCGGAAGGCTTCAGCCTGGCAACGGAACCTG
GGCTACCCCTGGCTATGCTGTGCTTGTGGTGCTGACGGGCTGTCTGTGCTCATTGTGGCCATCCACATCCTG
GAGCTGTCTCATCGATGAGGCTGCCATGCCCCGAGGCATGCAGGGTACCTCCTTAGGCCAGGTCTCCTTCTCCAAG
CTGGGCTCCTTTGGTGCCGTCAATCAGGTTGTACTCATCTTTTACCTAATGGTGTCTCAGTTGTGGGCTTCTAT
AGCTCTCCACTCTTCCGGAGCCTGCGGCCCAGATGGCACGACACTGCCATGACGAGATAATTGGGAAGTGTGT
TGTCTCCTGGTCTTAAGCTCAGCACTTCCTGTCTTCTCTCGAACCTGGGGCTCACTCGCTTTGACCTGCTGGGT
GACTTTGGACGCTTCAACTGGCTGGGCAATTTCTACATTGTGTTCTCTACAACGCAGCCTTTGCAGGCCTCACC
ACACTCTGTCTGGTGAAGACCTTCACTGCAGCTGTGCGGGCAGAGCTGATCCGGGCTTTGGGCTGGACAGACTG
CCGCTGCCCCGTCTCCGGTTTCCCCAGGCATCTAGGAAGACCCAGCACCAGTGAACCTCCAGCTGGGGGTGGGAAG
GAAAAAAGTGGACACTGCCATCTGCTGCCTAGGCCTGGAGGGAAGCCCAAGGCTACTTGGACCTCAGGACCTGGA
ATCTGAGAGGGTGGGTGGCAGAGGGGAGCAGAGCCATCTGCATATTGCATAATCTGAGCCAGAGTTTGGGACCA
GGACCTCCTGCTTTTCCATACTTAAGTGTGGCCTCAGCATGGGGTAGGGCTGGGTGACTGGGTCTAGCCCCGAT
CCCAAATCTGTTTACACATCAATCTGCCTCACTGCTGTTCTGGGCCATCCCCATAGCCATGTTTACATGATTGA
TGTGCAATAGGGTGGGGTAGGGGAGGGAAAGGACTGGGCCAGGGCAGGCTCGGGAGATAGATTGTCTCCCTTGC
CTCTGGCCAGCAGAGCCTAAGCACTGTGCTATCCTGGAGGGCTTTGGACCACCTGAAAGACCAAGGGGATAGG
GAGGAGGAGGCTTCAGCCATCAGCAATAAAGTTGATCCAGGGAAAAAA

117/615

FIGURE 116

MEAPDYEVLSVREQLFHERIRECIISTLLFATLYILCHIFLTRFKKPAEFTTVDDDEDATVNKIALELCTFTLAIA
LGAVLLLPFSIISNEVLLSLPRNYIQLWNGSLIHGLWNLVFLFPNLSLIFLMPFAYFFTESEGFAGSRKGVLR
VYETVVMLMLLTLLVLGMVWVASAIVDKNKANRESLYDFWEYYPYLYSCISFLGVLLLLVCTPLGLARMFVSTG
KLLVKPRLLEDLEEQLYCSAFEEAALTRRICNPTSCWLPLDMELLRQVLALQTQRVLLEKRRKASAWQRNLGYP
LAMLCLLVLTGLSVLIVAIHILELLIDEAAMPGRMQGTSLGQVSFSKLGSGGAVIQVVLIFYLMVSSVVGIFYSSP
LFRSLRPRWHDAMTQIIGNCVCLLVLSALPVFSRTLGLTRFDLLGDFGRFNWLGNFYIVFLYNAAFAGLTTLTLC
LVKTFTA AVRAELIRAFGLDRLPLPVSGFPQASRKTQHQ

FIGURE 117

[illegible]

119/615

FIGURE 118

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA54002
><subunit 1 of 1, 544 aa, 1 stop
><MW: 60268, pI: 9.53, NX(S/T): 3
MLLPLLLSSLLGGSQAMDGRFWIRVQESVMVPEGLCISVPCSFSYPRQDWTGSTPAYGYWFKAVTETTTKGAPVAT
NHQSREVEMSTRGRFQLTGDPKAGNCSLVIRDAQMQDESQYFFRVERGSYVTYNEMNDGFFLKVTVLSFTPRPQD
HNTDLTCHVDFSRKGVSAQRTVRLRVAYAPRDLVISISRDNTPALEPQPQGNVPYLEAQKGQFLRLLCAADSQPP
ATLSWVLQNRVLSSSHPWGPRPLGLELPGVKAGDSGRYTCRAENRLGSQQRALDLSVQYPPENLRVMVSQANRTV
LENLNGTSLPVLLEGQSLCLVCVTHSSPPARLSWTQRGQVLSPSQPSDPGVLELPRVQVEHEGEFTCHARHPLGS
QHVSLSLSVHYKKGLISTAFSNGAFLGIGITALLFLCLALIIMKILPKRRTQTETPRPRFSRHSTILDYINVVPT
AGPLAQKRNQKATPNSPRTPPPPGAPSPESKKNQKKQYQLPSFPEPKSSTQAPESQESQEELHYATLNFPGVRPR
PEARMPKGTQADYAEVKFQ
```

Important features:**Signal peptide:**

amino acids 1-15

Transmembrane domain:

amino acids 399-418

N-glycosylation site.

amino acids 100-103, 297-300 and 306-309

Immunoglobulins and major histocompatibility complex proteins signature.

amino acids 365-371

120/615

FIGURE 119

CTCGCGCAGGGATCGTCCCATGGCCGGGGCTCGGAGCCGCGACCCTTGGGGGGCTCCGGGATTGCTACCTTTT
TGGCTCCCTGCTCGTGAAGTCTCTCTCACGGGCTGTGCGCTTCAATCTGGACGTGATGGGTGCTTGCSCAA
GGAGGCGAGCCAGGCAGCCTCTTCGGCTTCTGTGGCCCTGCACCGGCAGTTGCAGCCCCGACAGAGCTG
GCTGCTGGTGGGTGCTCCCCAGGCCCTGGCTCTTCTGGGCAGCAGGCGAATCGCACTGGAGGCCTCTTCGCTTG
CCCCTTGAGCCTGGAGGAGTACTGCTACAGAGTGGACATCGACCAGGGAGCTGATATGCAAAAGGAAAGCAA
GGAGAACCAGTGGTTGGGAGTCACTGTTCCGGAGCCAGGGGCTGGGGGCAAGATTGTTACCTGTGCACACCGATA
TGAGGCAAGGCAGCGAGTGGACCAGATCCTGGAGACGCGGGATATGATTGGTGCCTGCTTGTGCTCAGCCAGGA
CCTGGCCATCCGGGATGAGTTGGATGGTGGGAATGGAAGTTCTGTGAGGGACGCCCCAAGGCCATGAACAATT
TGGGTTCTGCCAGCAGGGGACAGCTGCGCCCTTCTCCCTGATAGCCACTACCTCCTCTTTGGGGCCCCAGGAAC
CTATAATTGGAAGGGCACGGCCAGGGTGGAGCTCTGTGCACAGGGCTCAGCGGACCTGGCACACCTGGACGACGG
TCCCTACGAGGCGGGGGGAGAGAAGGAGCAGGACCCCCGCTCATCCCGGTCCCTGCCAACAGCTACTTTGGCTT
CTCTATTGACTCGGGGAAAGGTCTGGTGCCTGCAGAAGAGCTGAGCTTGTGGCTGGAGCCCCCGCGCCAACCA
CAAGGGTGTCTGGTCACTCTGCGCAAGGACAGCGCCAGTGCCTGGTGGCCGAGGTTATGCTGTCTGGGGAGCG
CCTGACCTCCGGCTTTGGCTACTCACTGGCTGTGGCTGACCTCAACAGTATGGCTGGCCAGACCTGATAGTGGG
TGCCCCCTACTTCTTTGAGCGCCAAGAAGAGCTGGGGGGTGTGTGTATGTGTACTTGAACCAGGGGGGTCACTG
GGTGGGATCTCCCTCTCCGGCTCTGCGGCTCCCTGACTCCATGTTGGGATCAGCCTGGCTGTCTGGGGGA
CCTCAACCAAGATGGCTTTCCAGATATTGCAGTGGGTGCCCCCTTTGATGGTGTGGGAAAGTCTTCATCTACCA
TGGGAGCAGCCTGGGGGTGTGCGCAAACTTTCACAGGTGCTGGAGGGCAGGCTGTGGGCATCAAGAGCTTCGG
CTACTCCCTGTGAGGCAGCTTGGATATGGATGGGAACCAATACCCTGACCTGCTGGTGGGCTCCCTGGCTGACAC
CGCAGTGTCTTTCAGGGCCAGACCCATCTCCATGTCTCCATGAGGTCTCTATTGCTCCACGAAGCATCGACCT
GGAGCAGCCCAACTGTGCTGGCGGCCACTCGGTCTGTGTGGACCTAAGGGTCTGTTTCAGCTACATTGCAGTCCC
CAGCAGCTATAGCCCTACTGTGGCCCTGGACTATGTGTAGATGCGGACACAGACCGGAGGCTCCGGGGCCAGGT
TCCCCGTGTGACGTTCTGAGCCGTAACTTGAAGAACCAAGCACCAGGCCCTCGGGCACCCTGTGGCTGAAGCA
CCAGCATGACCGAGTCTGTGGAGACGCCATGTTCCAGCTCCAGGAAATGTCAAAGACAAGCTTCGGGGCCATTGT
AGTGACCTTGTCTACAGTCTCCAGACCCCTCGGCTCCGGCGACAGGCTCCTGGCCAGGGGCTGCCTCCAGTGGC
CCCCATCTCAATGCCACCCAGCCAGCACCAGCGGGCAGAGATCCACTTCTGAAGCAAGGCTGTGGTGAAGA
CAAGATCTGCCAGAGCAATCTGCAGTGGTCCAGCGCCGCTTCTGTACCCGGGTGAGCGACACGGAATTCACACC
TCTGCCCATGGATGTGGATGGAACAACAGCCCTGTTTGCAGTGTGGGCGAGCCAGTCAATTGGCCTGGAGCTGAT
GGTCAACCAACCTGCCATCGGACCCAGCCAGCCAGGCTGATGGGGATGATGCCATGAAGCCAGCTCCTGGT
CATGCTTCTGACTCACTGCACTACTCAGGGGTCCGGGCCCTGGACCCTGCGGAGAAGCCACTCTGCCTGTCCAA
TGAGAATGCCTCCCATGTTGAGTGTGAGCTGGGGAACCCCATGAAGAGAGGTGCCAGGTCACCTTCTACCTCAT
CCTTAGCACCTCCGGGATCAGCATTGAGACCACGGAAGTGGAGGTAGAGCTGCTGTTGGCCACGATCAGTGAACA
GGAGCTGCATCCAGTCTCTGCACGAGCCCGTGTCTTCATTGAGCTGCCACTGTCCATTGCAGGAATGGCCATTCC
CCAGCAACTCTTCTTCTGTGGTGTGGTGGAGGGCGAGAGCCATGCACTGTGAGCGGGATGTGGGCAGCAAGGT
CAAGTATGAGGTACGGTTTCCAACCAAGGCCAGTGGCTCAGAACCTGGGCTCTGCCTTCTCAACATCATGTG
GCCTCATGAGATTGCCAATGGGAAGTGGTGTGTACCCAATGCAGGTTGAGCTGGAGGGCGGGCAGGGGCTGG
GCAGAAAGGGCTTTGCTCTCCAGGCCCAACATCCTCCACCTGGATGTGGACAGTAGGGATAGGAGGCGCGGGA
GCTGGAGCCACCTGAGCAGCAGGAGCCTGGTGGAGCGGAGGAGCCAGCATGTCTGGTGGCCAGTGTCTCTGC
TGAGAAGAAGAAAAACATCACCTGACTGCGCCCGGGGACGCCCCAAGTGTGTGGTGTTCAGCTGCCACTCTA
CAGCTTTGACCGCGGGCTGTGCTGCATGTCTGGGGCCGTCTCTGGAACAGCACCTTTCTGGAGGAGTACTCAGC
TGTGAAGTCCCTGGAAGTATTGTCCGGGCCAACATCACAGTGAAGTCTCCATAAAGAACTTGATGCTCCGAGA
TGCCTCCACAGTATCCAGTGTGATGATGATGATGATGATGATGATGATGATGATGATGATGATGATGATGATGAT
CATCCTCCTGGCTGTACTGGCTGGGCTGCTGGTGTGCTAGCACTGCTGGTGTGCTCCTGTGGAAGATGGGATTCTT
CAAACGGGCGAAGCACCCCGAGGCCACCGTGCCCCAGTACCATGCGGTGAAGATTCTCGGGAAGACCCGACAGCA
GTTCAAGGAGGAGAAGACGGGCACCATCCTGAGGAACAAGTGGGGCAGCCCCCGGCGGGAGGGGCCGATGCACA
CCCCATCCTGGCTGTGACGGGCATCCCGAGCTGGGCCCCGATGGGCATCCAGGGCCAGGCACCGCCTAGGTTCC
CATGTCCCAGCCTGGCCTGTGGCTGCCCTCCATCCCTTCCCCAGAGATGGCTCCTTGGGATGAAGAGGTTAGAGT
GGGCTGCTGGTGTGCGCATCAAGATTTGGCAGGATCGGCTTCTCAGGGGCGACAGACCTCTCCACCCACAAGAAC
TCCTCCCACCAACTTCCCCTTAGAGTGTGTGAGATGAGAGTGGGTAATCAGGGACAGGGCCATGGGGTAGGG
TGAGAAGGGCAGGGGTGCTGTGCAAAAGGTGGGGGAGAAGGGATCCTAATCCCTTCTCTCCCATTCACCTGT
GTAACAGGACCCCAAGGACCTGCCTCCCCGGAAGTGCCTTAACCTAGAGGGTGGGGGAGGAGGTTGTGTCACTGA
CTCAGGCTGTCTCTCTAGTTTCCCCTCTCATCTGACCTTAGTTTGTGCTGCCATCAGTCTAGTGGTTTCGTGGT
TTCGTCTATTTATTAAAAAATATTTGAGAACAAAAAATAAAAAAAAAA

121/615

FIGURE 120

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA55737
><subunit 1 of 1, 1141 aa, 1 stop
><MW: 124671, pI: 5.82, NX(S/T): 5
MAGARS RDPWGASGICYLFGSLLVELLFSRAVAFNLDVMGALRKEGEPGSLFGFSVALHRQLQPRPQSWLLVGAP
QAALALPGQQANRTGGFLFACPLSLEETDCYRVDIDQGADMQKESKENQWLGVSVRSQGGPGGKIVTCAHRYEARQRV
DQILETRDMIGRCFVLSQDLAIRDELDDGGGEWKCEGRPQGHEQFGFCQQGTAAAFSPDSHYLLFGAPGTYNWKG
TARVELCAQGSADLAHLDDGPYEAGGEKEQDPRILPVPANSYFGFSIDSGKGLVRAEELS FVAGAPRANHKGAVVI
LRKDSASRLVPEVMLSGERLTSGFGYSLAVADLNSDGWPD LIVGAPYFFERQEELGGAVYVYLNQGGHWAGISPL
RLCGSPDSMFGISLAVLGDNLNQDGFDPDIAGVAPFDGDKVFIYHGSSLGVVAKPSQVLEGEAVGIKSFSGYSLSGS
LDMDGNQYPDLLVGLSLADTAVLFRARPILHVSHEVSIAPRSIDLEQPN CAGGHSVCVDLRVCFSYIAPVSSYSPT
VALDYVLADATDRRLRGQVPRVTFILSRNLEEPKHQASGT VWLKHQHDRVCGDAMFQLQENVKDKLRAIVVTL SYS
LQTPRLRRQAPGQGLPVPAPILNAHQPSQRAEIHFLKQCGEDKICQSNLQLVHARFCTRVSDTEFQPLPMDVD
GTTALFALSGQPVIGLELMVTNLPSDPAQPADGDDAHEAQLLVMLPDSLHYSGVRALDPAEKPLCLSNENASHV
ECELGNPMKRGAQVTFYLILSTSGISIIETTELEVELL LATISEQELHPVSARARVFIELPLSIAGMAIPQQLFFS
GVVRGERAMQSERDVGSKVKYEVT VSNQGGQSLRTLGS AFLNIMWPHEIANGKWLLYPMQVELEGGQGPQKGLCS
PRPNILHLDVDSRDRRRRELEPPEQQEPGERQEPSMSWVPVSSAEKKKNITLDCARGTANCVVFSCPLYSFDRAA
VLHVWGR LWNSTFLEEYS AVKSLEVIVRANITVKSSIKNLM LRDASTVIPVMVYLDPM AVVAEGVPWWVILLAVL
AGLLVLALLVLLLWKMGFFKRAKHPEATVPQYHAVKIPREDRQQFKEEKTGTILRNNWGSPPREGPD AHPILAAD
GHPELGPDPGHPGPGTA
```

Important features:**Signal peptide:**

amino acids 1-33

Transmembrane domain:

amino acids 1040-1062

N-glycosylation sites.

amino acids 86-89, 746-749, 949-952, 985-988 and 1005-1008

Integrins alpha chain proteins.

amino acids 1064-1071, 384-408, 1041-1071, 317-346, 443-465, 385-407, 215-224, 634-647, 85-99, 322-346, 470-479, 442-466, 379-408 and 1031-1047

122/615

FIGURE 121

GGCACGAGGCGGCGGGGCAGTCGCGGGGATGCGCCCGGGAGCCACAGCCTGAGGCCCTCAGGTCTCTGCAGGTGTC
GTGGAGGAACCTAGCACCTGCCATCCTCTTCCCCAATTTGCCACTTCCAGCAGCTTAGCCCCATGAGGAGGATGT
GACCGGGACTGAGTCAGGAGCCCTCTGGAAGCATGGAGACTGTGGTGATTGTTGCCATAGGTGTGCTGGCCACCA
TCTTTCTGGCTTCGTTTGCAGCCTTGGTGCTGGTTTGCAGGCAGCGCTACTGCCGGCCGCGAGACCTGCTGCAGC
GCTATGATTCTAAGCCCATTGTGGACCTCATTGGTGCCATGGAGACCCAGTCTGAGCCCTCTGAGTTAGAACTGG
ACGATGTGCTTATCACCAACCCCCACATTGAGGCCATTCTGGAGAATGAAGACTGGATCGAAGATGCCCTCGGGTC
TCATGTCCCACTGCATTGCCATCTTGAAGATTTGTCACACTCTGACAGAGAAGCTTGTGGCCATGACAAATGGGCT
CTGGGGCCAAGATGAAGACTTCAGCCAGTGTGAGCGACATCATTGTGGTGGCCAAGCGGATCAGCCCCAGGGTGG
ATGATGTTGTGAAGTCGATGTACCCTCCGTTGGACCCCAAACCTCCTGGACGCGACGGACGACTGCCCTGCTCCTGT
CTGTGAGTCACCTGGTGCTGGTGACAAGGAATGCCTGCCATCTGACGGGAGGCCCTGGACTGGATTGACCAGTCTC
TGTCGGCTGCTGAGGAGCATTGGAAGTCCTTCGAGAAGCAGCCCTAGCTTCTGAGCCAGATAAAGGCCCTCCCAG
GCCCTGAAGGCTTCCTGCAGGAGCAGTCTGCAATTTAGTGCCTACAGGCCAGCAGCTAGCCATGAAGGCCCTGC
CGCCATCCCTGGATGGCTCAGCTTAGCCTTCTACTTTTTCTATAGAGTTAGTTGTTCTCCACGGCTGGAGAGTT
CAGCTGTGTGTGCATAGTAAAGCAGGAGATCCCCGTCAGTTTATGCCTCTTTTGCAGTTGCAAACCTGTGGCTGGT
GAGTGGCAGTCTAATACTACAGTTAGGGGAGATGCCATTCACTCTCTGCAAGAGGAGTATTGAAAACCTGGTGGAC
TGTCAGCTTTATTTAGCTCACCTAGTGTGTTTCAAGAAAATTGAGCCACCGTCTAAGAAATCAAGAGGTTTCACAT
TAAAATTAGAATTTCTGGCCTCTCTCGATCGGTGAGAAATGTGTGGCAATTTCTGATCTGCATTTTCAGAAGAGGAC
AATCAATTGAAACTAAGTAGGGGTTCTTCTTTTGGCAAGACTTGACTCTCTCACCTGGCCTGTTTCATTTATT
TGTATTATCTGCCTGGTCCCTGAGGCGTCTGGGTCTCTCCTCTCCCTTGCAAGTTTGGGTTTGAAGCTGAGGAAC
TACAAAGTTGATGATTTCTTTTTTATCTTTATGCCTGCAATTTTACCTAGCTACCACTAGGTGGATAGTAAATTT
ATACTTATGTTTCCCTCAAAAAAAAAAAAAA

123/615

FIGURE 122

METVVIVAIGVLATIFLASFAALVLVCRQRYCRPRDLLQRYDSKPIVDLIGAMETQSEPSELELDDVVITNPHIE
AILENEDWIEDASGLMSHCIALKICHTLTEKLVAMTMGSGAKMKTSASVSDIIVVAKRISPRVDDVVKSMYPPL
DPKLLDARTTALLSVSHLVLVTRNACHLTGGLDWIDQSLSAEEHLEVLREAALASEPDKGLPGPEGFLQEQSAI

124/615

FIGURE 123

CCCTTACATCCTCCTAGGACCCGGTCGGTAGTCGTCGCCCCAGCCCGCGGGGGCGCAGCGCCCCGAGCCGCGGCC
CTCGAGACGGGACCGAGAGCATCATGGGCAGCACTGTCCCGCGCTCCGCCTCCGTGCTGCTTCTGCTGCTGCTCC
TGCGCCGGGCGGAGCAGCCCTGCGGGGCGGAGCTCACCTTCGAGCTGCCGGACAACGCCAAGCAGTGCTTCCACG
AGGAGGTGGAGCAGGGCGTGAAGTTCTCCCTGGATTACCAGGTCATCACTGGAGGCCACTACGATGTTGACTGCT
ATGTAGAGGACCCCCAGGGGAACACCATCTACAGAGAAACGAAGAAGCAGTACGACAGCTTCACGTACCGGGCTG
AAGTCAAGGGCGTTTATCAGTTTTGCTTCAGTAATGAGTTTTCCACCTTCTCTCACAAGACCGTCTACTTTGACT
TTCAAGTGGGCGATGAGCCTCCCATTCCTCCAGACATGGGGAACAGGGTCACAGCTCTCACCAGATGGAGTCCG
CCTGCGTGACCATCCATGAGGCTCTGAAAACGGTGATTGACTCCAGACGCATTACCGGCTGCGGGAGGCCAGG
ACCGGGCCCGAGCGGAAGACCTTAATAGCCGAGTCTCTTACTGGTCTGTTGGCGAGACGATTGCCCTGTTGCTGG
TCAGCTTCAGTCAGGTGCTACTGTTGAAAAGCTTCTTTCACAGAAAAACGACCCATCAGCAGGGCAGTCCACTCCT
AGCCCCGGCATCCTGCTCTAGGGCCCCCTCATGCCCCAGGCTGGAGCAGCTCTCCTAGGTACAGCCTGCTGGGCT
GGGTGCGGTAGCCCAGGGTGGAGGCAGAACGATGCTGCTGTGGTAGCCCTTTGCCTTTCATGCCCATGCTTGATT
CTTGACCTCAGCAGCTGAAGGTCTCAGAGACCAGTAATCAGAAAGCATCCGACTGCATTAAAGTGTGACGCGCTG
AAAAGACATTTACAACCTAGGCCAGGGATTAGCCACTGTGGGAGGGTGGACAGGCAATGGTTCACTGGCCTGGCTG
TTGGCAGGAACTCCAAGTGGCCAGGCCTCTTGGGCAGCTTAGGGCCCTGCCTCTGTTTCATGATGCATGGGTGCT
TTGTCTTGGGTGCTCTATCCCATATGGAGAAGAAAGGGGCTCTAAGTTCTGGCTCTTCTTTCTTTGGGGTTCTCT
GTACCTGAGGAAACCAGGCCCTGGGTGACTTTGCAGATCTGCTCACCCTCGGTGAGCAACAGTGTGAGCCATGCA
AGCAGGACAGAATGGTGACTGGGTGCCCTTGGTGAGCTGTGTATTTCTAGGAGGTAGAAAACGTGTTGGGAACTG
TGGCTAATAAAAACTAAGTGTGAGCGTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

125/615

FIGURE 124

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56052
<subunit 1 of 1, 217 aa, 1 stop
<MW: 24777, pI: 5.55, NX(S/T): 0
MGSTVPRSASVLLLLLLLLRRAEQPCGAELTFELPDNAKQCFHEEVEQGVKFSLDYQVITG
GHYDVDCYVEDPQGNITTYRETKKQYDSFTYRAEVKGVYQFCFSNEFSTFSHKTVYFDFQV
GDEPPILPDMGNRVLTALTQMESACVTIHEALKTVIDSQTHYRLREAQDRARAEDLNSRVS
YWSVGETIALFVVVSFSQVLLKSFTEKRPISRVAHS
```

Important features:**Signal peptide:**

amino acids: 1-23

Transmembrane domain:

amino acids: 187-201

N-myristoylation sites:

amino acids: 26-32, 48-54, 131-137

Tyrosine kinase phosphorylation site:

amino acids: 82-91

Glycosyl hydrolases family 25 proteins:

amino acids: 53-61

126/615

FIGURE 125

GGCACGAGGCGCTGTCCACCCGGGGGCGTGGGAGTGAGGTACCAGATTGAGCCATTTGGCCCCGACGCCCTCTGT
TCTCGGAATCCGGGTGCTGCGGATTGAGGTCCCGGTTCTTAACGGACTGCAAGATGGAGGAAGGCGGGAACCTAG
GAGGCCTGATTAAGATGGTCCATCTACTGGTCTTGTCAGGTGCCTGGGGCATGCAAATGTGGGTGACCTTCGTCT
CAGGCTTCCTGCTTTTCCGAAGCCTTCCCCGACATACCTTCGGACTAGTGCAGAGCAAACCTCTCCCCTTCTACT
TCCACATCTCCATGGGCTGTGCCTTCATCAACCTCTGCATCTTGGCTTCACAGCATGCTTGGGCTCAGCTCACAT
TCTGGGAGGCCAGCCAGCTTACCTGCTGTTCTTGAGCCTTACGCTGGCCACTGTCAACGCCCGCTGGCTGGAAC
CCCGCACACAGCTGCCATGTGGGCCCTGCAAACCGTGGAGAAGGAGCGAGGCCTGGGTGGGGAGGTACCAGGCA
GCCACCAGGGTCCCGATCCCTACCGCCAGCTGCGAGAGAAGGACCCCAAGTACAGTGCTCTCCGCCAGAATTCT
TCCGCTACCATGGGCTGTCTCTCTTTGCAATCTGGGCTGCGTCTGAGCAATGGGCTCTGTCTCGCTGGCCTTG
CCCTGGAAATAAGGAGCCTCTAGCATGGGCCCTGCATGCTAATAAATGCTTCTTCAGAAATGAAAAAAAAAAAA
AAAAAA

127/615

FIGURE 126

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56107
<subunit 1 of 1, 231 aa, 1 stop
<NX(S/T): 0
MEEGGNLGGLIKMVHLLVLSGAWGMQMWVTFVSGFLLFRSLPRHTFGLVQSKLFPFYFHISMGCAFINLCILASQ
HAWAQLTFWEASQLYLLFLSLTLATVNARWLEPRTTAAMWALQTVEKERGLGGEVPGSHQGPDPYRQLREKDPKY
SALRQNFFRYHGLSSLNLCVLSNGLCLAGLALEIRSL
```

Signal peptide:
amino acids 1-24

Transmembrane domain:
amino acids 86-103, 60-75

Casein kinase II phosphorylation site.
amino acids 82-86

Tyrosine kinase phosphorylation site.
amino acids 144-151

N-myristoylation site.
amino acids 4-10, 5-11, 47-53, 170-176, 176-182

Prokaryotic membrane lipoprotein lipid attachment site.
amino acids 54-65

G-protein coupled receptors proteins.
amino acids 44-85

128/615

FIGURE 127

GCTTCATTTCTCCCGACTCAGCTTCCCACCCTGGGCTTTCCGAGGTGCTTTCGCCGCTGTCCCCACCACTGCAGC
CATGATCTCCTTAACGGACACGCAGAAAATTGGAATGGGATTAACAGGATTTGGAGTGTTCCTGTTCTTTGG
AATGATTCTCTTTTTTGACAAAGCACTACTGGCTATTGGAAATGTTTTATTTGTAGCCGGCTTGGCTTTTGTAAT
TGGTTTAGAAAGAACATTCAGATTCTTCTCCAAAAACATAAAATGAAAGCTACAGGTTTTTTCTGGGTGGTGT
ATTTGTAGTCCTTATTGGTTGGCCTTTGATAGGCATGATCTTCGAAATTTATGGATTTTTCTCTTGTTCAGGGG
CTTCTTTCCTGTCGTTGTTGGCTTTATTAGAAGAGTGCCAGTCCTTGGATCCCTCCTAAATTTACCTGGAATTAG
ATCATTGTAGATAAAGTTGGAGAAAGCAACAATATGGTATTAACAACAAGTGAATTTGAAGACTCATTTAAAATA
TTGTGTTATTTATAAAGTCATTTGAAGAATATTCAGCACAAAATTAAATTACATGAAATAGCTTGTAATGTTCTT
TACAGGAGTTTAAAACGTATAGCCTACAAAGTACCAGCAGCAAATTAGCAAAGAAGCAGTGAAAACAGGCTTCTA
CTCAAGTGAAGTAAAGAAGAAGTCAGCAAGCAAAGTGAAGAGGTGAAATCCATGTTAATGATGCTTAAGAACTC
TTGAAGGCTATTTGTGTTGTTTTTCCACAATGTGCGAACTCAGCCATCCTTAGAGAACTGTGGTGCCTGTTTCT
TTTCTTTTTATTTGAAGGCTCAGGAGCATCCATAGGCATTTGCTTTTTAGAAGTGTCCACTGCAATGGCAAAAA
TATTTCCAGTTGCACTGTATCTCTGGAAGTGATGCATGAATTCGATTGGATTGTGTCAATTTAAAGTATTAAAC
CAAGGAACCCCAATTTTGATGTATGGATTACTTTTTTTTGNGCNCAGGGCC

129/615

FIGURE 128

MISLTDTQKIGMGITGFGVFFLFFGMILFFDKALLAIGNVLFVAGLAFVIGLERTFRFFFQKHMKATGFFLGGV
FVVLIGWPLIGMIFEIYGFFLLFRGFFPVVVGFIIRRVPLGSLNLPGIRSFVDKVGESNNMV

Important features:

Transmembrane domains:

amino acids 12-30 (typeII), 33-52, 69-89 and 93-109

N-myristoylation sites.

amino acids 11-16, 51-56 and 116-121

Aminoacyl-transfer RNA synthetases class-II protein.

amino acids 49-59

130/615

FIGURE 129

AATTCAGATTTTAAAGCCATTCTGCAGTGGAAATTTTCATGAAGTAGCAAGAGGACACCATCTTCTTGATTATACA
AGAAAGGAGTGTACCTATCACACACAGGGGAAAAATGCTCTTTTGGGTGCTAGGCCTCCTAATCCTCTGTGGTT
TTCTGTGGACTCGTAAAGGAAAACTAAAGATTGAAGACATCACTGATAAGTACATTTTATCACTGGATGTGACT
CGGGCTTTGGAACTTGGCAGCCAGAACTTTTGATAAAAAGGGATTTTCATGTAATCGCTGCCTGTCTGACTGAAT
CAGGATCAACAGCTTTAAAGGCAGAAACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGA
ATGTCAAGAGGACTGCCAGTGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTG
GTGTTCCCGCGTGTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAACCTGT
TTGGACTCATCAGTGTGACACTAAATATGCTTCCCTTGGTCAAGAAAGCTCAAGGGAGAGTTATTAATGTCTCCA
GTGTTGGAGTGCCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAATATGCAGTGGAAAGGTTCAATGACA
GCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTCATGCATTGAACCAGGATTGTTCAAACAAACTTGG
CAGATCCAGTAAAGGTAATTGAAAAAACTCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACATATG
GAGAAGGTTACATTGAAAAAAGTCTAGACAAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGG
TGGTAGAGTGCATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA
TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTTATTGTTGAAACAGAAAGCAGAGCTGG
CTAATCCCAAGGCAGTGTGACTCAGCTAACCACAAATGTCTCCTCCAGGCTATGAAATTGGCCGATTTCAGAAC
ACATCTCCTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACTCATTAGATCGTGCTTATTTGGATTGCAAA
AGGGAGTCCCACCATCGCTGGTGGTATCCAGGGTCCCTGCTCAAGTTTCTTTGAAAAGGAGGGCTGGAATGGT
ACATCACATAGGCAAGTCTGCCCTGTATTTAGGCTTTGCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTT
GCCATTCAAATGATCTTTACCGTGGCCTGCCCATGCTTATGGTCCCAGCATTTACAGTAACTGTGAATGT
TAAGTATCATCTCTTATCTAAATATTAAGATAAGTCAACCCAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

131/615

FIGURE 130

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56406
><subunit 1 of 1, 319 aa, 1 stop
><MW: 35227, pI: 8.97, NX(S/T): 3
MLFWVLGLLILCGFLWTRKGLKIEDITDKYIFITGCDSGFGNLAARTFDKKGFHVIAACLTESGSTALKAETSE
RLRTVLLDVTDPENVKRTAQWVKNOVGKGLWGLINNAGVPGVLAPTDLTLEDYREPIEVNLFGLISVTLNMLP
LVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFNDLRRDMKAFGVHVSCEPGLFKTNLADPVKVIEKKLA
IWEQLSPDIKQQYGEGYIEKSLDKLGNKSYVNMDLSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAA
LQDFLLLKQKAEANPKAV

Important features of the protein:**Signal peptide:**

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

132/615

FIGURE 131

AGACAGTACCTCCTCCCTAGGACTACACAAGGACTGAACCAGAAGGAAGAGGACAGAGCAAAGCCATGAACATCA
TCCTAGAAATCCTTCTGCTTCTGATCACCATCATCTACTCCTACTTGGAGTCGTTGGTGAAGTTTTTCATTCCCTC
AGAGGAGAAAATCTGTGGCTGGGGAGATTGTTCTCATTAAGTGGAGCTGGGCATGGAATAGGCAGGCAGACTACTT
ATGAATTTGCAAAACGACAGAGCATATTGGTTCTGTGGGATATTAATAAGCGCGGTGTGGAGGAACTGCAGCTG
AGTGCCGAAAAC TAGGCGTCACTGCGCATGCGTATGTGGTAGACTGCAGCAACAGAGAAGAGATCTATCGCTCTC
TAAATCAGGTGAAGAAAGAAGTGGGTGATGTAACAATCGTGGTGAATAATGCTGGGACAGTATATCCAGCCGATC
TTCTCAGCACCAAGGATGAAGAGATTACCAAGACATTTGAGGTCAACATCCTAGGACATTTTGGATCACAAAAG
CACTTCTTCCATCGATGATGGAGAGAAATCATGGCCACATCGTCACAGTGGCTTCAGTGTGCGGCCACGAAGGGA
TTCCTTACCTCATCCCATATTGTTCCAGCAAATTTGCCGCTGTTGGCTTTCACAGAGGTCTGACATCAGAACTTC
AGGCCTTGGGAAAACTGGTATCAAAACCTCATGTCTCTGCCAGTTTTTGTGAATACTGGGTTCCAAAAAATC
CAAGCACAAAGATTATGGCCTGTATTGGAGACAGATGAAGTCGTAAGAAGTCTGATAGATGGAATACTTACCAATA
AGAAAATGATTTTTGTTCCATCGTATATCAATATCTTCTGAGACTACAGAAGTTCTTCTGAACGCGCCTCAG
CGATTTTAAATCGTATGCAGAATATTCAATTTGAAGCAGTGGTTGGCCACAAAATCAAAATGAAATGAATAAATA
AGCTCCAGCCAGAGATGTATGCATGATAATGATATGAATAGTTTTCGAATCAATGCTGCAAGCTTTATTTTCACAT
TTTTTCAGTCCTGATAATATTAACAAACATTGGTTTGGCACTAGCAGCAGTCAAACGAACAAGATTAATTACCTGT
CTTCCTGTTTCTCAAGAATATTTACGTAGTTTTTCATAGGTCTGTTTTTCCTTTTCATGCCTCTTAAAACTTCTG
TGCTTACATAAACATACTTAAAGGTTTTCTTTAAGATATTTTATTTTTCCATTTAAAGGTGGACAAAAGCTACC
TCCCTAAAAGTAAATACAAAGAGAACTTATTTACACAGGGAAGGTTTAAGACTGTTCAAGTAGCATTCCAATCTG
TAGCCATGCCACAGAATATCAACAAGAACACAGAATGAGTGCACAGCTAAGAGATCAAGTTTCAGCAGGCAGCTT
TATCTCAACCTGGACATATTTAAGATTGAGCATTTGAAAGATTTCCCTAGCCTCTTCCTTTTTTCATTAGCCCAA
AACGGTGCAACTCTATTCTGGACTTTATTACTTGATTCTGTCTTCTGTATAACTCTGAAGTCCACAAAAGTGGA
CCCTCTATATTTCCCTTTTTTATAGTCTTATAAGATACATTATGAAAGGTGACCGACTCTATTTTAAATCTCA
GAATTTTAAGTTCTAGCCCCATGATAACCTTTTTCTTTGTAATTTATGCTTTTCATATATCCTTGGTCCCAGAGAT
GTTTAGACAATTTTAGGCTCAAAAATTAAAGCTAACACAGGAAAAGGAAGTGTACTGGCTATTACATAAGAAACA
ATGGACCCAAGAGAAGAA

133/615

FIGURE 132

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56409

<subunit 1 of 1, 300 aa, 1 stop

<MW: 33655, pI: 9.31, NX(S/T): 1

MNIILEILLILLITIIYSYLESLVKFFIPQRRKSVAGEIVLITGAGHGIGRQTTYEFAKRQSILVLWDINKRGVEE
TAAECRKLGVTAHAYVVDCSNREEIYRSINQVKKEVGDTVIVNNAGTVYPADLLSTKDEEITKTFEVNI LGHFW
ITKALLPSMMERNHGHIVTVASVCGHEGIPYLIPYCSSKFAAVGFHRGLTSELQALGKTGIKTSCLCPV FVNTGF
TKNPSTRLWFPVLETDEVVRS LIDGILTNNKMIFVPSYINIFLRLQKFLPERASAILNRMQNIQFEAVVGHKIKMK

Important features:**Signal peptide:**

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-33 and 58-61

Short-chain alcohol dehydrogenase family protein

amino acids 165-202, 37-49, 112-122 and 210-219

134/615

FIGURE 133

CTGAGGCGGCGGTAGCATGGAGGGGGAGAGTACGTGGGCGGTGCTCTCGGGCTTTGTGCTCGGCGCACTCGCTTT
CCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTTGGGGAAGTAAAAGGTGAAGCCAAGAACAGCAT
TACTGATTCCCAATGGATGATGTTGAAGTTGTTTATACAATTGACATTTCAGAAATATATTCCATGCTATCAGCT
TTTTAGCTTTTATAATTCTTCAGGCGAAGTAAATGAGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAA
TGTGGTAGGTTGGTACAAATCCGTCGTCAATTCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAAA
CTTGCAAGGAGCATTTTTCAAACCAAGACCTTGTTTTCTGCTATTAACACCAAGTATAATAACAGAAAGCTGCTC
TACTCATCGACTGGAACATTCTTTATATAAACCTCAAAAAGGACTTTTTTCACAGGGTACCTTTAGTGGTTGCCAA
TCTGGGCATGTCTGAACAACCTGGGTTATAAACTGTATCAGGTTCTGTATGTCCACTGGTTTTAGCCGAGCAGT
ACAAACACACAGCTCTAAATTTTTGAAGAAGATGGATCCTTAAAGGAGGTACATAAGATAAATGAAATGTATGC
TTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAAGTGGAGACAGTGAACAAGCAGTAGATAAACTAGTAAA
GGATGTAAACAGATTAAACGAGAAATTGAGAAAAGGAGAGGAGCACAGATTCAGGCAGCAAGAGAGAAGAACAT
CCAAAAAGACCTCAGGAGAACATTTTTCTTTGTCAGGCATTACGGACCTTTTTTCCAAATCTGAATTTCTTCA
TTCATGTGTTATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACATAACCACCATCTCGATGTAGT
AGACAATCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCACAAATCATTA
GCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAGAGATCTCGGTTGTTAGATACACAAGACAAACGATC
TAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAAATGAGCAGCCCAGAAACAGATGAAGAAATTGA
AAAGATGAAGGGTTTTGGTGAATATTCACGGTCTCCTACATTTGATCCTTTTAACCTTACAAGGAGATTTTTTT
ATTTGGCTGATGGGTAAAGCCAAACATTTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTT
TTTACTATGTTACCTGTTTGAGTAATACACAGATAACTCTAGTGCATTTACTTCACAAAGTACTTTTTTCAA
CATCAGATGCTTTTATTTCCAAACCTTTTTTTCACCTTCACTAAGTTGTTGAGGGGAAGGCTTACACAGACACA
TTCTTTAGAATTGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACTTAGGGAGACAAGTC
AGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATTGAGACCATGTCTATTAAAAAATAAA
ATGAAAAGCAAGAATAGCCTTATTTTCAAATATGGAAGAAATTTATATGAAAATTTATCTGAGTCATTAAAA
TTCTCCTTAAGTGATACTTTTTTAGAAGTACATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAAT
AAATTTGCAAAACATCATCTAAATTTAAAAAATAAAAAAAAAAAAAA

135/615

FIGURE 134

MEGESTSAVLSGFVLGALAFQHLNTDSDTGFLLEVKGEAKNSITDSQMDDVEVVYTIDIQYIPCYQLFSFYN
SSGEVNEQALKKILSNVKNVVGWYKFRRHSDQIMTFRERLLHKNLQEHFSNQDLVFLLLTPSIITESCSTHRLE
HSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSRAVQTHSSKFFEEGSLKEVHKINEMYASLQEE
LKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGAQIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMS
LKNRHVSKSSCYNHHLDVVDNLTLMVEHTDIPEASPASTPQIIKHKALDLDLDRWQFKRSRLDQDKRSKANTG
SSNQDKASKMSSPETDEEIEKMKGFGEYSRSPTF

136/615

FIGURE 135

GGCACAGCCGCGCGGGCGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGCAGCC
CAAGCAGCGCGCAGCGAACGCCCGCCGCCGCCACACCCCTCTGCGGTCCCCGCGGCGCCTGCCACCCCTCCCTCC
TTCCCCGCGTCCCCGCTCGCCGGCCAGTCAGCTTGCCGGGTTCGCTGCCCGCGGAAACCCGAGGTACACAGCC
CGCGCCTCTGCTTCCCTGGGCGCGCGCCGCCCTCCACGCCCTCCTTCTCCCTGGCCCGCGCCTGGCACCGGGG
ACCGTTGCCCTGACGCGAGGCCAGCTCTACTTTTCGCCCCGCGTCTCCTCCGCTGCTCGCCTCTTCCACCAACT
CCAACCTCTTCTCCCTCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCGCTGCCGTAGCGCCGC
TTCCCGTCCGGTCCCAAAGGTGGGAACGCGTCCGCCCGGCCCGCACCAATGGCACGGTTCCGGCTTGCCCGCGCTT
CTCTGCACCCCTGGCAGTGCTCAGCGCCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGCGA
CGTCTTTACGTGTCAAAGGCTTCAACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCATTTGAAGATC
TGTCCCCAGGGTTCTACCTGCTGCTCTCAAGAGATGGAGGAGAAGTACAGCCTGCAAAGTAAAGATGATTTCAA
AGTGTGGTCAGCGAACAGTGCAATCATTTGCAAGCTGTCTTGCTTACGTTACAAGAAGTTTGATGAATTCTTC
AAAGAACTACTTGAAGAAATGCAGAGAAATCCCTGAATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAA
AATTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTGAAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAA
ATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATGTTCCGCTGGTGAACCTCCAGTACCACTTTACAGAT
GAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAGCCCTTCGGAGATGTCCCTCGCAAATTTGAAGCTC
CAGGTTACTCGTGCTTTTGTAGCAGCCCGTACTTTTCGCTCAAGGCTTAGCGGTTGCGGGAGATGTCGTGAGCAAG
GTCTCCGTGGTAAACCCACAGCCAGTGTACCCATGCCCTGTTGAAGATGATCTACTGCTCCCACTGCCGGGGT
CTCGTGACTGTGAAGCCATGTTACAACACTGCTCAACATCATGAGAGGCTGTTTGCCCAACCAGGGGATCTC
GATTTTGAATGGAACAATTTATAGATGCTATGCTGATGGTGGCAGAGAGGCTAGAGGGTCTTTCAACATTGAA
TCGGTCATGGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGATAATAGTGTTCAAGTGCTC
CAGAAGGTTTTCCAGGGATGTGGACCCCCCAAGCCCTCCAGCTGGACGAATTTCTCGTTCCATCTCTGAAAGT
GCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACCACAGCAGCTGGCACTAGTTTGGACCGA
CTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATCTGGTCTCCCTTCGAGCAACGTTTGCAAC
GATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAAAGCAGGTACCTGTTT
GCAGTGACAGGAAATGGATTAGCCAACCAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACAGACATA
CTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAAATGCATACAATGGGAACGACGTG
GACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGGAAGTGGCTGTGAGTATCAGCAGTGCCTTCA
GAGTTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGCTCCT
GGGGCACAGGCCCTACCTCCTCACTGTCTCTGCATCTTGTTCCTGGTTATGCAGAGAGAGTGGAGATAAATTTCTCA
AACTCTGAGAAAAAGTGTTTCATCAAAAAGTTAAAGGCCACGATTATCACTTTTCTACCATCCTAGTGACTTTGC
TTTTTAAATGAATGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAAGAGTGCTGACTTTGTTTTT
TCATTGAGTTTTGGGAGGAAAAGGACTGTGCATTGAGTTGGTTCCCTGCTCCCCAAACCATGTTAAACGTGGCT
AACAGTGTAGGTACAGAACTATAGTTAGTTGTGCATTTGTGATTTTATCACTCTATTATTTGTTGTATGTTTTT
TTCTCATTTTCGTTTGTGGGTTTTTTTTTCCAACGTGATCTCGCCTTGTTCCTTACAAGCAAACAGGGTCCCTT
CTTGGCACGTAAACATGTACGTATTTCTGAAATATTAAATAGCTGTACAGAAGCAGGTTTTATTATCATGTTATC
TTATTTAAAGAAAAGCCCAAAAGC

137/615

FIGURE 136

MARFGLPALLCTLAVLSAALLAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGSTCCSQEMEKEY
SLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGHLYMQNSELFKDLFVELKRY
VVGNNLEEMLNDFWARLLERMFLVNSQYHFTDEYLECVSKYTEQLKPFQGDVPRKLKLQVTRAFVAARTFAQGL
AVAGDVVSKVSVVNPTAQCTHALLKMIYCSHCRGLVTVKPCYNYCSNIMRGCLANQGDLDFEWNNFIDAMLMVAE
RLEGPFNIESVMDPIDVKISDAIMNMQDNSVQVSQKVFQGCQPPKPLPAGRISRSISESAFSARFRPHHPEERPT
TAAGTSLDRLVTDVKEKLQAKKFWSSLPNVCNDERMAAGNGNEDDCWNGKGSRYLFAVTGNGLANQGNNEV
QVDTSKPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAGKSANE
KADSAGVRPGAQAYLLTVFCILFLVMQREWR

138/615

FIGURE 137

CGGGGCTGTTGACGGCGCTGCGATGGCTGCCTGCGAGGGCAGGAGAAGCGGAGCTCTCGGTTCCCTCTCAGTCGGA
CTTCCTGACGCCGCCAGTGGGCGGGGGCCCTTGGGCCGTGCCACCACTGTAGTCATGTACCCACCGCCGCCGCC
GCCGCCTCATCGGGACTTCATCTCGGTGACGCTGAGCTTTGGCGAGAGCTATGACAACAGCAAGAGTTGGCGGCG
GCGCTCGTGTGGAGGAAATGGAAGCAACTGTCGAGATTGCAGCGGAATATGATTCTTCTCCTCCTTGCTTTCT
GCTTTTCTGTGGACTCCTCTTCTACATCAACTTGGCTGACCATTGGAAAGCTCTGGCTTTTACGGCTAGAGGAAGA
GCAGAAGATGAGGCCAGAAATGCTGGGTAAACCAGCAAATCCACCCGTCTTACCAGCTCCTCAGAAGGCGGA
CACCGACCCTGAGAACTTACCTGAGATTTGTCACAGAAGACACAAAGACACATCCAGCGGGGACCACTCACCT
GCAGATTAGACCCCAAGCCAAGACCTGAAGGATGGGACCCAGGAGGAGGCCAAGGCAAGGCAAGGCCCCGT
GGATCCCCGCCCCGAAGGAGATCCGCAGAGGACAGTCATCAGCTGGAGGGGAGCGGTGATCAGCCTGAGCAGGG
CACCGAGCTCCCTTCAAGAAGAGCAGAAGTGCCCAAGCCTCCCTGCCACCGGCCAGGACACAGGGCACACC
AGTGCATCTGAATATCGCCAGAAGGGCGTGATTGACGTCTTCTGTCATGCATGGAAGGATACCGCAAGTTTGC
ATGGGGCCATGACGAGCTGAAGCCTGTGTCCAGGTCTTTCAGTGAGTGTTTGGCCTCGGTCTCACACTGATCGA
CGCGCTGGACACCATGTGGATCTTGGGTCTGAGGAAAGAAATTTGAGGAAGCCAGGAAGTGGGTGTGGAAGAAGTT
ACACTTTGAAAAGGACGTGGACGTCAACCTGTTTGGAGACAGATCCGCATCTTGGGGGGCTCCTGAGTGCCTA
CCACCTGTCTGGGGACAGCCTCTTCTGAGGAAAGCTGAGGATTTTGGAAATCGGCTAATGCCTGCCTTCAGAAC
ACCATCCAAGATTCTTACTCGGATGTGAACATCGGTACTGGAGTTGCCACCCGCCACGGTGGACCTCCGACAG
CACTGTGGCCGAGGTGACCAAGCATTCAGCTGGAGTTCCGGGAGCTCTCCGTCTCACAGGGGATAAGAAGTTTCA
GGAGGCAGTGGAGAAGGTGACACAGCACATCCACGGCCTGTCTGGGAAGAAGGATGGGCTGGTGCCTATGTTTAT
CAATACCCACAGTGGCCTCTTACCCACCTGGGCGTATTACGCTGGGCGCCAGGGCCGACAGTACTATGASTA
CCTGCTGAAGCAGTGGATCCAGGGCGGGAAGCAGGAGACACAGCTGCTGGAAGACTACGTGGAAGCCATCGAGGG
TGTCAGAACGCACCTGCTGCGGCACTCCGAGCCAGTAAGCTCACCTTGTGGGGGAGCTTGCCACGGCCGCTT
CAGTGCCAAGATGGACCACCTGGTGTGCTTCTGCCAGGGACGCTGGCTCTGGGCGTCTACCACGGCCTGCCCGC
CAGCCACATGGAGCTGGCCAGGAGCTCATGGAGACTTGTACCAGATGAACCGGCAGATGGAGACGGGGCTGAG
TCCCGAGATCGTGCATTTCAACCTTTACCCCAAGCCGGGCGCTCGGGACGTGGAGGTCAAGCCAGCAGACAGGCA
CAACCTGCTGCGGCCAGAGACCTGGAGAGCCTGTTTACCTGTACCGCTCACAGGGGACCGCAAATACCAGGA
CTGGGGCTGGGAGATTCTGCAGAGCTTCAGCCGATTACACGGGTCCCTCGGGTGGCTATTCTTCCATCAACAA
TGTCAGGATCCTCAGAAGCCCGAGCCTAGGGACAAGATGGAGAGCTTCTTCTGGGGGAGACGCTCAAGTATCT
GTTCTTGCTCTTCTCCGATGACCCAAACCTGCTCAGCCTGGACGCCTACGTGTTCAACACCGAAGCCACCTCT
GCCTATCTGGACCCCTGCCTAGGGTGGATGGCTGCTGGTGTGGGGACTTCGGGTGGGCAGAGGCACCTTGCTGGG
TCTGTGGCATTTTTCAAGGGCCACGTAGCACCGGCAACCGCCAAGTGGCCAGGCTCTGAACTGGCTCTGGGCT
CCTCCTCGTCTCTGCTTTAATCAGGACACCGTGAGGACAAGTGAGGCCGTGAGTCTTGGTGTGATGCGGGGTGGG
CTGGGCGCTGGAGCCTCCGCCTGCTTCTCCAGAAGACACGAATCATGACTCACGATTGCTGAAGCCTGAGCAG
GTCTCTGTGGGCGGACAGAGGGGGGCTTCAGGTGGTCCCTGGTACTGGGGTGACCGAGTGGACAGCCAGGGT
GCAGCTCTGCCCCGGCTCGTGAAGCCTCAGATGTCCCCAATCCAAGGGTCTGGAGGGGCTGCCGTGACTCCAGAG
GCCTGAGGCTCCAGGGCTGGCTCTGGTGTTTACAAGCTGGACTCAGGGATCCTCCTGGCCGCCCCGAGGGGGCT
TGGAGGGCTGGACGGCAAGTCCGTCTAGCTCACGGGCCCCCTCAGTGAATGGGTCTTTTTCGGTGGAGATAAAG
TTGATTTGCTCTAACCGCAA

139/615

FIGURE 138

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56529
><subunit 1 of 1, 699 aa, 1 stop
><MW: 79553, pI: 7.83, NX(S/T): 0
MAACEGRRSGALGSSQSDFLTPPVGGAPWAVATTVMYPPPPPPPHRDFISVTLSFGESYDNSKSWRRRSCWRKW
KQLSRLQRNMILFLLAFLLFCGLLFYINLADHWKALAFRLEEEQKMRPEIAGLKPANPPVLPAPOKADTDPENLP
EISSQKTQRHIQRGPPHLQIRPPSQDLKDGTOEEATKRQEAPVDPRPEGDPQRTVISWRGAVIEPEQGTLPSSR
AEVPTKPPLPPARTQGTTPVHLNYRQKGVIDVFLHAWKGYRKFAWGHDELKPVSRSFSEWFGLGLTLIDALDTMWI
LGLRKEFEEARKWVSKKLHFEKDVDVNLFEFTIRILGGLLSAYHLSGDSLFLRKAEDFGNRLMPAFRTPSKIPYS
DVNIGTGVAHPRWTSdstVAEVTsiQLEFRELSRLTGDKKFQEAVEKVTQHIHGLSGKKDGLVPMFINTHSGLF
THLGVFTLGARADSYEYLLKQWIQGGKQETQLLEDYVEAIEGVRTHLLRHSEPSKLTfVGElaHGRFSakMDHL
VCFLPGTIALGVYHGLPASHMELAQELMETCYQMNROMETGLSPEIVHFNLYPQPGRRDVEVKPADRHNLRLPET
VESLFYLYRVTGDRKYQDWGWEILQSFsrFTRVPsggySSinnVQDPQKPEPRDKMESFFLGETLkylFLLfSDD
PNLLSLDAYVFNTeAHPLPIWTPA
```

Important features of the protein:

Transmembrane domain:

amino acids 21-40 and 84-105 (type II)

140/615

FIGURE 139

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGACCTGAGTCATC
CCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACTTACAGCTGCACCGACAGTTG
CGATGAAAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAATGCTGATGTCCATGGTCTCTAGCAGCCTGA
ATCCAGGGGTGCGCCAGAGGCCACAGGGACCGAGGCCAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAAT
GTGAGTGCAAAGATTGGTTCCTGAGAGCCCCGAGAAGAAAATTCATGACAGTGTCTGGGCTGCCAAGAAGCAGT
GCCCCGTGTGATCATTTCAAGGGCAATGTGAAGAAAAACAAGACACCAAGGCACCACAGAAAGCCAAACAAGCATT
CCAGAGCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTGAGCGC
CCACTCTTCCAATTAAACATTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTCTTCTCTCCCACCTC
ACTCTCCCACTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCATGTTTTCAAGATCATTTTGTGTTGT
TGCTCTCTCTAGTGTCTTCTCTCTCGTCAGTCTTAGCCTGTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTAC
CTGAAAGATTCCAGGAACTGTAGCTTCCTAGCTAGTGTCATTTAACTTAAATGCAATCAGGAAAGTAGCAAAC
AGAAGTCAATAAATATTTTAAATGTCAAAAAAAAAAAAAAAAAA

141/615

FIGURE 140

MKVLISLLLLLLPLMLMSMVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFMTVSGLPKKQC
PCDHFKNVKKTRHQRHHRKPNKHSRACQQFLKQCQLRSFALPL

142/615

FIGURE 141

AATGGCTGTCTTAGTACTTCGCCTGACAGTTGTCTGGGACTGCTTGTCTTATTCCTGACCTGCTATGCAGACGA
CAAACCAGACAAGCCAGACGACAAGCCAGACGACTCGGGCAAAGACCCAAAGCCAGACTTCCCCAAATTCCTAAG
CCTCCTGGGCACAGAGATCATTGAGAATGCAGTCGAGTTCATCCTCCGCTCCATGTCCAGGAGCACAGGATTTAT
GGAATTTGATGATAATGAAGGAAAACATTCATCAAAGTGGACATCCTCAGGACACACCCATGTGGCTCCTGGACAA
TCCAAGAGCAGCCAAATCCTGCTTTTCCAGTTTGGCTCCACAAGTCCTCCAGGACAGAGCCCTCAAAGCAACTCC
CAACGAGTTCTCAGGATTCAGGCTCTGGCTTCAACCAAACAGAACTCATTTTGAACACCCTGACTGCATTTTTGC
TTTTAGAAAGTTAGAATAAATATGGCGCTTTGGGATCACATAGTTGATGGAGAGGAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

143/615

FIGURE 142

MAVLVLRRLTVVLGLLVLFILTCYADDKPKDPDDKPDGKDPKPDFPKFLSLLGTEIIENAVEFILRSMSRSTGFM
EFDDNEGKHSSK

144/615

FIGURE 143

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAGAGCTGGTCTG
CCATGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTCTGCTTCTTACCCTGCCCTGCACCTCATGGCTCTGC
TGGGCTGCTGGCAGCCCCCTGTGCAAAAGCTACTTCCCCTACCTGATGGCCGTGCTGACTCCCAAGAGCAACCGCA
AGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAGATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTAC
TGGAGCTGGGCTGCGGAACCGGAGCCAACTTTTCACTTCTACCCACCGGGCTGCAGGGTCACCTGCCCTAGACCCAA
ATCCCCACTTTGAGAAGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGG
CTCCTGGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGTGTGCTCTG
TGCAGAGCCCAAGGAAGGTCTGTCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGCTCTTTTTCTGGGAGC
ATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTTCGAGCCACCTGGAAACACATTGGGG
ATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGAGAACGCCAGTTCTCCGAAATCCAAATGGAACGAC
AGCCCCCTCCCTTGAAGTGGCTACCTGTTGGGCCCCACATCATGGGAAAGGCTGTCAAACAATCTTCCCAAGCT
CCAAGGCACTCATTTGCTCCTTCCCCAGCCTCCAATTAGAACAAGCCACCCACCAGCCTATCTATCTTCCACTGA
GAGGGACCTAGCAGAATGAGAGAAGACATTATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC
AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGGAAACACTAGG
ACCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTCCCAATGTTGTCCCTTTCTCT
CGTTCCTCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACACCCATGCGTCTCTAGGAACTGGTCACAAAAG
TCATGGTGCCTGCATCCCTGCCAAGCCCCCTGACCTCTCTCCCCACTACCACCTTCTTCTGAGCTGGGGGCA
CCAGGGAGAATCAGAGATGCTGGGGATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTTGTTCTCAAATATTTTT
TAATAAATAGACGAAACCACG

145/615

FIGURE 144

MDILVPLLQLLVLLLTPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELFSSQIKGLTGASGKVALL
ELGCGTGANFQFYPPGCRVTCCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDMRQLADGSMDVVVCTLVLCV
QSPRKVLQEVRRVLRPGGVLFWEHVAEPYGSWAFMWQQVFETWKHIGDGCCLTRETWKDLENAQFSEIQMERQ
PPPLKWLPVGPIMGKAVKQSFPSKALICSFPSLQLEQATHQPIYLPRLGT

146/615

FIGURE 145

GTGGGATTTATTTGAGTGCAAGATCGTTTTCTCAGTGGTGGTGGAAAGTTGCCTCATCGCAGGCAGATGTTGGGGC
TTTGTCCGAACAGCTCCCCCTCGCCAGCTTCTGTAGATAAGGGTTAAAACTAATATTTATATGACAGAAGAAAA
AGATGTCATTCCGTAAAGTAAACATCATCATCTTGGTCCTGGCTGTTGCTCTCTTCTTACTGGTTTTGCACCATA
ACTTCCTCAGCTTGAGCAGTTTTGTTAAGGAATGAGGTTACAGATTACAGGAATTGTAGGGCCTCAACCTATAGACT
TTGTCCCAAATGCTCTCCGACATGCAGTAGATGGGAGACAAGAGGAGATTCCTGTGGTCATCGCTGCATCTGAAG
ACAGGCTTGGGGGGGCCATTGCAGCTATAAACAGCATTGAGCACAACACTCGCTCCAATGTGATTTTCTACATTG
TTACTCTCAACAATACAGCAGACCATCTCCGGTCCTGGCTCAACAGTGATTCCCTGAAAAGCATCAGATACAAAA
TTGTCAATTTTGACCCTAACTTTTGAAGGAAAAGTAAAGGAGGATCCTGACCAGGGGGAATCCATGAAACCTT
TAACCTTTGCAAGGTTCTACTTGCCAATTCTGGTTCAGCGCAAAGAAGGCCATATACATGGATGATGATGTAA
TTGTGCAAGGTGATATTCTTGCCCTTTACAATACAGCACTGAAGCCAGGACATGCAGCTGCATTTTCAGAAGATT
GTGATTCAGCCTCTACTAAAGTTGTCATCCGTGGAGCAGGAAACCAGTACAATTACATTGGCTATCTTGACTATA
AAAAGGAAAGAATTTCGTAAAGCTTTCCATGAAAGCCAGCACTTGCTCATTTAATCCTGGAGTTTTTGTGCAAACC
TGACGGAAATGGAACGACAGAATATAACTAACCAACTGGAATAATGGATGAAACTCAATGTAGAAGAGGGACTGT
ATAGCAGAACCTGGCTGGTAGCATCACAAACCTCCTCTGCTTATCGTATTTTATCAACAGCACTCTACCATCG
ATCCTATGTGGAATGTCCGCCACCTTGGTTCCAGTGCTGGAACGATATTACCTCAGTTTGTAAAGGCTGCCA
AGTTACTCCATTGGAATGGACATTTGAAGCCATGGGGAAGGACTGCTTCATATACTGATGTTTGGGAAAAATGGT
ATATTCCAGACCCAACAGGCAAATTCAACCTAATCCGAAGATATACCGAGATCTCAAACATAAAGTGAACAGAA
TTTGAAGTGTAAAGCAAGCATTTCTCAGGAAGTCCTGGAAGATAGCATGCATGGGAAGTAACAGTTGCTAGGCTTC
AATGCCTATCGGTAGCAAGCCATGGAAAAAGATGTGTCAGCTAGGTAAAGATGACAACTGCCCTGTCTGGCAGT
CAGCTTCCAGACAGACTATAGACTATAAATATGTCTCATCTGCCTTACCAAGTGTTTTCTTACTACAATGCTG
AATGACTGGAAAGAAGAACTGATATGGCTAGTTCAGCTAGCTGGTACAGATAATTCAAACCTGCTGTTGGTTTTA
ATTTTGTAACTGTGGCCTGATCTGTAAATAAACTTACATTTTTC

147/615

FIGURE 146

MSFRKVNIIILVLAVALFLLVLHNNFLSLSSLLRNEVTD SGIVGPQPIDFVPNALRHAVDGRQEEIPV VIAASED
RLGGAIAAINSIQHNTSRNVIFYIVTLNNTADHLRSWLNSDSLKSIRYKIVNFDPKLLEGKV KEDPDQGESMKPL
TFARFYLPILVPSAKKAIYMDDDVIVQGDILALYNTALKPGHAAAFSEDCDSASTKV VIRGAGNQNYIGYLDYK
KERIRKLSMKASTCSFNPGVFVANLTEWKRQNTITNQLEKWMKLNVEEGLYSRTL AGSITTPPLLIVFYQQHSTID
PMWNVRLGSSAGKRYSPQFVKA AKLLHWNGHLKPWGRTASYTDVWEKWIIPDPTGKENLIRRYTEISNIK

148/615

FIGURE 147

GT TTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCAGTTCCTCCAAGCA
AGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCTATTTGCATCTGTTTGTGATAA
ATGATGTTGACACCCTCCACCGAATTCTAAGTGGAATCATGTCGGGAAGAGATACAATCCTTGGCCTGTGTATCC
TCGCATTAGCCTTGTCTTTGGCCATGATGTTTACCTTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTT
CATTGGTTATTTTGGGATTGTTGTTGTCTGCGGTGTTTATGGTGGCTGTATTATGACTATACCAACGACCTCA
GCATAGAATTGGACACAGAAAGGGAAAATATGAAGTGCGTGCTGGGGTTTGCTATCGTATCCACAGGCATCACGG
CAGTGCTGCTCGTCTTGATTTTTGTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCACAAATA
AAGCCATCAGCAGTGCTCCCTTCCCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCATTTCCTTCTGGGTCC
TCTGGGTGGCTGTGCTGCTGAGCCTGGGAACTGCAGGAGCTGCCAGGTTATGGAAGGCGGCCAAGTGGGAATATA
AGCCCCTTTCGGGCATTCCGTACATGTGGTCGTACCATTTAATTGGCCTCATCTGGACTAGTGAATTCATCCTTG
CGTGCCAGCAAATGACTATAGCTGGGGCAGTGGTTACTTGTTATTTTCAACAGAAGTAAAAATGATCCTCCTGATC
ATCCCATCCTTTCTGCTCTCTCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTAACTCT
CTGTGGTGAGGATTCGAGAATCATTGTCTGTACATGCAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGCTTGACAAATACCTGCTCCATCTCAACCAGAATG
CATATACTACAACCTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGCATTCAAATCTTGTTCCAAGA
ACTCAAGTCACTTTACATCTATTAAGTCTTTGGAGACTTCATAATTTTTCTAGGAAAGGTGTTAGTGGTGTGTT
TCACTGTTTTTGGAGGACTCATGGCTTTTAACTACAATCGGGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGG
TAGCTTTTTTGCCTACTTAGTAGCCCATAGTTTTTATCTGTGTTTGAAGTGTGCTGGATGCACTTTTCCTGT
GTTTTGCTGTTGATCTGGAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTT
TCGTAAAAAGGAGCAACAAATTAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGAATGAGGAGGGAA
CAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAACATTTCTTCTAAGAGCCA
TTTACAGAATAGAAGATGAGACCCTAGAGAAAAGTTAGTGAATTTTTTTTTTAAAGACCTAATAAACCTATTCTC
TTCCTCAAAA

149/615

FIGURE 148

MSGRDTILGLCILALALSLAMMFTFRFITLLVHIFISLVILGLLFVCGVLWWLYDYTDNLSIELDTERENMKC
VLGFAIVSTGITAVLLVLIFVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTFAILIFFWVLWVAVLLSLGTAG
AAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQOMTIAGAVVTCYFNRSKNDPPDPHPILSSLSILFFY
HQGTVVKGSLISVVRIPIIIVMYMQLKEQQHGALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFC
TSAKDAFKILSKNSSHFTSINCFGDFIIFLGKVLVVCFTVFGGLMAFNYNRAFQVWAVPLLLVAFFAYLVAHSFL
SVFETVLDALFLCFAVDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRNEEGTELQAIVR

FIGURE 149

[illegible]

151/615

FIGURE 150

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAGCQDPKYHVYGT
TDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYNGVQSLSLPRWRESFIVLESKPKKGVITYPSAL
TYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVATPTTLPRPSPSAASTTSIPRPQSVGHRSEQE
MDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKPVGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDG
STSIGKRRFRIQKQLLADVAQALDIGPAGPLMGVVQYGDNPATHFNLKTHTNDRDLKTAIEKITQRGGLSNVGRA
ISFVTKNFFSKANGNRSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENEKQYVVEPNFANKAV
CRTNGFYSLHVQSWFGLHKTLLQPLVKRVCDTDLACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTNLTKEF
EISDTRIGAVQYTYEQRLFEGFDKYSSKPDILNAIKRVGYWGGTSTGAAINFALEQLFKKSKPNKRKLMILI
TDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQELEVIATHPARDHSFFVDEFDNLHQYVPRIIQNICTEFNSQPRN

152/615

FIGURE 151

CAGGATGAACTGGTTGCAGTGGCTGCTGCTGCTGCGGGGCGCTGAGAGGACACGAGCTCTATGCCTTTCCGGCT
GCTCATCCCGCTCGGCCTCCTGTGCGCGCTGCTGCCTCAGCACCATGGTGCGCCAGGTCCCGACGGCTCCGCGCC
AGATCCCGCCCACTACAGTTTTTCTCTGACTCTAATTGATGCACTGGACACCTTGCTGATTTTGGGGAATGTCTC
AGAATTCCAAAGAGTGGTTGAAGTGCTCCAGGACAGCGTGGACTTTGATATTGATGTGAACGCCTCTGTGTTGA
AACAAACATTTCGAGTGGTAGGAGGACTCCTGTCTGCTCATCTGCTCTCCAAGAAGGCTGGGGTGGAAGTAGAGGC
TGGATGGCCCTGTTCCGGGCCCTCTCCTGAGAATGGCTGAGGAGGCGGCCGAAAACCTCCTCCAGCCTTTCAGAC
CCCCACTGGCATGCCATATGGAACAGTGAACCTTACTTCATGGCGTGAACCCAGGAGAGACCCCTGTCACCTGTAC
GGCAGGGATTGGGACCTTCATTGTTGAATTTGCCACCCTGAGCAGCCTCACTGGTGACCCGGTGTTTGAAGATGT
GGCCAGAGTGGCTTTGATGCGCCTCTGGGAGAGCCGGTCAGATATCGGGCTGGTCGGCAACCACATTGATGTGCT
CACTGGCAAGTGGGTGGCCAGGACGCAAGGCATCGGGGCTGGCGTGGACTCCTACTTTGAGTACTTGGTGAAAGG
AGCCATCCTGCTTCAGGATAAGAAGCTCATGGCCATGTTCTAGAGTATAACAAAGCCATCCGGAACCTACACCCG
CTTCGATGACTGGGTACCTGTGGGTTTCAGATGTACAAGGGGACTGTGTCCATGCCAGTCTTCCAGTCTTTGGAGGC
CTACTGGCCTGGTCTTCAGAGCCTCATTGGAGACATTGACAATGCCATGAGGACCTTCTCACTACTACACTGT
ATGGAAGCAGTTTGGGGGGCTCCCGGAATTCTACAACATTCTCAGGGATACACAGTGGAGAAGCGAGAGGGCTA
CCCCTTCGGCCAGAACTTATTGAAAGCGCAATGTACCTCTACCGTGCCACGGGGGATCCCACCCTCCTAGAACT
CGGAAGAGATGCTGTGGAATCCATTGAAAAAATCAGCAAGGTGGAGTGGCGATTTGCAACAATCAAAGATCTGCG
AGACCACAAGCTGGACAACCGCATGGAGTCGTTCTTCTGGCCGAGACTGTGAAATACCTCTACCTCCTGTTTGA
CCCAACCAACTTCATCCACAACAATGGGTCCACCTTCGACGCGGTGATCACCCCTATGGGGAGTGCATCCTGGG
GGCTGGGGGGTACATCTTCAACACAGAAGCTCACCCCATCGACCTTGCCGCCCTGCACTGCTGCCAGAGGCTGAA
GGAAGAGCAGTGGGAGGTGGAGGACTTGATGAGGGAATTCTACTCTCTCAAACGAGCAGGTGCAAAATTTAGAA
AAACACTGTTAGTTTCGGGGCCATGGGAACCTCCAGCAAGGCCAGGAACACTCTTCTCACCAGAAAACCATGACCA
GGCAAGGGAGAGGAAGCCTGCCAAACAGAAGTCCCACTTCTCAGCTGCCCCAGTCAGCCCTTCACCTCCAAGTT
GGCATTACTGGGACAGGTTTTCTAGACTCCTCATTAACCACTGGATAATTTTTTTATTTTTTTTATTTTTTTGAGGCT
AACTATAATAAATTGCTTTTGGCTATCATAAAA

153/615

FIGURE 152

MPFRLLIPLGLLCALLPQHGGAPGPDGSAPDPAHYSFSLTLIDALDTLLILGNVSEFQRVVEVLQDSVDFDIDVN
ASVFETNIRVVGGLLSAHLSSKKAGVEVEAGWPCSGPLLRMAEEAARKLLPAFQTPTGMPYGTVNLLHGVPNGET
PVTCTAGIGTFFIVEFATLSSLTGDPVFEDVARVALMRLWESRSDIGLVGNHIDVLTGKWVAQDAGIGAGVDSYFE
YLVKGAILLQDKKLMAMFLEYNKAIRNYTRFDDWYLWVQMYKGTVSMFVQSLEAYWPGLSLIGDIDNAMRTFL
NYTTVWKQFGGLPEFYNIPOGYTVEKREGYPLRPELIESAMYLYRATGDP TLLELGRDAVESIEKISKVECGFAT
IKDLRDHKL DNRMESFFLAETVKYLYLLFDPTNFIHNNGSTF DAVITPYGECILGAGGYIFNTEAHPIDLAALHC
CQRLKEEQWEVEDLMREFYSLKRSRSKFQKNTVSSGPWEPPARP GTLFSPENHDQARERKPAKQKVPLLSCPSQP
FTSKLALLGQVFLDSS

154/615

FIGURE 153

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGTTGGGAGGGGGCAGGATGGGAGGGAAAGTGAAGAAAACA
GAAAAGGAGAGGGGACAGAGGCCAGAGGACTTCTCATACTGGACAGAAACCGATCAGGCATGGAACTCCCCTTCGT
CACTCACCTGTTCTTGCCCCCTGGTGTTCCTGACAGGTCTCTGCTCCCCCTTTAACCTGGATGAACATCACCCACG
CCTATTCCCAGGGCCACCAGAAGCTGAATTTGGATACAGTGTCTTACAACATGTTGGGGGTGGACAGCGATGGAT
GCTGGTGGGCGCCCCCTGGGATGGGCCTTCAGGCGACCGGAGGGGGGACGTTTATCGCTGCCCTGTAGGGGGGGC
CCACAATGCCCCATGTGCCAAGGGCCACTTAGGTGACTACCAACTGGGAAATTCATCTCATCCTGCTGTGAATAT
GCACCTGGGGATGTCTCTGTTAGAGACAGATGGTGATGGGGGATTCATGGTGAGCTAAGGAGAGGGTGGTGGCAG
TGTCTCTGAAGGTCCATAAAAGAAAAAGAGAAGTGTGGTAAGGGAAAATGGTCTGTGTGGAGGGGTCAAGGAGT
TAAAAACCTAGAAAGCAAAAGGTAGGTAATGTCAGGGAGTAGTCTTCATGCCCTCCTTCAACTGGGAGCATGTTTC
TGAGGGTGCCCTCCCAAGCCTGGGAGTAAGTATTTCCCCCATCCCCAGGCCTGTGCCCTCTCTGGTCTCGTGCT
TGTGGCAGCTCTGTCTTCAGTTCCTGGGATATGTGCCCGTGTGGATGCTTCATTCCAGCCTCAGGGAAGCCTGGCA
CCCACTGCCCAACGTGAGCCAGAGGAAGGCTGAGTACTTGGTTCCCAGAAGGAGATACTGGGTGGGAAAAAGATG
GGGCAAGCGGTATGATGCCTGGCAAAGGGCCTGCATGGCTATCCTCATTGCTACCTAATGTGCTTGCAAAAGCT
CCATGTTTCCTAACAGATTCAAGTCTCTGGCCAGGTGTGGTGGCCACACCTGTAATTCTAGCACTTTGGGAGGC
CAAGGTGGGCAGATCACTTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACTCCATCTCTACTAA
AAAAAAAAAATACAAAAATAGCTGGGTGCGCTAGTGCATGCCTGTAATCTCATCTACTCGGGAGGCTAAGACA
GGAGACTCTCACTTCAACCCAGGAGGTGGAGGTTGCGGTGAGCCAAGATTGTGCCTCTGCACTCTAGCGTGGGTG
ACAGAGTAAGCGAGACTCCATCTCAAAAATAATAATAATAATAATTCAGACTCCTTATCAGGAGTCCATGATCTG
GCCTGGCACAGTAAGTCAATGCCTGTAATCCCAACATTTGGGAGGCCAACGCAGGAGGATTGCTTGAGGTCTGGA
GTTTGGAGACCAGCCTGGGCAACATAGAAAGACCCCATCTCTAATAAATGTTTTAAAAAT

155/615

FIGURE 154

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57039
><subunit 1 of 1, 124 aa, 1 stop
><MW: 13352, pI: 5.99, NX(S/T): 1
MELPFVTHLFLPLVFLTGLCSPFNLDEHHPRLFPGPPEAEFGYSVLQHVGGGQRWMLVGAPWDGP SGDRRGDVYR
CPVGGAHNAPCAKGHLGDYQLGNSSHPAVNMHLGMSLLETGDGGFMVS
```

Important features:**Signal peptide:**

amino acids 1-22

Cell attachment sequence.

amino acids 70-73

N-glycosylation site.

amino acids 98-101

Integrins alpha chain proteins

amino acids 67-81

156/615

FIGURE 155

GCGAGCTCCGGGTGCTGTGGCCCGGCCCTTGGCGGGGCGGCCTCCGGCTCAGGCTGGCTGAGAGGCTCCCAGCTGC
AGCGTCCCCGCCCGCCTCCTCGGGAGCTCTGATCTCAGCTGACAGTGCCCTCGGGGACCAACAAGCCTGGCAGG
GTCTCACTTTGTTGCCAGGCTGGAGTTCAGTGCCATGATCATGGTTTACTGCAGCCTTGACCTCCTGGGTTCAA
GCGATCCTGCTGAGTAGCTGGGACTACAGGACAAAATTAGAAGATCAAAATGGAAAATATGCTGCTTTGGTTGAT
ATTTTTACCCCTGGGTGGACCCCTCATTGATGGATCTGAAATGGAATGGGATTTTATGTGGCACTTGAGAAAGGT
ACCCCGGATTGTGAGTGAAGGACTTTCCATCTCACCAGCCCGCATTGAGGCAGATGCTAAGATGATGGTAAA
TACAGTGTGTGGCATCGAATGCCAGAAAGAACTCCCACTCCAGCCTTTCTGAATTGGAGGATTATCTTTCTTA
TGAGACTGTCTTTGAGAATGGCACCAGAACCTTAACCAGGGTGAAAGTTCAAGATTTGGTTCTTGAGCCGACTCA
AAATATCACCACAAAGGGAGTATCTGTTAGGAGAAAGAGACAGGTGTATGGCACCAGCAGGTTTCAGCATCTT
GGACAAAAGGTTCTTAACCAATTTCCCTTTTCCAGCAGCTGTGAAGCTTTCCACGGGCTGTAGTGGCATTCTCAT
TTCCCTTCAGCATGTTCTAACTGCTGCCACTGTGTTTATGATGGAAGGACTATGTCAAAGGGAGTAAAAGCT
AAGGGTAGGGTTGTTGAAGATGAGGAATAAAAGTGGAGGCAAGAAACGTCGAGGTTCTAAGAGGAGCAGGAGAGA
AGCTAGTGGTGGTGACCAAGAGAGGGTACCAGAGAGCATCTGCAGGAGAGAGCGAAGGGTGGGAGAAGAAGAAA
AAAATCTGGCCGGGGTCAGAGGATTGCCGAAGGGAGGCTTCTTTTCAAGTGGACCCGGGTCAAGAAATACCCACAT
TCCGAAGGGCTGGGCACGAGGAGGCATGGGGGACGCTACCTTGGACTATGACTATGCTCTTCTGGAGCTGAAGCG
TGCTCACAAAAGAAATACATGGAACCTTGAATCAGCCCAACGATCAAGAAAATGCCTGGTGGATGATCCACTT
CTCAGGATTTGATAACGATAGGGCTGATCAGTTGGTCTATCGGTTTTGTCAGTGTGTCCGACGAATCCAATGATCT
CCTTTACCAATACTGCGATGCTGAGTCGGGCTCCACCGGTTCCGGGGTCTATCTGCGTCTGAAAGATCCAGACAA
AAAGAATTGGAAGCGCAAAATCATTGCGGTCTACTCAGGGCACCAGTGGGTGGATGTCCACGGGGTTCAGAAGGA
CTACAACGTTGCTGTTGCGATCACTCCCTAAAATACGCCAGATTTGCCTCTGGATTACGGGAACGATGCCAA
TTGTGCTTACGGCTAACAGAGACCTGAAACAGGGCGGTGTATCATCTAAATCACAGAGAAAACAGCTCTGCTTA
CCGTAGTGAGATCACTTCATAGGTTATGCCTGGACTTGAACCTCTGTCAATAGCATTTCACATTTTTCAAAATCA
GGAGATTTTCGTCCATTTAAAAATGTATAGGTGCAGATATTGAACTAGGTGGGCACTTCAATGCCAAGTATAT
ACTCTTCTTACATGGTGATGAGTTTCATTTGTAGAAAAATTTTGTGCTTCTTAAAAATTAGACACACTTTAA
ACCTTCAAACAGGTATTATAAATAACATGTGACTCCTTAATGGACTTATTCTCAGGGTCTACTCTAAGAAGAAT
CTAATAGGATGCTGGTTGTGTATTAAATGTGAAATTGCATAGATAAAGGTAGATGGTAAAGCAATTAGTATCAGA
ATAGAGACAGAAAGTTACAACACAGTTTGTACTACTCTGAGATGGATCCATTTCAGCTCATGCCCTCAATGTTTAT
ATTGTGTTATCTGTTGGGTCTGGGACATTTAGTTTAGTTTTTTTTGAAGAATTACAAATCAGAAGAAAAAGCAAGC
ATTATAACAAAACCTAATAACTGTTTTACTGCTTTAAGAAATAACAATTACAATGTGTATTATTTAAAAATGGGA
GAAATAGTTTGTCTATGAAATAAACCTAGTTTGAAGATAGGGAAGCTGAGACATTTTAAGATCTCAAGTTTTTA
TTTAACTAATACTCAAAATATGGACTTTTCATGTATGCATAGGGAAGACACTTCACAAATTATGAATGATCATGT
GTTGAAAGCCACATTATTTTATGCTATACATTCTATGTATGAGGTGCTACATTTTATAGGACAAAGAATTCTGTAA
TCTTTTTCAAGAAAGAGTCTTTTCTCCTTGACAAAATCCAGCTTTTGTATGAGGACTATAGGGTGAATTCTCTG
ATTAGTAATTTTAGATATGCTCTTCTTCTAAAATGAATAAAATTTATGAATATGA

157/615

FIGURE 156

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57253

<subunit 1 of 1, 413 aa, 1 stop

<MW: 47070, pI: 9.92, NX(S/T): 3

MENMLLWLIFFTPGWTLIDGSEMEWDFMWHLRKVPRIVSERTFHLTSPAFAEADAKMMVNTVCGIECQKELPTPSL
SELEDYLSYETVFENGTRTLTRVKVQDLVLEPTQNITTKGVSRRKRQVYGTDSRFSILDKRFLTNFPFSTAVKL
STGCSGILISPQHVLTAAHCVHDGKDYVKGSKKLRVGLLKMRNKSGGKKRRGSKRSRREASGGDQREGTREHLOE
RAKGRRRRKKSGRGQRIAEGRPSFQWTRVKNTHIPKGWARGGMDATLDYDYALLELKRAHKKKYMELGISPTIK
KMPGGMIHFSGFDNDRADQLVYRFCVSVDESNDLLYQYCDAESGSTGSGVYLRLKDPDKKNWKRKIIAVYSGHQW
VDVHGVQKDYNAVVRITPLKYAQICLWIHGNDANCAYG

Important features:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 90-93, 110-113 and 193-196

Glycosaminoglycan attachment site.

amino acids 236-239

Serine proteases, trypsin family, histidine active site.

amino acids 165-170

158/615

FIGURE 157

GGGACCCATGCGGCCGTGACCCCGGCTCCCTAGAGGCCAGCGCAGCCGAGCGGACAAAGGAGCATGTCCGCG
CCGGGGAAGGCCCGTCTCCGGCCGCCATAAGGCTCCGGTCCGCGCTGGGCCGCGCCGCGCTCCTGCCGCCCC
GGCTCCGGGGCGGCCCGCTAGGCCAGTGCGCCGCGCGCTCGCCCCGAGGCCCGGCCGAGCATGGAGGCCACCC
GGACGCCGCGCGGGCGCGCGCAGCCGCGCTGTTGCTGCCGCTCTCGCTGTTAGCGCTGCTCGCGCTGCTGGGA
GGCGGCGCGCGGCCGCGCGCGCGCGCTGCCGCGCGGCTGCAAGCACGATGGGCGGCCCGAGGGGCTGGCAGG
GCGGCGGGCGCGGCCGAGGGCAAGGTGGTGTGACGAGCCTGGAACTCGCGCAGGTCCTGCCCCAGATACTCTG
CCCAACCGCACGGTCACCCCTGATTCTGAGTAACAATAAGATATCCGAGCTGAAGAATGGCTCATTTTCTGGGT
AGTCTCCTTGAAAGATTGGACCTCCGAAACAATCTTATTAGTAGTATAGATCCAGGTGCCTTCTGGGGACTGTCA
TCTCTAAAAGATTGGATCTGACAAACAATCGAATAGGATGTCTGAATGCAGACATATTTGAGGACTCACCAAT
CTGGTTTCGGCTAAACCTTTTCGGGGAATTTGTTTTCTCATTATCTCAAGGAACTTTTGATTATCTTGCCTCATTA
CGGTCTTTGGAATTCAGACTGAGTATCTTTTGTGTGACTGTAACATACTGTGGATGCATCGCTGGGTAAAGGAG
AAGAACATCACGGTACGGGTACGGGATACCGGTGTGTTTTATCCTAAGTCACTGCAGGCCCAACCACTCAGGCGTGAAG
CAGGAGCTGTTGACATGCGACCCCTCCGCTTGAATTGCCGTCTTTCTACATGACTCCATCTCATCGCCAAGTTGTG
TTTGAAGGAGACAGCCTTCCCTTCCAGTGCATGGCTTCATATATTGATCAGGACATGCAAGTGTGTGGTATCAG
GATGGGAGAATAGTTGAAACCGATGAATCGCAAGGTATTTTTGTTGAAAAGAACATGATTCACAACTGCTCCTTG
ATTGCAAGTGCCCTAACCATTTCTAATATTAGGCTGGATCTACTGGAAATTGGGGCTGTCTGTCCAGACCAAA
CGTGGGAATAATACGAGGACTGTGATATTGTGGTATTAGAGAGTTCTGCACAGTACTGTCTCCAGAGAGGGTG
GTAAACAACAAAGGTGACTTCAGATGGCCCGAAGCATTTGGCAGGCATTACTGCATATCTGCAGTGTACGCGGAAC
ACCCATGGCAGTGGGATATATCCCGAAACCCACAGGATGAGAGAAAAGCTTGGCGCAGATGTGATAGAGGTGGC
TTTTGGGCAGATGATGATTATCTCGCTGTGAGTATGCAAATGATGTCACTAGAGTTCTTTATATGTTTAATCAG
ATGCCCTCAATCTTACCAATGCCGTGGCAACAGCTCGACAGTTACTGGCTTACACTGTGGAGCAGCCAACTTT
TCTGACAAAATGGATGTTATATTTGTGGCAGAAATGATTGAAAAATTTGGAAGATTTACCAAGGAGGAAAAATCA
AAAGAGCTAGGTGACGTGATGGTTGACATTGCAAGTAACATCATGTTGGCTGATGAACGTGTCTGTGGCTGGCG
CAGAGGGAAGCTAAAGCCTGCAGTAGGATTGTGAGTGTCTTCAAGCATTGCTACCTACCGGCTAGCCGGTGGGA
GCTCACGTTTATTCAACATATTCAACCAATATTGCTCTGGAAGCTTATGTATCAAGTCTACTGGCTTCACGGGG
ATGACCTGTACCGTGTTCAGAAAGTGGCAGCCTCTGATCGTACAGGACTTTCCGATTATGGGAGGCGGGATCCA
GAGGGAACCTGGATAAGCAGCTGAGCTTTAAGTGCAATGTTTCAAATACATTTTCGAGTCTGGCACTAAAGGTA
TGTTACATTCTGCAATCATTTAAGACTATTTACAGTTAAATTAGAATGCTCCAAATGTTCTGCTTCGCAAAATAA
CCTTATTAAAAGATTTTTTTTTTGCAGGAAGATAGGTATTATTGCTTTTGCTACTGTTTTAAAGAAAATAACCAAG
GAAGAACTGCATTACGACTTTCAAGGGCCCTAGGCATTTTTGCCTTTGATTCCCTTTCTTCACATAAAAATATCA
GAAATTACATTTTATACTGCAGTGGTATAAATGCAAATATACTATTGTTACATGTGAAAAATTTTATTGACT
TAAAGTTTATTATTGTTTTTTTGTCTCCTGATTTTAAGACAATAAGATGTTTTCATGGGCCCTAAAAGTATC
ATGAGCCTTTGGCACTGCGCCTGCCAAGCCTAGTGGAGAAGTCAACCCTGAGACCAGGTGTTTAAATCAAGCAAGC
TGTATATCAAAATTTTTGGCAGAAAACACAAATATGTCATATATCTTTTTTAAAAAAGTATTTTATTGAAGCA
AGCAAAATGAAAGCATTTTACTGATTTTTAAATTTGGTGCTTTAGATATATTTGACTACACTGTATTGAAGCAA
ATAGAGGAGGCACAACTCCAGCACCTAATGGAACACATTTTTTTCACTTAGCTTTCTGTGGGCATGTGTAATT
GTATTCTCTGCGTTTTTAAATCTCACAGTACTTTATTTCTGTCTTGTCCCTCAATAATATCACAACAATATTCC
AGTCATTTTAAATGGCTGCATAATAACTGATCCACAGGTGTTAGGTGTTCTGGTTTACTGTGAGCACTCAATAAA
TATTGAATGAATGAACGAAAAAAAAAAAAAAAAA

159/615

FIGURE 158

MEPPGRRRGRAQPPLLLPLSLLALLALLGGGGGGGAAALPAGCKHDGRPRGAGRAAGAAEGKVVCSSLELAQVLP
PDTLPNRTVTLLLSNNKISELKNGSFSGLSLLERLDLRNNLISSIDPGAFWGLSSLKRLDLTNNRIGCLNADIFR
GLTNLVRNLNSGNLFSSLSQGTFDYLASLSLEFQTEYLLCDCNILWMHRWVKEKNITVRDTRCVYPKSLQAQPV
TGVKQELLTCDPPELPSFYMTPSHRQVVFEGDSLPPFQCMASYIDQDMQVLWYQDGRIVETDESQGI FVEKNMIH
NCSLIASALTISNIQAGSTGNWVGCHVQTKRGNNTRTVDIVVLESSAQYCPPERVVNNKGDFRWPRTLGITAYLQ
CTRNTHGSGIYPGNPQDERKAWRRCDRGGFWADDDYSRCQYANDVTRVLYMFNQMPNLNTNAVATARQLLAYTVE
AANFSDKMDVIFVAEMIEKFGRFTKEEKSKELGDMVDIASNIMLADERVLWLAQREAKACSRIVQCLQRIATYR
LAGGAHVYSTYSPNIALEAYVIKSTGFTGMTCTVFQKVAASDRTGLSDYGRRDPEGNLDKQLSFKCNVSNTFSSSL
ALKVCYILQSFKTIYS

Signal peptide:
amino acids 1-33

Transmembrane domain:
amino acids 13-40 (type II)

N-glycosylation site.
amino acids 81-85, 98-102, 159-163, 206-210, 301-305, 332-336, 433-437,
453-457, 592-596

N-myristoylation site.
amino acids 29-35, 30-36, 31-37, 32-38, 33-39, 34-40, 51-57, 57-63, 99-105,
123-129, 142-148, 162-168, 317-323, 320-326, 384-390, 403-409, 554-560

160/615

FIGURE 159

GGGGAATCTGCAGTAGGTCTGCCGGCGATGGAGTGGTGGGCTAGCTCGCCGCTTCGGCTCTGGCTGCTGTTGTTTC
CTCTGCCCTCAGCGCAGGGCCGCCAGAAGGAGTCAGGTTCAAAATGGAAAGTATTTATTGACCAAATTAACAGG
TCTTTGGAGAATTACGAACCATGTTCAAGTCAAACTGCAGCTGCTACCATGGTGTCTAGAGAAGAGGATCTAACT
CCTTTCCGAGGAGGCATCTCCAGGAAGATGATGGCAGAGGTAGTCAGACGGAAGCTAGGGACCCACTATCAGATC
ACTAAGAACAGACTGTACCGGGAAAATGACTGCATGTTCCCTCAAGGTGTAGTGGTGTGAGCACTTTATTTTG
GAAGTGATCGGGCGTCTCCCTGACATGGAGATGGTGATCAATGTACGAGATTATCCTCAGGTTCTAAATGGATG
GAGCCTGCCATCCCAGTCTTCTCCTTCAGTAAGACATCAGAGTACCATGATATCATGTATCCTGCTTGGACATTT
TGGGAAGGGGGACCTGCTGTTTGGCCAATTTATCCTACAGGTCTTGGACGGTGGGACCTCTTCAGAGAAGATCTG
GTAAGGTGAGCAGCACAGTGGCCATGGAAAAAGAAAACTCTACAGCATATTTCCGAGGATCAAGGACAAGTCCA
GAACGAGATCCTCTCATTCTTCTGTCTCGGAAAAACCCAAAACCTTGTGATGCAGAATACACCAAAAACAGGCC
TGGAAATCTATGAAAGATACCTTAGGAAAGCCAGCTGCTAAGGATGTCCATCTTGTGGATCACTGCAATACAAG
TATCTGTTTAATTTTCGAGGCGTAGCTGCAAGTTTCCGGTTTAAACACCTCTTCTGTGTGGCTCACTTGTTC
CATGTTGGTGATGAGTGGCTAGAATTCTTCTATCCACAGCTGAAGCCATGGGTTCACTATATCCAGTCAAAACA
GATCTCTCCAATGTCCAAGAGCTGTTACAATTTGAAAAGCAAATGATGATGTAGCTCAAGAGATTGCTGAAAGG
GGAAGCCAGTTTATTAGGAACCATTTGCAGATGGATGACATCACCTGTTACTGGGAGAACCTCTTGAGTGAATAC
TCTAAATTCCTGTCTTATAATGTAACGAGAAGGAAAGGTTATGATCAAATTATTCCTAAATGTTGAAAACCTGAA
CTATAGTAGTCATCATAGGACCATAGTCTCTTTGTGGCAACAGATCTCAGATATCCTACGGTGAGAAGCTTACC
ATAAGCTTGGCTCCTATACCTTGAATATCTGCTATCAAGCCAAATACCTGGTTCCTTATCATGCTGCACCCAG
AGCAACTCTTGAGAAAGATTTAAATGTGTCTAATACACTGATATGAAGCAGTTCAACTTTTTGGATGAATAAGG
ACCAGAAATCGTGAGATGTGGATTTTGAACCCAACTCTACCTTCATTTTCTTAAGACCAATCACAGCTTGTGCC
TCAGATCATCCACCTGTGTGAGTCCATCACTGTGAAATTGACTGTGTCCATGTGATGATGCCCTTTGTCCCATTA
TTTGGAGCAGAAAATTCGTCATTTGGAAGTAGTACAACCTCATTGCTGGAATTGTGAAATTATTCAAGGCGTGATC
TCTGTCACTTTATTTTAATGTAGGAAACCCATATGGGGTTTATGAAAATACTTGGGGATCATTCTCTGAATGGTC
TAAGGAAGCGGTAGCCATGCCATGCAATGATGTAGGAGTTCTCTTTGTAAAACCATAAACTCTGTTACTCAGGA
GGTTTCTATAATGCCACATAGAAAGAGGCCAATTGCATGAGTAATTATTGCAATTGGATTCAGGTTCCCTTTT
GTGCCTTCATGCCCTACTTCTTAATGCCTCTCTAAAGCCAAA

161/615

FIGURE 160

MEWWASSPLRLWLLLFLLPSAQGRQKESGSKWKVFIDQINRSLENYEPCSSQNCSCYHGVI EEDLTPFRGGISRK
MMAEVVRRKLGTHYQITKNRLYREND CMFPSRCSGVEHFILEVIGRLPDMEMVINVRDYPQVPKWMEPAIPVFSF
SKTSEYHDIMYPAWTFWEGGPAVWPIYPTGLGRWDLFREDLVRSAQWPWKKNSTAYFRGSRTSPERDPLILLS
RKNPKLVDAEYTKNQAWKSMKDTLGKPAKDVHLVDHCKYKYLENFRGVAASF RFKHLFLCGSLVFHVGDEWLEF
FYPQLKPWWHYIPVKTDLSNVQELLQFVKANDDVAQEIAERGSQFIRNHLQMD DITCYWENLLSEYSKFLSYNVT
RRKGYDQIIPKMLKTEL

162/615

FIGURE 161

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGCCAAA
CCATGTCTTTTTTCTGTTTTTCAGAGTAGTTTCAACACAGATCTGAGTGTTTTAATTAGCATGGAATACAGAAAA
CAACAAAAAACTTAAGCTTTAATTTTCATCTGGAATTCACAGTTTTCTTAGCTCCCTGGACCCGGTTGACCTGTT
GGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGCTCTCCGACTACTCACCCCGAGTGTAAGAACCTTCGGCTCG
CGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCCTTCCGAGTAGGATGTCAGTGAGATCCCTC
AAATGGAGCCTCCTGCTGCTGTCACTCCTGAGTTTCTTTGTGATGTGGTACCTCAGCCTTCCCCACTACAATGTG
ATAGAACGCGTGAAGTGGATGTACTTCTATGAGTATGAGCCGATTTACAGACAAGACTTTCAGTTTACACTTCGA
GAGCATTCAAAGTCTCTCATCAAAATCCATTTCTGGTCATTCTGGTGACCTCCACCCCTTCAGATGTGAAAGCC
AGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAGTCTTGGTGGGGATATGAGGTTCTTACATTTTTCTTATTA
GGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGCATTGTCTTAGAGGATGAACACCTTCTTTATGGTGACATA
ATCCGACAAGATTTTTAGACACATATAATAACCTGACCTTGAACCATTATGGCATTGAGGTGGGTAAGTGA
TTTTGCCCCAATGCCAAGTACGTAATGAAGACAGACACTGATGTTTTTCATCAATACTGGCAATTTAGTGAAGTAT
CTTTTAAACCTAAACCACTCAGAGAAGTTTTTCACAGGTTATCCTCTAATTGATAATTATTCTATAGAGGATTT
TACCAAAAAACCCATATTTCTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTGGGTTAT
ATAATGTCCAGAGATTTGGTGCCAAGGATCTATGAAATGATGGGTACGTAACCCATCAAGTTTGAAGATGTT
TATGTCGGGATCTGTTTGAATTTATTAAAAGTGAACATTATATCCAGAAGACACAAATCTTTCTTTCTATAT
AGAATCCATTTGGATGTCTGTCAACTGAGACGTGTGATTGCAGCCCATGGCTTTTCTTCCAAGGAGATCATCACT
TTTTGGCAGGTCATGCTAAGGAACACCACATGCCATTATTAAGTTTACATTCTACAAAAAGCCTAGAAGGACAGG
ATACCTTGTGGAAAGTGTTAAATAAAGTAGGTACTGTGGAAAATTCATGGGGAGGTCAGTGCTGCTGCTTACACT
GAACTGAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGGCCCTTCAAA
GATGATATGTGGAGGAATTAATATAAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGGACCAACAATTTG
GACATGTCATTCTGTAGACTAGAATTTCTTAAAAGGGTGTACTGAGTTATAAGCTCACTAGGCTGTAAAAACAA
AACAATGTAGAGTTTTATTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTATATCTTATGTGGATTACCAAT
TTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATACTGAACAAAATTTTACCTGTTTTTG
GTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATTATTATTTAAATTAAGTTCAACTTTGTGTT
TTTAAATGTTTTGACGATTTCAATACAAGATAAAAGGATAGTGAATCATTCTTTACATGCAACATTTTCCAGT
TACTTAACTGATCAGTTTATTATTGATACATCACTCCATTAATGTAAAGTCATAGGTCATTATTGCATATCAGTA
ATCTCTTGGACTTTGTTAAATATTTTACTGTGGTAATATAGAGAAGAATTAAAGCAAGAAAATCTGAAA

163/615

FIGURE 162

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPYRQDFHFTLREHSNCSH
QNPFLVILVTSHPDVKARQAIRVTWGEKKSWWGYEVLTFLLGQEAEKEDKMLALSLEDEHLLYGDIIRQDFLD
TYNNLTTLKTIMAFRWVTEFCPNAKYVMKTDVDVFINTGNLVKYLNLNHNSEKFFTGYPLIDNYSYRGFYQKTHIS
YQEYPFKVFPPYCSGLGYIMSRDLVPRIYEMMGHVKPIKFEDVYVGICLNLLKVNIHIPEDTNLFFLYRIHLDVC
QLRRVIAAHGFSSKEIITFWQVMLRNTTCHY

164/615

FIGURE 163

CATTTCTGAAACTAATCGTGTGAGAAATTGACTTTGAAAAGCATTGCTTTTTACAGAAGTATATTAACCTTTTAGG
AGTAATTTCTAGTTTGGATTGTAATATGAAATAATTTAAAAGGGCTTCGCTCATATATAGGAAAATCGCATATGG
TCCTAGTATTAATTTCTTATTGCTTACTGATTTTTTTGAGTTAAGAGTTGTTATATGCTAGAAATATGAGGATGTG
AATATAAATAAGAGAAGAAAAAGAATAAAGTAGATTGAGTCTCCAATTTTATGTAAGCTTCAGAAGAAGTGGTT
TGTTTACATGCAAGCTTATAGTTGAAATATTTTTCAGGAATTACATGAATGACAGTCTTCGAACCAATGTGTTTG
TTCGATTTCAACCAGAGACTATAGCATGTGCTTGACATCTACCTTGACGCTAGAGCACTTCAGATTCGGTTGCCAA
CTCGTCCCATTTGGTTTCTTCTTTTGGTACTACAGAAGAGGAAATCCAGGAAATCTGCATAGAAACACTTAGGC
TTTATACCAGAAAAAGCCAAACTATGAATTACTGGAAAAAGAAGTAGAAAAAGAAAAGTAGCCTTACAAGAAG
CCAAATTAAGCAAGGGGATTGAATCCGGATGGAACCTCCAGCCCTTTCAACCCTGGGTGGATTTTCTCCAGCCT
CCAAGCCATCATCACCAGAGAAGTAAAGCTGAAGAGAAATCACCATCTCCATTAATGTGAAGACAGTCAAAA
AAGAACCCTGAGGATAGACAACAGGCTTCCAAAAGCCCTTACAATGGTGTAAAGAAAAGACAGCAAGAGAAGTAGAA
ATAGCAGAAAGTGCAAGTCGATCGAGGTCAAGAACACGATCACGTTCTAGATCACATACTCCAAGAAGACACTATA
ATAATAGGCGGAGTCGATCTGGAACATACAGCTCGAGATCAAGAAGCAGGTCCCGCAGTCACAGTGAAAGCCCTC
GAAGACATCATAATCATGGTTCTCCTCACCTTAAGGCCAAGCATACCAGAGATGATTTAAAAAGTTCAAACAGAC
ATGGTCATAAAAGGAAAAAATCTCGTTCTCGATCTCAGAGCAAGTCTCGGGATCACTCAGATGCAGCCAAGAAAC
ACAGGCATGAAAGGGGACATCATAGGGACAGGCGTGAACGATCTCGCTCCTTTGAGAGGTCCCATAAAAGCAAGC
ACCATGGTGGCAGTCGCTCAGGACATGGCAGGCACAGGCGCTGACTTTCTCTTCTTTGAGCCTGCATCAGTTCT
TGGTTTTGCCTATCTACAGTGTGATGTATGGACTCAATCAAAAACATTAAACGCAAACTGATTAGGATTTGATTT
CTTGAAACCCTCTAGGTCTCTAGAACACTGAGGACAGTTTCTTTTGAAGAAGTATGTTAATTTTTTGCACAT
TAAATGCCCTAGCAGTATCTAATTAATAAACCATGGTCAGGTTCAATTGTACTTTATTATAGTTGTGTATTGTTT
ATTGCTATAAGAAGTGGAGCGTGAATCTGTAAAAATGTATCTTATTTTATACAGATAAAATGCAGACACTGT
TCTATTTAAGTGGTTATTTGTTTAAATGATGGTGAATACTTTCTTAACACTGGTTTGTCTGCATGTGTAAAGATT
TTTACAAGGAAATAAATACAAATCTTGTTTTTCTAAAAAAGT

165/615

FIGURE 164

MNDSLRTNVFVRFQPETIACACIYLAARALQIPLPTRPHWLLFGTTEEEIQEICIETLRRLYTRKKPNYELLEKE
VEKRKVALQEAKLKAKGLNPDGTPALSTLGGFSPASKPSSPREVKAEKSPISINVKTVKKEPEDRQQASKSPYN
GVRKDSKRSRNSRSASRSRSRTRSRSRSHTPRRHYNNRRSRSGTYSSRSRSRSRSHSESPPRRHNNHGSPhLKAKH
TRDDLKSSNRHGHKRKKSRRSRSQSKSRDHSDAAKRRHERGHRDRRERSRSFERSHKSKHHGGSRSRSGHGRHR

166/615

FIGURE 165

GGTTCCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCCGTGATTTATTAAAGTGGCTTA
ATCTGAAGGTTCTCAGTCAAATCTTTGTGATCTACTGATTGTGGGGGCATGGCAAGGTTTGCTTAAAGGAGCTT
GGCTGGTTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAATGAAGGCGC
TTCTGTTGCTGGTCTTGCCCTTGCTCAGTCCTGCTAACTACATTGACAATGTGGGCAACCTGCACTTCCTGTATT
CAGAACTCTGTAAAGGTGCCTCCCACTACGGCCTGACCAAAGATAGGAAGAGGCGCTCACAAAGATGGCTGTCCAG
ACGGCTGTGCGAGCCTCACAGCCACGGCTCCCTCCCCAGAGGTTTCTGCAGCTGCCACCATCTCCTTAATGACAG
ACGAGCCTGGCCTAGACAACCCCTGCCTACGTGTCTCGGCAGAGGACGGGCAGCCAGCAATCAGCCCAGTGGACT
CTGGCCGGAGCAACCGAATAGGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAAAAAATAA
ATCGAGCTTTGAGTGTTCTTCGAAGGACAAAGAGCGGGAGTGCAATTGCCAACCATGCCGACCAGGGCAGGGAAA
ATTCTGAAAACACCACTGCCCTGAAGTCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAAATTACCAGCA
TCAAGATCAATCGAGTAGATCCCACTGAAAGCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCC
ATATCATTTATCCAACACATTTTATCGTGATGGGGTGATCGCCAGAGACGGCCGGCTACTGCCAGGAGACATCATTC
TAAAGGTCAACGGGATGGACATCAGCAATGTCCCTCACAACCTACGCTGTGCGTCTCCTGCGGCAGCCCTGCCAGG
TGCTGTGGCTGACTGTGATGCGTGAACAGAAGTTCGCGAGCAGGAACATGGACAGGCCCGGATGCCTACAGAC
CCCGAGATGACAGCTTTCATGTGATTCTCAACAAAAGTAGCCCCGAGGAGCAGCTTGGAATAAACTGGTGCGCA
AGGTGGATGAGCCTGGGGTTTTTCATCTTCAATGTGCTGGATGGCGGTGTGGCATATCGACATGGTCAGCTTGAGG
AGAATGACCGTGTGTAGCCATCAATGGACATGATCTTCGATATGGCAGCCCAAGAAAGTGCGGCTCATCTGATT
AGGCCAGTGAAAGACGTGTTACCTCGTCGTGTCCGCCAGGTTGCGCAGCGGAGCCCTGACATCTTTCAGGAAG
CCGGCTGGAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCAACACTCCCAAGCCCTCCATCCTA
CAATTACTTGTGATGAGAAGGTGGTAAATATCCAAAAGACCCCGGTGAATCTCTCGGCATGACCGTCGCAGGGG
GAGCATCACATAGAGAATGGGATTTGCCATCTATGTGATCAGTGTTGAGCCCGGAGGAGTCATAAGCAGAGATG
GAAGAATAAAAACAGGTGACATTTTGTGAATGTGGATGGGGTCAACTGACAGAGGTGAGCCGGAGTGAGGCAG
TGGCATTATTGAAAAGAACATCATCCTCGATAGTACTCAAAGCTTTGGAAGTCAAAGAGTATGAGCCCCAGGAAG
ACTGCAGCAGCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCAGTGACTGGTCCCCATCCTGGGTCA
TGTGGCTGGAATTACCACGGTGCTTGTATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTCTGG
GCTTCTGCATTGTAGGAGGTTATGAAGAATACAATGGAACAAACCTTTTTTCATCAAATCCATTGTTGAAGGAA
CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTTGCTGTCAATGGTAGAAGTACATCAGGAA
TGATACATGCTTGCTTGGCAAGACTGCTGAAAGAACTTAAAGGAAGAATTACTCTAACTATTGTTTCTTGGCCTG
GCACTTTTTTTATAGAATCAATGATGGGTGAGAGGAAAACAGAAAAATCACAAATAGGCTAAGAAGTTGAAACACT
ATATTTATCTTGTGAGTTTATATTTAAAGAAAGAAATACATTGTAAAAATGTGAGGAAAGTATGATCATCTAA
TGAAAGCCAGTTACACCTCAGAAAATATGATCCAAAAAATTAACCTACTAGTTTTTTTCAGTGTGGAGGAT
TTCTCATTACTCTACAACATTGTTTATATTTTCTATTCAATAAAAAGCCCTAAAACAACTAAAATGATTGATT
TGATACCCCACTGAATCAAGCTGATTTAAATTTAAATTTGGTATATGCTGAAGTCTGCCAAGGGTACATTAT
GGCCATTTTTAATTTACAGCTAAAATATTTTTTAAATGCATTGCTGAGAAACGTTGCTTTCATCAAACAAGAA
AAATATTTTTTCAGAAGTTAAA

167/615

FIGURE 166

MKALLLLVLPWLS PANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGC PDGCASLTATAPSPEVSAAATIS
LMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINRALSVLRRTKSGSAVANHADQ
GRESENTTAPEVFPRLYHLIPDGEITSIKINRVDPSESLSIRLVGGSETPLVHIIIQHIYRDGVIARDGRLLPG
DIILKVNMDISNVPHNYAVRLLRQPCQVLWLTVMREQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIK
LVRKVDEPGVFIFNVLDGGVAYRHGQLEENDRVLAINGHDLRYGSPESA AHLIQASERRVHLVVSQRQVRSPI
FQEAGWNSNGSWS PGPGERSNTPKPLHPTITCHEKV VNIQKDPGESLGMTVAGGASHREWDLP IYVISVEPGGVI
SRDGRIKTGDILLNV DGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPPSDWSP
SWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPF FIKSIVEGTPAYNDGRIRCGDILLAVNGRS
TSGMIHACLARLLKELKGRITLTIVSWPGTFL

168/615

FIGURE 167

GGGAAAGCCATTTTCGAAAACCCATCTATACAACTATATATTTTCATTTCTGCTGCTAGCTGCCTTGGGCCTCAC
AATTTTCATTCTGTTTTCTGACTTTCAAGTTATATACCGTGGAAATGGAGTTGATCCCAACCATAACATCGTGGAG
GGTTTTAATTTTGGTGGTAGCCCTCACCCAATTCTGGTGTGGCTTTCTTTGCAGAGGATTCCACCTTCAAATCA
TGAACCTCTGGCTGTTGATCAAAAGAGAATTTGGATTCTACTCTAAAAGTCAATATAGGACTTGGCAAAGAAGCT
AGCAGAAGACTCAACCTGGCCTCCATAAACAGGACAGATTATTCAAGTGATGGCAAAATGGATTCTACATCAA
CGGAGGCTATGAAAGCCATGAACAGATTCCAAAAAGAAACTCAAATTGGGAGGCCAACCCACAGAACAGCATTT
CTGGGCCAGGCTGTAATCAGAATTGTCGTCGTACATGCTCAACAGCATTGCTTTTTTCCCCAAAATTAACACATT
GTGGAGAAGTGATGATACTCTCCCCTTACCTTTCCTCTCTCCATTCAAGCATTCAAAGTATATTTTCAATGAATT
AAACCTTGCAGCAAGGGACCTTAGATAGGCTTATTCTGACTGTATGCTTTACCAATGAGAGAAAAAATGCATTT
CCTGTATCATCTTTTCAATAAACTGTATTCATTTTGAAAAAAAAAAAAAAAAAAAAA

169/615

FIGURE 168

MELIPTITSWRVLILVVALTQFWCGFLCRGFHLQNHFWLLIKREFGFYSKSQYRTWQKKLAEDSTWPPINRTDY
SGDGKNGFYINGGYESHEQIPKRKLKLGQPTQHFWARL

FIGURE 169

[illegible]

171/615

FIGURE 170

MELGCWTLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGTYTIPCCRNEENE
CDSCLIHPGCTIFENCKSCRNGSWGGLTDDFYVKGIFYCAECRAGWYGGDCMRGQVLRAPKGQILLESYPLNAHC
EWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDQIIKRVCGNERPAPIQSIGSSLHVLFHSDGSKN
FDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKCACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLI
NGRHAKIGTVVSFFCNSYVLSGNEKRTCQQNGEWSGKQPICIKACREPKISDLVRRRVLPMPVQSRETPLHQLY
SAAFSKQKLSAPTCKPALPFGDLPMPGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIE
NITAPKTQGLRWPWQAAYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAHCVTDLGKVTMIKTADLKVVLG
KFYRDDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASRDLSFSQESHITVAG
WNVLADVRSPGFKNDTLRSGVSVVDSLLCEEQHEDHGIPVSVTDNMFCASWEPTAPSDICTAETGGIAAVSFPG
RASPEPRWHLMGLVSWSYDKTCSHRLSTAFTKVLPFKDWIERNMK

172/615

FIGURE 171

CTGTGCTCTTTGCTTCAGCGCGAGTCGCCACTGGCTGCCTGAGGTGCTCTTACAGCCTGTTCCAAGTGTGGCTTA
ATCCGTCCTCACCACCAGATCTTTCTCCGTGGATTCTCTGCTAAGACCGCTGCCATGCCAGTGACGGTAACCCG
CACCACCATCACAAACCACAGCAGTCATCTTCGGGCGCTGGGGTCCCCCATGATCGTGGGGTCCCCTCGGGCCCT
GACACAGCCCCCTGGGTCTCCTTCGCCTGCTGCAGCTGGTGTCTACCTGCGTGGCCTTCTCGCTGGTGGCTAGCGT
GGGCGCCTGGACGGGGTCCATAGGGCACTGGTCCATGTTCACTGGTGCCTTCTGCTTCTCCGTGACCCCTGATCAT
CCTCATCGTGGAGTGTGCGGGCTCAGCGCCGCTTCCCTGTCTTGGCGCAACTCCCCATCACTTCTCGCTG
CTATGCGGCCCTCTTCTGCCTCTCGGCCTCCATCATCTACCCACCACCTATGTCCAGTTCCTGTCCACGGCCG
TTCGCGGGACCACGCCATCGCCGCCACCTTCTTCTCCTGCATCGCGTGTGTGGCTTACGCCACCAGAGTGGCCCTG
GACCCGGGCGCCGCGCGCAGATCACTGGCTATATGGCCACCGTACCCGGGCTGCTGAAGGTGCTGGAGACCTT
CGTTGCCTGCATCATCTTCGCGCTTCATCAGCGACCCCCAACCTGTACCAGCACCAGCGCGGCCCTGGAGTGGTGCCT
GGCGGTGTAGCCCATCTGCTTCATCTAGCGGCCATCGCCACTCTGCACTGGGAGTGACCAACGTGCT
ACCCATCCCCCTCCCCAGCTTCTGTGCGGGCTGGCCTTGCTGTCTGTCTCCTCTATGCCACCGCCCTTGTCT
CTGGCCCTCTACCAGTTCGATGAGAAGTATGGCGGCCAGCCTCGGCGCTCGAGAGATGTAAGCTGCAGCCGAG
CCATGCCTACTACGTGTGTGCCTGGGACCGCCGACTGGCTGTGGCCATCCTGACGGCCATCAACCTACTGGCGTA
TGTGGCTGACCTGGTGCACCTCTGCCACCTGGTTTTTGTCAAGGTCTAAGACTCTCCCAAGAGGCTCCCCGTCCC
TCTCCAACCTCTTTGTTCTTCTTGCCCGAGTTTTCTTTATGGAGTACTTCTTCTCCTCGCCTTCTCTGTTTCT
CTCTTCTGTCTCCCCTCCCACCTTTTCTTCTTCCATCTCCTTGCACTCAACAGTTCCTTGGATGC
ATCTTTCTTCTTCCCTTCTTCTTCTTCTGCTGTTTCTTCTGCTGTTGTTTTGTTGCCACATCCTGTTTTACCCCTG
AGCTGTTTCTCTTTTTCTTTTCTTTCTTTTTTTTTTTTTTTTTTAAAGACGGATTCTCACTCTGTGGCCAGGCTG
GAGTGCAGTGGTGCATCTCAGCTCACTGCAACCCCCGCTCCTGGGTCAAGCGATTCTCCTCCCCAGCCTCC
CAAGTAGCTGGGAGGACAGGTGTGAGCTGCCGACCCAGCCCTGTTTCTCTTTTCCACTCTTCTTTTTTCTCATC
TCTTTTCTGGGTTGCCTGTGGCTTTCTTATCTGCCTGTTTTGCAAGCACCCTTCTCTGTGCTTGGGAGCCCT
GAGACTTCTTTCTCTCTTCTGCTCCACCACCTCAAAGGTGCTGAGCTCATCATCCACACCCTTGCAGCCGCTCC
ATGCCACAGCCCCCAAGGGGCCCCATTGCCAAAGCATGCCTGCCACCCCTCGCTGTGCCTTAGTCAGTGTGTAC
GTGTGTGTGTGTGTGTTTTGGGGGGTGGGGGGTGGGTAGCTGGGATTGGGCCCTTTTCTCCAGTGGAGGAA
GGTGTGCAGTGTACTTCCCCTTTAAATTAAAAACATATATATATATATATTTGGAGGTGAGTAATTTCCAATGG
GCGGGAGGCATTAAGCACCGACCCCTGGGTCCCTAGGCCCCGCTGGCACTCAGCCTTGCCAGAGATTGGCTCCAG
AATTTTTGCCAGGCTTACAGAACACCCACTGCCTAGAGGCCATCTTAAAGGAAGCAGGGGCTGGATGCCTTTTCA
CCCCAATACTTCTGTTGGTATGAAAAAG

173/615

FIGURE 172

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58727

<subunit 1 of 1, 322 aa, 1 stop

<MW: 35274, pI: 8.57, NX(S/T): 1

MPVTVTRTTITTTTTSSSGLGSPMIVGSPRALTQPLGLLRLLQLVSTCVAFSLVASVGAWTGSMGNWSMFTWCFC
FSVTLLIILIVELCGLQARFPLSWRNFPITFACYAALFCLSASIIYPTTYVQFLSHGRSRDHAIAATFFSCIACVA
YATEVAWTRARPGEITGYMATVPGLLKVLETFFVACIIFAFISDPNLYQHQPALWCVAVYAICFILAAIAILLNL
GECTNVLPPIPFPSFLSGLALLSVLLYATALVLWPLYQFDEKYGGQPRRSRDVSCSRSHAYYVCAWDRRLAVAILT
AINLLAYVADLVHSAHLVFKV

Important features:**Transmembrane domains:**

amino acids 41-60 (type II), 66-85, 101-120, 137-153, 171-192, 205-226, 235-255 and 294-312

N-glycosylation site.

amino acids 66-69

Glycosaminoglycan attachment site.

amino acids 18-21

174/615

FIGURE 173

GAACGTGCCACCATGCCAGCTAATTTTTGTATTTTAGTAGAGACGGGGTTTACCATGTTGGCCAGGCTGGTC
TTGAACTCGTGACCTCATGATCCGCTCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGCATGAGCCACTGACGC
CTGGCCAGCCTATGCATTTTTAAGAAATTATTCTGTATTAGGTGCTGTGCTAAACATTGGGCACTACAGTGACCA
AAACAGACTGAATTCGCCAAGAGCCAAAGACCAGTGAGGGAGACCAACAAGAAACAGGAAATGCAAAAGAGACCA
TTATTACTCACTATGACTAAGGGTCACAAATGGGGTACGTTGATGGAGAGTGATTTGTTAAGAGACTACAGAGGG
AGGACAGACTACCAAGAGGGGGGCCAGGAAAGCTCCTCTGACGAGGTGGTATTTTCAGCCCAAACCTGGAAGAATGA
GAAAGAGCTAGCCAGCCATCAGAATAGTCCAGAAGAGATGGGGAGCACTACACTCACTACACTTTGGCCTGAGAA
AATAGCATGGGATTGGAGGAGGCTGGGGGAACACCCTTCTGCCGACCTGGGCAGGAGGCATTGAGGGCTTGAGA
AAGGGCAATGGCAGTAGCAGTAGAAAGGACAGGGTAGGAGCAGGGACTTTGCAGGTGGAATCATTAGGTCTTATC
AACAGATATGGGCAAGCAAAGCCAGGGGAGAATTGATGGTAATGCTGAGGTTTGGAGCCAGGCTAGATGGGACAG
TGGTGGGTGATGCAAAGGAAAGAGGTCAGGAAGCAGGGCCAGACGTGGGGAGAAGGTGTGGGGGTTTGGTTTCCA
TCTTGCCGAGTCTGCCGGAATGTGGATGGGAAGACCAAGAGGAGGAGCAAGGGGCAGAGGGGAAGGGAATCTTAA
AGAAGTCTGGATGCCACACTCTTCTCCTTCTCCTCTTCCCTCTCCTCAGAGGTCTCACTCGTGGTTCTTCAT
TTCTGTCCTGCCTCCATCTCCTCTGGGTGCTGGGAAAGTGAGGATTAGCTGAAGTTTTGCTTCTCGGGGCCTG
TCTGAATCTCCATTGCTTTCTGGGAGGACATAATTACCTGTCTTAGCTTCTTATCATCTTACATTTCCCTGTAG
CCACTGGGACATATGTGGTGTTCCTTCTAGCTCCTGTCTCCTCATGCTTTGCTGGGTATGGGCATGTTAG
GGGGAAGGTCATTGCTGTGAGAGGGGCACCTGACTTTCTAATGGTGTACCCAAGGTGAATGTTGGAGACACAGTC
GCGATGCTGCCAAGTCCCGGCGAGCCCTAACTATCCAGGAGATCGCTGCGCTGGCCAGGTCTCCTGCATGGT
ATGCAGCCCTCCCATGTTTTCTGGCCACTTTGTCTTTCTCCTCCCGTTGCACATCCCTTTGGAAGTGTTCCT
GTGAGTACATGCTGGGGTCTCCCTTTCTTCCCTTGCTCAGGTGAATCTCAGCCCTTCTCCCAACCAAGGTTT
ACATGGATCCTAACTACTGCCACCCTTCCACCTCCCTGCACCTGTGCTCCCTGGCCTGGTCTTTACCAGGCTTC
TCCACCTTCCCTATCTCCAGGTATTTCCAGGTGGTGAAGGACCACGTGACCAAGCCTACCGCCATGGCCAGG
GCCGAGTGGCTCACCTCATGAGTGGAAAGGGCTGGAGCAAGCCGAGTGACTCACCTGCTGCCCTGGAATCAGCCT
TTTCTCTTATTAGACCTCAGCGAGGGCGAACAAGAGGCTCGCTTTGCAGCAGGAGTGGCTGAGCAGTTTGCCA
TCGCGGAAGCCAAGCTCCGAGCATGGTCTTCCGGTGGATGGCGAGGACTCCACTGATGACTCCTATGATGAGGACT
TTGCTGGGGGAATGGACACAGACATGGCTGGGCAGCTGCCCTGGGGCCGACCTCCAGGACCTGTTACCCGGCC
ACCGGTTCTCCCGGCTGTGCGCCAGGGCTCCGTGGAGCCTGAGAGCGACTGCTCACAGACCGTGTCCCCAGACA
CCCTGTGCTCTAGTCTGTGACGCTGGAGGATGGGTTGTTGGGCTCCCCGGCCCGGCTGGCCTCCAGCTGCTGG
GCGATGAGCTGCTTCTCGCCAACTGCCCCCAGCCGGGAAAGTGCTTCCGACGCTGGGCCCCTGGAGGGCC
AGGACTCACTCTACAACCTCGCCCTCACAGAGTCTGCTTTCCCCCGCGGAGGAGGAGCCAGCCCCCTGCAAGG
ACTGCCAGCCACTCTGCCACCCTAACGGGCAGCTGGGAACGGCAGCGGCAAGCCTCTGACCTGGCCTCTTCTG
GGTGGTGTCTTAGATGAGGATGAGGCAGAGCCAGAGGAACAGTGACCCACATCATGCCTGGCAGTGGCATGCA
TCCCCCGGCTGCTGCCAGGGGCAGAGCCTCTGTGCCAAGTGTGGGCTCAAGGCTCCCAGCAGAGCTCCACAGCC
TAGAGGGCTCCTGGGAGCGCTCGCTTCTCCGTTGTGTGTTTTGCATGAAAGTGTGTTGGAGAGGAGGCAGGGGCTG
GGCTGGGGGCGCATGTCTGCCCCACTCCCGGGGCTTGCCGGGGGTTGCCGGGGCCTCTGGGGCATGGCTACA
GCTGTGGCAGACAGTGATGTTCTTAAATGCCACACACATTTCTCTCGGATAATGTGAACACTA
AGGGGGTTGTGACTGGGCTGTGTGAGGTTGGGTTGGGAGGGGGCCAGCAACCCCCACCCTCCCCATGCCCTCT
TCTTCTGCTTTTCTTCTCACTTCCGAGTCCATGTGTCAGTGCTTGATAGAATCACCCCCACCTGGAGGGGCTGG
CTCTGCCCTCCCGAGCCTATGGGTTGAGCCGTCCCTCAAGGGCCCCTGCCAGCTGGGCTCGTGCTGTGCTTC
ATTCACCTCTCCATCGTCTTAAATCTTCTCTTTTTCTTAAAGACAGAAGGTTTTTGGTCTGTTTTTTCAGTC
GGATCTTCTTCTCTGGGAGGCTTTGGAATGATGAAAGCATGTACCCTCCACCCTTTTCTGGCCCCCTAATGG
GGCCTGGGCCCCTTTCCCAACCCCTCCTAGGATGTGCGGGCAGTGCTGCTGGCGCCTCACAGCCAGCGGGCTGCC
ATTCACGCAGAGCTCTCTGAGCGGGAGGTGGAAGAAAGGATGGCTCTGGTTGCCACAGAGCTGGGACTTCATGTT
CTTCTAGAGAGGGCCACAAGAGGGCCACAGGGGTGGCCGGGAGTTGTGAGCTGATGCCTGCTGAGAGGCAGGAAT
TGTGCCAGTGAGTGACAGTCATGAGGGAGTGTCTTCTTGGGGAGGAAAGAAGGTAGAGCCTTTCTGTCTGAAT
GAAAGGCCAAGGCTACAGTACAGGGCCCCGCCAGCCAGGGTGTAAATGCCACGTAGTGGAGGCCTCTGGCAG
ATCCTGCATTCCAAGGTCAGTGGACTGTACGTTTTATGTTGTGGGAAGGTTGGTGGCTTTAGAATTAAGGGC
CTTGTAGGCTTTGGCAGGTAAAGAGGGCCAAAGGTAAGAACGAGAGCCAAACGGGCACAAGCATTCTATATATAAGT
GGCTCATTAGGTGTTTATTTGTCTATTTAAGAATTTGTTTTATTAAATTAATATAAAAAATCTTTGTAAATCTC
TAAAA

175/615

FIGURE 174

MFLATLSFLLPFAHPFGTVSCEYMLGSPLSSLAQVNLSPFSSHVKVHMDPNYCHPSTSLHLCSLAWSFTRLLHPPL
SPGISQVVKDHSVTKPTAMAQGRVAHLIEWKGWSKPSDSPAALESASFSSYSDLSEGEQEARFAAGVABQFAIAEAK
LRAWSSVDGEDSTDDSYDEDFAGGMDTDMAGQLPLGPHLQDLFTGHRFSRPVRQGSVEPESDCSQTVSPDTLCSS
LCSLEDGLLGSPARLASQLLGDELLAKLPPSRESAFRSLGPLEAQDSLNSPLTESCLSPAEEEPAPCKDCQPL
CPPLTGSWERQRQASDLASSGVVSLDEDEAEPEEQ

Signal peptide:
amino acids 1-15

Casein kinase II phosphorylation site.
amino acids 123-127, 128-132, 155-159, 162-166, 166-170, 228-232, 285-289,
324-328

Tyrosine kinase phosphorylation site.
amino acids 44-52

N-myristoylation site.
amino acids 17-23, 26-32, 173-179

Prokaryotic membrane lipoprotein lipid attachment site.
amino acids 11-22

176/615

FIGURE 175

GGTTCCTGGGCGCTCTGTTCACACAAGCAAGATACAGCCAGCCCCACCTAATTTTGTTCCTGGCACCCCTCCTGC
TCAGTGGGACATTGTCACTTAACCCATCTGTTTTCTCTAATGCACGACAGATTCCCTTTCAGACAGGACAACCTG
TGATATTTAGTTCTGATTGTAAATACCTCCTAAGCCTGAAGCTTCTGTTACTAGCCATTGTGAGCTTCAGTTT
CTTCATCTGCAAAATGGGCATAATACAATCTATTCTTGCCACATCAAGGGATTGTTATTCCCTTAAAAAAAACC
AATACCAAGAAGCCTACAATGTTGGCCTTAGCCAAAATCTGTTGATTCAACGTTGTTTATTCACTTCTATC
GGGGAGCCATGGAAAAGAAAATCAAGACATAAACACAACACAGAACATTGCAGAAGTTTTTAAAAACAATGGAAAA
TAAACCTATTTCTTTGGAAAGTGAAGCAAACTTAACTCAGATAAAGAAAATATAACCACCTCAAATCTCAAGGC
GAGTCATTTCCCTCCTTTGAATCTACCCAACAACAGCCACGGAATAACAGATTTCTCCAGTAACTCATCAGCAGA
GCATTCCTTTGGGCGAGTCTAAAACCCACATCTACCATTTCCACAAGCCCTCCCTTGATCCATAGCTTTGTTTCTAA
AGTGCCTTGGAATGCACCTATAGCAGATGAAGATCTTTTGCCCATCTCAGCACATCCCAATGCTACACCTGCTCT
GTCTTCAGAAAACCTTCACTTGGTCTTTGGTCAATGACACCGTGAAAACCTCCTGATAACAGTTCATTACAGTTAG
CATCCTCTCTCAGAACCAACTTCTCCATCTGTGACCCCTTGATAGTGAACCAAGTGGATGGCTTACCACAAA
CAGTGATAGCTTCACTGGGTTTACCCCTTATCAAGAAAAACAACCTCTACAGCCTACCTTAAATTCACCAATAA
TTCAAACTCTTTCCAAATACGTCAGATCCCCAAAAGAAAATAGAAATACAGGAATAGTATTGGGGCCATTTT
AGGTGCTATTCTGGGTGTCTCATTGCTTACTCTTGTGGGCTACTTGTGTGTGGAAAAGGAAAACGGATTCATT
TTCCCATCGGCGACTTTATGACGACAGAAATGAACCACTTCTGCGATTAGACAATGCACCGGAACCTTATGATGT
GAGTTTGGGAATTCTAGCTACTACAATCCAACCTTTGAATGATTAGCCATGCCAGAAAGTGAAGAAAATGCACG
TGATGGCATTCTATGGATGACATACCTCCACTTCGTACTTCTGTATAGAACTAACAGCAAAAAGGCGTTAAACA
GCAAGTGTCTATCTACATCCTAGCCCTTTTGACAAAATTCATCTTTCAAAGGTTACACAAAATTACTGTCACGTGGA
TTTTGTCAAGGAGAATCATAAAAGCAGGAGACCAGTAGCAGAAATGTAGACAGGATGTATCATCCAAAGGTTTTCT
TTTCTTACAATTTTGGCCATCCTGAGGCATTTACTAAGTAGCCTTAATTTGTATTTTAGTAGTATTTCTTAGT
AGAAAATATTTGTGGAATCAGATAAACTAAAAGATTTACCATTACAGCCCTGCCTCATAACTAAATAATAAAA
ATTATTCCACCAAAAAATCTAAAACAATGAAGATGACTCTTTACTGCTCTGCCTGAAGCCCTAGTACCATAATT
CAAGATTGCATTTTCTTAAATGAAAATTGAAAGGGTGCTTTTTAAAGAAAATTGACTTAAAGCTAAAAGAGGA
CATAGCCCAGAGTTTCTGTTATTGGGAAATTGAGGCAATAGAAATGACAGACCTGTATTCTAGTACGTTATAATT
TTCTAGATCAGCACACACATGATCAGCCCACTGAGTTATGAAGCTGACAATGACTGCATTCAACGGGGCCATGGC
AGGAAAGCTGACCCTACCCAGGAAAGTAATAGCTTCTTTAAAGTCTTCAAAGGTTTTGGGAATTTTAACTTGTC
TTAATATATCTTAGGCTTCAATTATTTGGGTGCCTTAAAACTCAATGAGAATCATGGT

177/615

FIGURE 176

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58732
><subunit 1 of 1, 334 aa, 1 stop
><MW: 36294, pI: 4.98, NX(S/T): 13
MLALAKILLISTLFYSLLSGSHGKENQDINTTONIAEVFKTMENKPISLESEANLNSDKENITTSNLKASHSPPL
NLPNNSHGITDFSSNSSAEHSLGSLKPTSTISTSPPLIHSFVSKVPWNAPIADEDLLPISAHPNATPALSSENFT
WSLVNDTVKTPDNSSITVSILSSEPTSPSVTPLIVEPSGWLTTNSDSFTGFTPYQEKTTLQPTLKFTNNSKLFPN
TSDPQKENRNTGIVFGAILGAILGVSLTLVGYLLCGKRKTD SFSHRRLYDDRNEPVLRLDNAPEPYDVSFGNSS
YYNPTLNSAMPESSEENARDGIPMDDIPPLRTSV
```

Signal peptide:
amino acids 1-23

Transmembrane domain:
amino acids 235-262

N-glycosylation site.
amino acids 30-34, 61-65, 79-83, 90-94, 148-152, 155-159, 163-167, 218-222,
225-229, 298-302, 307-311

178/615

FIGURE 177

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTTCTTGCCCT
GCAGTGAAGCAGAGAGATAGATATTATTCACGTAATAAAAAACATGGGCTTCAACCTGACTTTCCACCTTTTCCTA
CAAATTCGGATTACTGTTGCTGTTGACTTTGTGCCTGACAGTGTTGGGTGGGCCACCAGTAACACTTTCGTGGG
TGCCATTCAAGAGATTCCATAAGCAAAGGAGTTCATGGCTAATTTCCATAAGACCCTCATTTTGGGGAAGGGAAA
AACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTTGACAACCTGTCTTCTGTGTCTCCTTACCTCAGAGG
CCAGAGCAAGCTCATTTTCAAACCAGATCTCACTTTGGAAGAGGTACAGGCAGAAAATCCCAAAGTGTCCAGAGG
CCGGTATCGCCCTCAGGAATGTAAAGCTTTACAGAGGGTCGCCATCCTCGTTCCCCACCGGAACAGAGAGAAAACA
CCTGATGTACCTGCTGGAACATCTGCATCCCTTCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCA
CCAGGCTGAAGGTAAAAAGTTTAATCGAGCCAAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAA
TTGGGACTGCTTTATATCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAGCA
TCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGGGGGTGTTAC
TGCCCTAAGCAGAGAGCAGTTTTCAGGTGAATGGATTCTTAACAACACTACTGGGGATGGGGAGGCGAAGACGA
TGACCTCAGACTCAGGGTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTGCCTGAAGTGGGTAAATATACAAT
GGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACGGATGAAGCTCTTACACCAAGTGTACAGAGT
CTGGAGAACAGATGGGTGAGTAGTTGTTCTTATAAATTAGTATCTGTGGAACACAATCCTTTATATATCAACAT
CACAGTGGATTTCTGGTTTGGTGCATGACCCCTGGATCTTTTGGTGATGTTTGAAGAAGTGAATCTTTGTTTGCA
ATAATTTTGGCCTAGAGACTTCAAATAGTAGCACACATTAAGAACCCTGTTACAGCTCATTGTTGAGCTGAATTTT
TCCTTTTTGTATTTTCTTAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTTCTTAG
TCATTTTGATCATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGA
TAAATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATATTATGGGATAAAA
GGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAAAGGTACGAAGA
TACAATACTGTTATTCATTTATCCTGTACAATCATCTGTGAAGTGGTGGTGTGAGGTGAGAAGGCGTCCACAAAA
GAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAACCTGGGAATGAAGAGGTAGCAGGAGGGTGGAGTGTCTGGC
TGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGCCTTCAGGGGAGGACCTGCCAGGTATGCCTTC
CAGTGATGCCACCAGAGAATACATTCTCTATTAGTTTTTAAAGAGTTTTTGTAAAATGATTTTGTACAAGTAGG
ATATGAATTAGCAGTTTACAAGTTTACATATTAATAATAAATATGTCTATCAATACCTCTGTAGTAAAT
GTGAAAAAGCAAAA

179/615

FIGURE 178

MGFNLT FHLSYKFRLLLLLLTCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLLLGKGKTLTNEASTKKVELD
NCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYRPQECKALQRVAILVPHRNREKHLMYLLEHLHPFLQR
QQLDYGIYVIHQAEQKKFNRAKLLNVGYLEALKEENWDCFI FHDVDLVPENDFNLYKCEEHPKHLVVGGRNSTGYR
LRYSGYFGGV TALSREQFFKVN GFSNNYWG WGGEDDDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAE
RMKLLHQVSRVWRDGLSSCSYKLVSVEHNPLYINITVDFWFGA

Important features:**Signal peptide:**

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

180/615

FIGURE 179

CGTGGGCCGGGGTTCGCGCAGCGGGCTGTGGGCGCGCCCGGAGGAGCGACCCGCGAGTTCTCGAGCTCCAGCTGC
ATTCCTCCGCGTCCGCCCCACGCTTCTCCGCTCCGGGCCCCGCAATGGCCAGGCAGTGTGGTCCGCGCTCGG
CCGCATCCTCTGGCTTGCTGCCTCCTGCCCTGGGCCCCGGCAGGGGTGGCCGCGAGGCCTGTATGAATCAATCT
CACCACCCGATAGCCCTGCCACACCGGAGCGGTGACCATCTCGGCAGCCTGGTGGCCAGGACAACGGCAG
CCTGGCCCTGCCCGTGCAGCCCCACCTTACCGCTTCCATCGGATCCACACCCCGCTGGTGCTTACTGGCAAGAT
GGAGAAGGGTCTCAGCTCCACCATCCGTGTGGTGGGCCACGTGCCCGGGGAATTCCCGGTCTCTGTCTGGGTCA
TGCCGCTGACTGCTGGATGTGCCAGCCTGTGGCCAGGGGCTTTGTGGTCTCCCCATCACAGAGTTTCTCGTGG
GGACCTTGTGTGACCCAGAACAATCTCCCTACCCTGGCCAGCTCCTATCTCACTAAGACCGTCTCTGAAAGTCTC
CTTCTCCTCCACGACCCGAGCAACTTCTCAAGACCGCTTGTCTCTACAGCTGGGACTCTCGGGAGCGGAC
CCAGATGGTGACTGAGAGATCCGTGGTCTATTAAAGCACTTCCATCTCATCGGACCTTACCCTGAGCTCAAAGT
GGTGGCGGAGTGGGAAGAGGTGGAGCCGGATGCCACGAGGGCTGTGAGCAGAAGACCGGGGACTTCTCCGCTC
GCTGAAGCTGCAGGAACCCCTTCGAGGCATCCAAGTGTGGGGCCACCTAATTACAGACCTTCCAAAAGATGAC
CTGACCTTGAATCTCTCTGGGAGCCCTCCTCTGACTGTGTGCTGGCGTCTCAAGCCTGAGTGCCTCCCGCTGGA
GTAAGGGGAGTGCCACCTGTGTCCGTGCCCAGCAGCGCTACAACCTGACCACACCTTCAGGACCCCTGGGA
CTACTGCTTACGATCCGGGCGGAGAATATCATCAGCAGACATCATAGTACCAAGATCCAGGTGTGGCCCTC
CAGAATCCAGCCGGCTGTCTTTGCTTTCCCATGTGCTACACTTATCACTGTGATGTTGGCCTTTCATCATGTACAT
GACCCTGCGGAATGCCATCAGCAGAAAGGACATGTTGGAGAACCCGGAGCCACCCTCTGGGGTCAGGTGCTGCTG
CCAGATGTGCTGTGGGCCCTTTCTTGCTGGAGACTCCATCTGAGTACCTGGAATAATTGTTCCGCGAACCACGGGCT
GCTCCCGCCCTCTATAAGTCTGTCAAACTTACACCGTGTGAGCACTCCCCCTCCCCAGGACTCTCAGTGTTA
ACTGACTGCTGACTTGGAGTTTCCAGCGGGTGGTGTGCAACCTGACCAGGAGGGGTTTCATTTCGCTGGGGCTG
TTGGCCTGGATCATCCATCCATCTGTACAGTTCAGCCACTGCCACAAGCCCCCTCCTCTCTGTCACCCCGTACCC
CAGCCATTACCCATCTGTACAGTCCAGCCACTGCATAAGCCCCACTCGGTTACCACCCCTTGACCCCTACC
TTTGAAGAGGCTTCGTGCAGACTTTGATGCTTGGGGTGTTCGCTGTTGACTTCTAGTGGGCGCTGGCTGCCAC
TGCCCATTTCTCTCATATTTGGCACAATCTGCTGTCCATTTGGGGTCTTCACTTCTCCCCAGCAGCCCTACCT
GTGCCAGAGAGCTGATAAGAAGGTTCATAAGGGTTAAAAATTCATAACTAAAGTTGTACACATAGATGGGCACA
CTCACAGAGAGAAGTGTGCATGTACACACACCACACACACACACACACAGAAATATAAACACATG
CGTCACATGGGCATTTAGATGATCAGCTCTGTATCTGGTTAAGTCGGTTGCTGGGATGCACCCTGCACTAGAGC
TGAAAGGAAATTTGACCTCCAAGCAGCCCTGACAGGTTCTGGGCCCGGGCCCTCCCTTTGTGCTTTGTCTCTGCA
GTTCTTGGCCCTTTATAAGGCCCTAGTCCCTGTGGCTGGCAGGGCCCTGGATGGGGGCGAGGACTAATAC
TGAGTGATTGCAGAGTGCTTTATAAATATCACTTATTTATCGAAACCCATCTGTGAAACTTCACTGAGGAAA
AGGCCTTGCAGCGGTAGAAGAGGTTGAGTCAAGGCCGGGCGCGGTGGCTCACGCCTGTAATCCAGCACTTTGGG
AGGCCGAGGCGGGTGGATCACGAGATCAGGAGATCAGACCACCCTGGCTAACACGGTGAAACCCCGTCTCTACT
AAAAAATACAAAAAGTTAGCCGGGCGTGGTGGTGGGTGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAGGA
GATGTTGCGCAACCCGGGAGGCGGAGCTTGCAGTGAGCCAGATGGCGCCACTGCATCCAGCCTGAGTGACAGA
CGGAGACTCTGTCTCCA

181/615

FIGURE 180

MAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTTDSPATTGAVVTISASLVAKDNGSLALPADAHLYRFHWI
HTPLVLTGKMEKGLSSTIRVVGHVPGEFPVSVVWTAADCWMCQPVARGFVVLPITEFLVGD LVVTQNTSLPWPSS
YLTKTVLKVSFLLHDP SNFLKTALFLYSWDFGDTQMVTEDSVVYYNYSIIIGTFTVKLKVVAEWEEVEPDATRAV
KQKTGDFSASLKLQETLRGIQVLGPTLIQTFQKMTVTNLNFGSPPLTVCWRLKPECLPLEEGECHPVSVASTAYN
LTHTFRDPGDYCF SIRAENIISKTHQYHKIQVWPSRIQPAVFAFP CATLITVMLAFIMYMTLRNATQQKDMVENP
EPPSGVRCCCMCCGPFLLETPSEYLEIVRENHGLLPPLYKSVKTYTV

Important features of the protein:**Signal peptide:**

amino acids 1-24

Transmembrane domain:

amino acids 339-362

N-glycosylation sites.

amino acids 34-37, 58-61, 142-145, 197-200, 300-303 and 364-367

182/615

FIGURE 181

CGGACGCGTGGGCGGCGGCTGCGGAAC TCCCGTGGAGGGGCCGCTGGGCCCTCGGGCCTGACAGATGGCAGTGGC
CACTGCGGCGGCAGTACTGGCGCTCTGGGCGGGGCGCTGTGGCTGGCGGCCCGCGGTTCGTGGGGCCCAGGGT
CCAGCGGCTGCGCAGAGGCGGGGACCCGGCCTCATGCACGGGAAGACTGTGCTGATCACCGGGGCGAACAGCGG
CCTGGGCCGCGCCACGGCCGCCGAGCTACTGCGCCTGGGAGCGCGGGTGATCATGGGCTGCCGGGACCGCGCGCG
CGCCGAGGAGGCGGCGGGTCAGCTCCGCCGCGAGCTCCGCCAGGCCGCGGAGTGCGGCCAGAGCCTGGCGTCAG
CGGGGTGGGCGAGCTCATAGTCCGGGAGCTGGACCTCGCCTCGCTGCGCTCGGTGCGCGCCTTCTGCCAGGAAAT
GCTCCAGGAAGAGCCTAGGCTGGATGTCTTGATCAATAACGCAGGGATCTTCCAGTGCCCTTACATGAAGACTGA
AGATGGGTTTGAGATGCAGTTCGGAGTGAACCATCTGGGGCACTTTCTACTCACCAATCTTCTCCTTGGACTCCT
CAAAAGTTTCAGCTCCCAGCAGGATTGTGGTAGTTTCTTCCAACTTTATAAATACGGAGACATCAATTTTGATGA
CTTGAACAGTGAACAAAGCTATAATAAAAGCTTTTGTATAGCCGGAGCAAACCTGGCTAACATTTCTTTTACCAG
GGAAGTAGCCCGCGCTTAGAAGGCACAAATGTCACCGTCAATGTGTGCATCCTGGTATTGTACGGACAAATCT
GGGGAGGCACATACACATTCCACTGTTGGTCAAACCACTCTTCAATTTGGTGTGATGGGCTTTTTTCAAACCTCC
AGTAGAAGGTGCCCAGACTTCCATTTATTTGGCCTCTTCACTGAGGTAGAAGGAGTGTGAGGAAGATACTTTGG
GGATTGTAAAGAGGAAGAACTGTTGCCCAAAGCTATGGATGAATCTGTTGCAAGAAAACCTCTGGGATATCAGTGA
AGTGATGGTTGGCCTGCTAAAAATAGGAACAAGGAGTAAAAGAGCTGTTTATAAAACTGCATATCAGTTATATCTG
TGATCAGGAATGGTGTGGATTGAGAACTTGTACTTGAAGAAAAAGAATTTTGATATTGGAATAGCCTGCTAAGA
GGTACATGTGGGTATTTTGGAGTTACTGAAAAATTATTTTGGGATAAGAGAATTTTCAGCAAAGATGTTTTAAAT
ATATATAGTAAGTATAATGAATAATAAGTACAATGAAAAATACAATTATATTGTAAATTTATAACTGGGCAAGCA
TGGATGACATATTAATATTTGTGAGAAATTAAGTGACTCAAAGTGCTATCGAGAGGTTTTTCAAGTATCTTTGAGT
TTCATGGCCAAAGTGTTAACTAGTTTTACTACAATGTTTGGTGTGTTGTGTTGGAATTATCTGCCTGGTGTGTGCA
CACAAAGTCTTACTTGAATAAATTTACTGGTAC

183/615

FIGURE 182

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58747

<subunit 1 of 1, 336 aa, 1 stop

<MW: 36865, pI: 9.15, NX(S/T): 2

MAVATAAAVLAAALGGALWLAARRFVGPRVQRLRRGGDPGLMHGKTVLITGANSGLGRATAAELLRLGARVIMGCR
DRARAEAAAGQLRRELRLQAAECGPEPGVSGVGELIVRELDLASLRSVRAFCQEMLQEEPRLDVLINNAGIFQCPY
MKTEDGFEMQFGVNH LGHFLLTNLLLGLLKSSAPSRIVVSSKLYKYGDINFDDLNSEQSYNKSFCYSRSKLANI
LFTRELARRLEG TINVTVNVLHPGIVRTNLGRHIHPLLVKPLFNLVSWAFFKTPVEGAQTSIYLASSPEVEGVSG
RYFGDCKEEELLPKAMDES VARKLWDISEVMVGLLK

Important features:**Signal peptide:**

amino acids 1-21

Short-chain alcohol dehydrogenase family protein

amino acids 134-144, 44-56 and 239-248

N-glycosylation site.

amino acids 212-215 and 239-242

184/615

FIGURE 183

AACAGGATCTCCTCTTGCACTCTGCAGCCCAGGACGCTGATTCCAGCAGCGCCTTACCGCGCAGCCCGAAGATT
ACTATGGTGAAAATCGCCTTCAATACCCCTACCGCCGTGCAAAAGGAGGAGGCGCGGCAAGACGTGGAGGCCCTC
CTGAGCCGCACGGTCAGAACTCAGATACTGACCGGCAAGGAGCTCCGAGTTGCCACCCAGGAAAAAGAGGGCTCC
TCTGGGAGATGTATGCTTACTCTCTTAGGCCTTTTCATTCATCTTGGCAGGACTTATTGTTGGTGGAGCCTGCATT
TACAAGTACTTCATGCCCAAGAGCACCATTACCGTGGAGAGATGTGCTTTTTTGGATTCTGAGGATCCTGCAAT
TCCCTTCGTGGAGGAGAGCCTAACTTCCTGCCTGTGACTGAGGAGGCTGACATTCGTGAGGATGACAACATTGCA
ATCATTGATGTGCCTGTCCCCAGTTTCTCTGATAGTGACCCTGCAGCAATTATTTCATGACTTTGAAAAGGGAATG
ACTGCTTACCTGGACTTGTGCTGGGGAACTGCTATCTGATGCCCCCTCAATACTTCTATTGTTATGCCTCCAAAA
AATCTGGTAGAGCTCTTTGGCAAACCTGGCGAGTGGCAGATATCTGCCTCAAACCTTATGTGGTTCGAGAAGACCTA
GTTGCTGTGGAGGAAATTCGTGATGTTAGTAACCTTGGCATCTTTATTTACCAACTTTGCAATAACAGAAAGTCC
TTCCGCCCTTCGTGCGAGAGACCTCTTGCTGGGTTTCAACAAACGTGCCATTGATAAATGCTGGAAGATTAGACAC
TTCCCCAACGAATTTATTGTTGAGACCAAGATCTGTCAAGAGTAAAGAGGCAACAGATAGAGTGTCTTGTTAATA
AGAAGTCAGAGATTTACAATATGACTTTAACATTAAGGTTTATGGGATACTCAAGATATTTACTCATGCATTTAC
TCTATTGCTTATGCTTTAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAGG
TAATTGGCATTGCTTGTGTTTTTGAAGTGAATTAACATGAGTTTCATTTTTTCTTTGCATTTATAGGGTTTAGAT
TTCTGAAAGCAGCATGAATATATCACCTAACATCCTGACAATAAATCCATCCGTTGTTTTTTTGTGTTGTTGT
TTTTTCTTTTCTTTTAAAGTAAGCTCTTTATTCATCTTATGGTGGAGCAATTTTAAATTTGAAATATTTTAAAT
GTTTTTGAAGTTTTTGTGTAATAATATATCAGATCTCAACATTGTTGGTTTCTTTTGTGTTTTTCATTTTGTACAACT
TTCTTGAATTTAGAAATTACATCTTTCAGTTCTGTTAGGTGCTCTGTAATTAACCTGACTTATATGTGAACAAT
TTTCATGAGACAGTCATTTTAACTAATGCAGTGATTCTTCTCACTACTATCTGTATTGTGGAATGCACAAAAT
TGTGTAGGTGCTGAATGCTGTAAGGAGTTTAGGTTGTATGAATCTACAACCCTATAATAAATTTTACTCTATAC
AAAAAAAAAAAAAAAAAAAA

185/615

FIGURE 184

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58828

<subunit 1 of 1, 263 aa, 1 stop

<MW: 29741, pI: 5.74, NX(S/T): 1

MVKIAFNTPTAVQKEEARQDVEALLSRTVVRTQILTGKELRVATQKEGSSGRCLTLLGLSFILAGLIVGGACIY
KYFMPKSTIYRGEMCFFDSEDPANSLRGGEPNFLPVTEEADIREDDNIAIIDVPVPSFSDSDPAIIHDFEKGMT
AYLDLLLGNLCYLMPLNTSIVMPPKNLVELFGKLASGRYLPQTYVVREDLVAVEEIRDVSNLGIFIYQLCNRKSF
RLRRRDLLLGFNKRAIDKCWKIRHFPNEFIVETKICQE

Type II transmembrane domain:

amino acids 53-75

N-glycosylation site.

amino acids 166-170

Casein kinase II phosphorylation site.

amino acids 35-39, 132-136, 134-138

N-myristoylation site.

amino acids 66-72, 103-109

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 63-74

FIGURE 185

[illegible]

187/615

FIGURE 186

MALSSQIWAACLLLLLLASLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPICIFCCGCCHR
SKCGMCCKT

188/615

FIGURE 187

CTGTCAGGAAGGACCATCTGAAGGCTGCAATTTGTTCTTAGGGAGGCAGGTGCTGGCCTGGCCTGGATCTTCCAC
CATGTTTCCTGTTGCTGCCTTTTGATAGCCTGATTGTCAACCTTCTGGGCATCTCCCTGACTGTCTCTTACCCT
CCTTCTCGTTTTTCATCATAGTGCCAGCCATTTTGGAGTCTCCTTTGGTATCCGCAAACCTCTACATGAAAAGTCT
GTTAAAAATCTTTGCGTGGGCTACCTTGAGAATGGAGCGAGGAGCCAAGGAGAAGAACACCAGCTTTACAAGCC
CTACACCAACCGAATCATTGCAAAGGATCCCACCTTCACTAGAAGAAGAGATCAAAGAGATTCTGTCGAAGTGGTAG
TAGTAAGGCTCTGGACAACACTCCAGAGTTCGAGCTCTCTGACATTTTCTACTTTGCCGAAAGGAATGGAGAC
CATTATGGATGATGAGGTGACAAAGAGATTCTCAGCAGAAGAAGTGGAGTCCCTGGAACCTGCTGAGCAGAACCAA
TTATAACTTCCAGTACATCAGCCTTCGGCTCACGGTCTGTGGGGGTTAGGAGTGCTGATTCGGTACTGCTTTCT
GCTGCCGCTCAGGATAGCACTGGCTTTCACAGGGATTAGCCTTCTGGTGGTGGGCACAACCTGTGGTGGGATACTT
GCCAATGGGAGGTTTAAGGAATTCATGAGTAAACATGTTCACTTAATGTGTTACCGGATCTGCGTGCGAGCGCT
GACAGCCATCATCACCTACCATGACAGGGAACAGACCAAGAAATGGTGGCATCTGTGTGGCCATCATACCTC
ACCGATCGATGTGATCATCTTGCCAGCGATGGCTATTATGCCATGGTGGGTCAAGTGCACGGGGACTCATGGG
TGTGATTGAGAGGCCATGGTGAAGGCTGCCACACGCTCTGGTTGAGCGCTCGGAAGTGAAGGATCGCCACCT
GGTGGCTAAGAGACTGACTGAACATGTGCAAGATAAAAGCAAGCTGCCTATCCTCATCTTCCAGAAGGAACCTG
CATCAATAATACATCGGTGATGATGTTCAAAAAGGGAAGTTTGAATTTGGAGCCACAGTTTACCCTGTTGCTAT
CAAGTATGACCTCAATTTGGCGATGCCTTCTGGAACAGCAGCAAATACGGGATGGTGACGTACCTGCTGCGAAT
GATGACCAGCTGGGCCATTGTCTGCAGCGTGTGGTACCTGCCCTCCATGACTAGAGAGGCAGATGAAGATGCTGT
CCAGTTTGGCAATAGGGTGAATCTGCCATTGCCAGGCAGGGAGGACTTGTGGACCTGCTGTGGGATGGGGGCT
GAAGAGGGAGAAGGTGAAGGACACGTTCAAGGAGGAGCAGCAGAAGCTGTACAGCAAGATGATCGTGGGGAACCA
CAAGGACAGGAGCCGCTCCTGAGCCTGCCTCCAGCTGGCTGGGGCCACCGTGCGGGGTGCCAACGGGCTCAGAGC
TGGAGTTGCCGCCGCCGCCCTGCTGTGTCTCTTCCAGACTCCAGGGCTCCCCGGGCTGCTCTGGATCCCAG
GACTCCGGCTTTTCGCCGAGCCGCGAGCGGGATCCCTGTGCACCCGGCGCAGCCTACCCTTGGTGGTCTAAACGGAT
GCTGCTGGGTGTTGCGACCCAGGACGAGATGCCTTGTCTTTTACAATAAGTCGTTGGAGGAATGCCATTAAAG
TGAATCCCCACCTTTGCACGCTGTGCGGGCTGAGTGGTTGGGGAGATGTGGCCATGGTCTTGTGCTAGAGATGG
CGGTACAAGAGTCTGTTATGCAAGCCGCTGTGCCAGGGATGTGCTGGGGGCGGCCACCCGCTCTCCAGGAAAGGC
ACAGCTGAGGCACTGTGGCTGGCTTCGGCCTCAACATCGCCCCCAGCCTTGGAGCTCTGCAGACATGATAGGAAG
GAACTGTCTGTCAGGGGCTTTCAGCAAAATGAAGGGTTAGATTTTATGCTGCTGCTGATGGGGTTACTAAA
GGGAGGGGAAGAGGCCAGGTGGGCCGCTGACTGGGCCATGGGGAGAACGTGTGTTTCGTACTCCAGGCTAACCTG
AACTCCCCATGTGATGCGCGCTTTGTTGAATGTGTGCTCGGTTTCCCCATCTGTAATATGAGTCGGGGGGAATG
GTGGTGATTCTTACCTCACAGGGCTGTGTGGGGATTAAAGTGCTGCGGGTGAGTGAAGGACACATCACGTTTCA
TGTTTCAAGTACAGGCCACAAAACGGGGCACGGCAGGCTGAGCTCAGAGCTGCTGCACTGGGCTTTGGATTG
TTCTTGTGAGTAAATAAACTGGCTGGTGAATGA

189/615

FIGURE 188

MFLLLPFDSLIVNLLGISLTVLFTLLLVFIIVPAIFGVSGIRKLYMKSLLKIFAWATLRMERGAKEKNHQLYKP
YTNGIIAKDPTSLEEEIKEIRRS GSSKALDNTPEFELSDIFYFCRKGMETIMDDEVTKRFS AEELESWNLLSRTN
YNFQYISLRLTVLWGLGVLIRYCFLLPLRIALAF TGISLLVVGTTVVGYLPNGRFKEFMSKHVHLMCYRICVRAL
TAIITYHDRENRPNGGICVANHTSPIDV IILASDGYAMVGQVHGGLMGVIQRAMVKACPHVWFERSEVKDRHL
VAKRLTEHVQDKSKLPILIFPEGTCINNTSVMMFKKGSFEIGATVYPVAIKYDPQFGDAFWNSSKYGMVTYLLRM
MTSWAIVCSVWYLPMTREADEDAVQFANRVKSAIARQGGLVDLLWDGGLKREKVKDTFKEEQQKLYSKMIVGNH
KDRSRS

190/615

FIGURE 189

GCCCCTCGAAACCAGGACTCCAGCACCTCTGGTCCCGCCCTCACCCGGACCCCTGGCCCTCACGTCTCCTCCAGG
GATGGCGCTGGCGGCTTTGATGATCGCCCTCGGCAGCCTCGGCCTCCACACCTGGCAGGCCAGGCTGTTCCCAC
CATCCTGCCCCCTGGGCCTGGCTCCAGACACCTTTGACGATACCTATGTGGGTGTGCAGAGGAGATGGAGGAGAA
GGCAGCCCCCTGCTAAAGGAGGAAATGGCCACCATGCCCTGCTGCGGGAATCCTGGGAGGCAGCCCAGGAGAC
CTGGGAGGACAAGCGTCGAGGGCTTACCTTGCCCCCTGGCTTCAAAGCCCAGAAATGGAATAGCCATTATGGTCTA
CACCAACTCATCGAACACCTTGTA TGGGAGTTGAATCAGGCCGTGCGGACGGGCGGAGGCTCCCGGGAGCTCTA
CATGAGGCACCTTCCCTTCAAGGCCCTGCATTTCTACCTGATCCGGGCCCTGCAGCTGCTGCGAGGCAGTGGGGG
CTGCAGCAGGGGACCTGGGGAGGTGGTGTCCGAGGTGTGGGCAGCCTTCGCTTTGAACCCAAGAGGCTGGGGGA
CTCTGTCCGCTTGGGCCAGTTTGCCTCCAGCTCCCTGGATAAGGCAGTGGCCACAGATTTGGGGAGAAGAGGCG
GGGCTGTGTCTGCGCCAGGGGTGCAGCTAGGGTCACAATCTGAGGGGGCCTCCTCTGCCCCCTGGAAGAC
TCTGCTCTTGGCCCCTGGAGAGTTCCAGCTCTCAGGGGTGGGGCCCTGAAGTCCAACATCTGCCACTTAGGAGC
CCTGGGAACGGGTGACCTTCATATGACGAAGAGGCACCTCCAGCAGCCTTGAGAAGCAAGAACATGGTTCCGGAC
CCAGCCCTAGCAGCCTTCTCCCAACCAGGATGTTGGCTGGGGAGGCCACAGCAGGGCTGAGGGAACCTGCTA
TGTGATGGGACTTCTGGGACAAGCAAGGAAAGTACTGAGGCAGCCACTTGATTGAACGGTGTGCAATGTGGA
GACATGGAGTTTTATTGAGGTAGCTACGTGATTAAATGGTATTGCAGTGTGGA

191/615

FIGURE 190

MALAALMIALGSLGLHTWQAQAVPTILPLGLAPDTFDDTYVGCAEEMEEKAAPLLKEEMAHHALLRESWEAAQET
WEDKRRGLTLPPGFKAQNGIAIMVYTNSSNTLYWELNQAVRTGGGSRELYMRHFPPKALHFYLIRALQLLRGSGG
CSRGPGEVVFRGVGSLRFEPKRLGDSVRLGQFASSSLDKAVAHRFGEKRRGCVSAPGVQLGSQSEGASSLPPWKT
LLLAPGEFQLSGVGP

192/615

FIGURE 191

GTGGCTTCATTTCACTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCACCCCTCATCTATAT
CCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGTTCCGTTGGTGGGGCCGTGAC
TTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTGGACCTTCAACACAACCCCTCTTGTCACCAT
ACAGCCAGAAGGGGGCACTATCATAGTGACCCAAAATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTA
CTCCCTGAAGCTCAGCAAAGTGAAGAAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCA
GCAGCCCTCCACCCAGGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCA
GAGCAATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATTTATAC
CTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTCCTGGAGATGGGGAGA
AAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCTGTCAGCAGAACTTCTCAAGCCCCATCCTTGCCAGGAA
GCTCTGTGAAGGTGCTGCTGATGACCCAGATTCCCTCATGGTCCTCCTGTGTCTCCTGTTGGTGGCCCTCCTGCT
CAGTCTCTTTGTACTGGGGCTATTTCTTTGGTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAA
GAGAGTGGACATTTGTCTGGGAACTCCTAACATATGCCCCATTCTGGAGAGAACACAGAGTACGACACAATCCC
TCACACTAATAGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAGAT
GGAAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTATCTAGACAGC
AGTGCACTCCCCTAAGTCTCTGCTCA

193/615

FIGURE 192

MAGSPTCLTLIYILWQLTGSAAAGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQPEGGTIIVTQN
RNRERVDFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSKPKVTMGLQSNKNGTCVTNLT
CCMEHGEEDVIYTWKALGQAANESHNGSILPISWRWGESDMTFICVARNPVSRNFSSPILARKLCEGAADDPDSS
MVLCLLLVPLLLSLEVLGLFLWFLKRERQEYIEKKRVDICRETPNICPHSGENTYDTIPHTNRTILKEDPA
NTVYSTVEIPKKMENPHSLLTMPDTPRLFAYENVI

195/615

FIGURE 194

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58852
><subunit 1 of 1, 283 aa, 1 stop
><MW: 29191, pI: 4.52, NX(S/T): 0
MVSAAAPSLILLILLLLGSPATDARSVPLKATFLEDVAGSGEAGSSASSPSLPPPWTPALSPTSMGPQPTTLG
GPSPTNFDGIVDFFRQYVMLIAVVGSLAFLLMFIVCAAVITRQKQKASAYYPSSFPPKKKYVDQSDRAGGPRAF
SEVPDRAPDSRPPEALDSSRQLQADILAATQNLKSPTRAALGGDGARMVEGRGAEEEEKGSQEGDQEVQGHGVP
VETPEAQEEPCSGVLEGAVVAGEGQGELEGSLLLAQEAQGPVGPPEPCACSSVHPSV
```

Signal peptide:
amino acids 1-25

Transmembrane domain:
amino acids 94-118

N-myristoylation site.
amino acids 18-24, 40-46, 46-52, 145-151, 192-198, 193-199, 211-217, 238-244,
242-248

196/615

FIGURE 195

GAAAGACGTGGTCCTGACAGACAGACAATCCTATTCCCTACCAAAATGAAGATGCTGCTGCTGCTGTGTTTGGGA
CTGACCCTAGTCTGTGTCCATGCAGAAGAAGCTAGTTCTACGGGAAGGAACTTTAATGTAGAAAAGATTAATGGG
GAATGGCATACTATTATCCTGGCCTCTGACAAAAGAGAAAAGATAGAAGAACATGGCAACTTTAGACTTTTTCTG
GAGCAAATCCATGTCTTGGAGAATTCTTAGTTCTTAAAGTCCATACTGTAAGAGATGAAGAGTGCTCCGAATTA
TCTATGGTTGCTGACAAAACAGAAAAGGCTGGTGAATATTCTGTGACGTATGATGGATTCAATACATTTACTATA
CCTAAGACAGACTATGATAACTTTCTTATGGCTCACCTCATTAACGAAAAGGATGGGGAAACCTTCCAGCTGATG
GGGCTCTATGGCCGAGAACCAGATTTGAGTTCAGACATCAAGGAAAGGTTTGCACAACATATGTGAGGAGCATGGA
ATCCTTAGAGAAAATATCATTGACCTATCCAATGCCAATCGCTGCCTCCAGGCCCGAGAATGAAGAATGGCCTGA
GCCTCCAGTGTTGAGTGGACACTTCTCACCAGGACTCCACCATCATCCCTTCCCTATCCATACAGCATCCCCAGTA
TAAATTCTGTGATCTGCATTCCATCCTGTCTCACTGAGAAGTCCAATTCCAGTCTATCAACATGTTACCTAGGAT
ACCTCATCAAGAATCAAAGACTTCTTTAAATTTCTCTTTGATACACCCTTGACAATTTTTCATGAAATTATTCCT
CTTCCTGTTCAATAAATGATTACCCTTGCACTTAA

197/615

FIGURE 196

MKMLLLCLGLTLVCHAEASSTGRNFNVEKINGEWHTIILASDKREKIEEHGNFRLFLEQIHVLENSLVVKVH
TVRDEECSELSMVADKTEKAGEYSVTYDGFNTFTIPKTDYDNFLMAHLINEKDGETFQLMGLYGREPDLSSDIKE
RFAQLCEEHGILRENIIDLSNANRCLQARE

198/615

FIGURE 197

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCATGACCTGCTGCGAAGGATGGACATCCTGCAATGGATTTCAGCCTG
CTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCTTAGTTGAGGAAGACCAATTT
TCTCAAACCCCATCTCTTGCTTTGAGTGGTGGTTCCCAGGAATTATAGGAGCAGGTCTGATGGCCATTCCAGCA
ACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTGCTGCAACAACAGAACTGGAAATGTTTCTTTCATCATTTTTTC
AGTGTGATCACAGTCATTGGTGCTCTGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAGSTCCTCTCATG
TGTAATTCTCCAAGCAACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGACATTATCCAGAATCC
TTCAACTTGCAGTGGTTTTTCAATGACTCTTGTGCACCTCCTACTGGTTTCAATAAACCCACCAGTAACGACACC
ATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGGCTTATCCACTTCTCA
GTATTTTtaggtctattgcttggtggaattctggaggctcgtttgggctcagtcagatagtcacgggttcctt
GGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTGTGTAGTTTAAATGGGAATAAAATGTAAGTATCAGTA
GTTTGAIAAAAAAAAAA

199/615

FIGURE 198

MTCCEGWTSCNGFSLLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPATTMSLTARKR
ACCNNRTGMFLSSFFSVITVIGALYCM LISIQALLKGPLMCNSPSNSNANCEFSLKNISDIHPESFNLQWFFNDS
CAPPTGFNKPTSNDTMASGWRASSFHFDSSEENKHRLIHFSVFLGLLLVGILEVLFGLSQIVIGFLGCLCGVSKRR
SQIV

200/615

FIGURE 199

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGAAGGAGCAGTG
AGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAGATCCGTGGGCTGCAGACCCC
CGCCCCAGTGCCCTCTCCCCCTGCAGCCCTGCCCCCTCGAACTGTGACATGGAGAGAGTGACCCTGGCCCTTCTCCT
ACTGGCAGGCCTGACTGCCTTGGAAGCCAATGACCCATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAA
AAACCTGCAGCTGAGCGGACTGATCTGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAA
ATGCAAATACAAGAGCAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCACTCATCACTCCAGGCTC
TGCCACTACTTGCTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCCAGCACCTCCTC
CCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCTTTCTGATCAGGAGGC
TTCTTTATGAATTAACTCGCCCCACCACCCCTCA

201/615

FIGURE 200

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAAGIAAVLSGKCKYKSSQKQHSPVPE
KAIP LITPGSATTC

FIGURE 201

[illegible]

203/615

FIGURE 202

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59212
><subunit 1 of 1, 440 aa, 1 stop
><MW: 42208, pI: 6.36, NX(S/T): 1
MKFQGPLACLLIALCLGSGEAGPLQSGEESTGTNIGEALGHGLGDALSEGVGKAIGKEAGGAAGSKVSEALGQGT
REAVGTGVRQVPGFGAADALGNRVGEAAHALGNTGHEIGRQAEDEVIRHGADAVRGSWQGVPGHSGAWETSGGGHGI
FGSQGGLGGQGGNPGGLGTPWVHGYPGNSAGSFGMNPQGAPWGQGGNGGPPNFGTNTQGAVAQPGYGSVRASNQ
NEGCTNPPPSGSGGGSSNSGGGSGSQSGSSSGSGSNGDNNNGSSSSGSSSGSSSGSSSGSSSGSSSGSSSGSSSGSSGNSGGS
RGDSGSESSWGSSTGSSSGNHGGSGGGNGHKPGCEKPGNEARGSGESGIQGFRGQGVSSNMREISKEGNRLLGGS
GDNYRGQGSWSWGGGDAVGGVNTVNSETSPGMFNFDTFWKNFKSKLGFINWDAINKDQRSSRIP
```

Signal peptide:

amino acids 1-21

N-glycosylation site.

amino acids 265-269

Glycosaminoglycan attachment site.

amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

Casein kinase II phosphorylation site.

amino acids 26-30, 109-113, 259-263, 300-304, 304-308

N-myristoylation site.

amino acids 17-23, 32-38, 42-48, 50-56, 60-66, 61-67, 64-70, 74-80, 90-96,
96-102, 130-136, 140-146, 149-155, 152-158, 155-161, 159-165, 163-169,
178-184, 190-196, 194-200, 199-205, 218-224, 236-242, 238-244, 239-245,
240-246, 245-251, 246-252, 249-252, 253-259, 256-262, 266-272, 270-276,
271-277, 275-281, 279-285, 283-289, 284-290, 287-293, 288-294, 291-297,
292-298, 295-301, 298-304, 305-311, 311-317, 315-321, 319-325, 322-328,
323-329, 325-331, 343-349, 354-360, 356-362, 374-380, 381-387, 383-389,
387-393, 389-395, 395-401

Cell attachment sequence.

amino acids 301-304

204/615

FIGURE 203

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCCTGGCTGGGCTCA
GACCGGTGGCAATGTCCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCTACTCGGCCGCATCCTGGCTT
GGACCTATGCCTTCTATAACAAGTCCCGCCGGCTCCAGTGTTCACACAGCCCCAAAACGGAAGTGGTTTTGGG
GTCACCTGGGCTGATCACTCCTACAGAGGAGGGCTTGAAGGACTCGACCCAGATGTCGGCCACCTATTCCCAGG
GCTTTACGGTATGGCTGGGTCCCATCATCCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATACCA
ATGCCTCAGCTGCCATTGCACCCAAGGATAATCTCTTCATCAGGTTCTGAAGCCCTGGCTGGGAGAAGGGATAC
TGCTGAGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGACGCCCGCCTTCATTTC AACATCCTGAAGT
CCTATATAACGATCTTCAACAAGAGTGCAAACATCATGCTTGACAAGTGGCAGCACCTGGCCTCAGAGGGCAGCA
GTCGCTCTGGACATGTTTGAGCACATCAGCCTCATGACCTTGGACAGTCTACAGAAATGCATCTTCAGCTTTGACA
GCCATTGTGAGGAGAGGCCAGTGAATATATTGCCACCATCTTGGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCC
AGCATATCCTCCAGCACATGGACTTTCTGTATTACCTCTCCCATGACGGGCGGGCGCTTCACAGGGCCTGCCGCC
TGGTGCATGACTTCACAGACGCTGTCATCCGGGAGCGGCGTCGCACCTCCCCACTCAGGGTATTGATGATTTTT
TCAAAGACAAAGCCAAGTCCAAGACTTTGGATTTTCATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
CATTGTGAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACGGCCAGTGGCC
TCTCCTGGGTCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCGACAGGAGGTGCAAGAGCTTC
TGAAGGACCGGATCCTAAAGAGATTGAATGGGACGACCTGGCCCAGCTGCCCTTCTGACCATGTGCGTGAAGG
AGAGCCTGAGGTTACATCCCCAGCTCCCTTCATCTCCCGATGCTGCACCCAGGACATTGTTCTCCAGATGGCC
GAGTCATCCCCAAAGGCATTACCTGCCTCATCGATATTATAGGGGTCCATCACAACCCAACTGTGTGGCCGGATC
CTGAGGTCTACGACCCCTTCGCTTTGACCCAGAGAACAGCAAGGGGAGGTACCTCTGGCTTTTATTCTTTCT
CCGACAGGGCCAGGAAGTGCATCGGGCAGGCGTTCCGCATGGCGGAGATGAAAGTGGTCTGGCGTTGATGCTGC
TGCACTTCCGTTCTTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAATTGATCATGCGCGCCGAGGGCGGGC
TTTGGCTGCGGTGGAGCCCCTGAATGTAGGCTTGCAAGTACTTTCTGACCCATCCACCTGTTTTTTTGCAGATT
GTCATGAATAAAACGGTGCTGTCAA

205/615

FIGURE 204

MSLLSLPWLGLRPVAMSPWLLLLLVVGSWLLARILAWTYAFYNNCRRLQCFPPKRNWFWGHLGLITPTEGLK
DSTQMSATYSQGFTVWLGPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKPWLGEIGILLSGGDKWSRHRRM
LTPAFHFNIKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHISLMTLDSLQKCIFSFDSHCQERPSEYIATI
LELSALVEKRSQHILQHMDFLYYLSHDGRRFHRACRLVHDFTDVIRERRRTLPTQGIDDFKDKAKSKTLD FID
VLLLSKDEDGKALSDEDIRAEADTFMFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDL
AQLPFLTMCVKESLRLHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPRFDPENS
KGRSPLAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELMRAEGGLWLRVEPLNVGLQ

206/615

FIGURE 205

TCCCTTGACAGGTCTGGTGGCTGGTTCGGGGTCTACTGAAGGCTGTCTTGATCAGGAACTGAAGACTCTCTGCT
TTTGCCACAGCAGTTCTGCAGCTTCCTTGAGGTGTGAACCCACATCCCTGCCCCAGGGCCACCTGCAGGACGC
CGACACCTACCCCTCAGCAGACGCCGGAGAGAAATGAGTAGCAACAAAGAGCAGCGGTGAGCAGTGTTCGTGATC
CTCTTTGCCCTCATCACCATCCTCATCTCTACAGCTCCAACAGTGCCAATGAGGTCTTCATTACGGCTCCCTG
CGGGGCCGTAGCCGCCGACCTGTCAACCTCAAGAAGTGGAGCATCACTGACGGCTATGTCCCCATTCTCGGCAAC
AAGACACTGCCCTCTCGGTGCCACCAGTGTGTGATTGTGAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGC
CCTGAGATCGAGCGGGCTGAGTGTACAATCCGCATGAATGATGCACCCACCACTGGCTACTCAGCTGATGTGGGC
AACAAGACCACCTACCGCGTCGTGGCCCATTCAGTGTGTTCCGCGTGCTGAGGAGGCCCCAGGAGTTTGTCAAC
CGGACCCCTGAAACCGTGTTCATCTTCTGGGGCCCCCGAGCAAGATGCAGAAGCCCCAGGGCAGCCTCGTGCGT
GTGATCCAGCGAGCGGGCTGGTGTCCCCAACATGGAAGCATATGCCGTCTCTCCCGCCGCATGCGGCAATTT
GACGACCTCTTCCGGGGTGAGACGGGCAAGGACAGGGAGAAGTCTCATTCGTGGTTGAGCACAGGCTGGTTTACC
ATGGTGATCGCGGTGGAGTTGTGTGACCAGTGCATGTCTATGGCATGGTCCCCCCCCAACTACTGCAGCCAGCGG
CCCCGCCTCCAGCGCATGCCCTACCACTACTACGAGCCCAAGGGGCCGACGAATGTGTACCTACATCCAGAAT
GAGCAGATCGCAAGGGCAACCACCACCGCTTCATCACCAGAGAAAAGGGTCTTCTCATCGTGGGCCCCAGCTGTAT
GGCATCACCTTCTCCACCCCTCCTGGACCTAGGCCACCCAGCCTGTGGGACCTCAGGAGGGTCAGAGGAGAAGC
AGCCTCCGCCAGCCGCTAGGCCAGGGACCATCTTCTGGCCAATCAAGGCTTGCTGGAGTGTCTCCAGCCAATC
AGGGCCTTGAGGAGGATGTATCCTCCAGCCAATCAGGGCCTGGGGAATCTGTTGGCGAATCAGGGATTTGGGAGT
CTATGTGGTTAATCAGGGGTGTCTTTCTTGTGCAGTCAGGGTCTGCGCACAGTCAATCAGGGTAGAGGGGTATT
TCTGAGTCAATCTGAGGCTAAGGACATGTCTTTCCCATGAGGCCTTGTTTCAGAGCCCCAGGAATGGACCCCC
AATCACTCCCCACTCTGCTGGGATAATGGGGTCTGTCCCAAGGAGCTGGGAACCTTGGTGTGCCCCCTCAATTT
CCAGCACCAGAAAGAGAGATTGTGTGGGGGTAGAAGCTGTCTGGAGGCCCGCCAGAGAATTTGTGGGGTTGTGG
AGGTTGTGGGGGCGGTGGGGAGGTCCCAGAGGTGGGAGGCTGGCATCCAGGTCTTGGCTCTGCCCTGAGACCTTG
GACAAACCTTCCCCCTCTCTGGGCACCCTTCTGCCACACCAAGTTTCCAGTGCGGAGTCTGAGACCCTTTCCAC
CTCCCCCTACAAGTGCCCTCGGGTCTGTCTCCCCGTCTGGACCCCTCCAGCCACTATCCCTTGCTGGAAGGCTCA
GCTCTTTGGGGGTCTGGGGTGACCTCCCCACCTCCTGGAAAACCTTAGGGTATTTTTCGCAAACTCCTTCAGG
GTTGGGGGACTCTGAAGGAAACGGGACAAAACCTTAAGCTGTTTTCTTAGCCCTCAGCCAGCTGCCATTAGCTT
GGCTCTTAAAGGGCCAGGCCTCCTTTCTGCCCTTAGCAGGGAGGTTTCCAACCTGTTGGAGGCGCCTTTGGGG
CTGCCCCCTTGTCTGGAGTCACTGGGGGCTTCCGAGGGTCTCCCTCGACCCTCTGTCTGCTGGGATGGCTGTCTG
GGAGCTGTATCACTGGGTTCTGTCCCTGGCTCTGTATCAGGCACCTTATTAAAGCTGGGCCTCAGTGGGGTGT
GTTTGTCTCCTGCTCTTCTGGAGCCTGGAAGGAAAGGGCTTCAGGAGGAGGCTGTGAGGCTGGAGGGACAGATG
GAGGAGGCCAGCAGCTAGCCATTGCACACTGGGGTGTGGGTGGGGGCGGTGACTGCCCCAGACTTGTTTGTGTA
ATGATTTGTACAGGAATAAACACACCTACGCTCCGGAAAAA

207/615

FIGURE 206

MSSNKEQRSASFVILFALITILILYSSNSANEVFHYGSLRGRSRRPVNLKKWSITDGYVPILGNKTLPSRCHQCV
IVSSSSHLGTLGPEIERAECTIRMNDAPTTGYSADVGNKTTYRVVAHSSVFRVLRRPQEFVNRTPETVFIFWG
PPSKMQKPGQSLVRVVIQRAGLVFPNMEAYAVSPGRMRQFDDLFRTGETGKDREKSHSWLSTGWFTMVIABELCDHV
HVGVMVPPNYCSQRPRLQRMPYHYEYPKGPDECVTYIQNEHSRKGNNHRRFITEKRVFSSWAQLYGITFSHPSWT

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 9-31 (type II)

N-glycosylation site.

amino acids 64-68, 115-119

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 50-54

Casein kinase II phosphorylation site.

amino acids 3-7, 29-33, 53-57, 197-201

Tyrosine kinase phosphorylation site.

amino acids 253-262

N-myristoylation site.

amino acids 37-43, 114-120, 290-294

208/615

FIGURE 207

GTAGCGGTCTTGGGTCTCCCGGCTGCCGCTGCTGCCGCCGCCGCTCGGGTCGTGGAGCCAGGAGCGACGTCAC
CGCCATGGCAGGCATCAAAGCTTTGATTAGTTTGTCTTTGGAGGAGCAATCGGACTGATGTTTTTGATGCTTGG
ATGTGCCCTTCCAATATACACAAATACTGGCCCTCTTTGTTCTATTTTTTACATCCTTTACCTATTCCATA
CTGCATAGCAAGAAGATTAGTGGATGATACAGATGCTATGAGTAACGCTTGTAAGGAACTTGCCATCTTTCTTAC
AACGGGCATTGTCTGTCTCAGCTTTTGGACTCCCTATTGTATTTGCCAGAGCACATCTGATTGAGTGGGGAGCTTG
TGCATTGTTCTCACAGGAAACACAGTCATCTTTGCAACTATACTAGGCTTTTTCTTGGTCTTTGGAAGCAATGA
CGACTTCAGCTGGCAGCAGTGGTGAAGAAATTACTGAACTATTGTCAAATGGACTTCCTGTCAATTTGTGGCC
ATTCACGCACACAGGAGATGGGGCAGTTAATGCTGAATGGTATAGCAAGCCTCTTGGGGGTATTTTAGGTGCTCC
CTTCTCACTTTTATTGTAAGCATACTATTTTCACAGAGACTTGCTGAAGGATTAAGGATTTTCTCTTTTGGAA
AAGCTTGACTGATTTACACTTATCTATAGTATGCTTTTTGTGGTGTCTGCTGAATTTAAATATTTATGTGTTT
TTCTGTAGGTTGATTTTTTTTTGGAAATCAATATGCAATGTTAAACACTTTTTTAATGTAATCATTGTCATTGGT
TAGGAATTGAGAATCCGCCGCTCTATTACTGGTCAAGTACATCTTTCTCTTAAATATTTAGCCTCCATTA
TTACAAAAAATTATAAAAAAAGTTTTCAGTCAGTCAGGATGACATCACTCCCAATGTTATGCAGACATACAGAC
GGTTGGCATACTGTTATAGACTGTATACTCAGTGCAATATAGCTGCATTTATACCTCAGAGGGGCCAAGTGTTAA
TGCCCATGCCCTCCGTTAAGGGTTGTGGTTTACTGGTAGACAGATGTTTTGTGGATTGAAAATTTATTTATGG
AATTGCTACAGAGGAGTGCTTTTCTCTCAATTGTTAGAGAATTTATGTTAACTTTAAGGTAAGGGTGTA
ACATTTTTGAGATAAGGTTTTTATTTATGTTTATTATTGTTAGAGTGAGTTGCAATGTGGGAAGAAATGACATTG
AAATTCAGTTTTTGAATCCTGTTTCTATTTATAAGTGAATTTGTGATCTCCTATCAACCTTTTCATGTTTACC
CTGTTAAATGGACATACATGGAACCACTACTGATGAGGGACAGTTGTATGTTTGCATCATATATGCCAGAAAAC
CTTCTCTGCTTCTCTCTTTTGAATTTTGGTATGTTGTATATATTACATAAAATAACTTTTCAATATAGTTT
AATAACACTTAGAAGTGTTTACTTACCTGGAAAATAATTGCTATGCCGTACATTGAGAGTGCCCCCTCCCTGCA
AGGCCTTGCCATGATTAACAAGTAACTGTTAGTCTTACAGATAATTGATGCATTAACAGTTTAAAGATTAGACC
ATGGTAATAGTAGTCTTATTCTCTAAGTTATATCATATGTAATTTAAAGTATTTTTAAGACAAGTTTCTGT
ATACCTCTGAAGTGTGTTTTGATTTTGAAGTTCATCATGATAGATCTGCTGTTTCTTATAAAAGGCATTTGTGTGT
GAGTTAATGCAAAGTAGCAAGTCCAGCTATATAGCAGCTTCAGAAACATACCTGACCAAAAAATCCAGTAAC
CAGGCATGATCAATTTATAGTGGTTCGTTACATCTAATAATTATCAGGACTTTTTTCAGGAGTGGGTTATAAAAA
CATTCAAGTTGGTCTGACAGTATTTTGTAAAGGATATTTGTTGTATGTTTATTGAGTATACTTACATAAAATTT
ATTTGCGCATCAGCAAACTCAGTAATCATGACAGCTGTCTGTTGTTTTATGAAGTTTATTTCTCAAGAAAATG
GGAATAAATTTGGGATTTGTTTCAAGTTTTTACTAAAGATGCCTAAAGCCACAGGTTTTATTGCCCTAACTTAAGC
CATGACTTTTATGATATGAGATGACGGGAAGCAGGACGAAATATCGGCGTGTGGCTGGAGCCTTCCACTGGAGGC
TGAAAGTGGCTTGTGGTATTATAATGTTTCAAGATTTCAAGAGGAAGGTGCAGGTACACATGAGTTAGAGAGCTGGT
GAGACAGTTGGGAAGTCTTTGTGCTTGTGATCTACTGGACTTTTTTTTTTGCAGGAAGTGCATTCTCTGCTCTTC
CCTATTTTCTGTTCTGGATGTGAGTGCAGTGCAGTGCAGTGTCTGTTTTATCCACTTGGCCACAGACTTTTTCTAACA
GCTGCGTATTATTTCTATATACTAATTGCATTGGCAGCATTGTGTCTTTGACCTTGTATACTAGCTTGACATAGT
GCTGTCTCTGATTTCTAGGCTAGTTACTTGAGATATGAATTTCCATAGAATATGACTGATACAACTTACCAT
TCTTCTATGGAAGAAAACTTTTGATGATGAACAAATAAGATTTTAAATATCTATTTAAAAA

209/615

FIGURE 208

MAGIKALISLSFGGAIGLMFLMLGCALPIYNKYWPLEVLFYILSPIPYCIARRLVDDTDAMSNACKELAIFLTT
GIVVSAFGLPIVFARAHLEWGACALVLTGNTVIFATILGFFLVFGSNDDFSWQQW

210/615

FIGURE 209

CTTGCAGAGAAAGAGTCTTTTGTGCAGCACCCCTTTAAAGGGTGACTCGTCCCACCTTGTGTTCTCTCTCCTGGTGC
AGAGTTGCAAGCAAGTTTATCAGAGTATCGCCATGAAGTTCGTCCCCTGCCTCCTGCTGGTGACCTTGTCTGCTGCC
TGGGGACTTTGGGT CAGGCCCCGAGGCCAAAAGCAAGGAAGCACTGGGGAGGAATTCATTTCCAGACTGGAGGGA
GAGATTCCCTGCACTATGCGTCCCAGCAGCTTGGGGCAAGGTGCTGGAGAAGTCTGGCTTCGCGTCGACTGCCGCA
ACACAGACCAGACCTACTGGTGTGAGTACAGGGGGCAGCCCAGCATGTGCCAGGCTTTTGTCTGCTGACCCCAAAC
CTTACTGGAATCAAGCCCTGCAGGAGCTGAGGCGCCTTCACCATGCGTGCCAGGGGGCCCCGGTGCTTAGGCCAT
CCGTGTGCAGGGAGGCTGGACCCAGGCCCATATGCAGCAGGTGACTTCCAGCCTCAGGGGCAGCCCAGAGCCCA
ACCAGCAGCCTGAGGCTGGGACGCCATCTCTGAGGCCCAAGGCCACAGTGAAACTCACAGAAGCAACACAGCTGG
GAAAGGACTCGATGGAAGAGCTGGGAAAAGCCAAACCCACCACCCGACCCACAGCCAAACCTACCCAGCCTGGAC
CCAGGCCCGGAGGGAATGAGGAAGCAAAGAAGAAGGCCTGGGAACATTGTTGGAAACCCCTCCAGGCCCTGTGCG
CCTTTCTCATCAGCTTCTTCCGAGGGTGA CAGGTGAAAGACCCCTACAGATCTGACCTCTCCCTGACAGACAACC
ATCTCTTTTTATATTATGCCGCTTTCATCCAACGTTCTCACACTGGAAGAAGAGAGTTTCTAATCAGATGCAAC
GGCCCAAATTCTTGATCTGCAGCTTCTCTGAAGTTTGGAAAAGAAACCTTCCTTTCTGGAGTTTGCAGAGTTCAG
CAATATGATAGGGAACAGGTGCTGATGGGCCCAAGAGTGACAAGCATACACAACCTACTTATTATCTGTAGAAGTT
TTGCTTTGTTGATCTGAGCCTTCTATGAAAGTTTAAATATGTAACGCATTTCATGAATTTCCAGTGTT CAGTAAAT
AGCAGCTATGTGTGTGCAAAATAAAAGAATGATTT CAGAAAAA

211/615

FIGURE 210

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59602
<subunit 1 of 1, 223 aa, 1 stop
<MW: 24581, pI: 9.28, NX(S/T): 0
MKFVPCLLLVTLSCLTGLGQAPROKQGSGEETFHQTGGRDSCCTMRPSSLGQGAGEVWLR
VDCRNTDQTYWCEYRGQPSMCQAFADPKPYWNQALQELRRLHHACQGAPVLRPSVCREA
GPQAHMQQVTSSLKGSPEPNQQPEAGTPSLRPKATVKLTEATQLGKDSMEELGKAKPTTR
PTAKPTQPGPRPGGNEEAKKAWEHCKWPFQALCAFLISFFRG

Important features:**Signal peptide:**

Amino acids: 1-19

N-myristoylation sites:

Amino acids: 38-44;51-57;194-200

DNA photolyases class 1 proteins:

Amino acids: 58-69

Tyrosine kinase phosphorylation site:

Amino acids: 64-71

N-myristoylation sites:

Amino acids: 38-44;51-57;194-200

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids: 4-15

212/615

FIGURE 211

GTGCAAGGAGCCGAGGCGAGATGGGCGTCCTGGGCCGGGTCCTGCTGTGGCTGCAGCTCTGCGCACTGACCCAGGCG
GTCTCCAAACTCTGGGTCCCCAACACGGACTTCGACGTCGCAGCCAACTGGAGCCAGAACCGGACCCCGTGCGCC
GGCGGCGCCGTTGAGTTCGCGGCGGACAAGATGGTGTCACTCCTGGTGCAAGAAGGTCACGCCGTCTCAGACATG
CTCCTGCCGCTGGATGGGGAACTCGTCCTGGCTTCAGGAGCCGGATTCGGCGTCTCAGACGTGGGCTCGCACCTG
GACTGTGGCGCGGGCGAACCTGCCGTCTTCGCGACTCTGACCGCTTCTCCTGGCATGACCGCACCTGTGGCGCT
CTGGGGACGAGGCACCTGGCCTCTTCTTCGTGGACGCCGAGCGCGTGCCCTGCCGCCACGACGACGTCTTCTTTC
CGCCTAGTGCTCCTTCCGCGTGGGGCTCGGCCCTGGCGCTAGCCCCGTGCGTGTCCGCAGCATCTCGGCTCTGG
GCCGACGTTACGCGCGACGAGGACCTGGCTGTTTTCTGGCGTCCCGCGGGGCCGCTACGCTTCCACGGGC
CGGGCGCGCTGAGCGTGGGCCCCGAGGACTGCGCGGACCGTCGGGCTGCGTCTGCGGCAACGCGGAGGCGCAGC
CGTGGATCTGCGCGGCCCTGCTCCAGCCCCCT

213/615

FIGURE 212

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59603

<subunit 1 of 1, 197 aa, 1 stop

<MW: 20832, pI: 8.74, NX(S/T): 2

MGVLGRVLLWLQLCALTQAVSKLWVPNTDFDVAANWSQNRTPCAGGAVEFPADKMVSVLV
QEGHAVSDMLLPLDGELVLASGAGFGVSDVGSHLDGAGEPAVFRDSDRFSWHDRTCGAL
GTRHLASSSWTPSACPAATTTSSFRLVPPSAWGSALALAPCVSAASRLWAGRSRATRTWL
FSWRPARAAYASTGRAR**Important features:****Signal peptide:**

Amino acids 1-19

N-glycosylation site:

Amino acids 35-39

Glycosaminoglycan attachment site:

Amino acids 81-85

N-myristoylation sites:

Amino acids 82-88;118-124;153-159

C-type lectin domain proteins:

Amino acids 108-118

214/615

FIGURE 213

[illegible]

215/615

FIGURE 214

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIPFARDAVKKCFVCLA

216/615

FIGURE 215

[illegible]

217/615

FIGURE 216

MATWDEKAVTRRAKVAPAERMSKFLRHFTVVGDDYHAWNINYKKWENEEEEEEEEQPPPTFVSGEEGRAAAPDVA
PAPGPAPRAPLDFRGMLRKLFSSHRFQVIIICLVVLDALLVLAEILDLKIIQPDKNYAAMVFHYMSITILVFF
MMEIIFKLFVFRLLSFTTSLRSWMPVVVVVSFILDIVLLFQEHQFEALGLLILLRLWRVARIINGIIISVKTRSE
RQLRLKQMNVLAAKIQHLEFSCSEKPLD

218/615

FIGURE 217

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGCTTCCCTGGGG
CAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTGCACTCATCATTGGCTTTGGT
ATTTCAAGGAGACACTCCATCAGTCACTACTGTCGCCTCAGCTGGGAACATTGGGGAGGATGGAATCCTGAGC
TGCATTTTGAACCTGACATCAAACCTTTCTGATATCGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTC
CATGAGTTCAAAGAAGGCAAAGATGAGCTGTCGAGCAGGATGAAATGTTTCAAGAGCCGGACAGCAGTGTTTGCT
GATCAAGTGATAGTTGGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGT
TATATCATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGGAAGTG
AATGTGGACTATAATGCCAGCTCAGAGACCTTGCGGTGTGAGGCTCCCCGATGGTTCCCCAGCCCACAGTGGTC
TGGGCATCCCAAGTTGACCAGGGAGCCAACTTCTCGGAAGTCTCCAATACCAGCTTTGAGCTGAACTCTGAGAAT
GTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGATCAACACACATACTCCTGTATGATTGAAAATGAC
ATTGCCAAAGCAACAGGGGATATCAAAGTGACAGAATCGGAGATCAAAGGCGGAGTCACCTACAGCTGCTAAAC
TCAAAGGCTTCTCTGTGTGTCTCTTCTTTCTTTGCCATCAGCTGGGCACTTCTGCCTCTCAGCCCTTACCTGATG
CTAAAAATAATGTGCCTTGGCCACAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTTAC
CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTGAGCAAAACAAG
AGCAAGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAATCTATCTTCAAAGACATATTA
GAAGTTGGGAAAATAATTCATGTGAAGTACAGCAAGTGTGTTAAGAGTGATAAGTAAATGCACGTGGAGACAAGT
GCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGTACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTG
TCTCTGAATTTTTAGTTATATGTGCTGTAATGTGCTCTGAGGAAGCCCTGGAAAGTCTATCCCAACATATCCA
CATCTTATATTCACAAATTAAGCTGTAGTATGTACCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAG
GGGCGGCTGCATTTTAGTAATGGGTCAAATGATTCATTTTTATGATGCTTCCAAAGGTGCCTTGGCTTCTCTTC
CCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGTCGGGGACACCGATTT
TATAAATAAACTGAGCACCTTCTTTTTAAACAAA
AAAAAAA

219/615

FIGURE 218

MASLGQILFWSIIISIIIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLSDIVIQWLKEG
VLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASRLKQVLTDAQTYKCYIITSKGKGNANLEYKTGAF
SMPEVNVVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVSNTSFELNSENVTMKVSVLYNVTINNTYSC
MIENDIAKATGDIKVTSEIKRRSHLQLLNSKASLCVSSFFAISWALLPLSPYMLK

FIGURE 219

[illegible]

221/615

FIGURE 220

MAASLGQVLALVLVAALWGGTQPLLKRASAGLQRVHEPTWAQQLQEMKTLFLNTEYLMPFLLNCGSLLYYLTL
ASTDLTLAVPICNSLAIIFTLIVGKALGEDIGGKRKLDYCECGTQLCGSRHTCVSSFPEPISPEWVRTRPFPILP
FPLQLFCFLVAIRVPFPWTVWRKTEAGVWD

222/615

FIGURE 221

CTTCTGTAGGACAGTCACCAGGCCAGATCCAGAAGCCTCTCTAGGCTCCAGCTTTCTCTGTGGAAGATGACAGCA
ATTATAGCAGGACCCTGCCAGGCTGTGCGAAAAGATTCCGCAATAAAACTTTGCCAGTGCGGAAGTACCTAGTGAAA
CGGCCTAAGATGCCACTTCTTCTCATGTCCCAGGCTTGAGGCCCTGTGGTCCCCATCCTTGGGAGAAGTCAGCTC
CAGCACCATGAAGGGCATCCTCGTTGCTGGTATCACTGCAGTGCTTGTTCAGCTGTAGAATCTCTGAGCTGCGT
GCAGTGTAATTCATGGGAAAAATCCTGTGTCAACAGCATTGCCTCTGAATGTCCCTCACATGCCAACACCAGCTG
TATCAGCTCCTCAGCCAGCTCCTCTCTAGAGACACCAGTCAGATTATACCAGAATATGTTCTGCTCAGCGGAGAA
CTGCAGTGAGGAGACACACATTACAGCCTTCACTGTCCACGTGTCTGCTGAAGAACAACCTTTTCAATTTTGTAAAGCA
GTGCTGCCAAGGAAAGGAATGCAGCAACACCAGCGATGCCCTGGACCCCTCCCCTGAAGAACGTGTCCAGCAACGC
AGAGTGCCCTGCTTGTTATGAATCTAATGGAACCTCCTGTGCTGGGAAGCCCTGGAAATGCTATGAAGAAGAAC
GTGTGTCTTTCTAGTTGCAGAACTTAAGAATGACATTGAGTCTAAGAGTCTCGTGCTGAAAGGCTGTTCCAACGT
CAGTAACGCCACCTGTCAAGTTCTGTCTGCTGAAAACAAGACTCTTGGAGGAGTCATCTTTCGAAAGTTTGAGTG
TGCAAATGTAAACAGCTTAACCCCCACGTCTGCACCAACCACTTCCCACAACGTGGGCTCCAAAGCTTCCCTCTA
CCTCTTGGCCCTTGCCAGCCTCCTTCTTCGGGGACTGCTGCCCTGAGGTCCTGGGGCTGCACTTTGCCAGCACC
CCATTTCTGCTTCTCTGAGGTCCAGAGCACCCCTGCGGTGCTGACACCCTCTTCCCTGCTCTGCCCCGTTTAA
CTGCCCAGTAAGTGGGAGTCACAGGTCTCCAGGCAATGCCGACAGCTGCCTTGTTCTTCATTATTAAAGCACTGG
TTCATTCACTGCCAAAAAAAAAAAAAAAAAAAAAAAAA

223/615

FIGURE 222

MKGILVAGITAVLVAAVESLSCVQCNSWEKSCVNSIASECPSHANTSCISSSASSSLETPVRLYQNMFCSAENC
EETHITAFTHVHSAEEHFHFVSQCCQGKECSNTSDALDPPLKNVSSNAECPACYESNGTSCRGKPKCYEEEQCV
FLVAELKNDIESKSLVLKGCSNVSNTCQFLSGENKTLGGVIFRKFEKANVNSLTPTSAPTTSNHNVGSKASLYLL
ALASLLLRGLLP

224/615

FIGURE 223

GGCCTCGGTTCAAACGACCCGGTGGGTCTACAGCGGAAGGGAGGGAGCGAAGGTAGGAGGCAGGGCTTGCCTCAC
TGGCCACCCTCCCAACCCCAAGAGCCCAGCCCCATGGTCCCCGCCGCCGGCGCGCTGCTGTGGGTCTGTGCTG
AATCTGGGTCCCCGGGCGGCGGGGGCCCAAGGCCTGACCCAGACTCCGACCGAAATGCAGCGGGTCAGTTTACGC
TTTGGGGGCCCCATGACCCGCAGCTACCGGAGCACCGCCCGGACTGGTCTTCCCCGGAAGACAAGGATAATCCTA
GAGGACGAGAATGATGCCATGGCCGACGCCGACCGCCTGGCTGGACCAGCGGCTGCCGAGCTCTTGGCCGCCACG
GTGTCCACCGGCTTTAGCCGGTCTGTCGCCATTAACGAGGAGGATGGGTCTTCAGAAGAGGGGGTTGTGATTAAT
GCCGGAAGGATAGCACCAGCAGAGAGCTTCCCAGTGCGACTCCCAATACAGCGGGGAGTTCCAGCACGAGGTTT
ATAGCCAATAGTCAGGAGCCTGAAATCAGGCTGACTTCAAGCCTGCCGCGCTCCCCGGGAGGTCTACTGAGGAC
CTGCCAGGCTCGCAGGCCACCCTGAGCCAGTGGTCCACACCTGGGTCTACCCCGAGCCGGTGGCCGTCACCCTCA
CCCACAGCCATGCCATCTCCTGAGGATCTGCGGCTGGTGTGATGCCCTGGGGCCCGTGGCACTGCCACTGCAAG
TCGGGCACCATGAGCCGAGCCGGTCTGGGAAGCTGCACGGCCTTTCCGGGCGCCTTCGAGTTGGGGCGCTGAGC
CAGTCCGCACGGAGCACAAGCCTTGACCTATCAACAATGTCCCTGCAACCGACTTCGGGAAGAGTGCCCCCTG
GACACAAGTCTCTGTACTGACACCAACTGTGCCTCTCAGAGCACCACCAGTACCAGGACCACCACTACCCCTTC
CCCACCATCCACCTCAGAAGCAGTCCCAGCCTGCCACCCGCCAGCCCTGCCAGCCCTGGCTTTTGGAAACGG
GTCAGGATTGGCCTGGAGGATATTTGGAATAGCCTCTCTTCAGTGTTCACAGAGATGCAACCAATAGACAGAAAC
CAGAGGTAATGGCCACTTCATCCACATGAGGAGATGTCAGTATCTCAACCTCTCTTGCCTTTCAATCCTAGCAC
CCACTAGATATTTTGTAGTACAGAAAACAAAAGTGGAAAACACAA

225/615

FIGURE 224

MVPAAGALLWVLLLNLGPRAGAQGLTQTPTEMQRVSLRFGGPMTRSYRSTARTGLPRKTRIILEDENDAMADAD
RLAGPAAAELLAATVSTGFSRSSAINEEDGSSEEGVVINAGKDSTSRELPSATPNTAGSSSTRFIANSQEPEIRL
TSSLPRSPGRSTEDLPGSQATLSQWSTPGSTPSRWPSPTSPTAMPSPEDLRLVLMPWGPWHCHCKSGTMSRSRSGK
LHGLSGRLRVGALSQLRTEHKPCTYQQCPNRLREECPLDTSLCDTNCASQSTTSTRTTTTPFPTIHLRSSPSL
PPASPCPALAFWKVRIGLEDIWNSLSSVFTEMQPIDRNQR

FIGURE 225

CCCGGGTTCACCCACGCGTCCGGGGAGAAAGGATGGCCGGCCTGGCGGCGGGTTGGTCTGCTAGCTGGGCGAC
CGGCGCTGGCGAGCGGCTCCAGGGCGACCGTGAGCCGGTGTACCGCGACTGCGTACTGCAGTGCGAAGAGCAGA
ACTGCTCTGGGGGCGCTCTGAATCACTTCCGCTCCCGCCAGCCAATCTACATGAGTCTAGCAGGCTGGACCTGTC
GGGACGACTGTAAGTATGAGTGTATGTGGGTACCCTTGGGCTACCTCCAGGAAGGTCACAAAGTGCCTCAGT
TCCATGGCAAGTGGCCCTTCTCCGGTTCCTGTCTTTCAAGAGCCGGCATCGGCCCTGGCTTCGTTCTCAATG
GCCCTGGCCAGCCTGCTGATGCTCTGCGCTACCGCACTTCGTGCCAGCCTCTCCCCATGTACCAACACCTGTG
TGGCCTTCGCCTGGGTGTCCCTCAATGCATGGTTCGTGGTCCACAGTCTTCCACACCAGGGACACTGACCTCACAG
AGAAATGGACTACTTCTGTGCCTCCACTGTCATCCTACACTCAATCTACCTGTGCTGCGTCAGGACCGTGGGGC
TGCAGCACCCAGCTGTGGTCAGTGCCTCCGGGCTCTCCTGCTGCTCATGCTGACCGTGCACGCTCTCCTACCTGA
GCCATCCGCTTCGATATGGCTACAACCTGGTGGCCAACCTGGCTATTGGCTGGTCAACGTGGTGTGGTGGC
TGGCTGTGGTGCCTTGTGGAACACGCGCGGCTGCCTCAGCTGCGCAAGTGCCTGGTGGTGGTCTTGGTCTGCTGCAGG
GGCTGTCCCTGCTCGAGCTGCTTGACTTCCCACCGCTCTTCTGGGTCTGGATGCCCATGCCATCTGGCACATCA
GCACCATCCCTGTCCAGCTCCTCTTTTTAGCTTTCTGGAAGATGACAGCCTGTACCTGCTGAAGGAATCAGAGG
ACAAGTTCAAGCTGGACTGAAGACCTTGGAGCGAGTCTGCCCGAGTGGGGATCCTGCCCCCGCCTGCTGGCCTC
CCTTCTCCCCTCAACCCTTGTAGATGATTTTCTCTTTCACTTCTTGAACCTGGACATGAAGGATGTGGGCCAG
AATCATCTGGCCAGCCCAACCCCTGTTGGCCCTACCGCCTTGGAGTCTGTTCTTAGGGAAGGCTCCACGATC
TGGGACTCGAGAGTGGGCAGCCCCCTACCTCCTGGAGCTGAACTGGGGTGGAACTGAGTGTGTTCTTAGCTCTA
CCGGGAGGACAGCTGCTGTTTCTCCCAACAGCCTCTCCCCACATCCCAGCTGCCTGGTGGGTCTGTAAG
CCCTCTGTCTACCTGGGAGACACAGGACACAGGCCCTTAGGGATACAGGGGGTCCCCCTTCTGTTACCACCCCCA
CCCTCCTCCAGGACACCACTAGGTGGTGCCTGGATGCTTGTCTTTGGCCAGCCAAGGTTACCGGCGATTCTCCCC
ATGGGATCTTGAAGGACCAAGCTGCTGGGATTGGGAAGAGTTTACCCTGACGCTTGGCTTGGCTAGCCAGGTTCCCA
GGAGGCCTCACCATACTCCCTTTCAGGGCCAGGGCTCCAGCAAGCCCCAGGGCAAGGATCCTGTGCTGCTGTCTGG
TTGAGAGCCTGCCACCGTGTGTGCGGAGTGTGGGCCAGGCTGAGTGCATAGGTGACAGGGCCGTGAGCATGGGCC
TGGGTGTGTGTGAGCTCAGGCCTAGGTGCCAGTGTGGAGACGGGTGTTGTCGGGGAAGAGGTGTGGCTTCAAAG
TGTGTGTGTGCAGGGGTGGGTGTGTTAGCGTGGGTAGGGGAACGTGTGTGCGCGTGTGCTGGTGGCATGTGAG
TGAGTGACTGCCGGTGAATGTGTCCAGTGTGAGAGGTTGGAGCAGGATGAGGGAATCCTGTACCATCAATAAT
CACTTGTGGAGCGCCAGCTCTGCCAAGACGCCACCTGGGCGGACAGCCAGGAGCTCTCCATGGCCAGGCTGCCT
GTGTGCATGTTCCCTGTCTGGTGCCTTTTGGCCGCTCCTGCAAACCTCACAGGGTCCCCACACAACAGTGCCC
TCCAGAAGCAGCCCCCTCGGAGGCAGAGGAAGGAAATGGGGATGGCTGGGGCTCTCTCCATCTCCTCTTTCTCCT
TGCCTTCGATGGCTGGCCTTCCCCTCCAAACCTCCATTCCTCCTGCTGCCAGCCCCCTTGGCATAGCTGATTT
TGGGAGGAGGAAGGGGCGATTGTAGGAGGAAGGGGAGAAGCCTTATGGCTGGGTGTGGTTTCTCCCTTCCAG
AGGGTCTTACTGTTCCAGGGTGGCCCCAGGGCAGGACAGGGGCCACACTATGCCTGTGCCCTGGTAAAGGTGACCC
CTGCCATTTACCAGCAGCCCTGGCATGTTTCTGCCCAACAGGAATAGAATGGAGGGAGCTCAGAAACTTTCCAT
CCCAAGGACAGCTCCCGTGGTTGAAGCAGAGTGGAATTTTGTCTGCCCCCTGACCCCTGTCCCTCTTTAGGGGA
GGGAGCTATGCTAGGACTCCAACCTCAGGACTCGGGTGGCCTAGCTTCTTTTGATACTGAAAACCTTTT
AAGGTGGGAGGGTGGCAAGGATGTGCTTTAATAAATCAATTCAGGCCTCAAAAAAAAAAAAAAAAAA

227/615

FIGURE 226

MAGLAARLVLLAGAAALASGSQGDREPVYRDCVLQCEEQNCSGGALNHFRSRQPIYMSLAGWTCRDDCKYECMWV
TVGLYLQEGHKVPQFHGKWPFSRFLFFQEPASAVASFLNGLASLVMLCRYRTFVPASSPMYHTCVAFWVSLNAW
FWSTVFHTRDIDLTEKMDYFCASTVILHSIYLCCVRTVGLQHPAVVSAFRALLLLMLTVHVSYSLSIRFDYGYNL
VANVAIGLVNVVWVWLAWCLWNQRRLLPHVRKCVVVVLLQLGLSLELLDFPPLFWVLDAAHAIWHISTIPVHVLFSS
FLEDDSLYLLKESEDKFKLD

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domains:

amino acids 105-123, 138-156, 169-185, 193-209, 221-240, 256-272

N-glycosylation site.

amino acids 40-44

N-myristoylation site.

amino acids 43-49

CUB domain proteins profile.

amino acids 285-302

Amiloride-sensitive sodium channels proteins.

amino acids 162-186

FIGURE 227

TTCGGCTTCCGTAGAGGAAGTGGCGCGGACCTTCATTGGGGTTTCGGTTCCCCCCTTCCCCTTCCCGGGGTCTGGGGGTGACATTGCACCGCGCCCTCGTGGGGTCGCGTTGCCACCCACGCGGACTCCCAGCTGGCGCGCCCTCCCATTTGCCTGTCTCGGTGAGGCCCCACCCCTTCCACCTGACCAGCATGGGGGCTCGGGTGTTCGCTGTCACCTTTCGTCGCGTTCCGCCCGGCCCTTCGCGCTTTTCTTGATCATCTGGCTGGGAGCCCGCTTCGCGTTATCATCTGGTCGCGAGGGGCATTTTCTGGCTGGCTTCCCTGCTCTGTGGCTGTGGTCTGTTTCTGGTTCATGTGACGACCGGTGAGATGCCCGGCTCCAGTACGGCTCCTGATTTTTGGTGCTGCTGTCTGTCTGTCTCTGTCTCTAGAGAGTGTTCCGCTTTGCCTACTACAAGCTGCTTAAGAAGGCAGATGAAGGGTTAGCATCGCTGAGTGAGGACGAAGATCACCCATCTCCATCCGCCAGATGGCCTATGTTCTGGTCTCTCCTTCGGTATCATCAGTGGTGTCTTCTCTGTTATCAATATTTTGGCTGATGCACTTGGGCCAGGTGTGGTTGGGATCCATGGAGACTCACCCATTACTTCCTGACTTCCAGCCTTCTGACAGCAGCCATTATCCTGCTCCATACCTTTTGGGGAGTTGTGTTCTTTGATGCCTGTAGAGGAGACGCTACTGGCTTTGGCCCTGGTGGTTGGGACTCACCTACTGACCTCGGAGTGCATTCCTGAACCCTGGTATGAGGCCAGCCTGCTGCCCATCTATGCAGTCACTGTTTCCATGGGCTCTGGGCCCTTCATCACAGCTGGAGGGTCCCTCCGAAGTATTACGCGCAGCCTCTTGTTGTAAGGACTGACTACCTGGACTGATCGCTGACAGATCCACCTGCCTGTCCACTGCCCATGACTGAGCCAGCCCCAGCCGGGTCCATTGCCACATTCTGTCTCCTTCTCGTCGGTCTACCCCACTACCTCCAGGGTTTTGCTTTGCTTTTGTCAGGTTAGTCTCTAAGCTTACCAGGAGCAGCCTGGGTTACGCCAGTCAGTGACTGGTGGGTTGAATCTGCATTATCCCCACCTCGGGGACCCCTTGTGTGTCAGGATCTCCCCCTGTGCTAGTGCTCTGCTCACTCGCCAGACTCACCTCCCTTCCCCCTGCGAGGCCGAGGAGGACAGTGGGTGATGCTGTATTCTGCCCTGCGCATCCCACCCGAGGACTGAGGGAACCTAGGGGGACCCCTGGGCCTGGGGTGCCCTCCTGATGTCTCGCCCTGTATTTCTCCATCTCCAGTTCTGGACAGTGCAAGTTGCCAAGAAAAGGGACCTAGTTTTAGCCATTGCCCTGGAGATGAAATTAATGGAGGCTCAAGGATAGATGAGCTCTGAGTTTTCTCAGTACTCCCTCAAGACTGGACATCTTGGTCTTTTTCTCAGGCCTGAGGGGGAACCATTTTTGGTGTGTATAAATAACCTAACTAGCTGCTTTTTCTTTTGGAGGTGGGGGAGGAGGATATTTGAACTCTTCAACCTCCTTGGCGTATATTTTCTCTCTCGAGTTGCTCTCATGGCTGGGCTCATTTCGGTCTTTTCTCCTTGGTCCCAGACCTTGGGGGAAAGGAAGGAAGTGCATGTTTGGGAACCTGGCATTACTGGAACATAATGGTTTTAACCTCCTTAACCACCAGCATCCCTCCTCTCCCAAGGTGAAGTGGAGGGTGCTGTGGTGAGCTGGCCACTCCAGAGCTGCAGTGCCACTGGAGGAGTCAGACTACCATGACATCGTAGGGAAGGAGGGGAGATTTTTTGTAGTTTTTAATTGGGGTGTGGGAGGGGCGGGGAGGTTTTCTATAAACTGTATCATTTTTCTGCTGAGGGTGAGGTGTCCCATCCTTTTAATCAAGGTGATTTGTATTTTACTAATAAAAAAGAAATTTGTAAAAAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

229/615

FIGURE 228

MGA AVFFGCTF VAFGPAFALFLITVAGDPLRVIIILVAGAFFWLVSLLLASVVWFILVHVTD RSDARLQYGLLIFG
AAVSVLLQEVFRFAYYKLLKKADEGLASLSE DGRSPISIRQMAYVSGLSFGIISGVFSVINILADALGPGVVG I H
GDSPYYFLTSAFLTAAILLHTFWGVVFFDACERRRYWALGLVVGSHLLTSGLTFLNPWYEASLLPIYAVTVSMG
LWAFITAGGSLRSIQRSLLCKD

230/615

FIGURE 229

CGGGAGGCTGGGTGCTCATGATCCGGACCCCAATTGTGCGCCTCTGCCCATCGCCTGCTCCTCCCAGGCTCCCGCG
GCCGACCCCCCGCAACATGACAGCCACGGGCGCGAGGGTTCCCGCGCGCTCAGCCGGCGGTATCTGCGGCGTCT
TGCTGCTCCTGCTACTGCTGCTGCTGCTGCGGCAGCCCGTAACCCGCGCGGAGACCACGCCGGGCGCCCCAGAG
CCCTCTCCAGCTGGGCTCCCCAGCCTCTTCACACGCGGGGTGTCCCCAGCGCCCTCACTACCCAGGCCTCA
CTACGCCAGGCACCCCCAAAACCTGGACCTTCGGGGTTCGCGCGCAGGCCCTGATGCGGAGTTTCCCACTCGTGG
ACGGCCACAATGACCTGCCCCAGGTCTGAGACAGCGTTACAAGAATGTGCTTCAGGATGTTAACCTGCGAAATT
TCAGCCATGGTCAGACCAGCCTGGACAGGCTTAGAGACGGCCTCGTGGGTGCCAGTTCTGGTCAGCCTCCGTCT
CATGCCAGTCCCAGGACCAGACTGCCGTGCGCCTCGCCCTGGAGCAGATTGACCTCATTACCGCATGTGTGCCT
CCTACTCTGAACCTCGAGCTTGTGACCTCAGCTGAAGGTCTGAACAGCTCTCAAAAGCTGGCCTGCCTCATTGGCG
TGNAGGGTGGTCACTCACTGGACAGCAGCCTCTCTGTGCTGCGCAGTTTCTATGTGCTGGGGGTGCGCTACCTGA
CACTTACCTTCACCTGCAGTACACCATGGGCAGAGAGTTCCACCAAGTTCAGACACCACATGTACACCAACGTCA
GCGGATTGACAAGCTTTGGTGAGAAAGTAGTAGAGGAGTTGAACCGCCTGGGCATGATGATAGATTTGTCTATG
CATCGGACACCTTGATAAGAAGGGTCTGGAAGTGTCTCAGGCTCCTGTGATCTTCTCCCACTCAGCTGCCAGAG
CTGTGTGTGACAATTTGTTGAATGTTCCCGATGATATCCTGCAGCTTCTGAAGAACGGTGGCATCGTGATGGTGA
CACTGTCCATGGGGGTGCTGCAGTGCAACCTGCTTGCTAACGTGTCCACTGTGGCAGATCACTTTGACCACATCA
GGGCAGTCATTGGATCTGAGTTTCATCGGGATTGGTGGAAATTATGACGGGACTGGCCGGTTCCCTCAGGGGCTGG
AGGATGTGTCCACATACCCAGTCCTGATAGAGGAGTTGCTGAGTCGTASCTGGAGCGAGGAAGAGCTTCAAGGTG
TCCTTCGTGGAAACCTGCTGCGGGTCTTCAGACAAGTGGAAAAGGTGAGAGAGGAGAGCAGGGCGCAGAGCCCCG
TGGAGGCTGAGTTTCCATATGGGCAACTGAGCACATCCTGCCACTCCACCTCGTGCCTCAGAATGGACACCAGG
CTACTCATCTGGAGGTGACCAAGCAGCCAACCAATCGGGTCCCCTGGAGGTCTCAAATGCCTCCCCATACCTTG
TTCCAGGCCTTGTGGCTGCTGCCACCATCCCAACCTTCACCCAGTGGCTCTGCTGACACAGTCGGTCCCCGCAGA
GGTCACTGTGGCAAAGCCTCACAAGCCCCCTCTCCTAGTTCATTCAACAAGCATATGCTGAGAATAAACATGTTA
CACATGGAAAA

231/615

FIGURE 230

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59817
><subunit 1 of 1, 487 aa, 1 stop, 2 unknown
><MW: 53569.32, pI: 7.68, NX(S/T): 5
MQPTGREGSRALSRRYLRRLLLLLLLLLLLLLRQPVTTRAETTPGAPRALSTLGSPSLFTTPGVPSALTTPGLTTPGTP
KTLDLRGRAQALMRSFPLVDGHNLDLPQVLRQRYKNVLQDVNLRNFSHGQTSLDRLRDGLVGAQFWSASVSCQSOD
QTAVRLALEQIDLIHRMCASYSELELVTSAEGLNSSQKLACLGXGGHSLDSSLSVLRSFYVLGVRYLTLTFTC
STPWAESSTKFRHHMYTNVSGLTSGEKKVVEELNRLGMMIDLASYADTLIRRVLEVSQAPVIFSHSAARAVCDNL
LNVPPDILQLLKNGGIVMVTLSMGVLQCNLLANVSTVADHFDHIRAVIGSEFIGIGGNYDGTGRFPQGLEDVSTY
PVLIEELLSRXWSEELQGVLRGNLLRVFRQVEKVRRESRAQSPVEAEFPYQQLSTSCHSHLVPQNGHQATHLEV
TKQPTNRVPWRSSNASPYLVPGLVAAATIPFTQWLC
```

Important features of the protein:**Signal peptide:**

amino acids 1-36

Transmembrane domain:

amino acids 313-331

N-glycosylation sites.

amino acids 119-122, 184-187, 243-246 and 333-336

N-myristoylation sites.amino acids 41-46, 59-64, 73-78, 133-138, 182-187, 194-199, 324-329, 354-359,
357-362, 394-399, 427-432 and 472-477.**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 136-146

232/615

FIGURE 231

GCTCTGGCCGGCCCCGGCGATTGGTCAACGCCCCGCTAGGGGACAGCCCTGGCCTCCTCTGATTGGCAAGCGCTGG
CCACCTCCCCACACCCCTTGCGAACGCTCCCCTAGTGGAGAAAAGGAGTAGCTATTAGCCAATTCGGCAGGGGCC
GCTTTTTAGAAAGCTTGATTTCTTTGAAGATGAAAGACTAGCGGAAGCTCTGCCTCTTTCCCCAGTGGGCGAGGG
AACTCGGGGCGATTGGCTGGGAACGTATCCACCCAAATGTCACCGATTTCTTCCCTATGCAGGAAATGAGCAGAC
CCATCAATAAGAAATTTCTCAGCCTGGCCGAAAATGGTTGGCCCCACGAAGCCACGACAACTGGAGGCAAAGAGG
GTTGCTCAACGCCCCGCTCATTGGAACCAATCAGATCTGGGACCTATATAGCGTGGCGGAGGCGGGGCGAT
GATTGTCGCGCTCGCACCCACTGCAGCTGCGCACAGTCGCATTTCTTTCCCCGCCCCCTGAGACCCTGCAGCACCA
TCTGTCAATGGCGGCTGGGCTGTTTGGTTTGAGCGCTCGCCGTCTTTTGGCGGCAGCGGCGACGCGAGGGCTCCCG
GCCGCCCGCTCCGCTGGGAATCTAGCTTCTCCAGGACTGTGGTCGCCCCGTCCGCTGTGGCGGGAAGCGGGCCC
CCAGAACCGACCACACCGTGGCAAGAGGACCCAGAACCCGAGGACGAAAACCTTGATGAGAAGAACCCAGACTCC
CATGGTTATGACAAGGACCCCGTTTTGGACGTCTGGAACATGCGACTTGTCTTCTTTGGCGTCTCCATCATC
CTGGTCCTTGGCAGCACCTTTGTGGCCTATCTGCCTGACTACAGGATGAAAGAGTGGTCCCGCCGGAAGCTGAG
AGGCTTGTGAAATACCGAGAGGCCAATGGCCTTCCCATCATGGAATCCAACCTGCTTCGACCCCAAGATCCAG
CTGCCAGAGGATGAGTGAACAGTTGCTAAGTGGGGCTCAAGAAGCACCGCCTTCCCCACCCCTGCCTGCCATT
TGACCTCTTCTCAGAGCACCTAATTAAAGGGGCTGAAAGTCTGAA

233/615

FIGURE 232

MAAGLFGLSARLLAAAA~~TRGL~~PAARVRWESSFSRTVVAPSAVAGKRPPEPTTPWQEDPEPEDENLYEKNPDSHG ·
YKDPVLDVWNMRLVFFFGVSIILVLGSTFVAYLPDYRMKEWSRREAERLVKYREANGLPIMESNCFDPSKIQLPEDE

234/615

FIGURE 233

CGCGGGGCTATGCCGCTTGCTCTGCTCGTCTGTGCTCTGGGGCCCGGGCGGCTGGTGCCTTGCAAAACCCCA
CGCGACAGCTGCGGGAGGAACCTTGTATCACCCTCGCTGCCTTCCGGGGACGTAGCCGCCACATTCAGTTCCGC
ACGCGCTGGGATTTCGGAGCTTCAGCGGGGAAGGAGTGTCCATTACAGGCTCTTTCCCAAAGCCCTGGGGCAGCTG
ATCTCCAAGTATTCTCTACGGGAGCTGCACCTGTCACTCACACAAGGCTTTTGGAGGACCCGATACTGGGGGCCA
CCCTTCCTGCAGGCCCCATCAGGTGCAGAGCTGTGGGTCTGGTTCCAAGACACTGTCACTGATGTGGATAAATCT
TGGAAGGAGCTCAGTAATGTCTCTCAGGGATCTTCTGCGCCTCTCTCAACTTCATCGACTCCACCAACACAGTC
ACTCCCACTGCCTCCTTCAAACCCCTGGGTCTGGCCAATGACACTGACCACTACTTTCTGCGCTATGCTGTGCTG
CCGCGGGAGGTGGTCTGCACCGAAAACCTCACCCTTGGGAAGAAGCTCTTGCCCTGTAGTTCCAAGGCAGGCCTC
TCTGTGCTGCTGAAGGCAGATCGCTTGTTCACACCAGCTACCACTCCAGGCAGTGCATATCCGCCCTGTTTGC
AGAAATGCACGCTGTACTAGCATCTCCTGGGAGCTGAGGCAGACCCTGTCACTTGTATTTGATGCCTTCATCACG
GGGCAGGGAAAGAAAGACTGGTCCCTCTTCCGGATGTTCTCCGAACCTCACGGAGCCCTGCCCTGGCTTCA
GAGAGCCGAGTCTATGTGGACATCACCACCTACAACCAGGACAACGAGACATTAGAGGTGCACCCACCCCGACC
ACTACATATCAGGACGTATCCTAGGCACCTCGGAAGACCTATGCCATCTATGACTTGCTTGACACCGCCATGATC
AACAACCTCTCGAAACCTCAACATCCAGCTCAAGTGGAGAGACCCCCAGAGAATGAGGCCCCCCCAGTGCCCTTC
CTGCATGCCCAGCGGTACGTGAGTGGCTATGGGCTGCAGAAGGGGGAGCTGAGCACACTGCTGTACAACACCCAC
CCATACCGGGCCTTCCCGGTGCTGCTGCTGGACACCGTACCCTGGTATCTGCGGCTGTATGTGCACACCCCTCACC
ATCACCTCCAAGGGCAAGGAGAACAAACCAAGTTACATCCACTACCAGCCTGCCAGGACCGGCTGCAACCCAC
CTCCTGGAGATGCTGATTGAGCTGCCGGCCAACCTCAGTCACCAAGGTTTCCATCCAGTTTGAGCGGGCGCTGCTG
AAGTGGACCGAGTACACGCCAGATCCTAACCATGGCTTCTATGTGAGCCCATCTGTCTCAGCGCCCTTGTGCCC
AGCATGGTAGCAGCCAAGCCAGTGGACTGGGAAGAGAGTCCCCTCTTCAACAGCCTGTTCCAGTCTCTGATGGC
TCTAACTACTTTGTGCGGCTCTACACGGAGCCGCTGCTGGTGAACCTGCCGACACCGGACTTCAGCATGCCCTAC
AACGTGATCTGCCTCACGTGCACTGTGGTGGCCGTGTGCTACGGCTCCTTCTACAATCTCCTCACCCGAACCTTC
CACATCGAGGAGCCCGCACAGGTGGCCTGGCCAAGCGGCTGGCCAACCTTATCCGGCGCGCCCGAGGTGTCCCC
CCACTCTGATTCTTTGCCCTTTCCAGCAGCTGCAGCTGCCGTTTCTCTCTGCGGGAGGGGAGCCCAAGGGCTGTTTC
TGCCACTTGCTCTCCTCAGAGTTGGCTTTTGAACCAAAGTGCCCTGGACCAGGTGAGGGCCTACAGCTGTGTTGT
CCAGTACAGGAGCCACGAGCCAAATGTGGCATTGAAATTTGAATTAACCTAGAAATTCATTTCCTCACCTGTAGT
GGCCACCTCTATATTGAGGTGCTCAATAAGCAAAAGTGGTGGTGGCTGCTGTATTGGACAGCACAGAAAAGAT
TTCCATCACACAGAAAGGTGGGCTGGCAGCACTGGCCAAGGTGATGGGGTGTGCTACACAGTGTATGTCACTGT
GTAGTGGATGGAGTTTACTGTTTGTGGAATAAAAACGGCTGTTTCCGTGGAAAAAAAAAAAAA

235/615

FIGURE 234

MPLALLVLLLLGPGGWCLAEP PRDSLREELVITPLPSGDVAATFQFRTRWDSELQREGVSHYRLF PKALGQLISK
YSLRELHLSFTQGFWTRYWGPPFLQAPSGAELWVWFQDTVTDV DKSWEKLSNVLSGIFCASLNFIDSTNTVTPT
ASFKPLGLANDTDHYFLRYAVLPREVVCTENLTPWKLLPCSSKAGLSVLLKADRLFHTSYHSQAVHIRPVCRNA
RCTISISWELRQTL SVVFDAFITGQGKKDWSLFRMF SRTLTEPCPLASESRVYVDITTYNQDNETLEVHPPPTTTY
QDVILGTRKTYAIYDLLDTAMINNSRNLNIQLKWKRP PENEAPPVPFLHAQRYVSGYGLQKGELSTLLYNTHPYR
AFPVLLLDTPWYLRLYVHTLTITSKGKENKPSYIHYQPAQDRLQPHLLEMLIQLPANSVTKVSIQFERALLKWT
EYTPDPNHGFYVSPSVLSALVPSMVAAKPVDWEESPLFNSLFPVSDGSNYFVRLYTEPLL VNLPTPDFSMPYNVI
CLTCTVVAVCYGSFYNLLTRTFHIEEPRTGGLAKRLANLIRRARGVPPL

236/615

FIGURE 235

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCAGGAGCTGCAGGACAAGCACCAGGAGC
CCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGTGGGCTACCCCTGGTGGTGG
TTATGGGGGTCCCTGCCCTGGAGGGCCTTATGGACCACCAGCTGGTGGAGGGCCCTATGGACACCCCAATCCTGG
GATGTTCCCTCTGGAATCCAGGAGGACCATATGGCGGTGCAGCTCCCGGGGGCCCTATGGTCAGCCACCTCC
AAGTTCCTACGGTGGCCAGCAGCCTGGGCTTATGGACAGGGTGGCGCCCTCCCAATGTGGATCCTGAGGCCTA
CTCCTGGTTCCAGTCGGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAA
CTGCAATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCAGGCCG
CATCGATGTCTACGGCTTCTCAGCCCTGTGGAATTCATCCAGCAGTGAAGAACCTCTCCAGCAGTATGACCG
GGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCCAATGGGCTACAACTGAGCCCCCA
GTTCAACCAGCTTCTGGTCTCCCGCTACTGCCCAGCTCTGCCAATCCTGCCATGCAGCTTGACCGCTTCATCCA
GGTGTGCAACCAGCTGCAGGTGCTGACAGAGGCCTTCCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCT
CAGCTTCGAGGACTTCGTACCATGACAGCTTCTCGGATGCTATGACCAACCATCTGTGGAGAGTGGAGTGCAC
CAGGGACCTTTCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTTCTTTTCTGTCCCTCTAGAAGAAC
ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCTGCATCATAGCCACCAATAGTGAGG
ACCGGGGCTGAGGCCACACAGATAGGGGCCTGATGGAGGAGAGGATAGAAGTTGAATGTCTGATGGCCATGAGC
AGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCTTGTAAATGGAGTTAGTGTCCAGTCAGCTGAGCTCCACCC
TGATGCCAGTGGTGAGTGTTCATCGGCCTGTTACCGTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAAC
GAGCCCATTTTCTCCAAAGTGAATCTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCT
GCCACACCCATAAATCCTTGTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTG
GGCATCTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCCCTGCCATGCTCTGCTCGGCTTCAGT
CTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTTAATTTGCATTTTTTTTCATTTGGGGCCAAAAG
TCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAAACTCTGA

237/615

FIGURE 236

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYGHPNPGMFPSG
TPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVDSHSGYISMKELKQALVNCNWSS
FNDETCLMMINMFDTKSGRIDVYGFSALWKFIQQWKNLFQQYDRDRSGSISYTELQQALSQMGYNLSPQFTQLL
VSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREKDTAVQGNIRLSFEDFVTMTASRML

Important features of the protein:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-66, 70-75, 78-83, 83-88, 87-92, 110-115

238/615

FIGURE 237

CAGGATGCAGGGCCGCGTGGCAGGGAGCTGCGCTCCTCTGGGCCTGCTCCTGGTCTGTCTTCATCTCCCAGGCCT
CTTTGCCCGGAGCATCGGTGTTGTGGAGGAGAAAGTTTCCCAAACTTCGGGACCAACTTGCCTCAGCTCGGACA
ACCTTCCTCCACTGGCCCCCTCTAACTCTGAACATCCGCAGCCCCGCTCTGGACCCTAGGTCTAATGACTTGGCAAG
GGTTCCTCTGAAGCTCAGCGTGCCTCCATCAGATGGCTTCCCACCTGCAGGAGGTTCTGCAGTGCAGAGGTGGCC
TCCATCGTGGGGGCTGCCTGCCATGGATTCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGA
GGACCGCCTGGGGGAAGCGCTGCCTGAAGAACTCTCTTACCTCTCCAGTGTGCGGCCCTCGCTCCGGGCAGTGG
CCCTTTGCCTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGACTCGGA
GTCCAGACGACTGCCCCGTTCTAATTCAGTGGGAGCCGGGGGAAAAATCCTTTCCCAACGCCCTCCCTGGTCTCT
CATCCACAGGGTTCTGCCTGATCACCCCTGGGGTACCCCTGAATCCCAGTGTGTCTTGGGGAGGTGGAGGCCCTGG
GACTGGTTGGGGAACGAGGCCCATGCCACACCCTGAGGGAATCTGGGGTATCAATAATCAACCCCCAGGTACCAG
CTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGAA
TATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTCATCTATACCCAGGTATCAATAACCCATTTCTCCTCTGG
AGTTCTCCGCCCTCCTGGCTCTTCTTGGAACATCCCAGCTGGCTTCCCTAATCCTCCAAGCCCTAGGTTGCAGTG
GGGCTAGAGCACGATAGAGGGAAACCAACATTGGGAGTTAGAGTCTGTCTCCGCCCCTTGCTGTGTGGGCTCA
ATCCAGGCCCTGTTAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCCTGCTCATCTCCAATAAAATA
AAAGCACTTATGAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

239/615

FIGURE 238

MQGRVAGSCAPLGILLVCLHLPGLFARSIGVVEEKVSQNFGTNLPQLGQPSSTGPSNSEHPQPALDPRSNDLARV
PLKLSVPPSDGFPPAGGSQVQWPPSWGLPAMDSWPPEDPWQMAAAAEDRLGEALPEELSYLSSAAALAPGSGP
LPGESSPDATGLSFEASLLHQDSESRLPRNSLGGAGGKILSORPPWSLIHRVLPDHPWGTLNPSVSWGGGGPGT
GWGTRPMPHPEGIWGINNQPPGTSGWGNINRYPGGSWGNINRYPGGSWGNINRYPGGSWGNIHLYPGINNPFFPGV
LRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:**Signal peptide:**

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263, 259-264, 269-274, 270-275, 280-285, 281-286, 305-310

FIGURE 239

GGGCGTCTCCGGCTGCTCCTATTGAGCTGTCTGCTCGTGTGCCCCGTGTGCCTGCTGTGCCCGCGCTGTGCCG
CTGCTACCGCGTCTGCTGGACGCGGGAGACGCCAGCGAGCTGGTGATTGGAGCCCTGCGGAGAGCTCAAGCGCCC
AGCTCTGCCCCAGGAGCCAGGCTGCCCGCTGAGTCCCATAGTTGCTGCAGGAGTGGAGCCATGAGCTGCGTCCT
GGTGTTGTGTCATCCCCTTGGGGCTGCTGTTCTCTGGTCTGCGGATCCCCAAGGCTACCTCTGCCAACGTCACCTC
CTTAGAGGAGCTGCTCAGCAATAACGAGCACAAACGAGTCTCACTCCCGGGTCCGAGAGGATCCCCAGGGAGGA
CAAGGAGGAGATCCTCATGCTGCACAACAAGCTTCGGGGCCAGGTGCAGCCTCAGGCCTCCAACATGGAGTACAT
GGTGAGCGCCGGCTCCGGCCGAGAGGCTGGCACCAGGGGTGGGGCCTGGGCCACCAGCCTGCTCTGTTCCCCAG
CCAGCTCTGTTCCCCAGCCAGTGCCTGTGATGGCTGGCTCAGGGTCTCCTCTGGCAGGGGAGGATCCCCGGCTCTG
TTCTGTTTGTGTTTGTGTTTGTGTTGAGACAGGTTCTCACTCTGCCACTGACGCTGGAGTGCAATGGCACAATCGTCA
TGCCCTGAAACCTTAGACTCCCGGGGTAAAGCATCCTGCTTCAAGCTCCCAAGTAGCTGGAACACAGGCATGC
ACCATGGTGCCAGCTAGTATTTTAAATATTTTGTGGAGATGGGGGTCTTGCTACGTTGCCAGGCTGGTCTTGAA
CTCCTAGGCTCAAGCAATCCTCCTGCCTCAGCCTCTCAAAGTGCTAGGATTATAGGCATGAGTCAACCTGTCTGG
CTCTGGCTCTGTTCTTAACATTCTGCCAAAACAACACAGTGGGTTCCCTGTGCAGAGCCTGCCCTCGTTGCCCTT
ATGTCACCTCTGGTAGCTCCACTGGGAACACAGCTCTCAGCCTTTCCACCTGGAGGCAGAGTGGGAGGGGCC
AGGGCTGGGCTTTGCTGATGCTGATCTCAGCTGTGCCACAGCTAGCTGCACCACCTGACTTCTCCTTAGCCG
TGTGAGCCTCACTTTCACCTTGGAGAGTCTTCTCCTCGCGTGGTTGCCATGACTGTGAGATAAGTCGAGGCTGTGA
AGGGCCCGGCACAGACTGACCTGCCCTCCCAACCCCTAGGCTTTGCTAACCGGGAAAGGAGCTAACGGTGACAGA
AGACAGCCAAGGTCACCCCTCCCGGTTGATTGTGATGGGTGTTCCAGGTGTGGTGGGCGATGCTGCTACTTTGAC
CCCAAGCTCCAGTGTGGAACCTTCTTCTGCTGGTGGTTTTCCAGAACTACAGGAAATGGACCAAGCTCTTCAG
GGTCCCTCCTGCTCCACAACCGGGAGCCTCACCTTGGCCATCCGTCAGCTATGAATGGCTTTTAAACAAACC
CACGTCCCAGCCTGGGTAACATGGTAAAGCCCCGTCTCTACAAAAAATCCAAGTTAGCCGGGCATGGTGGTGC
CTAGCTGTAGTCCAGCTGCAGTGGGACTGAGGTGAGGTGGAGGTGGGGGTGGGAGCTGAGGAAGGAGGATCG
TTGAGCCTGGGAAGTCGAGGCTGCAGTGAGCTGAGATTGCACCACTGCACTCCAGCCTGGGTGACAGAGCAAGAC
CTGTGCTCAAAA

241/615

FIGURE 240

MSCVLGGV IPLGLLFLVCGSQGYLLPNVTLLLEELLSKYQHNEHSRVRRAIPREDKEEILMLHNKLRGQVQPQAS
NMEYMVSA GSGRRGWHRGWGLGHQPALFPSQLCSPASACDGLRVSSGRGGSRLCSVLFVCFETGSHSATDAGVQ
WHNRHALKP

Important features:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 27-31, 41-45

N-myristoylation site.

amino acids 126-132, 140-146

Amidation site.

amino acids 85-89

242/615

FIGURE 241

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTCTGGGCTGCCC
CTTGTCCTCCTCTTGACCCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGACTTTGCAACTGAAGCTGAAG
GAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCCTGGAATTGCTTGAAAAGCTCTGCCTCCTCCTCCAT
CTCCCTTCAGGGACCAGCGTCACCCTCCACCATGCAAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCA
TTGAAGCCTGTGTCTTCTTGGCCCGGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTTCAG
CAGGCCCCCACCTCCTGAGTGGCAATAAATAAAATTCGGTATGCTG

243/615

FIGURE 242

MGSGLPVLVLLLTLLGSSHGTGPGMTLQIKLKESFLTNSSESSFLELLEKLCLLLHLPSGTSVTLHHARSQHHVVCNT

244/615

FIGURE 243

GGCAAGTGGAACTGGCTTGGTGGATTTTGCTAGATTTTCTGATTTTAACTCCTGAAAAATATCCCAGAT
AACTGTCATGAAGCTGGTAAGTATCTTCCTGCTGGTGACCATCAGCCTTTGTAGTTACTCTGCTACTGCCTTCCT
CATCAACAAAGTGCCCCCTTCCTGTTGACAAAGTTGGCACCTTTACCTCTGGACACATTCTTCCCTTTATGGATCC
ATTAAAGCTTCTTCTGAAAACTCTGGGCATTTCTGTTGAGCACCTTGTGGAGGGGCTAAGGAAGTGTGTAAATGA
GCTGGGACCAGAGGCTTCTGAAGCTGTGAAGAACTGCTGGAGGCGCTATCACACTTGGTGTGACATCAAGATAA
AGAGCGGAGGTGGATGGGGATGGAAGATGATGCTCCTATCCTCCCTGCCTGAAACCTGTTCTACCAATTATAGAT
CAAATGCCCTAAAATGTAGTGACCCGTGAAAAGGACAAATAAAGCAATGAATACATTA

245/615

FIGURE 244

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59855  
<subunit 1 of 1, 93 aa, 1 stop  
<MW: 10161, pI: 7.39, NX(S/T): 0  
MKLVTFLLVTISLCSYSATAFLINKVPLPVDKLAFLPLDNILPFMDPLKLLKTLGISV  
EHLVEGLRKCVNELGPEASEAVKKLLEALSHLV
```

Important features:

Signal peptide:

Amino acids 1-18

246/615

FIGURE 245

TGCTAGGCTCTGTCCCACAATGCACCCGAGAGCAGGAGCTGAAAGCCTCTAACACCCACAGATCCCTCTATGACT
GCAATGTGAGGTGTCCGGCTTTGCTGGCCAGCAAGCCTGATAAGCATGAAGCTCTTATCTTTGGTGGCTGTGGT
CGGGTGTTTGTCTGGTGCCCCAGCTGAAGCCAACAAGAGTCTGAAGATATCCGGTGCAAATGCATCTGTCCACC
TTATAGAAACATCAGTGGGCACATTTACAACCAGAATGTATCCCAGAAGGACTGCAACTGCCTGCACGTGGTGGA
GCCCATGCCAGTGCCCTGGCCATGACGTGGAGGCCTACTGCCTGCTGTGCGAGTGCAGGTACGAGGAGCGCAGCAC
CACCACCATCAAGGTCATCATTTGTCTATCTACCTGTCCGTGGTGGGTGCCCTGTTGCTCTACATGGCCTTCCTGAT
GCTGGTGGACCTCTGATCCGAAAGCCGGATGCATACACTGAGCAACTGCACAATGAGGAGGAGAATGAGGATGC
TCGCTCTATGGCAGCAGCTGCTGCATCCCTCGGGGGACCCGAGCAAACACAGTCCTGGAGCGTGTGGAAGGTGC
CCAGCAGCGGTGGAAGCTGCAGGTGCAGGAGCAGCGGAAGACAGTCCTTCGATCGGCACAAGATGCTCAGCTAGAT
GGGCTGGTGTGGTTGGGTCAAGGCCCAACACCATGGCTGCCAGCTTCAGGCTGGACAAAGCAGGGGGCTACTT
CTCCCTTCCTCGGTTCCAGTCTTCCCTTTAAAAGCCTGTGGCATTTTTCCTCCTTCTCCCTAACTTTAGAAATG
TTGTACTTGGCTATTTTGATTAGGGAAGAGGGATGTGGTCTCTGATCTCTGTTGTCTTCTTGGGTCTTTGGGGTT
GAAGGGAGGGGAAGGCAGGCCAGAAGGGAATGGAGACATTCGAGGCGGCCCTCAGGAGTGGATGCGATCTGTCTC
TCCTGGCTCCACTCTTGCCGCCCTTCAGCTCTGAGTCTTGGGAATGTTGTTACCCTTGGAAGATAAAGCTGGGTC
TTCAGGAACCTCAGTGTCTGGGAGGAAAGCATGGCCCAGCATTGAGCATGTGTTCCCTTCTGCAGTGGTTCTTATC
ACCACCTCCCTCCCAGCCCCGGCGCCTCAGCCCCAGCCCCAGCTCCAGCCCTGAGGACAGCTCTGATGGGAGAGC
TGGGCCCCCTGAGCCCACTGGGTCTTCAGGGTGCAGTGGAAAGCTGGTGTTCGCTGTCCCTGTGCACTTCTCGCA
CTGGGGCATGGAGTGCCCATGCATACTCTGCTGCCGGTCCCCTCACCTGCACTTGAGGGGTCTGGGCAGTCCCTC
CTCTCCCCAGTGTCCACAGTCACTGAGCCAGACGGTCGGTTGGAACATGAGACTCGAGGCTGAGCGTGGATCTGA
ACACCACAGCCCCTGTACTTGGGTTGCCTCTTGTCCCTGAACTTCGTTGTACCAGTGCATGGAGAGAAAATTTTG
TCCTCTTGTCTTAGAGTTGTGTGTAATCAAGGAAGCCATCATTAAATTGTTTTATTTCTCTCA

247/615

FIGURE 246

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA60278
<subunit 1 of 1, 183 aa, 1 stop
<MW: 20574, pI: 6.60, NX(S/T): 3
MKLLSLVAVVGCLLVPPAEANKSSEDIRCKICPPYRNISGHIYNQNVSQKDCNCLHVVEPMPVPGHDVEAYCLL
CECRYEERSTTTIKVIIIVYLSVVGALLLYMAFLMLVDPLIRKPDAYTEQLHNEEENEDARSMAAAAASLGGPRA
NTVLERVEGAQQRWKLQVQEQRKTVFDRHKMLS

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 90-112

N-glycosylation sites.

amino acids 21-24, 38-41 and 47-50

248/615

FIGURE 247

AATTGTATCTGTGTAATGTTAAACAAACGAAATAAAATAGAAGGAAAACTTTCTGAGTTTCAAAAAACAACAGA
CTAGTACTCTAAAGAACTCTTTAAACAATTAAGTGTAGGATTGCAGTTATGATTGGATATTATTTAATTCTGT
TTCTGATGTGGGGTTCCTCCACTGTGTTCTGTGTGCTATTAATATTTACCATTGCAGAAGCTTCATTCAGTGTTG
AAAATGAATGCTTAGTGGATCTGTGCCTCTTACGCATATGTTACAAATTATCTGGAGTTCCTAATCAATGCAGAG
TTCCCCTCCCCTCCGATTGTTCTAAATAATTGAAAGATGTCTGCTGTGGAAAAAGGCATGTATTTAAATCTGTAT
GATTCTCAACCATCTTTAGTTGGGAAAGGTCCTTGAAAGCCAATGGAAATACTTTTTTTTTTCTGGCACTAAT
CAAGTGAGTGTTACCTTTTCACTTAGTAGGATGTGTTGTTACGCTAGTAAAATAGAAACCTGTGTTTATTCTCAG
GTATTTTAGAAACAACAGCCATCATTTTATTTTATGTGTGTGTTCTTGGCTGTATTCATAAATTATATATTTTGG
GCTATCAAATATTACTTCATTCAATATAAATAACAATAGTAGAAGTTGTTTACTTAGATATGCTTTCTAGTTGCA
TTTTCTCAGCCTATGTAAGACTACTTTGTTGTAATAGCCTTTGAAATTTACAGTACTGTCTCTCTACTATCTTCA
GATTACTTGATTCAAATAAACCAATTATGTTTGTATTGATATTAATAAAACCAGAAATAAAAGTTCATATCTACCC

249/615

FIGURE 248

MIGYYLILFLMWGSSTVFCVLLIFTIAEASFVENECLVDLCLLRICYKLSGVPNQCRVPLPSDCSK

Important features:

Signal peptide:

amino acids 1-29

250/615

FIGURE 249

AGCGGGTCTCGCTTGGGTTCCGCTAATTTCTGTCTGAGGCGTGAGACTGAGTTCATAGGGTCTGGGTCCCCGA
ACCAGGAAGGGTTGAGGGAACACAATCTGCAAGCCCCCGCGACCCCAAGTGAGGGGCCCCGTGTTGGGGTCTCCCC
TCCCTTTGCATTCCCACCCCTCCGGGCTTTGCGTCTTCTTGGGGACCCCTCGCCGGGAGATGGCCGCGTTGATG
CGGAGCAAGGATTCGTCTGCTGCCTGCTCCTACTGGCCGCGGTGCTGATGGTGGAGAGCTCACAGATCGGCAGT
TCGCGGGCCAACTCAACTCCATCAAGTCTCTCTGGGCGGGGAGACGCCTGGTCAGGCCGCCAATCGATCTGCG
GGCATGTACCAAGGACTGGCATTGGCGGCAGTAAGAAGGGCAAAAACCTGGGGCAGGCCTACCCTTGTAGCAGT
GATAAGGAGTGTGAAGTTGGGAGGTATTGCCACAGTCCCCACCAAGGATCATCGGCCTGCATGGTGTGTCTCGGAGA
AAAAAGAAGCGCTGCCACCGAGATGGCATGTGCTGCCCCAGTACCCGCTGCAATAATGGCATCTGTATCCCAGTT
ACTGAAAGCATCTTAACCCCTCACATCCCGCTCTGGATGGTACTCGGCACAGAGATCGAAACCACGGTCATTAC
TCAACCATGACTTGGGATGGCAGAATCTAGGAAGACCACACACTAAGATGTCACATATAAAGGGCATGAAGGA
GACCCCTGCCTACGATCATCAGACTGCATTGAAGGGTTTTGCTGTGCTCGTCATTCTGGACCAAAATCTGCAAA
CCAGTGTCTCCATCAGGGGGAAGTCTGTACCAACAACGCAAGAAGGGTTCTCATGGGCTGGAAATTTTCCAGCGT
TGCGACTGTGCGAAGGGCCTGTCTTGCAAAGTATGGAAAGATGCCACCTACTCCTCCAAAGCCAGACTCCATGTG
TGTCAGAAAAATTTGATCACCATTGAGGAACATCATCAATTGCAGACTGTGAAGTTGTGTATTTAATGCATTATAG
CATGGTGGAAAAATAAGGTTTCAGATGCAGAAGAATGGCTAAAAATAAGAAACGTGATAAGAATATAGATGATCACAA
AAAGGGAGAAAGAAAACATGAAGTGAATAGATTAGAATGGGTGACAAATGCAGTGCAGCCAGTGTTCATTATG
CAACTTGTCTATGTAAATAATGTACACATTTGTGGAAAAATGCTATTATTAAGAGAACAAGCACACAGTGGAAATT
ACTGATGAGTAGCATGTGACTTTCCAAGAGTTTAGGTTGTGCTGGAGGAGAGGTTTCCTTCAGATTGCTGATTGC
TTATACAAATAACCTACATGCCAGATTTCTATTCAACGTTAGAGTTTAAACAAATACTCCTAGAATAACTTGTTA
TACAATAGGTTCTAAAAATAAAATTTGCTAAACAAGAAATGAAAACATGGAGCATTGTTAATTTACAACAGAAAAAT
TACCTTTTGATTTGTAACACTACTTCTGCTGTTCAATCAAGAGTCTTGGTAGATAAGAAAAAATCAGTCAATAT
TTCCAAATAATTGCAAAATAATGGCCAGTTGTTTAGGAAGGCCTTTAGGAAGACAAATAAATAACAAACAAACAG
CCACAAATACTTTTTTTTTCAAATTTTAGTTTTACCTGTAATTAATAAGAACTGATACAAGACAAAAACAGTTCC
TTCAGATTCTACGGAATGACAGTATATCTCTTTATCCTATGTGATTCTGCTCTGAATGCATTATATTTTCCA
AACTATACCCATAAATTGTGACTAGTAAATACTTACACAGAGCAGAATTTTCACAGATGGCAAAAAAATTTAAA
GATGTCCAATATATGTGGGAAAAGAGCTAACAGAGAGATCATTATTTCTTAAAGATTGGCCATAACCTATATTTT
GATAGAATTAGATTGGTAAATACATGTATTACATACACTCTGTGGTAATAGAGACTTAAGCTGGATCTGTACTG
CACTGGAGTAAGCAAGAAAATTGGGAAAACTTTTTCGTTTGTTCAGGTTTTGGCAACACATAGATCATATGTCTG
AGGCACAAGTTGGCTGTTTCATCTTTGAAACCAGGGGATGCACAGTCTAAATGAATATCTGCATGGGATTTGCTAT
CATAATATTTACTATGCAGATGAATTCAGTGTGAGGTCTGTGTCGGTACTATCCTCAAATTATTTATTTTATAG
TGCTGAGATCCTCAAATAATCTCAATTTTCAGGAGGTTTCACAAAATGTACTCCTGAAGTAGACAGAGTAGTGAGG
TTTCATTGCCCTCTATAAGCTTCTGACTAGCCATGGCATCATCCAATTTTCTCCCAAACCTCTGCAGCATCTG
CTTTATTGCCAAAGGGCTAGTTTCGGTTTTCTGCAGCCATTGCGGTTAAAAAATATAAGTAGGATAACTTGTAAA
ACCTGCATATTGCTAATCTATAGACACCACAGTTTCTAAATCTTTGAAACCACCTTTACTACTTTTTTTAAACTT
AACTCAGTTCTAAATACTTTGTCTGGAGCACAAAACAATAAAAGGTTATCTTATAGTCGTGACTTTAACTTTTG
TAGACCACAATTCACTTTTTTAGTTTTCTTTTACTTAAATCCCATCTGCAGTCTCAAATTTAAGTTCTCCAGTAG
AGATTGAGTTTGAGCCTGTATATCTATTAAAAATTTCAACTTCCACATATATTTACTAAGATGATTAAGACTTA
CATTTTTCTGCACAGGTCTGCAAAACAAAAATTATAAACTAGTCCATCCAAGAACCAGTTTGTATAAACAGGT
TGCTATAAGCTTGTGAAATGAAATGGAACATTTCAATCAACATTTCCCTATATAACAATTATTTATTTACAAT
TTGGTTTCTGCAATATTTTCTTATGTCCACCCTTTTAAAAATATTATTTGAAGTAATTTATTTACAGGAAATG
TTAATGAGATGATTTTTCTTATAGAGATATTTCTTACAGAAAGCTTTGTAGCAGAATATATTTGCAGCTATTGAC
TTTGTAATTTAGGAAAAATGTATAATAAGATAAAATCTATTAAATTTTTCTCCTCTAAAAACTGAAAAA
AAAAAAAAAAAAAAAAAAAA

251/615

FIGURE 250

MAALMRSKDSSCCLLLLLAAVLMVESSQIGSSRAKLNSIKSSLGGETPGQAANRSAGMYQGGLAFGGSKKGKNLGQA
YPCSSDKECEVGRYCHSPHQSSACMVCRRKKKRCHRDGMCCPSTRCNNGICIPVTESILTPHIPALDGTTRHRDR
NHGHYSNHDLGWQNLGRPHTKMSHIKGHEGDPCLRSSDCIEGFCCARHFWTKICKPVLHQGEVCTKQRKKGSHGL
EIFQRCDCAKGLSCKVWKDATYSSKARLHVCQKI

Signal peptide:
amino acids 1-25

252/615

FIGURE 251

TCTCAATCTGCTGACCTCGTGATCCGCCTGACCTTGTAAATCCACCTACCTTGGCCTCCCAAAGTGTTGGGATTAC
AGGCGTGAGCCACCGCGCCCGGCCAACATCACGTTTTTAAAAATTGATTCTTCAAATTCATGGCAAATATTTCC
CTTCCCCTTTAACTTCTTATGTGAGAATGAGGAAGGATAGCTGCATTTATTTAGTCAGTTTTTCATGTCATAGTAAT
ATTTTCATGTAGTATTTTCTAAGTTATATTTTAGTAATTCATATGTTTTAGATTATAGGTTTTAACATACTTGTG
AAAATACTTGATGTTGTTTTAAAGCCTTGGGCAGAAATCTGTATTGTTGAGGATTTGTTCTTTTATCCCCCTTTT
AAAGTCATCCGTCCTTGGCTCAGGATTTGGAGAGCTTGCACCACC AAAAATGGCAAACATCACCAGCTCCCAGAT
TTTGGACCAGTTGAAAGCTCCGAGTTTGGGCCAGTTTACCACCACCCCAAGTACACAGCAGAATAGTACAAGTCA
CCCTACAAC TACTACTTCTTGGGACCTCAAGCCCCAACATCCAGTCCTCAGTCCTCAGTCATCTTGACTTCAA
ATCTCAACCTGAGCCATCCCCAGTTCTTAGCCAGTTGAGCCAGCGACAACAGCACCAGAGCCAGGCAGTCACTGT
TCCTCCTCCTGGTTTGGAGTCCTTTCTTCCAGGCCAAAACCTCGAGAATCAACACCTGGAGACAGTCCCTCCAC
TGTGAACAAGCTTTTGCAGCTTCCAGCAGCAGCATTGAAAATATCTCTGTGTCTGTCCACCAGCCACAGCCCAA
ACACATCAAACCTTGCTAAGCGGCGGATACCCCCAGCTTCTAAGATCCAGCTTCTGCAGTGGAAATGCCTGGTTC
AGCAGATGTCACAGGATTAATGTGCAGTTTGGGGCTCTGGAATTTGGGTCAGAACCTTCTCTCTGAATTTGG
ATCAGCTCCAAGCAGTGAAAATAGTAATCAGATTCCCATCAGCTTGTATTTCGAAGTCTTTAAGTGAGCCTTTGAA
TACATCTTTATCAATGACCAGTGCAGTACAGAACTCCACATATACAACCTCCGTCATTACCTCCTGCAGTCTGAC
AAGCTCATCACTGAATTCTGCTAGTCCAGTAGCAATGTCTTCTCTTATGACCAGAGTTCTGTGCATAACAGGAT
CCCATACCAAAGCCCTGTGAGTTCATCAGAGTCAGCTCCAGGAACCATCATGAATGGACATGGTGGTGGTCTGAAG
TCAGCAGACACTAGACAGTAAGTATAGCAGCAAGCTACTCTTGTCTATGGCTGGTGCCAACCAAACAGAGGAAGAG
GATAGCTCAGTGATGTGGAAAACACCAGTTGGTCAATGGCTCATTTCGTTAAAAAGCAGCCCTTTTGCTTTTTTG
TTTTTGACCAGGTGTTGGCTGTGGTGTTATTAGAAATGTCTTAACCACAGCAAGAAGGAGGTGGTGGTCTCATA
TTCTTCTGCCCTAATCAGACTGCACCACAAGTGCAGCATAAGTATGCATTTTAAAGATGCTTGGGCCAGGCGGG
GTGGCTGATGCCATAATCCAGTGCTTTGGGGGGCCAAGGCAGGCAGATTGCCAAGCTCAGGAGTTTGAGACC
ACCCTGGGCAACATGGTGAACTCTGTCTCTACTAAAAATACGAAAACTAGCCGGGTGTGGTGGCGGCGCGTGCC
TGTAATCCAGCTACTTGGGAGGCTGAGGCACAAGAATCGCTTGAGCCAGCTTGGGCTACAAAGTGAGACTCCGT
CTGAAAAGA

253/615

FIGURE 252

MCFKALGRNSVLLRICSFIPLLKSSVLGSGFGELAPPKMANITSSQILDQLKAPSLGQFTTTPSTQQNSTSHPTT
TTSWDLKPPTSQSSVLSHLDFKSQPEPSPVLSQLSQRQQHQSAVTVPPPGLESFPSQAKLRESTPGDSPSTVNK
LLQLPSTTIENISVSVHQPPKHIKLAKRRIPPASKIPASAVEMPGSADVTGLNVQFGALEFGSEPSLSEFGSAP
SSENSNQIPISLYSKSLSEPLNTSLSM TSAVQNSTYTTSVITSCSLTSSSLNSASPVAMSSSYDQSSVHNRI PYQ
SPVSSSESAPGTIMNGHGGGRSQQTLD SKYSSKLLLSWL VPTKQKRIAHVMWKTPVGQWLIR

Signal peptide:
amino acids 1-24

254/615

FIGURE 253

GGGCGCCCGCGTACTACTAGCTGAGGTGGCAGTGGTTCCACCAACATGGAGCTCTCGCAGATGTGGGAGCTCAT
GGGGCTGTGCGGTGTTGCTTGGGCTGCTGGCCCTGATGGCGACGGCGGGGTAGCGCGGGGGTGGCTGCGCGCGGG
GGAGGAGAGGAGCGGCCGGCCCGCTGCCAAAAGCAAATGGATTTCCACCTGACAAATCTTCGGGATCCAAGAA
GCAGAAACAATATCAGCGGATTCGGAAGGAGAAGCCTCAACAACACAACCTTCACCCACCGCCTCCTGGCTGCAGC
TCTGAAGAGCCACAGCGGGAACATATCTTGATGGACTTTAGCAGCAATGGCAAATACCTGGCTACCTGTGCAGA
TGATCGCACCATCCGCATCTGGAGCACCAGGACTTCTGCGAGCGAGACCCGAGCATGAGAGCCAACGTGGA
GCTGGACCACGCCACCCTGGTGCCTTCAGCCCTGACTGCAGAGCCTTCATCGTCTGGCTGGCCAACGGGGACAC
CCTCCGTGTCTTCAAGATGACCAAGCGGGAGGATGGGGCTACACCTTCACAGCCACCCAGAGGACTTCCCTAA
AAAGCACAAGGCGCCTGTCTATCGACATTGGCATTGCTAACACAGGGAAGTTTATCATGACTGCCTCCAGTGACAC
CACTGTCCTCATCTGGAGCCTGAAGGGTCAAGTGCTGTCTACCATCAACACCAACCAGATGAACAACACACACGC
TGCTGTATCTCCCTGTGGCAGATTTGTAGCCTCGTGTGGCTTCACCCAGATGTGAAGGTTTGGGAAGTCTGCTT
TGGAAAGAAGGGGGAGTTCCAGGAGGTGGTGCGAGCCTTCGAACATAAAGGGCCACTCCGCGGCTGTGCACTCGTT
TGCTTTCTCCAACGACTCACGGAGGATGGCTTCTGTCTCCAAGGATGGTACATGGAAACTGTGGGACACAGATGT
GGAATACAAGAAGAAGCAGGACCCCTACTTGCTGAAGACAGGCCGCTTTGAAGAGGCGGGCGGTGCCGCGCCGTG
CCGCTTGGCCCTCTCCCCAACGCCCAGGTCTTGGCCTTGGCCAGTGGCAGTAGTATTCTCTCTACAATACCCG
GCGGGGCGAGAAGGAGGAGTGCTTTGAGCGGGTCCATGGCGAGTGTATCGCCAACCTTGTCTTTGACATCACTGG
CCGCTTTCTGGCCTCCTGTGGGGACCGGGCGGTGCGGCTGTTTCACAACACTCCTGGCCACCGAGCCATGGTGGA
GGAGATGCAGGGCCACCTGAAGCGGGCCTCCAACGAGAGCACCCGCCAGAGGCTGCAGCAGCAGCTGACCCAGGC
CCAAGAGACCCTGAAGAGCCTGGGTGCCCTGAAGAAGTGAAGTCTGGGAGGGCCCGGCGCAGAGGATTGAGGAGGA
GGGATCTGGCCTCCTCATGGCACTGCTGCCATCTTTCTCCAGGTGGAAGCCTTTCAGAAGGAGTCTCCTGGTT
TTCTTACTGGTGGCCCTGCTTCTTCCCATTGAACTACTCTTGTCTACTTAGGTCTCTCTCTTCTGCTGGCTGT
GACTCCTCCCTGACTAGTGGCCAAGGTGCTTTTCTTCTCCAGGCCAGTGGGTGGAATCTGTCCCCACCTGGC
ACTGAGGAGAATGGTAGAGAGGAGAGAGAGAGAGAGAATGTGATTTTGGCCTTGTGGCAGCACATCCTCAC
ACCCAAAGAAGTTTGTAAATGTTCCAGAACAACCTAGAGAACACCTGAGTACTAAGCAGCAGTTTGTCAAGGATG
GGAGACTGGGATAGCTTCCCATCACAGAACTGTGTTCCATCAAAAAGACACTAAGGGATTTCTTCTGGGCCTCA
GTTCTATTTGTAAGATGGAGAATAATCCTCTCTGTGAACCTCTTGCAAAGATGATATGAGGCTAAGAGAATATCA
AGTCCCCAGGTCTGGAAGAAAAGTAGAAAAGTAGTACTATTGTCCAATGTGATGAAAGTGTTAAAAGTGGGAA
CCAGTGTGCTTTGAAACCAAATTAGAAACACATTCTTGGGAAGGCAAAGTTTTCTGGGACTTGATCATAATTT
TATATGGTTGGGACTTCTCTCTTCGGGAGATGATATCTTGTTTAAGGAGACCTCTTTTCAGTTCATCAAGTTCAT
CAGATATTTGAGTGCCCACTCTGTGCCCAAATAAATATGAGCTGGGGATTAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

255/615

FIGURE 254

MELSQMSELMGLSVLLGLLALMATAAVARGWLRAGEERSGRPACQKANGFPDPKSSGSKKQKQYQIRIRKEKPQQH
NFTHRLAAALKSHSGNISCMDFSSNGKYLATCADDRTIRIWSTKDFLQREHRSMRANVELDHATLVRFSPDCRA
FIVWLANGDTLRVFKMTKREDGGYTFTATPEDFPKKHKAPVIDIGIANTGKFIMTASSDTTVLIWSLKQVLSTI
NTNQMNNTHAAVSPCGRFVASCFTPDVKVWEVCFGKKGEFQEVVRAFELKGHSAAVHSFAFSNDSRRMASVSKD
GTWKLWTDVEYKKKQDPYLLKTGRFEEAAGAAPCRLALSPNAQVLALASGSSIHLYNTRRGEKEECFERVHGEC
IANLSFDITGRFLASCGRVRLFHNTPGHRAMVEEMQGHKLRASNESTRQRLQQQLTQAQETLKSLGALKK

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 76-80, 92-96, 231-235, 289-293, 378-382, 421-425

Beta-transducin family Trp-Asp repeat protein.

amino acids 30-47, 105-118, 107-119, 203-216, 205-217, 296-308

256/615

FIGURE 255

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCCGGGCCAGGTGCCCC
GTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGCGAGAAGCCCCCTTCCTCGGCGCTGCCAACCC
GCCACCCAGCCCATGGCGAACCCCGGGCTGGGGCTGCTTCTGGCGCTGGGCCTGCCGTTCTTGCTGGCCCCGCTGG
GGCCGAGCCTGGGGGCAAATACAGACCACTTCTGCAAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCC
AGCTCCGATGGCAACCTGCGTCCGGAAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTGGCTGCCTTGCTC
CTGGCTGTGGGGCTGGCACTGTTGGTGCGGAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCCACT
AGCGAGGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCTGCCTG
CCCATCTAGGTCCCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAAGGCAGTGCCTCTCT
GGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGGAAGAAGGTACTTCAAAGACTCTGCCCTGAGGTCAAGAGA
GGATGGGGCTATTCACCTTTTATATATTTATATAAAATTAGTAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

257/615

FIGURE 256

MANPGLGLLLALGLPFLLARWGRAWGQIQTTSANENSTVLPSSSTSSSSDGNLRPEAITAIIVVFSLLAALLLAVG
LALLVRKLRREKRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

FIGURE 257

[illegible]

259/615

FIGURE 258

MGLFRGFVFLVLCLLHQSNSTSFILNNNGFEDIVIVIDPSVPEDEKIEQIEDMVTASTYLFEATEKRFFFKN
VSILIPENWKENPQYKRPKHENHKHADVIVAPPTLPGRDEPYTKQFTECGEKGEYIHFTPDLLLGKKQNEYGPPG
KLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISGRNRVYKCQGGSCLSRACRIDSTTKLYGKDCQF
FPDKVQTEKASIMEMQSIDSVVEFCNEKTHNQEAPSLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSL
KISQIRIVCLVLDKSGSMGGKDRNLNRMNQAAKHFLLOTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGL
PTYPLGGTSICSGIKYAFQVIGELHSQLDGSEVLLLTGDEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMS
KITGGSHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVVGKDTFFLITWNS
LPPSISLWDPSGTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSRAANSSVPPITVNAKM
NKDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGAGADSFKNMGVYSRYFTAYTENGRYS
LKVRAHGGANTARLKLRLPPLNRAAYIPGWVVNGEIEANPPRPEIDEDTQTTLEDFSRASGGAFVVSQVPSLPLP
DQYPPSQITDLATVHEDKIILTWTAPGDNFDVGKVQRYIIRISASILDRLDSFDDALQVNTTDLSPKEANSKES
FAFKPENISEENATHIFIAIKSIDKSNLTSKVSNIQVTLFIPQANPDDIDPTPTPTPTPTPKSHNSGVNISTL
VLSVIGSVVIVNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592, 628-632,
811-815, 832-836, 837-841, 852-856, 896-900

260/615

FIGURE 259

CGCCGGAGGCGAGCGGGCGGTGGCGCAGCGGGCGACATGGCCGTTGTCTCAGAGGACGACTTTCAGCACAGTTCAA
ACTCCACCTACGGAACCACAAGCAGCAGTCTCCGAGCTGACCAGGAGGCACTGCTTGAGAAGCTGCTGGACCGCC
CGCCCCCTGGCCTGCAGAGGCCCGAGGACCGCTTCTGTGGCACATACATCATCTTCTTCAGCCTGGGCATTGGCA
GTCTACTGCCATGGAACTTCTTTATCACTGCCAAGGAGTACTGGATGTTCAAACCTCCGCAACTCCTCCAGCCCAG
CCACCGGGGAGGACCTGAGGGCTCAGACATCCTGAACTACTTTGAGAGCTACCTTGCCGTTGCCCTCCACCGTGC
CCTCCATGCTGTGCCTGGTGGCCAACTTCCTGCTGTGTCAACAGGGTTGCAGTCCACATCCGTGTCCTGGCCTCAC
TGACGGTCATCCTGGCCATCTTCATGGTGATAACTGCACTGGTGAAGGTGGACACTTCCTCCTGGACCCGTTGGTT
TTTTTGCGGTCACCATTGTCTGCATGGTGATCCTCAGCGGTGCCTCCACTGTCTTCAGCAGCAGCATCTACGGCA
TGACCGGCTCCTTTCTATGAGGAACTCCCAAGCACTGATATCAGGAGGAGCCATGGGCGGGACGGTCAGCGCCG
TGGCCTCATTGGTGGACTTGGCTGCATCCAGTGATGTGAGGAACAGCGCCCTGGCCTTCTTCTGACGGCCACCA
TCTTCCTCGTGCTCTGCATGGGACTCTACCTGCTGCTGTCCAGGCTGGAGTATGCCAGGTACTACATGAGGCCTG
TTCTTGCGGCCCATGTGTTTTCTGGTGAAGAGGAGCTTCCCAGGACTCCCTCAGTGCCCTTCGGTGGCCTCCA
GATTCATTGATTCCCACACACCCCTCTCCGCCCCATCCTGAAGAAGACGGCCAGCCTGGGCTTCTGTGTACCT
ACGTCTTCTTTCATCACCAGCCTCATCTACCCGCGCTGTGCACCAACATCGAGTCCCTCAACAAGGGCTCGGGCT
CACTGTGGACCACCAAGTTTTTCATCCCCCTCACTACCTTCTCCTGTACAACTTTGCTGACCTATGTGGCCGGC
AGCTCACCGCCTGGATCCAGGTGCCAGGGCCCAACAGCAAGGCGCTCCAGGGTTCTGTGCTCCTCCGGACCTGCC
TCATCCCCCTCTTCGTGCTGTGTAACACCAGCCCCGCGTCCACCTGAAGACTGTGGTCTTCCAGTCCGATGTGT
ACCCCGCACTCCTCAGCTCCCTGCTGGGGCTCAGCAACGGCTACCTCAGCACCTGGCCCTCCTCTACGGGCCTA
AGATTGTGCCCAGGGAGCTGGCTGAGGCCACGGGAGTGGTGATGTCTTTTATGTGTGCTTGGGCTTAACACTGG
GCTCAGCCTGCTCTACCCTCCTGGTGCACCTCATCTAGAAGGGAGGACACAAGGACATTGGTGCTTCAGAGCCTT
TGAAGATGAGAAGAGAGTGCAGGAGGGCTGGGGGCCATGGAGGAAAGGCCTAAAGTTTCACTTGGGGACAGAGAG
CAGAGCACTCGGGCCTCATCCCTCCCAAGATGCCAGTGAGCCACGTCCATGCCCATTCCTGCAAGGCAGATA
TTCCAGTCATATTAACAGAACACTCCTGAGACAGTTGAAGAAGAAATAGCACAAATCAGGGGTACTCCCTTACA
GCTGATGGTTAACATTCCACCTTCTTTCTAGCCCTTCAAAGATGCTGCCAGTGTTCGCCCTAGAGTTATTACAAA
GCCAGTGCCAAAACCCAGCCATGGGCTCTTTGCAACCTCCCAGCTGCGCTCATTCCAGCTGACAGCGAGATGCAA
GCAAATGCTCAGCTCTCCTTACCCTGAAGGGGTCTCCCTGGAATGGAAGTCCCCTGGCATGGTCAGTCCTCAGGC
CCAAGACTCAAGTGTGCACAGACCCCTGTGTCTGCGGGTGAACAACCTGCCACTAACCAGACTGGAAAACCCAG
AAAGATGGGCCTTCCATGAATGCTTCATTCCAGAGGGACCAGAGGGCCTCCCTGTGCAAGGGATCAAGCATGTCT
GGCCTGGGTTTTCAAAAAAGAGGGATCCTCATGACCTGGTGGTCTATGGCCTGGGTCAAGATGAGGGTCTTTCA
GTGTTCTGTTTACAACATGTCAAAGCCATTGGTTCAAGGGCGTAATAAATACTTGCGTATTCAAAAA

261/615

FIGURE 260

MAVSEDDFQHSSNSTYGTSSSLRADQEALLEKLLDRPPPGQLQRPEDRFCGTYIIFFSLGIGSLLPWNEFITAK
EYWMFKLRNSSSPATGEDPEGS DILNYFESYLAVASTVPSMLCLVANFLLVNRVAVHIRVLASLTVILAI FMVIT
ALVKVDTSSWTRGFFAVTIVCMVILSGASTVFSSSIYGMTGSFPMRNSQALISGGAMGGTVSAVASLVDLAASSD
VRNSALAFFLTATIFLVLCMGLYLLLSRLEYARYYMRPVLAHVFSGEEELPQDSLSAPSVASRFIDSHTPPLRP
ILKKTASLGFCVTYVFFITSLIYPAVCTNIESLNKSGSLWTTKFFIPLTTFLLYNFADLCGRQLTAWIQVPGPN
SKALPGFVLLRTCLIPFLVLCNYQPRVHLKT VVFQSDVYPALLSSLLGLSNGYLSTLALLYGPKIVPRELAEATG
VVMSFYVCLGLTLGSACSTLLVHLI

Transmembrane domain:

amino acids 50-74 (type II), 105-127, 135-153, 163-183, 228-252, 305-330,
448-472

262/615

FIGURE 261

CGGACGCGTGGGCTGCTGGTGGGAAGGCCTAAAGAACTGGAAAGCCCACTCTCTTGGAAACCACCACACCTGTTTA
AAGAACCTAAGCACCATTAAAGCCACTGGAAATTTGTTGTCTAGTGGTTGTGGGTGAATAAAGGAGGGCAGAAAT
GGATGATTTTCATCTCCATTAGCCTGCTGTCTCTGGCTATGTTGGTGGGATGTTACGTGGCCGGAATCATTCCTTT
GGCTGTTAATTTCTCAGAGGAACGACTGAAGCTGGTGACTGTTTTGGGTGCTGGCCTTCTCTGTGGAACCTGCTCT
GGCAGTCATCGTGCCCTGAAGGAGTACATGCCCTTTATGAAGATATTCTTGAGGGAAAACACCACCAAGCAAGTGA
AACACATAATGTGATTGCATCAGACAAAGCAGCAGAAAAATCAGTTGTCCATGAACATGAGCACAGCCACGACCA
CACACAGCTGCATGCCTATATTGGTGTTCCTCGTTCTGGGCTTCGTTTTCATGTTGCTGGTGGACCAGATTGG
TAACTCCCATGTGCATTTCTACTGACGATCCAGAAGCAGCAAGGTCTAGCAATTCAAAATCACCACCACGCTGGG
TCTGGTTGTCCATGCTGCAGCTGATGGTGTGCTTTGGGAGCAGCAGCATCTACTTCACAGACCAGTGTCCAGTT
AATTGTGTTTTGTGGCAATCATGCTACATAAGGCACCAGCTGCTTTTGGACTGGTTTCCTTCTTGATGCATGCTGG
CTTAGAGCGGAATCGAATCAGAAAGCACTTGCTGGTCTTGTGATTGGCAGCACCAGTTATGTCCATGGTGACATA
CTTAGGACTGAGTAAGAGCAGTAAAGAAGCCCTTTCAGAGGTGAACGCCACGGGAGTGGCCATGCTTTTCTCTGC
CGGGACATTTCTTTATGTTGCCACAGTACATGTCTCCCTGAGGTGGGCGGAATAGGGCACAGCCACAAGCCCGA
TGCCACGGGAGGGAGAGGCCTCAGCCGCTGGAAGTGGCAGCCCTGGTTCTGGGTGCCTCATCCCTCTCATCCT
GTCAGTAGGACACCAGCATTAATGTTCAAGTCCAGCCTTGGTCCAGGGCCGTTTGGCATCCAGTGAGAACAGC
CGGCACGTGACAGCTACTCACTTCCTCAGTCTCTTGTCTCACCTTGGCATCTCTACATGTATTCCTAGAGTCCA
GAGGGGAGGTGAGGTTAAAACCTGAGTAATGGAAAAGCTTTTAGAGTAGAAAACACATTTACGTTGCAGTTAGCTA
TAGACATCCCATTGTGTTATCTTTTAAAAGGCCCTTGACATTTTGCCTTTTAAATTTCTCTTAACCTATTTCTC
AGGGAAGATGGAATTTAGTTTTAAGGAAAAGAGGAGAACTTCATACTCACAATGAAATAGTGATTATGAAAATAC
AGTGTCTGTAAATTAAGCTATGTCTCTTCTCTTAGTTTAGAGGCTCTGCTACTTTATCCATTGATTTTAAACA
TGGTTCCCAACCATGTAAGACTGGTGCTTTAGCATCTATGCCACATGCGTTGATGGAAGGTCATAGCACCCACTCA
CTTAGATGCTAAAGGTGATTCTAGTTAATCTGGGATTAGGGTCAGGAAAATGATAGCAAGACACATTGAAAGCTC
TCTTTATACTCAAAGAGATATCCATTGAAAAGGGATGTCTAGAGGGATTTAAACAGCTCCTTTGGCACGTGCCT
CTCTGAATCCAGCCTGCCATTCCATCAAATGGAGCAGGAGAGGTGGGAGGAGCTTCAAAGAGGTGACTGGTATT
TTGTAGCATTCTTGTCAAGTTCTCCTTTGCAGAATACCTGTCTCCACATTCCTAGAGAGGAGCCAAGTTCTAGT
AGTTTCAGTTCTAGGCTTTTCTTCAAGAACAGTCAGATCACAAAAGTGTCTTTGGAAATTAAGGGATATTAAATTT
TAAGTGATTTTTGGATGGTTATTGATATCTTTGTAGTAGCTTTTTTTAAAGACTACCAAAATGTATGGTTGTCC
TTTTTTTTTTGTTTTTTTTTTTTTTTAAATATTTCTCTTAGCAGATCAGCAATCCCTCTAGGGACCTAAATACTAGG
TCAGCTTTGGCGACACTGTGTCTTCTCACATAACCACCTGTAGCAAGATGGATCATAAATGAGAAGTGTTCGCT
ATTGATTTAAAGCTATTGGAATCATGTCTCTTGTCTCTTCGTCTTTTCTTTGCTTTTCTTCTAACTTTTCCCTC
TAGCCTCTCCTCGCCACAATTTGCTGCTTACTGCTGGTGTAAATATTGTGTGGGATGAATTCTTATCAGGACAA
CCACTTCTCGAAGTGAATAATGAAGATAATAATATCTTTATTTCTTTATCCCCCTTCAAAGAAATTACCTTTGTG
TCAAATGCCGCTTTGTTGAGCCCTTAAATACCACCTCCTCATGTGTAAATTGACACAATCACTAATCTGGTAAT
TTAAACAATTGAGATAGCAAAAGTGTTTAACAGACTAGGATAATTTTTTTTTTCATATTTGCCAAAATTTTGTAA
ACCCTGTCTTGTCAAATAAGTGTATAATATTGTATTATTAATTTATTTTTACTTTCTATACCATTTCAAAACACA
TTACACTAAGGGGGAACCAAGACTAGTTTCTTCAGGGCAGTGACGTAGTAGTTTGTAAAAACGTTTTCTATGAC
GCATAAGCTAGCATGCCTATGATTTATTTCTTCATGAATTTGTCACTGGATCAGCAGCTGTGGAAATAAAGCTT
GTGAGCCCTCTGCTGGCCACAGTGAGGAAAGTAGCACAAATAGGATACAGTTGTATGTAGTCATTGGCAACAATT
GCATACAATTTTACTACCAAGAGAAGGTATAGTATGGAAAGTCCAAATGACTTCCTTGATTGGATGTAAACAGCT
GACTGGTGTGAGACTTGAGTTTCATCTAGTCTTCAAACCTATATGGTTGCCTAGATTCTCTCTGGAAACTGAC
TTTGTCAAATAAATAGCAGATTGTAGTGTCAAAAAA

263/615

FIGURE 262

MDDFISISLLSLAMLVGCYVAGIIPLAVNFSEERLKLVTVLGAGLLCGTALAVIVPEGVHALYEDILEGKHHQAS
ETHNVIASDKAAEKSVVHEHEHSHDHTQLHAYIGVSLVLGFVFMLLVDQIGNSHVHSTDDPEAARSSNSKITTTL
GLVVHAAADGVALGAAASTSQTSLVQIVFVAIMLHKAPAAFGLVSFLMHAGLERNRIRKHLVFFALAAPVMSMVT
YLGLSKSSKEALSEVNATGVAMLFSA GTFLYVATVHVLPEVGGIGHSHKPDATGGRGLSRLEVAALVLGCLIPLI
LSVGHQH

Signal peptide:
amino acids 1-18

Transmembrane domain:
amino acids 37-56, 106-122, 211-230, 240-260, 288-304

264/615

FIGURE 263

CTCCTTAGGTGGAAACCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCCCGG
GCAGGGGTGACAAACAGGTGTCTCTTTTGTATCTCGTGTGTGGCTGCCTTCTATTTCAAGGAAAGAC
GCCAAGGTAATTTTGACCCAGAGGAGCAATGATGTAGCCACCTCCTAACCTTCCCTTCTTGAACCCCC
AGTTATGCCAGGATTTACTAGAGAGTGTCAACTCAACCAGCAAGCGGCTCCTTCGGCTTAACCTGTGG
TTGGAGGAGAGAACCTTTGTGGGGCTGCGTTCTCTTAGCAGTGCTCAGAAGTGACTTGCTGTAGGGTG
GACCAGAAGAAAGGAAAGGTCCCCTCTTGCTGTTGGCTGCACATCAGGAAGGCTGTGATGGGAATGAA
GGTGAAAACCTTGGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCTTTAAAAGTAGAGA
AGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATGCAAGCAGC
TCCGGGGGGCCCCAAACGCATGCTTCCCTGTGGTCTAGCCCAGGGAAGCCCTTCCGTGGGGGGCCCCGGCT
TTGAGGGATGCCACCGGTTCTGGACGCATGGCTGATTCTGAATGATGATGGTTCCGCCGGGGGCTGCT
TGGCTGGATTTCCCGGGTGGTGGTTTGTGCTGGTGTCTCTGCTGTGCTATCTGTCTGTACATGT
TGGCCTGCACCCCAAAAGGTGACGAGGAGCAGCTGGCACTGCCAGGGCCAACAGCCCCACGGGGAAG
GAGGGGTACCAGGCCGTCTTCAGGAGTGGGAGGAGCAGCACCAGCAACTACGTGAGCAGCCTGAAGCG
GCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGAGCAGCTCAGGAATGGGCAGTACCAAG
CCAGCGATGCTGCTGGCCTGGGTCTGGACAGGAGCCCCCAGAGAAAACCCAGGCCGACCTCCTGGCC
TTCCTGCACTCGCAGGTGGACAAGGCAGAGGTGAATGCTGGCGTCAAGCTGGCCACAGAGTATGCAGC
AGTGCCTTTTCGATAGCTTACTCTACAGAAGGTGTACCAGCTGGAGACTGGCCTTACCCGCCACCCCG
AGGAGAAGCCTGTGAGGAAGGACAAGCGGGATGAGTTGGTGGGAAGCCATTGAATCAGCCTTGGAGACC
CTGAACAATCCTGCAGAGAACAGCCCCAATCACCCTCCTTACACGGCCTCTGATTTTCATGAAGGGAT
CTACCGAACAGAAAGGGACAAAGGGACATTGTATGAGCTCACCTTCAAAGGGGACCACAAACACGAAT
TCAAACGGCTCATCTTATTTTCGACCATTCAGCCCCATCATGAAAGTGAAAAATGAAAGCTCAACATG
GCCAACACGCTTATCAATGTTATCGTGCCCTTAGCAAAAAGGGTGGACAAGTTCCGGCAGTTTCATGCA
GAATTTTCAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGGAAAAG
AAGAAATAAATGAAGTCAAAGGAATACTTGAAAACACTTCCAAAGCTGCCAAGCTCAGGAAGTTTACC
TTCATCCAGCTGAATGGAGAATTTTCTCGGGGAAAGGGACTTGATGTTGGAGCCCGCTTCTGGAGGGG
AAGCAACGTCCTTCTCTTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTA
GGCTGAATACACAGCCAGGGAAGAAGGTATTTTATCCAGTTCTTTTCAGTCAGTACAATCCTGGCATA
ATATACGGCCACCATGATGCAGTCCCTCCCTTGGAAACAGCAGCTGGTCATAAAGAAGGAAAGTGGATT
TTGGAGAGACTTTGGATTTGGGATGACGTGTGAGTATCGGTCAGACTTCATCAATATAGGTGGGTTTG
ATCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTCCACAGCAACCTC
ATAGTGGTACGGACGCTGTGCGAGGACTCTTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAGCT
GACCCCGGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCCACGGCCAGCTGG
GCATGCTGGTGTTCAGGCACGAGATAGAGGCTCACCTTCGCAACAGAAACAGAGAAGACAGTAGCAAA
AAAACATGAAGTCCCAGAGAAGGATTGTGGGAGACACTTTTTCTTTCTTTTGAATTAAGTGAAGTG
GCTGCAACAGAGAAAAGACTTCCATAAAGGACGACAAAAGAATTGGACTGATGGGTGAGAGATGAGAA
AGCCTCCGATTTCTCTCTGTTGGGCTTTTACAACAGAAATCAAATCTCCGCTTTGCCTGCAAAAGT
AACCAGTTGCACCTGTGAAGTGTCTGACAAAGGCAGAAATGCTTGTGAGATTATAAGCCTAATGGTG
TGGAGGTTTTGATGGTGTTCACAACTGAGACCTGTTGTTTGTGTGCTCATTGAAATATTCATG
ATTTAAGAGCAGTTTTGTAAAAAATTCATTAGCATGAAAGGCAAGCATATTTCTCCTCATATGAATGA
GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAAAATATCAGAAGGCAGGAGAGGAGATAGGCTTA
TTATGATACTAGTGAGTACATTAAGTAAAAATAAATGGACCAGAAAAGAAAAGAAACCATAAATATCG
TGTCATATTTTCCCAAGATTAACCAAAAAATAATCTGCTTATCTTTTGGTTGTCTTTTAACTGTCT
CCGTTTTTTTCTTTTATTTAAAAATGCACCTTTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTA
CCACTTTGCAAGCCTTACAAGAGAGCACAAGTTGGCCTACATTTTATATTTTTTAAGAAGATACTTT
GAGATGCATTATGAGAACTTTCACTTCAAAGCATCAAATGATGCCATATCCAAGGACATGCCAAATG
CTGATTCGTGAGGCACTGAATGTGAGGCATGTAGACATAGGGAAGGAATGGTTGTACTAATAACAGA
CGTACAGATACTTTCTCTGAAGAGTATTTTCTGAAGAGGAGCAACTGAACACTGGAGGAAAAGAAAATG
ACACTTTCTGCTTTACAGAAAAGGAAACTCATTCAGACTGGTGATATCGTGATGTACCTAAAAGTCAG
AAACCACATTTTCTCCTCAGAAGTAGGGACCGCTTTCTTACCTGTTTAAATAAACCAGTATACCGT
GTGAACCAACAATCTCTTTTCAAACAGGGTGTCTCCTCGGCTTCTGGCTTCCATAAGAAGAAATG
GAGAAAAATATATATATATATATATATATTGTGAAAGATCAATCCATCTGCCAGAATCTAGTGGGATG
GAAGTTTTTGTACATGTTATCCACCCAGGCCAGGTGGAAGTAACTGAATTATTTTTTAAATTAAGC
AGTTCTACTCAATCACCAAGATGCTTCTGAAAATGCAATTTTATTACCATTTCAAACATTTTTTTAAA
AATAAATACAGTTAACAATAGAGTGGTTTCTTCACTCATGTGAAAATTATTAGCCAGCACCAGATGCAT
GAGCTAATTATCTCTTTGAGTCTTGGCTTCTGTTTGTCTCACAGTAAACTCATTGTTTAAAGCTTCAA
GAACATTCAGCTGTTGGTGTGTTAAAAAATGCATTGTATTGATTGTACTGGTAGTTTATGAAATTT
AATTAACACACAGGCCATGAATGGAAGGTGGTATTGCACAGCTAATAAATATGATTTGTGGATATGAA

265/615

FIGURE 264

MMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQALPRANSPTGKEGYQAVLQEWEEQHRNYVSSL
KRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQVDKAEVNAGVKLATEYAAVPFDS
FTLQKVYQLETGLTRHPEEKPVKDKRDELVEAIESALETNNPAENSPNHRPYTASDFIEGIYRTERDKGTLYE
LTFKGDHKHEFKRLILFRPFSPIMKVKNEKLNMANLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVY
FGKEEINEVKGILENTSKAANFRNFTFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNLCRLNT
QPGKKVFYPVLFSSQYNPGIYGHHDVPPLEQQLVIKKETGFWRDFFGFGMTCQYRSDFINIGGFDLDIKGWGGED
VHLYRKYLHSNLIVVRTFVRGLFHLWHEKRCMDELTPQYKCMQSKAMNEASHGQLGMLVFRHEIEAHLRKQKQ
KTSSKKT

266/615

FIGURE 265

GGATGCAGAAAGCCTCAGTGTGCTCTTCTGGCCCTGGGTCTGCTTCTCTTCTACGCTGGCATTGCCCTCTTCA
CCAGTGGCTTCTCTGCTCACCCGTTTGGAGCTCACCAACCATAGCAGCTGCCAAGAGCCCCAGGCCCTGGGTCCC
TGCCATGGGGGAGCCAAGGGAAACCTGGGGCCTGCTGGATGGCTTCCCGATTTTCGCGGGTTGTGTTGGTGCTGA
TAGATGCTCTGCGATTTGACTTCGCCCAGCCCCAGCATTACACGTGCCTAGAGAGCCTCCTGTCTCCCTACCTT
TCCTGGGCAAACCTAAGCTCCTTGAGAGGATCCTGGAGATTACAGCCCCACCATGCCCGGCTCTACCGATCTCAGG
TTGACCTCCTACCACCACCATGCAGCGCCTCAAGGCCCTCACCCTGGCTCACTGCCTACCTTTATTTGATGCTG
GTAGTAACCTCGCCAGCCACGCCATAGTGAAGACAATCTCATTAAAGCAGCTCACCAGTGCAGGAAGGCGTGTAG
TCTTCATGGGAGATGATACCTGGAAAGACCTTTTCCCTGGTGCTTTCTCCAAAGCTTTCTTCTTCCCATCCTTCA
ATGTCAGAGACCTAGACACAGTGGACAATGGCATCCTGGAACACCTCTACCCACCATGGACAGTGGTGAATGGG
ACGTGCTGATTGCTCACTTCTGGGTGTGGACCACTGTGGCCACAAGCATGGCCCTCACCACCCTGAAATGGCCA
AGAACTTAGCCAGATGGACCAGGTGATCCAGGACTTGTGGAGCGTCTGGAGAATGACACACTGCTGGTAGTGG
CTGGGGACCATGGGATGACCACAAATGGAGACCATGGAGGGGACAGTGAGCTGGAGGTCTCAGCTGCTCTCTTTC
TGATAGCCCCACAGCAGTCTTCCCGACACCCACAGAGGAGCCAGAGTGATTCTCAAGTACGCTTGTGC
CCACGCTGGCCCTGCTGCTGGGCTGCCCATCCCATTTGGGAATATCGGGGAAGTGATGGCTGAGCTATTCTCAG
GGGTGAGGACTCCAGCCCCACTCCTCTGCTTTAGCCCAAGCCTCAGCTCTCCATCTCAATGCTCAGCAGGTGT
CCGATTTCTTTCATACCTACTCAGCTGCTACTCAGGACCTTCAAGCTAAGGAGCTTTCATCAGCTGCAGAACCTCT
TCTCCAAGGCCTCTGCTGACTACCACTGGCTTCTCCAGAGCCCCAAGGGGGCTGAGGCGACACTGCCGACTGTGA
TTGCTGAGCTGCAGCAGTTCCTGCGGGGAGCTCGGGCCATGTGCATCGAGTCTTGGGCTCGTTTCTCTCTGGTCC
GCATGGCGGGGGGTACTGCTCTCTTGGCTGCTTCTCTGCTTTATCTGCCTGCTGGCATCTCAGTGGGCAATATCCC
CAGGCTTTCCATTCTGCCCTCTACTCCTGACACCTGTGGCCTGGGGCCTGGTTGGGGCCATAGCGTATGCTGGAC
TCCTGGGAACCTATTGAGCTGAAGCTAGATCTAGTGCTTCTAGGGGCTGTGGCTGCAGTGAGCTCATTCCTCCCTT
TCTGTGGAAAGCCTGGGCTGGCTGGGGGTCCAAGAGGCCCTGGCAACCTGTTTCCCATCCTGGGCCCCGTCC
TGTTACTCCTGCTGTTTCGCTTGGCTGTGTTCTTCTCTGATAGTTTTGTGTAGCTGAGGCCAGGGCCACCCCT
TCCTTTTGGGCTCATTTCATCCTGCTCCTGGTTGTCCAGCTTCACTGGGAGGGCCAGCTGCTTCCACCTAAGCTAC
TCACAATGCCCCGCCTTGGCACTTCAGCCACAACAAACCCCCACGGCACAAATGGTGCATATGCCCTGAGGCTTG
GAATTGGGTTGCTTTTATGTACAAGGCTAGCTGGGCTTTTTTCATCGTTGCCCTGAAGAGACACCTGTTTGCCACT
CCTCTCCCTGGCTGAGTCTCTGGCATCCATGGTGGGTGGTTCGAGCCAAGAATTTATGGTATGGAGCTTGTGTGG
CGGCGCTGGTGGCCCTGTTAGCTGCCGTGCCCTTGTGGCTTCGCCGCTATGGTAATCTCAAGAGCCCCGAGCCAC
CCATGCTCTTTGTGCGCTGGGGACTGCCCTAATGGCATTGGGTACTGCTGCCTACTGGGCATTGGCGTCCGGGG
CAGATGAGGCTCCCCCGCTCTCCGGGTCTGGTCTCTGGGGCATCCATGGTGTGCTGCCTCGGCTGTAGCAGGGC
TGGCTGCTTCAGGGCTCGCGCTGCTGCTCTGGAAGCCTGTGACAGTGTGGTGAAGGCTGGGGCAGGCGCTCCAA
GGACCAGGACTGTCTCACTCCCTTCTCAGGCCCCCCCCACTTCTCAAGCTGACTTGGATTATGTGGTCCCTCAAA
TCTACCGACACATGCAGGAGGAGTTCGGGGCCGGTTAGAGAGGACCAAATCTCAGGGTCCCCTGACTGTGGCTG
CTTATCAGTTGGGGAGTGTCTACTCAGCTGCTATGGTCACAGCCCTCACCTGTTGGCCTTCCCACCTTCTGCTGT
TGCATGCGGAGCGCATCAGCCTTGTGTTCTGCTTCTGTTTCTGCAGAGCTTCTTCTCTCTACATCTGCTTGTG
CTGGGATACCCGTCACCACCCCTGGTCTTTTACTGTGCCATGGCAGGCAGTCTCGGCTTGGGCCCTCATGGCCA
CACAGACCTTCTACTCCACAGGCCACAGCCTGTCTTTCCAGCCATCCATTGGCATGCAGCCTTCGTGGGATTCC
CAGAGGGTCATGGCTCCTGTACTTGGCTGCCTGCTTTGCTAGTGGGAGCCAACACCTTGCCTCCCACCTCCTCT
TTGCAGTAGGTTGCCACTGCTCCTGCTCTGGCCTTTCTGTGTGAGAGTCAAGGGCTGCGGAAGAGACAGCAGC
CCCCAGGGAATGAAGCTGATGCCAGAGTCAGACCCGAGGAGGAAGAGGAGCCACTGATGGAGATGCGGCTCCGGG
ATGCGCCTCAGCACTTCTATGCAGCACTGCTGCAGCTGGGCCTCAAGTACCTCTTTATCCTTGGTATTAGATTTC
TGGCCTGTGCCCTTGGCAGCCTCCATCCTTCGAGGCATCTCATGGTCTGGAAAGTGTGTTGCCCTAAGTTCATAT
TTGAGGCTGTGGGCTTCATTGTGAGCAGCGTGGGACTTCTCCTGGGCATAGCTTTGGTGATGAGAGTGGATGGTG
CTGTGAGCTCCTGGTTCAGGCAGCTATTTCTGGCCAGCAGAGGTAGCCTAGTCTGTGATTACTGGCACTTGGCT
ACAGAGAGTGTGGAGAACAGTGTAGCCTGGCCTGTACAGGTACTGGATGATCTGCAAGACAGGCTCAGCCATAC
TCTTACTATCATGCAGCCAGGGGCCGCTGACATCTAGGACTTCATTATTCTATAATTCAGGACCACAGTGGAGTA
TGATCCCTAACTCCTGATTTGGATGCATCTGAGGGACAAGGGGGCGGTCTCCGAAGTGGAAATAAATAGGCCGG
GCGTGGTGACTTGCACTATAATCCAGCACTTTGGGAGGCAGAGGTGGGAGGATTGCTTGGTCCCAGGAGTTCA
AGACCAGCCTGTGGAACATAACAAGACCCCGTCTCTACTATTTAAAAAAGTGAATAAATGATAATAT

267/615

FIGURE 266

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62809

<subunit 1 of 1, 1089 aa, 1 stop

<MW: 118699, pI: 8.49, NX(S/T): 2

MQKASVLLFLAWVCFLFYAGIALFTSGFLLTRLELTNHSSCQEPGPGSLPWGSQKPGACWMA SRFSRVVLVLI
DALRFDAQPPQHSHVPREPPVSLPFLGKLSSLQRILEIQPHHARLYRSQVDPPTTTMQRLKALTGSLPTFIDAG
SNFASHAIVEDNLIKQLTSAGRRVVFMGDDTWKDLFPGAFFSKAFFFP SFNVRDLDTVDNGILEHLYPTMDSGEWD
VLIAHFLGVDHCGHKHGHHPHMAKKLSQMDQVIOGLVERLENDTLLVVAGDHGMMTNGDHGGDSELEVSAALFL
YSPTAVFPSTPPEEPEVIPOVSLVPTLALLLGLPIPFGNIGEVMAELFSGGEDSQPHSSALAQASALHNAQQVS
RFLHTYSAAATQDLQAKELHQLQNLFSKASADYQWLLQSPKGAETLPTVIAELQQFLRGARAMCIESWARFSLVR
MAGGTALLAASCFCICLLASQWAI SPGFPPCPLLLTPVAWGLVGAIAYAGLLGTIELKLDLVLLGAVAAVSSFLPF
LWKAWAGWGSKRPLATLFPPIPGPVLLLLLFR LAVFFSDSFVVAEARATPFLG SFILLVVLHWEQQLPPKLL
TMPRLGTSATTNPPRHNGAYALRLGIGLLCTRLAGLFHRCPEETPVCHSSPWLSPLAS MVGGRAKNLWYGACVA
ALVALLAAVRLWLRRYGNLKSPEPPMLFVRWGLPLMALGTAA YWALASGADEAPPRLRVLVSGAS MVLPRAVAGL
AASGLALLLWKPVTVLVKAGAGAPRTRTVLTPFSGPPTSQADLDYVVPQIYRHMQEEFRGRLETKSQGPLTVAA
YQLGSVYSAMVTALTLLAFPLLLLHAERISLVFLLLFQS FLLHLLAAGIPVTTPGPFTVPWQAVSAWALMAT
QTFYSTGHQPVFP AIHWHA AFVGFPEGHGSC TWLPALLVGANTFASHLLFAVGCPLLLLWPFLCESQGLRKRQOP
PGNEADARVRPEEEEEPLMEMRLDAPQH FYAALLQLGLKYLFI LGIQILACALAASILRRHLMVWKVFAPKFIF
EAVGFIVSSVGLLLGIALVMRVDGAVSSWFRQLFLAQQR

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domains:amino acids 317-341, 451-470, 481-500, 510-527, 538-555, 831-850, 1016-1034,
1052-1070**Leucine zipper pattern.**

amino acids 843-864

N-glycosylation sites.

amino acids 37-40, 268-271

268/615

FIGURE 267

GAGACTGCAGAGGGAGATAAAGAGAGAGGGCAAAGAGGCAGCAAGAGATTTGTCCTGGGGATCCAGAAACCCATG
ATACCCTACTGAACACCGAATCCCCTGGAAGCCACAGAGACAGAGACAGCAAGAGAAGCAGAGATAAATACACT
CAGGCCAGGAGCTCGCTCGCTCTCTCTCTCTCTCTCTCACTCCTCCCTCCCTCTCTCTGCTGTCTAGTCCT
CTAGTCCTCAAATCCCAGTCCCCTGCACCCCTTCTGGGACACTATGTTGTTCTCCGCCCTCCTGCTGGAGGTG
ATTTGGATCCTGGCTGCAGATGGGGTCAACACTGGACGTATGAGGGCCACATGGTCAGGACCATTGGCCAGCC
TCTTACCCTGAGTGTGGAACAATGCCAGTCGCCCATCGATATTCAGACAGACAGTGTGACATTTGACCTGAT
TTGCCTGCTCTGCAGCCCCACGGATATGACCAGCCTGGCACCAGGCCTTTGGACCTGCACAACAATGGCCACACA
GTGCAACTCTCTCTGCCCTCTACCCTGTATCTGGGTGGACTTCCCCGAAAATATGTAGCTGCCAGCTCCACCTG
CACTGGGGTCAGAAAGGATCCCCAGGGGGGTGAGAACACCAGATCAACAGTGAAGCCACATTTGCAGAGCTCCAC
ATTGTACATTATGACTCTGATTCCATGACAGCTTGAGTGAGGCTGCTGAGAGGCCTCAGGGCCTGGCTGTCTG
GGCATCCTAATTGAGGTGGGTGAGACTAAGAATATAGCTTATGAACACATTCTGAGTCACTTGCATGAAGTCAGG
CATAAAGATCAGAAGACCTCAGTGCCTCCCTTCAACCTAAGAGAGCTGCTCCCCAAACAGCTGGGGCAGTACTTC
CGCTACAATGGCTCGCTCACAACCTCCCCCTTGCTACCAGAGTGTGCTCTGGACAGTTTTTTATAGAAGTCCCAG
ATTTCAATGGAACAGCTGGAAAAGCTTCAGGGGACATTGTTCTCCACAGAAGAGGAGCCCTCTAAGCTTCTGGTA
CAGAACTACCGAGCCCTTCAGCCTCTCAATCAGCGCATGGTCTTTGCTTCTTTTCATCCAAGCAGGATCCTCGTAT
ACCACAGGTGAAATGCTGAGTCTAGGTGTAGGAATCTTGGTTGGCTGTCTCTGCCTTCTCCTGGCTGTTTATTTT
ATTGCTAGAAAGATTCGGAAGAAGAGGCTGGAAAACCGAAAGAGTGTGGTCTTCACCTCAGCACAAGCCACGACT
GAGGCATAAATTCCTTCTCAGATACCATGGATGTGGATGACTTCCCTTCATGCCTATCAGGAAGCCTCTAAAATG
GGGTGTAGGATCTGGCCAGAAACACTGTAGGAGTAGTAAGCAGATGTCTCCTTCCCCTGGACATCTCTTAGAGA
GGAATGGACCCAGGCTGTCTTCCAGGAAGAACTGCAGAGCCTTCAGCCTCTCCAACATGTAGGAGGAAATGAG
GAAATCGCTGTGTTGTTAATGCAGAGANCAAACTCTGTTTAGTTGCAGGGGAAGTTTGGGATATACCCCAAAGTC
CTCTACCCCTCACTTTTATGGCCCTTCCCTAGATATACTGCGGGATCTCTCCTTAGGATAAAGAGTTGCTGTT
GAAGTTGTATATTTTGTATCAATATATTTGGAATTAAAGTTTCTGACTTT

269/615

FIGURE 268

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62812
><subunit 1 of 1, 337 aa, 1 stop
><MW: 37668, pI: 6.27, NX(S/T): 1
MLFSALLLEVIWILAADGGQHWTYEGPHGQDHWHPASYPECGNNASPIDIQTDSVTFDPDLPALQPHGYDQPGTE
PLDLHNNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPPGGSEHQINSEATFAELHIVHYDSYDSLSEA
AERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPPFNLRELLPKQLGQYFRYNGSLTTPPCYQSV
LWTVFYRRSQISMEOLEKLGTLFSTEEEPSKLLVQNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVG
CLCLLLAVYFIARKIRKKRLENRKSVMFTSAQATTEA
```

Important features of the protein:**Signal peptide:**

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

270/615

FIGURE 269

GTGGCGCTGGCGGTTGCTGTCTAGCTGATTCCCGGGGTTGGTGGCAGCGGCGGTAGCAGCAATGGACTTTCTCCTG
GGGAACCCGTTTCTAGCTCTCCAGTGGGACAGCGCATCGAGAAAGCCACAGATGGCTCCCTGCAGAGCGAGGACTGG
GCCCTCAACATGGAGATCTGCGACATCATCAACGAGACGGAGGAAGGTCCCAAAGATGCCCTCCGAGCAGTAAAG
AAGAGAATCGTGGGGAATAAGAACTTCCACGAGGTGATGCTGGCTCTCACAGTCTTAGAAACCTGTGTCAAGAAC
TGCGGGCACCCTTCCACGTGCTGGTGGCCAGCCAGGACTTCGTGGAGAGTGTGCTGGTGAGGACCATCCTGCCC
AAGAACAACCCACCCACCATCGTGCATGACAAAGTGCTCAACCTCATCCAGTCTGGGCTGACGCGTTCGCGCAGC
TCGCCCCGATCTGACAGGTGTGGTCACCATCTATGAGGACCTGCGGAGGAAAGGCCTGGAGTTCCCATGACTGAC
CTGGACATGCTGTACCCATCCACACACCCAGAGGACCGTGTTCAACTCAGAGACACAATCAGGACAGGATTCTG
TGGGCACTGACTCCAGCCAGCAAGAGGACTCTGGCCAGCATGCTGCCCCCTGCCCCGCCCCGCCCCATACTCTCCG
GTGACACGCCCCATAGCACCAACCCCGGAACAGATTGGGAAGCTGCGCAGTGAGCTGGAGATGGTGAGTGGGAACG
TGAGGGTGATGTGCGAGATGCTGACGGAGCTGGTGGCCACCCAGGCCGAGCCCCGAGACCTGGAGCTGCTGCAGG
AGCTCAACCGCACGTGCCGAGCCATGCAGCAGCGGGTCTGAGTGATACCTGCTCCGGGGCCCATGCCCAAGGA
GCCCTTCAGAGCCCACACTGCCAGTCGAGGCCTGGCTGGAGGCTGGCCACAGTGGAAATTCTGCCGAGCCTATTG
TCCCTACCCTGCTCTGCTGCATGGGGCCCCATGGCTTTGGCTGGCCACTGAGGGTAGGGTGTGGAGGTGTGGAGG
CCCCCTGAGGAGCTGCGGCGGGCCAGGTACGAAGCTGCAACTCTGCGCGCAGTGGGCGAGATCTCATCAGCCCCA
GGCTGCAGGTGAGGCTTCAGGGGATGCTGGGGCCCCACTGCCCTCCGCTGCCTTGCCCTCCATCCTTCTCTGT
TCCTTCTGGCCGGGCACCAAGCACTGGGGCTCACCTCTTGTTGATCCTCTTGTAAGTGGGAGAGGTGCCTTTTG
TATCCCCAATTAAAGGTAGAAAAC

271/615

FIGURE 270

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62813
><subunit 1 of 1, 209 aa, 1 stop
><MW: 23465, pI: 7.57, NX(S/T): 1
MDFLLGNPFSSPVGQRIEKATDGSLSQSEDWALNMEICDIINETEEGPKDALRAVKKRIVGNKNFHEVMLALTVE
TCVKNCGRFRFHVLSQDFVESVLVRTILPKNNPPTIVHDKVLNLIQSWADAFRSSPDLTGCVVTIYEDLRRKGLE
FPMTDLDMLSPIHTPRGPCSTQRHNQDRILWALTPASKRTIASMLPLCPPRPYSPVTRP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-15

N-glycosylation site:

Amino acids 41-45

N-myristoylation sites:

Amino acids 6-12;23-29

272/615

FIGURE 271

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGTCTCTGCGGGGAGACGCCAGCCTGCGTCTGCCATGGGGC
TCGGGTTGAGGGGCTGGGGACGTCTCTGCTGACTGTGGCCACCGCCCTGATGCTGCCCCTGAAGCCCCCGCAG
GCTCCTGGGGGGCCAGATCATCGGGGGCCACGAGGTGACCCCCCACTCCAGGCCCTACATGGCATCCGTGCGCT
TCGGGGGCCAACATCACTGCGGAGGCTTCCTGCTGCGAGCCCGCTGGGTGGTCTCGGCCGCCCACTGCTTCAGCC
ACAGAGACCTCCGCACTGGCCTGGTGGTGTCTGGGCGCCACGTCTGAGTACTGCGGAGCCCACCCAGCAGGTGT
TTGGCATCGATGCTCTCACCACGCACCCCGACTACCACCCCATGACCCACGCCAACGACATCTGCCTGCTGCGGC
TGAACGGCTCTGCTGTCCTGGGCCCTGCAGTGGGGCTGCTGAGGCTGCCAGGGAGAAGGGCCAGGCCCCCACAG
CGGGGACACGGTGCCGGGTGGCTGGCTGGGGCTTCGTGTCTGACTTTGAGGAGCTGCCGCCTGGACTGATGGAGG
CCAAGGTCCGAGTGCTGGACCCGGACGTCTGCAACAGCTCCTGGAAGGGCCACCTGACACTTACCATGCTCTGCA
CCCGCAGTGGGGACAGCCACAGACGGGGCTTCTGCTCGGCCGACTCCGGAGGGCCCCTGGTGTGCAGGAACCGGG
CTCACGGCCTCGTTTCCTTCTCGGGCCTCTGGTGCGGCGACCCCAAGACCCCGACGTGTACACGCAGGTGTCCG
CCTTTGTGGCCTGGATCTGGGACGTGGTTTCGGCGGAGCAGTCCCCAGCCCGGCCCCCTGCCTGGGACCACCAGGC
CCCCAGGAGAAGCCGCTTGAGCCACAACCTTGCGGCATGCAAATGAGATGGCCGCTCCAGGCCTGGAATGTTCCG
TGGCTGGGCCCCACGGGAAGCCTGATGTTTCAGGGTTGGGGTGGGACGGGCAGCGGTGGGGCACACCCATTCCACA
TGCAAAGGGCAGAAGCAAACCCAGTAAAATGTTAACTGACAAAAAAAAAAAAAAAAAAAAAGAAA

273/615

FIGURE 272

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62845

><subunit 1 of 1, 283 aa, 1 stop

><MW: 30350, pI: 9.66, NX(S/T): 2

MGLGLRGWGRPLLTVATALMLPVKPPAGSWGAIIGGHEVTPHSRPYMASVRFGGQHHC GG FLLRARWVVSAAHC
FSHRDLRTGLVVLGAHVLSTAEP TQQVFGIDALTTHPDYHPMTHANDICLLRLNGSAVLGPAVG LLLRLPGRRARP
PTAGTRCRVAGWGFVSDFEELPPGLMEAKVRVLDPDVCNSSWKGH LTLMLCTRSGDSHRRGFCSADSGGPLVCR
NRAHGLVSFSGLWCGDPKTPDVYTQVSAFVAWIWDVVRSSPQPGPLPGTTRPPGEAA

Signal peptide:

amino acids 1-30

274/615

FIGURE 273

GAAGTTCGCGAGCGCTGGCTATGGGTCCTGGGGCGCGGCTGGCGGCGCTGCTGGCGGTGCTGGCGCTCGGGACAG
GAGACCCAGAAAAGGGCTGCGGCTCGGGGCGACACGTTCTCGGCGCTGACCAGCGTGGCGCGCGCCCTGGCGCCCG
AGCGCCGGCTGCTGGGGCTGCTGAGGCGGTACCTGCGCGGGGAGGAGGCGCGGCTGCGGGACCTGACTAGATTCT
ACGACAAGGTACTTTCTTTGCATGAGGATTCAACAACCCCTGTGGCTAACCCCTCTGCTTGCATTTACTCTCATCA
AACGCCTGCAGTCTGACTGGAGGAATGTGGTACATAGTCTGGAGGCCAGTGAGAACATCCGAGCTCTGAAGGATG
GCTATGAGAAGGTGGAGCAAGACCTTCCAGCCTTTGAGGACCTTGAGGGAGCAGCAAGGGCCCTGATGCGGCTGC
AGGACGTGTACATGCTCAATGTGAAAGGCCTGGCCCCGAGGTGTCTTTCAGAGAGTCACTGGCTCTGCCATCACTG
ACCTGTACAGCCCCAAACGGCTCTTTTCTCTCACAGGGGATGACTGCTTCCAAGTTGGCAAGGTGGCCTATGACA
TGGGGGATTATTACCATGCCATTCCATGGCTGGAGGAGGCTGTCACTCTCTTCCGAGGATCTTACGGAGAGTGGA
AGACAGAGGATGAGGCAAGTCTAGAAGATGCCTTGGATCACTTGGCCTTTGCTTATTTCCGGGCGAGAAATGTTT
CGTGTGCCCTCAGCCTCTCTCGGGAGTTTCTTCTCTACAGCCAGATAATAAGAGGATGGCCAGGAATGTCTTGA
AATATGAAAGGCTCTTGGCAGAGAGCCCCAACCCAGTGGTAGCTGAGGCTGTATCCAGAGGCCCAATATACCCC
ACCTGCAGACCAGAGACACCTACGAGGGGCTATGTACAGCCCTGGGTTCCAGCCCACTCTCTACCAGATCCCTA
GCCTCTACTGTTCTATGAGACCAATTCCAACGCCTACCTGCTGCTCCAGCCCATCCGGAAGGAGGTATCCACC
TGGAGCCCTACATTGCTCTCTACCATGACTTCGTCACTGACTCAGAGGCTCAGAAAATTAGAGAACTTGACAAC
CATGGCTACAGAGGTCACTGGTGGCATCAGGGGAGAAAGCAGTTACAAGTGGAGTACCGCATCAGCAAAAGTGCCT
GGCTGAAGGACACTGTTGACCCAAAACCTGGTGACCCCTCAACCACCGCATTTGCTGCCCTCACAGGCCTTGATGTCC
GGCCTCCCTATGCAGAGTATCTGCAGGTGGTGAACCTATGGCATCGGAGGACACTATGAGCCTCACTTTGACCATG
CTACGTCACCAAGCAGCCCCCTCTACAGAATGAAGTCAGGAAACCGAGTTGCAACATTTATGATCTATCTGAGCT
CGGTGGAAGCTGGAGGAGCCACAGCCTTCATCTATGCCAACCTCAGCGTGCCTGTGGTTAGGAATGCAGCACTGT
TTTGGTGGAACTGCACAGGAGTGGTGAAGGGGACAGTGACACACTTCATGCTGGCTGTCTGTCTGCTGGTGGGAG
ATAAGTGGGTGGCCAACAAGTGGATACATGAGTATGGACAGGAATCCGCAGACCCTGCAGCTCCAGCCCTGAAG
ACTGAACCTGTTGGCAGAGAGAAGCTGGTGGAGTCCCTGTGGCTTTCCAGAGAAGCCAGGAGCCAAAAGCTGGGGTA
GGAGAGGAGAAAAGCAGAGCAGCCTCCTGGAAGAAGGCCTTGTGAGCTTTGTCTGTGCCTCGCAAAATCAGAGGCAA
GGGAGAGGTTGTTACCAGGGGACACTGAGAATGTACATTTGATCTGCCCCAGCCACGGAAGTCAGAGTAGGATGC
ACAGTACAAAGGAGGGGGGAGTGGAGGCCTGAGAGGGAAGTTTCTGGAGTTCAGATACTCTCTGTTGGGAACAGG
ACATCTCAACAGTCTCAGGTTGATCAGTGGGTCTTTTGGCACTTTGAACCTTGACCACAGGGACCAAGAAGTGG
CAATGAGGACACCTGCAGGAGGGGCTAGCCTGACTCCCAGAACTTTAAGACTTTCTCCCCACTGCCTTCTGCTGC
AGCCCAAGCAGGGAGTGTCCCCCTCCAGAAAGCATATCCAGATGAGTGGTACATTATATAAGGATTTTTTTTTAA
GTTGAAAACAACCTTTCTTTTCTTTTGTATGATGGTTTTTTAACACAGTCATTAAAAATGTTTATAAATCAAAA

275/615

FIGURE 274

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64849
><subunit 1 of 1, 544 aa, 1 stop
><MW: 61126, pI: 6.40, NX(S/T): 2
MGPGARLAALLAVLALGTGDPERAAARGDTFSALTSVARALAPERRLGLLRRYLRGEEA
RLRDLTRFYDKVLSLHEDSTTFVANPLLAFTLIKRLQSDWRNVVHSLEASENIRALKDGY
EKVEQDLPAFEDLEGAARALMRLQDVYMLNVKGLARGVFQRTGSAITDLYSPKRLFSLT
GDDCFQVGKVAYDMGDYYHAIPWLEEAVSLFRGSYGEWKTEDEASLEDALDHLAFAYFRA
GNVSCALSLSREFLLYSPDNKRMARNVLKYERLLAESPNHVVAEAVIQRPNIPLQTRDT
YEGLCQTLGSOPTLYQIPSLYCSYETNSNAYLLLQPIRKEVIHLEPYIALYHDFVSDSEA
QKIRELAEPWLQRSVVASGEKQLQVEYRISKSAWLKDTVDPKLVTLNHRIAALTGLDVRP
PYAEYLQVVNYGIGGHYEPHFDHATSPSSPLYRMKSGNRVATFMIYLSSEAGGATAFIY
ANLSVPVVRNAALFWWNLHRSGEGSDTLHAGCPVLVGDKWVANKWIEYQGFEFRPCSS
SPED
```

Important features of the protein:**Signal peptide:**

Amino acids 1-19

Leucine zipper pattern:

Amino acids 34-56;41-63

Ribonucleotide reductase small subunit signature:

Amino acids 340-356

N-glycosylation sites:

Amino acids 242-246;482-486

Cell attachment sequence:

Amino acids 27-30

Tyrosine kinase phosphorylation site:

Amino acids 189-198

N-myristoylation sites:Amino acids 4-10;135-141;153-159;164-170;241-247;303-309;309-315;
457-463;473-479

276/615

FIGURE 275

GGCAACATGGCTCAGCAGGCTTGCCCCAGAGCCATGGCAAAGAATGGACTTGTAATTTGCATCCTGGTGATCACC
TTACTCCTGGACCAGACCAGCCACACATCCAGATTAAAAGCCAGGAAGCACAGCAAACGTCGAGTGAGAGAC
AAGGATGGAGATCTGAAGACTCAAATTGAAAAGCTCTGGACAGAAGTCAATGCCTTGAAGGAAATTCAAGCCCTG
CAGACAGTCTGTCTCCGAGGCACTAAAGTTCACAAGAAATGCTACCTTGCTTCAGAAGGTTTGAAGCATTTCCAT
GAGGCCAATGAAGACTGCATTTCCAAAGGAGGAATCCTGGTTATCCCCAGGAATCCGACGAAATCAACGCCCTC
CAAGACTATGGTAAAAGGAGCCTGCCAGGTGTCAATGACTTTTGGCTGGGCATCAATGACATGGTCACGGAAGGC
AAGTTTGTGACGTCAACGGAATCGCTATCTCCTTCCCTCAACTGGGACCGTGCACAGCCTAACGGTGGCAAGCGA
GAAACTGTGTCTGTCTCCCAATCAGCTCAGGGCAAGTGGAGTGATGAGGCCTGTGCGCAGCAGCAAGAGATAC
ATATGCGAGTTCAACATCCCTAAATAGGTCTTTCTCCAATGTGTCTCCAAGCAAGATTATCATAACTTATAGG
TTCATGATCTCTAAGATCAAGTAAAAATCATAATTTTTACTTATTAAAAAATTGCAACACAAGATCAATGTCCAT
AGCAATATGATAGCATCAGCCAATTTTGCTAACACATTTCTTTGGGATTTTGCCCTTCCCTGGGGTATAGGGGATC
AGAAATATTGATCCATGTGCACGCAGATAAAATGGCTTCTGCTAAACAGACTAAAATCTTCTCTAGTCTTTC
TCACTTGTACAAAACCCAGTTTGTTTTCAAAAAATCACAGTAGCAATGCAACTCATCACTCTAGAAAAGCAAGCTT
AGGCTACCTGAAAGATTTTCCCTTGGAAGTTTAGCGTATGTTTGAATAACAAAAATTCCCTACATCAGAGACTCT
AGGTGCTATATAATCCAAAACTTTTCAGCCTGTTGCTCATTCTGTCCCATGCTGGCAATAATACCTTGTTCAGCC
CATTACCCCTATTTTGAATTGCTCCATCTCCTGGTGGGACTTGATCTTGTCTGCCATATCAGAACACAAACCCC
TGAAGAGGTTCTGATTTGATTTTTTTTTTTCTTCATGCCCTACCCTTTTTTTTGGAGTTTCCAGCCGCAATTTGA
AATGAAATGACAAGGTGTATATTTGATCAATTTTCATTCCCACCATGCAATTACAACCTCTAACTTAAATGGGTA
ACCTTAAGGCATATCAAGAAGCAGATTGCATGATAAACGGAAATAGAAAAAAGAACCCTACATTTATTTTGCTT
TAGCATCCTTACTCTCACCTTTTATGAGATTGAGAGTGGACTTACATTTCTTTTTTACATTTTCGTATATTTAT
TTTTTTTAGCCATCATATATGTTTAAAGTCTATTATGGGCAACCAATCTTTGGAAGCTGAAAATGAATTTAAAG
AATGCTATCTTGGAAAATTGCATACGTCTGTGCAATTTTTTATCTGCCTAGTGCTATTCTGCTTGTTTAACTAG
ATTGTACAAAATAACTTCATTGCTTAAATCAAATTACAAAGTTTAGACTTGGAGGGAAATGGGCTTTTTAGAAAG
CAAACAATTTTAAATATATTTGTTCTTCAAATAAATAGTGTTTAAACATTGAATGTGTTTTGTGAACAATATCC
CACTTTGCAAACCTTTAACTACACATGCTTGGAAATTAAGTTTTAGCTGTTTTATTGCTCAATAATAAAGCCTGAA
TTCTGATCAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

277/615

FIGURE 276

MAQQACPRAMAKNGLVICILVITLLLDQTTSHTSRLKARKHSKRRVRDKDGLKTQIEKLWTEVNALKEIQALQT
VCLRGTKVHKKCYLASEGLKHFHEANEDCISKGGILVIPRNSDEINALQDYGKRSLPGVNDFWLGINDMVTEGKF
VDVNGIAISFLNWDRAQPNGGKRENCVLFSQSAQGKWSDEACRSSKRYICEFTIPK

278/615

FIGURE 277

GAGATAGGGAGTCTGGGTTTAAGTTCTGCTCCATCTCAGGAGCCCCTGCTCCCACCCCTAGGAAGCCACCAGAC
TCCACGGTGTGGGGCCAATCAGGTGGAATCGGCCCTGGCAGGTGGGGCCACGAGCGCTGGCTGAGGGACCGAGCC
GGAGAGCCCCGGAGCCCCCGTAACCCGCGCGGGGAGCGCCAGGATGCGCGCGGGGACTCGGAGCAGGTGCGCT
ACTGCGCGCGCTTCTCCTACCTCTGGCTCAAGTTTTCACTTATCATCTATTCCACCGTGTCTGGCTGATTGGGG
CCCTGGTCCTGTCTGTGGGCATCTATGCAGAGGTTGAGCGGCAGAAATATAAAACCCTTGAAAGTGCCTTCCTGG
CTCCAGCCATCATCCTCATCCTCCTGGGCGTCGTCATGTTTCATGGTCTCCTTCATTGGTGTGCTGGGCGTCCCTCC
GTGACAACTGTACCTTCTCCAAGCATTATGTACATCCTTGGGATCTGCCTCATCATGGAGCTCATTGGTGGCG
TGGTGGCCTTGACCTTCCGGAACCAGACCATTGACTTCCTGAACGACAACATTGGAAGAGGAATTGAGAACTACT
ATGATGATCTGGACTTCAAAAACATCATGGACTTTGTTTCAGAAAAAGTTCAAGTGCTGTGGCGGGGAGGACTACC
GAGATTGGAGCAAGAATCAGTACCACGACTGCAGTGCCCTGGACCCCTGGCCTGTGGGGTGCCCTACACCTGCT
GCATCAGGAACACGACAGAAGTTGTCAACACCATGTGTGGCTACAAAACATATCGACAAGGAGCGTTTCAGTGTGC
AGGATGTCTACGTGCGGGGCTGCACCAACGCCGTGATCATCTGGTTCATGGACAACCTACACCATCATGGCGT
GCATCCTCCTGGGCATCCTGCTTCCCCAGTTCTGGGGGTGCTGCTGACGCTGCTGTACATCACCCGGGTGGAGG
ACATCATCATGGAGCACTCTGTCACTGATGGGCTCCTGGGGCCCGGTGCCAAGCCAGCGTGGAGGCGGCAGGCA
CGGGATGCTGCTTGTGCTACCCCAATTAGGGCCCCAGCCTGCCATGGCAGCTCCAACAAGGACCGTCTGGGATAGC
ACCTCTCAGTCAACATCGTGGGGCTGGACAGGGCTGCGGCCCTCTGCCCACACTCAGTACTGACCAAAGCCAGG
GCTGTGTGTGCTGTGTGTAGGTCCCACGGCCTCTGCCTCCCCAGGGAGCAGAGCCTGGGCCTCCCCAAGAGGC
TTCCCCGAGGCAGCTCTGGAATCTGTGCCACCTGGGGCCTGGGGAACAAGGCCCTCCTTTCTCCAGGCCTGGG
CTACAGGGGAGGGAGAGCCTGAGGCTCTGCTCAGGGCCCATTTTCATCTCTGGCAGTGCCTTGGCGGTGGTATTCA
AGGCAGTTTTGTAGCACCTGTAATTGGGGAGAGGGAGTGTGCCCTCGGGGCAGGAGGGAAGGGCATCTGGGGAA
GGGCAGGAGGGGAAGAGCTGTCCATGCAGCCACGCCCATGGCCAGGTTGGCCTCTTCTCAGCCTCCAGGTGCCTT
GAGCCCTCTTGCAAGGGCGGCTGCTTCCTTGAGCCTAGTTTTTTTTTACGTGATTTTTGTAAACATTCATTTTTTT
GTACAGATAACAGGAGTTTCTGACTAATCAAAGCTGGTATTTCCCCGCATGTCTTATTCTTGCCCTTCCCCAAC
CAGTTTGTTAATCAAACAATAAAAACATGTTTTGTTTTGTTTTTAAAAA

279/615

FIGURE 278

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64863
><subunit 1 of 1, 294 aa, 1 stop
><MW: 33211, pI: 5.35, NX(S/T): 3
MPRGDSEQVRYCARFSYLWLKFSLLIYSTVFWLIGALVLSVGIYAEVERQKYKTLES AFLAPAIILILLGVVMFM
VSFIGVLASLRDONLYLLQAFMYILGICLIMELIGGVVALTFRNQTIDFLNDNIRRG IENYYDDLDFKNIMDFVQK
KFKCCGGEDYRDWSKNQYHDCSAPGPLACGVPTYTCIRNTTEVVNTMCGYKTIDKERFSVQDVIYVRGCTNAV II
WFMDNYTIMACILLGILLPQFLGVLLTLLYITRVEDIIMEHSVTDGLLGPGAKPSVEAAGTGCCCLCYPN
```

Signal peptide:
amino acids 1-44

Transmembrane domains:
amino acids 22-42, 57-85, 93-116, 230-257

280/615

FIGURE 279

GAGGAGCGGGCCGAGGACTCCAGCGTGCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACACCTGGGAAGAT
GGCCGGCCCGTGGACCTTCACCCTTCTCTGTGGTTTGTGGCAGCCACCTTGATCCAAGCCACCCTCAGTCCCAC
TGCAGTTCTCATCCTCGGCCAAAAGTCATCAAAGAAAAGCTGACACAGGAGCTGAAGGACCACAACGCCACCAG
CATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGCGGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCT
GGTGAACACCGTCCCTGAAGCACATCATCTGGCTGAAGGTATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCC
CTCGGCCAATGACCAGGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCCCTGGTCAA
GACCATCGTGGAGTTCCACATGACGACTGAGGCCCAAGCCACCATCCGCATGGACACCAGTGAAGTGGCCCCAC
CCGCCTGGTCCTCAGTGACTGTGCCACCAGCCATGGGAGCCTGCCCATCCAAGTGTATAGCTCTCCTTCCT
GGTGAACGCCTTAGCTAAGCAGGTATGAACCTCCTAGTGCCATCCCTGCCCAATCTAGTGAAAAACCAGCTGTG
TCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGACCTCCTGCAGCTGGTGAAGGTGCCCATTTCCCTCAG
CATTGACCGTCTGGAGTTTGACCTTCTGTATCCTGCCATCAAGGGTGACACCATTAGCTCTACCTGGGGGCCAA
GTTGTTGGACTCACAGGAAAGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCCTGACAATGCCACCCTGGA
CAACATCCCGTTAGCCTCATCGTGAGTCAGGACGTGGTGAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
ATTCATGGTCCTGTTGGACTCTGTGCTTCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGCTGATCAATGA
AAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGACACTCCCGAGTTTTTTATAGA
CCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTTCCCTCCAGTGAAGCCCTCCGCCCTTTGTT
CACCCTGGGCATCGAAGCCAGCTCGGAAGCTCAGTTTTACACCAAAGGTGACCAACTTATACTCAACTGAATAA
CATCAGCTCTGATCGGATCCAGCTGATGAACCTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCAT
CACTGAGATCATCCACTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCATTGGT
GAAGGCCTTGGGATTCGAGGCAGCTGAGTCTCACTGACCAAGGATGCCCTTGCTGCTTACTCCAGCCTCCTTGTTG
GAAACCCAGCTCTCCTGTCTCCAGTGAAGACTTGATGGCAGCCATCAGGGAAGGCTGGGTCCCAGCTGGGAGT
ATGGGTGTGAGCTCTATAGACCATCCCTCTCTGCAATCAATAAACACTTGCTGTGAAAAA

281/615

FIGURE 280

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64881
><subunit 1 of 1, 484 aa, 1 stop
><MW: 52468, pI: 7.14, NX(S/T): 3
MAGPWTFTLLCGLLAATLIQATLSPTAVLILGPKVIKEKLTQELKDNATSILQQPLLSAMREKPAGGIPVLGS
LVNTVLKHIIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIIVEFHMTTEAQTIRMDTSASGP
TRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNLVKNQLCPVIEASFNGMYADLLQLVKVPISL
SIDRLEFDLLYPKAGDTIQLYLGAKLLDSQGVKTKWFNNSAASLTMPDLNIPFSLIVSQDVVKAAVAVALSPE
EFMVLLDSVLPESAHLKSSIGLINEKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSSEALRPL
FTLGIEASSEAQFYTKGQDQILNLNLISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSL
VKALGFEEAAESSLTkdALVLTpASLWKpSSpVSQ
```

Important features of the protein:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

282/615

FIGURE 281

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTCCCCGCGTTCT
CTTTCCACCTTTTCTCTTCTTCCACCTTAGACCTCCCTTCCTGCCCTCCTTTCTGCCCACCGCTGCTTCCTGGC
CCTTCTCCGACCCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGGGTGATCTGTGGCCCTGTGCCTCCGTGTC
CTTTTCGTCTCCCTTCTCCCGACTCCGCTCCCGGACCAGCGCCTGACCTGGGAAAGGATGGTTCCCGAGGT
GAGGGTCTCTCCTTCTGCTGGGACTCGCGCTGCTCTGGTTCCCCCTGGACTCCCACGCTCGAGCCCCGCCAGA
CATGTTCTGCCTTTTCCATGGGAAGAGATACTCCCCCGCGAGAGCTGGCACCCCTACTTGGAGCCACAAGGCCT
GATGTACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCCTCCACTGTCCGCCTGTCCA
CTGCCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACCTCACACTCCCTCTGGACTCCG
GGCCCCACCAAAGTCCTGCCAGCACAAACGGGACCATGTACCAACACGGAGAGATCTTCAGTGCCCATGAGCTGTT
CCCCCTCCGCTGCCCAACCAGTGTGTCTCTGCAGCTGCACAGAGGGCCAGATCTACTGCGGCCTCACAACCTG
CCCCGAACCAGGCTGCCAGCACCCCTCCCACTGCCAGACTCCTGCTGCCAAGCCTGCAAAGATGAGGCAAGTGA
GCAATCGGATGAAGAGGACAGTGTGCAGTCGCTCCATGGGGTGAGACATCCTCAGGATCCATGTTCCAGTGATGC
TGGGAGAAAGAGAGGCCCCGGGCACCCAGCCCCCACTGGCCTCAGCGCCCTCTGAGCTTCATCCCTCGCCACTT
CAGACCCAAGGGAGCAGGCAGCACAACTGTCAAGATCGTCTGAAGGAGAAACATAAGAAAGCCTGTGTGCATGG
CGGGAAGACGTACTCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCCTTCGGCCCTTGCCTGCATCCTATG
CACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCCCACCGAGTACCCCTGCCGTACCCCCGAGAA
AGTGGCTGGGAAGTGTGCAAGATTTGCCAGAGGACAAAGCAGACCCTGGCCACAGTGAGATCAGTTCTACCAG
GTGTCCCAAGGCACCGGGCCGGGTCTCTGTCACACATCGGTATCCCCAAGCCCAGACAACCTGCGTCGCTTTGC
CCTGGAACACGAGGCCTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAAACTGAGGCTCA
GAGAGGTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGACTCAGATCAAGAAAGTCAGGAAGC
AAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCACGAAGGTCACTGGAACGTCTTCCTAG
CCAGACCCCTGGAGCTGAAGGTCACGGCCAGTCCAGACAAAGTGACCAAGACATAACAAAGACCTAAACAGTTGCA
GATATGAGCTGTATAATTGTTGTTATTATATATTAATAAATAAGAAGTTGCATTACCCCTCAAAAAAAAAAAAAA
AAAAAA

283/615

FIGURE 282

>/usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64902

><subunit 1 of 1, 451 aa, 1 stop

><MW: 49675, pI: 7.15, NX(S/T): 1

MVPEVRVLSSLLGLALLWFPLDSHARARPD MFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSEGAHVSCYRLH
CPPVHCPQPVTPEQQCCPKVEPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELFPSRLPNQCVLCSCTEGQIYC
GLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVHRHPQDPCSSDAGRKRGPPTAPTGLSAPLSF
IPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYSHGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPTTEYPC
RHPEKVAGKCCKICPEDKADPGHSEISSTRCPKAPGRVLVHTSVSPSPDNLRREFALEHEASDLVEIYLWKLVKDE
ETEAQRGEVPGPRPHSQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSDPGAEGHGQSRQSDQDITKT

Signal peptide:

amino acids 1-25

284/615

FIGURE 283

CGCATGGTGCGCCCGGTGGCGGTGGCGGCGGCGGTTGCGGAGGCTTCCTTGGTCGGATTGCAACGAGGAGAAGAT
GACTGACCAACCGACTGGCTGAATGAATGAATGGCGGAGCCGAGCGCGCCATGAGGAGCCTGCCGAGCCTGGGCG
GCCTCGCCCTGTTGTGCTGCGCCGCCGCCGCCGCCGCTCGCCTCAGCCGCCTCGGCGGGGAATGTCACCGGTG
GCGGCGGGGCGCGGGGCGAGGTGGACGCGTCGCCGGGCCCCGGGTTGCGGGGCGAGCCAGCCACCCCTTCCCTA
GGGCGACGGCTCCCACGGCCCGAGCCCCGAGGACCGGGCCCCCGCGCGCCACCGTCCACCGACCCCTGGCTGCGA
CTTCTCCAGCCAGTCCCCGGAGACCACCCCTCTTTGGGCGACTGCTGGACCCTCTTCCACCACCTTTCAGGCGC
CGCTCGGCCCCCTCGCCGACCACCCCTCCGGCGGGCGGAACGCACTTCGACCACCTCTCAGGCGCCGACCAGACCCG
CGCCGACCACCCCTTCGACGACCACTGGCCCGGCGCGGACCACCCCTGTAGCGACCACCGTACCGGCGCCACGA
CTCCCCGGACCCCGACCCCGATCTCCCCAGCAGCAGCAACAGCAGCGTCCTCCCCACCCACCTGCCACCGAGG
CCCCCTCTTCGCCTCCTCCAGAGTATGTATGTAAGTCTGTGGTTGGAAGCCTGAATGTGAATCGCTGCAACC
AGACCACAGGGCAGTGTGAGTGTGCGCCAGGTTATCAGGGGCTTCACTGTGAAACCTGCAAAGAGGGCTTTTACC
TAAATTACACTTCTGGGCTCTGTGAGCCATGTGACTGTAGTCCACATGGAGCTCTCAGCATACCGTGCAACAGGT
AAGCAACAGAGGGTGGAACTGAAGTTTATTTTATTTTAGCAAGGGAAAAAAAAGGCTGCTACTCTCAAGGACCA
TACTGGTTTAAACAAAGGAGGATGAGGGTCATAGATTTACAAAATATTTATATACTTTTATCTCTACTTTAT
ATGTTATATTTAATGTGAGGATTTAAAAACATCTAATTTACTGATTTAGTTCTTCAAAGCACTAGAGTCGCCAA
TTTTCTCTGGGATAATTTCTGTAAATTTATGGGAAAAAATTATTGAAGAATAAATCTGCTTTCTGGAAGGGCT
TTCAGGCATGAAACCTGCTAGGAGGTTTAGAAATGTTCTTATGTTTATTAATATACCATTGGAGTTTGAGGAAAT
TTGTGTTTTGGTTTATTTTCTCTAATCAAAATTTCTACATTTGTTTCTTTGGACATCTAAAGCTTAACCTGGG
GGTACCCTAATTTATTTAACTAGTGGAAGTAGACTGGTTTTACTCTATTTACCAGTACATTTTGAGACCAAAA
GTAGATTAAGCAGGAATTATCTTTAACTATTATGTTATTTGGAGGTAATTTAATCTAGTGAATAATGTACTGT
TATCTAAGCATTTGCCTTGTAAGTGAAGTAATTATTTGACCTTATGTGAGGCACTTGGCTTTTTGTG
GACCCCAAGTCAAAAACTGAAGAGACAGTATTAATAATGAAAAAATAATGACAGGTTATACTAGTGTAACC
TGGGTATAACCAAGATCTGCTGCCACTTACGAGCTGTGTTCCCTGGGCAAGTAATTTCCCTTCACTGAGCTTGT
TTCTTCTCAAGGTTGTTGTGAAGATTAAATGAGTTGATATATATAAAATGCCTAGCACATGTCACTCAATAAATT
CTGTTTGTGTTTTAATTTCAAAGGAATATTATGGACTGAAATGAGAGAACATGTTTTAAGAACTTTTAGCTCCTTG
ACAAAGAAGTGCTTTTATACTTTAGCACTAAATATTTTAAATGCTTTATAAATGATATTATACTGTTATGGAATAT
TGTATCATATTGTAGTTTATTAATAATGTAGAAGAGGCTGGGCGCGGTGGCTCACGCCTGTAATCCTAGCACTTT
GGGAGGCCAAGGCGGTGGATCACTTGAGGCCAGGAGTTCTAGATGAGCCTGGCCAGCACAGTGAAACCCCGTCT
CTACTAAAAATACAAACAAATTAGCTGGGCGTGGTGGCACACACCTGTAGTCCCAGCTACTCGGGAGGCTGAGGC
AGGAGAATCGGTTGAACCCGGGAGGTGGAGTTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGTGAG
AGAGGGGAGACTCTGTCTTAAAAAAA

285/615

FIGURE 284

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64952
><subunit 1 of 1, 258 aa, 1 stop
><MW: 25716, pI: 8.13, NX(S/T): 5
MRSLSLGGGLALLCCAAAAAASASAASAGNVTGGGGAAGQVDASPGPGLRGEPSHPFPRATAPTAQAPRTGPPRA
TVHRPLAATSPAQSPETTTPLWATAGPSSTTFQAPLGPSPTTPPAERTSTTSQAPTRPAPTTLSTTTGPAPTTTPV
ATTVPAPTTTPRTPTPDLPSSSNSSVLPTPPATEAPSSPPPEYVCNCSVVGSLNVNRCNQTTGQCECRPGYQGLHC
ETCKEGFYLNYSGLCQPCDCSPHGALSIPCNR
```

Important features of the protein:

Signal peptide:

amino acids 1-25

N-glycosylation sites.

amino acids 30-33, 172-175, 195-198, 208-211, 235-238

EGF-like domain cysteine pattern signature.

amino acids 214-226.

286/615

FIGURE 285

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCAGACATGCTGCTGCTGCTGCTGCCCCGCTCTGGGGG
AGGGAGAGGGCGGAAGGACAGACAAGTAAACTGCTGACGATGCAGAGTTCCGTGACGGTGCAGGAAGGCCTGTGT
GTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATTTACCCTGGCCAGTAGTTCATGGCTACTGG
TTCCGGGAAGGGGCCAATACAGACCAGGATGCTCCAGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAG
ACTCGGGACCGATTCCACCTCCTTGGGGACCCACATACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGA
AGTGATGCGGGGAGATACTTCTTTCTGATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCT
GTGAATGTGACAGCCTTGACCCACAGGCCCAACATCCTCATCCCAGGCACCCTGGAGTCCGGCTGCCCCAGAAT
CTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATAGGGACCTCCGTGTCC
CCCCTGGACCCCTCCACCACCCGCTCCTCGGTGCTCACCTCATCCCACAGCCCCAGGACCATGGCACCAGCCTC
ACCTGTCAAGGTGACCTTCCCTGGGGCCAGCGTGACCACGAACAAGACCGTCCATCTCAACGTGTCTTACCCGCCT
CAGAACTTGACCATGACTGTCTTCCAAGGAGACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCA
CTCCCAGAGGGCCAGTCTCTGCGCCTGGTCTGTGCACTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGC
CTGAGCTGGAGAGGCCTGACCCTGTGCCCTCACAGCCCTCAAACCCGGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCTGAACGTCTCC
CTGCAGAGCAAAGCCACATCAGGAGTGAATCAGGGGGTGGTGGGGGAGCTGGAGCCACAGCCCTGGTCTTCTG
TCCTTCTGCGTCATCTTCGTTGTAGTGAGGTCTGCAGGAAGAAATCGGCAAGGCCAGCAGCGGGCGTGGGAGAT
ACGGGCATAGAGGATGCAAACGCTGTGAGGGGTTGAGCCTCTCAGGGGCCCTGACTGAACCTTGGGCAGAAGAC
AGTCCCCCAGACCAGCCTCCCCAGCTTCTGCCCCGCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTC
AGCTTCCAGATGGTGAAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATC
CACAGATGAGAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCCTCCAGGCAAGGGAGAAGTCAGAGGC
TGATTCTTGTAATAAAGCCTCAACGTGATGAGCTATGATAAACTATGAATTATGTGCAGAGTGAAAAGC
ACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCCCTCCCTTTTATTTTTTAACTAAAG
ACAGACAAATTCCTA

287/615

FIGURE 286

MLLLLLPILLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSYP SHGWIYPGPVVHGYWFREGANTDQDAPVA
TNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNYKHHRLSVNVTALTHRPNILI
PGTLESGCPQNLTCVWPACEQGT PPMISWIGTSVSP LDPSTTRSSVLT LIPQPDHGTSLTCQVTFPGASVTTN
KTVHLNVSYPPQNLMTVFQGDGT VSTVLGNGSSLSLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPS
NPGVLELPWVHLRDAAEFTCRAQNPLGSQQVYLNVS LQSKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRK
KSARPAAGVGDTGIEDANAVRGSSASQG PLTEPWAEDSPPDQPPPASARSSVGE GELQYASLSFQMVKPWDSRGQE
ATDTEYSEIKIHR

Signal peptide:
amino acids 1-15

Transmembrane domain:
amino acids 351-370

288/615

FIGURE 287

CGCGAGCTGAGAGGAGCAGGTAGAGGGGCAGAGGGGGACTGTCGTCTGGGGGAGCCGCCAGGAGGCTCCTCAG
GCCGACCCAGACCCTGGCTGGCCAGGATGAAGTATCTCCGGCACCAGCGGCCCAATGCCACCCTCATCTGGCC
ATCGGCGCTTTACCCCTCCTCCTCTTCAGTCTGCTAGTGTACACACCCACCTGCAAGGTCCAGGAGCAGCCACCG
GCGATCCCCGAGGCCCTGGCCTGGCCCACTCCACCCACCCGCCAGCCCCGGCCCCGTGCCATGCCAACACCTCT
ATGGTCACCCACCCGGACTTCGCCACGCAGCCGCAGCAGCTTCAGAACTTCCTCCTGTACAGACACTGCCGCCAC
TTTCCCCTGCTGCAGGACGTGCCCCCTCTAAGTGCGCGCAGCCGGTCTTCCTGCTGCTGGTGATCAAGTCTCC
CCTAGCAACTATGTGCGCCGCGAGCTGCTGCGGCGCAGTGGGGCCGCGAGCGCAAGGTACGGGGTTTGACAGCTG
CGCCTCCTCTTCCTGGTGGGCACAGCCTCCAACCCGCACGAGGCCCGCAAGGTCAACCGGCTGCTGGAGCTGGAG
GCACAGACTCACGGAGACATCCTGCAGTGGGACTTCCACGACTCCTTCTTCAACCTCACGCTCAAGCAGGTCTTG
TTCTTACAGTGGCAGGAGACAAGGTGCGCCAACGCCAGCTTCGTGCTCAACGGGGATGATGACGTCTTTGCACAC
ACAGACAACATGGTCTTCTACCTGCAGGACCATGACCCTGGCCGCCACCTCTTCGTGGGGCAACTGATCCAAAAC
GTGGGCCCCATCCGGGCTTTTGGAGCAAGTACTATGTGCCAGAGGTGGTGACTCAGAATGAGCGGTACCCACCC
TATTGTGGGGTGGTGGCTTCTTGCTGTCCCGCTTCACGGCCGCTGCCCTGCGCCGTGCTGCCCATGTCTTGGAC
ATCTTCCCCATFGATGATGTCTTCTCGGTATGTGTCTGGAGCTTGAGGGACTGAAGCCTGCCCTCCACAGCGGC
ATCCGCACGTCTGGCGTGCGGGCTCCATCGCAACACCTGTCTCCTTTGACCCCTGCTTCTACCGAGACCTGCTG
CTGGTGCACCGCTTCCTACCTTATGAGATGCTGCTCATGTGGGATGCGCTGAACCAGCCCAACCTCACCTGCGGC
AATCAGACACAGATCTACTGAGTCAGCATCAGGGTCCCCAGCCTCTGGGCTCCTGTTTCCATAGGAAGGGGCGAC
ACCTTCTCTCCAGGAAGCTGAGACCTTTGTGGTCTGAGCATAAGGGAGTGCCAGGGAAGGTTTGAGGTTTGATGA
GTGAATATTCTGGCTGGCGAACTCCTACACATCCTTCAAAACCCACCTGGTACTGTTCCAGCATCTTCCCTGGAT
GGCTGGAGGAACCTCAGAAAATATCCATCTTCTTTTGTGGCTGCTAATGGCAGAAGTGCCTGTGCTAGAGTTCC
AACTGTGGATGCATCCGTCCCGTTTGAGTCAAAGTCTTACTTCCCTGCTCTCACCTACTCACAGACGGGATGCTA
AGCAGTGCACCTGCAGTGGTTAATGGCAGATAAGCTCCGTCTGCAGTTCAGGCCAGCCAGAACTCCTGTGTC
CACATAGAGCTGACGTGAGAAATATCTTTAGCCAGGAGAGAGGGGTCTGATCTTAACCTTTCTGGGTCTC
AGACAACCTCAGAAGGTTGGGGGGATACCAGAGAGGTGGTGAATAGGACCGCCCCCTCTTACTTGTGGGATCAA
ATGCTGTAATGGTGGAGGTGTGGGCAGAGGAGGGAGGCAAGTGTCTTTGAAAGTTGTGAGAGCTCAGAGTTTCTG
GGTCTCTATTAGGAGCCCCATCCCTGTGTTCCCAAGAATTCAGAGAACAGCACTGGGGCTGGAATGATCTTT
AATGGGCCCAAGGCCAACAGGCATATGCCTCACTACTGCCTGGAGAAGGGAGAGATTAGGTCCTCCAGCAGCCT
CCCTACCCAGTATGTTTTACAGATTACGGGGGACCGGGTGAGCCAGTGACCCCTGCAGCCCCAGCTTCAGG
CCTCAGTGTCTGCCAGTCAAGCTTCACAGGCATTGTGATGGGGCAGCCTTGGGGAATATAAAATTTGTGAAGAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

289/615

FIGURE 288

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA65413

<subunit 1 of 1, 372 aa, 1 stop

<MW: 42515, pI: 8.92, NX(S/T): 6

MKYLRHRRPNATLILAIGAFTLLLFSLVSPPTCKVQEQPPAIPALAWPTPPTRPAPAPCHANTSMVTHPDFAT
QPQHVQNFLLYRHCRRHFLLQDVPPSKCAQPVFLLLVIKSSPSNYVRRELLRRTWGRERKVRGLQLRLLFLVGTA
SNPHEARKVNRLLLELEAQTHGDILQWDFHDSFFNLTLKQVLFLQWQETRCANASFVLNGDDDVFAHTDNMVFYLQ
DHDPRHRLFVGQLIQNVGPIRAFWSKYVPEVVTQNERYPYPYCGGGGFLLSRFTAALRRAAHVLDIFPIDDVFL
GMCLELEGLKPASHSGIRTSGVRAPSQLSSFDPCFYRDLLLVRFLPYEMLLMWDALNQPNTCGNQTIY

Important features:**Type II transmembrane domain:**

Amino acids 15-34

N-glycosylation sites:

Amino acids 10-14;64-68;184-188;202-206;362-366;367-371

TonB-dependent receptor proteins signature 1:

Amino acids 1-32

N-myristoylation sites:

Amino acids 308-314;316-322

290/615

FIGURE 289A

CGCGCTCCCCGCGCGCCTCCTCGGGCTCCACGCGTCTTGCCCCGAGAGGCAGCCTCCTCCAGGAGCGGGGCCCT
GCACACCATGGCCCCCGGGTGGGCAGGGGTGCGCGCCGCCGTGCGCGCCGCCCTGGCGCTGGCCTTGCGCTGGC
GAGCGTCTGAGTGGGCCTCCAGCCGTGCGCTGCCCCACCAAGTGATCTGCTCCGCTGCCAGCGTGGACTGCCA
CGGGCTGGGCCTCCGCGCGGTTCCTCGGGGCATCCCCGCAACGCTGAGCGCCTTGACCTGGACAGAAATAATAT
CACCAGGATACCAAGATGGACTTCGCTGGGCTCAAGAACCTCCGAGTCTTGCACTTGGAAGACAACCAGGTCAG
CGTCATCGAGAGAGGCGCCTTCCAGGACCTGAAGCAGCTAGAGCGACTGCGCCTGAACAAGAATAAGCTGCAAGT
CCTTCCAGAATTGCTTTTCCAGAGCACGCCGAAGCTCACCAGACTAGATTTGAGTGAAAACCAGATCCAGGGGAT
CCCGAGGAAGGCGTTCCGCGGCATCACCAGTGTGAAGAACCTGCAACTGGACAACAACCACATCAGCTGCATTGA
AGATGGAGCCTTCCGAGCGCTGCGCGATTGGAGATCCTTACCCTCAACAACAACAACATCAGTCGCATCCTGGT
CACCAGCTTCAACCACATGCCGAAGATCCGAACCTCTGCGCCTCCACTCCAACCACCTCTACTGCGACTGCCACCT
GGCCTGGCTCTCGGATTGGCTGCGACAGCGACGGACAGTTGGCCAGTTCACACTCTGCATGGCTCCTGTGCATTT
GAGGGGCTTCAACGTGGCGGATGTGCAGAAGAAGGAGTACGTGTGCCAGCCCCCACTCGGAGCCCCCATCCTG
CAATGCCAACTCCATCTCCTGCCCTTCCGCCCTGCAGTGCAGCAATAACATCGTGGACTGTGAGGAAAGGGCTT
GATGGAGATTCTGCCAACTTCCCGGAGGGCATCGTCGAAATACGCCTAGAACAAGAACTCCATCAAAGCCATCCC
TGCAGGAGCCTTCACCAGTACAAGAACTGAAGCGAATAGACATCAGCAAGAATCAGATATCGGATATTGCTCC
AGATGCCCTCCAGGGCCTGAAATCACTCACATCGCTGGTCTGTATGGGAACAAGATCACCAGATTGCCAAGGG
ACTGTTTGATGGGCTGGTGTCCCTACAGCTGCTCCTCCTCAATGCCAACAAGATCAACTGCCTGCGGGTGAACAC
GTTTCAGGACCTGCAGAACCTCAACTTGCTCTCCCTGTATGACAACAAGCTGCAGACCATCAGCAAGGGGCTCTT
CGCCCCCTTGCGAGTCCATCCAGACACTCCACTTAGCCCAAAACCCATTGTGTGCGACTGCCACTTGAAGTGGCT
GGCCGACTACCTCCAGGACAACCCCATCGAGACAAGCGGGGCCCGCTGCAGCAGCCCGCGCCGACTCGCCAACAA
GCGCATCAGCCAGATCAAGAGCAAGAAGTTCGCTGCTCAGGCTCCGAGGATTACCGCAGCAGGTTACGCAGCGA
GTGCTTCATGGACCTCGTGTGCCCGAGAAGTGTGCTGTGAGGGCACGATTGTGGAATGCTCCAACCAGAAGCT
GGTCCGCATCCCAAGCCACCTCCCTGAATATGTACCGACCTGCGACTGAATGACAATGAGGTATCTGTTCTGGA
GGCCACTGGCATCTTCAAGAGTTGCCCAACCTGCGGAAAATAAATCTGAGTAACAATAAGATCAAGGAGGTGCG
AGAGGGAGCTTTCGATGGAGCAGCCAGCGTGCAGGAGCTGATGCTGACAGGGAACAGCTGGAGACCGTGCACGG
GCGCGTGTTCGCTGGCCTCAGTGGCCTCAAAACCTTGATGCTGAGGAGTAACCTTGATCAGCTGTGTGAGTAATGA
CACCTTTGCCGGCCTGAGTTCCGTGAGACTGCTGTCCCTCTATGACAATCGGATCACCACCATCACCCCTGGGGC
CTTCACCACGCTTGTCTCCCTGTCCACCATAAACCTCCTGTCCAACCCCTTCAACTGCAACTGCCACCTGGCCTG
GCTCGGCAAGTGGTTGAGGAAGAGGCGGATCGTCAGTGGGAACCTTAGGTGCCAGAAGCCATTTTCTCAAGGA
GATTCACCATCCAGGATGTGGCCATCCAGGACTTCACCTGTGATGGCAACGAGGAGAGTAGCTGCCAGCTGAGCCC
GCGCTGCCGGAGCAGTGCACCTGTATGGAGACAGTGGTGGATGCAGCAACAAGGGGCTCCGCGCCCTCCCCAG
AGGCATGCCCAAGGATGTGACCGAGCTGTACCTGGAAGGAAACACCTAACAGCCGTGCCAGAGAGCTGTCCGC
CCTCCGACACCTGACGCTTATTGACCTGAGCAACAACAGCATCAGCATGCTGACCAATTACACCTTCAGTAACAT
GTCTCACCTCTCCACTGTATCCTGAGCTACAACCGGCTGAGGTGCATCCCCGTCCACGCTTCAACGGGCTGCG
GTCCCTGCGAGTGCTAACCTCCATGGCAATGACATTTCCAGCGTTCTGAAGGCTCCTTCAACGACCTCACATC
TCTTTCCATCTGGCGCTGGGAACCAACCACTCCACTGTGACTGCAGTCTTCCGTGGCTGTGCGAGTGGGTGAA
GGCGGGGTACAAGGAGCCTGGCATCGCCCGCTGCAGTAGCCCTGAGCCCATGGCTGACAGGCTCTGCTCACCAC
CCCAACCCACCGCTTCCAGTGCAAAGGGCCAGTGGACATCAACATTGTGGCCAATGCAATGCCTGCCTCTCCAG
CCGTGCAAGAATAACGGGACATGCACCCAGGACCTGTGGAGCTGTACCGCTGTGCCTGCCCC

291/615

FIGURE 289B

TACAGCTACAAGGGCAAGGACTGCACTGTGCCCATCAACACCTGCATCCAGAACCCCTGTCAGCATGGAGGCACC
TGCCACCTGAGTGACAGCCACAAGGATGGGTTCAGCTGCTCCTGCCCTCTGGGCTTTGAGGGGCGAGCGGTGTGAG
ATCAACCCAGATGACTGTGAGGACAACGACTGCGAAAACAATGCCACCTGCGTGGACGGGATCAACAACCTACGTG
TGTATCTGTCCGCCTAACTACACAGGTGAGCTATGCGACGAGGTGATTGACCCTGTGTGCCTGAGCTGAACCTC
TGTGAGCATGAGGCCAAGTGCATCCCCCTGGACAAAGGATTGAGCTGCGAGTGTGTCCCTGGCTACAGCGGGAAG
CTCTGTGAGACAGACAATGATGACTGTGTGGCCCCACAAGTGCCGCCACGGGGCCCACTGCGTGGACACAATCAAT
GGCTACACATGCACCTGCCCCCAGGGCTTCAGTGGACCCCTCTGTGAACACCCCCCACCCTATGGTCTACTGCAG
ACCAGCCCATGCGACCACTACGAGTGCCAGAACGGGGCCCACTGCATCGTGGTGCAGCAGGAGCCACCTGCCGC
TGCCACCAAGGCTTCGCCGGCCCCAGATGCGAGAAGCTCATCACTGTCAACTTCGTGGGCAAAGACTCCTACGTG
GAACTGGCCTCCGCCAAGGTCCGACCCCAGGCCAACATCTCCCTGCAGGTGGCCACTGACAAGGACAACGGCATC
CTTCTCTACAAAGGAGACAATGACCCCTGGCACTGGAGCTGTACCAGGGCCACGTGCGGCTGGTCTATGACAGC
CTGAGTTCCCTCCAACCACAGTGTACAGTGTGGAGACAGTGAATGATGGGCAGTTTCACAGTGTGGAGCTGGTG
ACGCTAAACCAGACCTGAACCTAGTAGTGGACAAAGGAACTCCAAAGAGCCTGGGGAAGCTCCAGAAGCAGCCA
GCACTGGGCATCAACAGCCCCCTCTACCTTGGAGGCATCCCCACCTCCACCGGCTCTCCGCCTTGCGCCAGGGC
ACGGACCGGCTCTAGGCGGCTTCCACGGATGCATCCATGAGGTGCGCATCAACAACGAGCTGCAGGACTTCAAG
GCCCTCCCACCACAGTCCCTGGGGGTGTCAACAGGCTGCAAGTCTTGCACCGTGTGCAAGCACGGCTGTGCCGC
TCCGTGGAGAAGGACAGCGTGGTGTGCGAGTGCCGCCAGGCTGGACCGGCCCCACTCTGCGACCAGGAGGCCCGG
GACCCCTGCCTCGGCCACAGATGCCACCATGGAAAATGTGTGGCAACTGGGACCTCATACATGTGCAAGTGTGCC
GAGGGCTATGGAGGGGACTTGTGTGACAACAAGAATGACTCTGCCAATGCCTGCTCAGCCTTCAAGTGTCAACAT
GGGCAGTGCCACATCTCAGACCAAGGGGAGCCCTACTGCCTGTGCCAGCCCGGCTTTAGCGGCGAGCACTGCCAA
CAAGAGAATCCGTGCCTGGGACAAGTAGTCCGAGAGGTGATCCGCCGCCAGAAAGGTTATGCATCATGTGCCACA
GCCTCCAAGGTGCCCATCATGGAATGTGCTGGGGGCTGTGGGCCCCAGTGTGCCAGCCCAACCGCAGCAAGCGG
CGGAAATACGCTTTCAGTGCACGGACGGCTCCTCGTTTGTAGAAGAGGTGGAGAGACACTTAGAGTGC GGCTGC
CTCGCGTGTTCCTAAGCCCCCTGCCCGCTGCCTGCCACCTCTCGGACTCCAGCTTGATGGAGTTGGGACAGCCAT
GTGGGACCCCTGGTGATTGAGCATGAAGGAAATGAAGCTGGAGAGGAAGGTAAAGAAGAAGAATATTAAGTA
TATTGTAAATAAACAAAAATAGAACTTAAAAAAAAAAAAAAAAAAAAA

292/615

FIGURE 290

MAPGWAGVGA AVRARLALALALASVLSGPPAVACPTKCTCSAASVDCHGLGLRAVPRGIPRNAERLDLDRNNITR
ITKMDFAGLKNLRVLHLEDNQSVIERGAFQDLKQLERLRNKNKLQVLPPELLFQSTPKLTRLDLSENQIQGIPR
KA FRGITDVKNLQLDNNHISCIEDGA FRALRDLEILTLNNNNISRLVTSFNHMPKIRTLRLHSNHLYCDCHLAW
LSDWLRQRRTVGQFTLCMAPVHLRGFNADVQKKEYVCPAPHSEPPSCNANSISCPSPCTCSNNIVDCRGKGLME
IPANLPEGIVEIRLEQNSIKAIPAGAFQYKKLKRIDISKNQISDIAPDAFQGLKSLTSLVLYGNKITEIAKGLF
DGLVSLQLLLLLNANKINCLRVNTFQDLQNLNLLSLYDNKLQTI SKGLFAPLQSIQTLHLAQNPFCDCHLKWLAD
YLQDNPIETSGARCSSPRRLANKRISQIKSKKFRCSGSEDIYRSRFSSECFMDLVCPEKCRCEGTIVDCSNQKLV
IPSHLPEYVTDLRRLNDNEVSLEATGIFKKLPNLRKINLSNNKIKEVREGAFDGAASVQELMLTGNQLETVHGRV
FRGLSGLKTLMLRSNLISCVSNDTFAGLSSVRLLSLYDNRIITITPGAFTTLVSLSTINLLSNPFNCNCHLAWLG
KWLKRRIVSGNPRCQKPFLLKEIPIQDVAIQDFTCDGNEESSCQLSPRCPEQCTCMETVVRC SNKGLRALPRGM
PKDVTLEYLEGNHILTAVPRELSALRHLLTIDLSNNSISMLTNYTFSNMHLSTLILSYNRLRCIPVHAFNGLRSL
RVLTLLHGNDISSVPEGSFNDLTSLSHLALGTNPLHDCSLRWLSEWVKAGYKEPGIARCSSPEPMADRLLLTPT
HRFQCKGPVDINIVAKCNACLSSPCKNNGTCTQDPVELYRCACPYSYKGKDCTVPINTCIQNPCQHGGTCHLSDS
HKDGFSCSCPLGFEGQRCEINPDDCEDNDCENNATCVDGINNYVCICPPNYTGELCDEVIDHCVPENLNCQHEAK
CIPLDKGFSCECVPGYSGKLCETDNDDCAHKKRHAQCVDITINGYTCTCPQGFSGPFCEHPPPMVLLQTSPCDQ
YECQNGAQCIVVQQEPTCRCPPGFAGPRCEKLITVNFVKGDSYVELASAKVRQANISLQVATDKDNGILLYKGD
NDPLALELYQGHVRLVYDSLSPPTTVYSVETVNDGQFHSVELVTLNQTLNLVVDKGTPKSLGKLQKQPAVGINS
PLYLGGIPTSTGLSALRQGTDRPLGGFHGCIHEVRINNELQDFKALPPQSLGVSPGCKSCTVCKHGLCRSVEKDS
VVCECRPGWTGPLCDQEARDPCLGHRCHHGKCVATGTSYMCKCAEGYGGDLCDNKND SANACSAFKCHHGQCHIS
DQGEPYCLCQPGFSGEHCQENPCLGQVVREVIRROKGYASCATASKVPIMECRGGCGPQCCQPTRSKRRKYVFQ
CTDGSSFVEEVERHLECGCLACS

Signal peptide:
amino acids 1-27

293/615

FIGURE 291

GGATGCAGGACGCTCCCCTGAGCTGCCTGTCACCGACTAGGTGGAGCAGTGTTTCTTCCGCAGACTCAACTGAGA
AGTCAGCCTCTGGGGCAGGCACCAGGAATCTGCCTTTTCAGTTCTGTCTCCGGCAGGCTTTGAGGATGAAGGCTG
CGGGCATTCTGACCCTCATTGGCTGCCTGGTCACAGGCGCCGAGTCCAAAATCTACACTCGTTGCAAACCTGGCAA
AAATATTCTCGAGGGCTGGCCTGGACAATTACTGGGGCTTCAGCCTTGGAACCTGGATCTGCATGGCATATTATG
AGAGCGGCTACAACACCACAGCCCCGACGGTCCTGGATGACGGCAGCATCGACTATGGCATCTTCCAGATCAACA
GCTTCGCGTGGTGCAGACGCGGAAAGCTGAAGGAGAACAACCACTGCCATGTCGCCTGCTCAGCCTTGATCACTG
ATGACCTCACAGATGCAATTATCTGTGCCAGGAAAATTGTTAAAGAGACACAAGGAATGAACTATTGGCAAGGCT
GGAAGAAACATTGTGAGGGCAGAGACCTGTCCGAGTGGAAGGCTGTGAGGTTTCTAAACTGGAACCTGGAC
CCAGGATGCTTTGCAGCAACGCCCTAGGATTTGCAGTGAATGTCCAAATGCCTGTGTCATCTTGTCCCGTTTCCT
CCCAATATTCTTCTCAAACCTGGAGAGGGAAAATTAAGCTATACTTTTAAGAAAATAAATATTTCCATTTAAATGTC

294/615

FIGURE 292

MKAAGILTLIGCLVTGAESKIYTRCKLAKIFSRAGLDNYWGFSLGNWICMAYYESGYNTTAPTVLDDGSIDYGIF
QINSEAWCRRGKLENNHCHVACSALITDDLTDALICARKIVKETQGMNYWQGWKKHCEGRDLSEWKKGCEVS

Signal peptide:
amino acids 1-19

295/615

FIGURE 293

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTACCCAAGGAAAG
TGCAGCTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGCTGTTTCTCATAGCGACCACCAGAGGA
TGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGTTCTTCGTCTCCATCTCTGCCCAGAAGCTGC
AAGGAAATCAAAGACGAATGTCCTAGTGCATTTGATGGCCTGTATTTCTCCGCACTGAGAATGGTGTATCTAC
CAGACCTTCTGTGACATGACCTCTGGGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCATGAGAATGACATGCGT
GGGAAGTGCACGGTGGGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAAC
TGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACTACGAC
ATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCAATAAGTCCCCCATGCAGCACTGGAGAAACAGCTCCCTG
CTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCTGTTTGGCATCTACCAGAAATATCCA
GTGAAATATGGAGAAGGAAAGTGTTGGACTGACAACGGCCCGGTGATCCCTGTGGTCTATGATTTTGGCGACGCC
CAGAAAACAGCATCTTATTACTCACCCCTATGGCCAGCGGGAATTCAGTGCGGGATTTGTTTCAGTTCAGGGTATTT
AATAACGAGAGAGCAGCCAACGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATT
GGTGGAGGAGGATACTTTCCAGAGGCCAGTCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAACCTCATGTTGGTTACAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCGTTGAGAGTTT
TGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAACAACCTTACCCAGTAGCTAGA
ATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGAAAAAA

296/615

FIGURE 294

MNQLSFLLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVIYQTFCDMTSG
GGGWTLVASVHENDMRGKCTVGDRWSSQOGSKADYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIW
HVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGIYQKYPVKYGEKGCWTDNGPVI PVVYDFGDAQKTASYSP
YGQREFTAGFVQFRVFNNERAAALCAGMRVTGCNTEHHCIGGGGYFPEASPQCGDFSGFDWSGYGTHVGYSSS
REITEAAVLLFYR

297/615

FIGURE 295

CAGGCCATTTGCATCCCACTGTCCTTGTGTTCCGAGCCAGGCCACACCGTCCTCAGCAGTGTGTCATGTGTTAAAAA
CGCCAAGCTGAATATATCATGCCCCCTATTAAACTTGTACATGGCTCCCCATTGGTTTTTGGAGAAAAGTTCAAG
CTTTTTACCTTGGTGTCTGCCTGTATCCCACTGTTTCAGGCTGGCTAGACGGCGGAAGAAGATCCTATTTACTGT
CACTTCCCAGATCTGCTTCTCACCAAGAGAGATTCTTTTCTTAAACGACTATACAGGGCCCCAATTGACTGGATA
GAGGAATACACCACAGGCATGGCAGACTGCATCTTAGTCAACAGCCAGTTCACAGCTGCTGTTTTTAAGGAAACA
TTCAAGTCCCTGTCTCACATAGACCCTGATGTCCTCTATCCATCTCTAAATGTCACCAGCTTTGACTCAGTTGTT
CCTGAAAAGCTGGATGACCTAGTCCCCAAGGGGAAAAAATTCCTGCTGCTCTCCATCAACAGATACGAAAGGAAG
AAAAATCTGACTTTGGCACTGGAAGCCCTAGTACAGCTGCGTGGAAGATTGACATCCCAAGATTGGGAGAGGGTT
CATCTGATCGTGGCAGGTGGTTATGACGAGAGAGTCTGGAGAATGTGGAACATTATCAGGAATTGAAGAAAATG
GTCCAACAGTCCGACCTTGCCAGTATGTGACCTTCTGAGGTCTTCTCAGACAAACAGAAAATCTCCCTCCTC
CACAGCTGCAGTGTGTGCTTTACACACCAAGCAATGAGCACTTTGGCATTGTCCCTCTGGAGCCATGTACATG
CAGTGGCCAGTCATTGCTGTTAATTCGGGTGGACCCCTGGAGTCCATTGACCACAGTGTACAGGGTTTCTGTGT
GAGCCTGACCCGGTGCACCTTCTCAGAAAGCAATAGAAAAGTTTCATCCGTGAACCTTCCTTAAAAGCCACCATGGGC
CTGGCTGGAAGAGCCAGAGTGAAGGAAAAATTTCCCTGAAGCATTACAGAACAGCTCTACCGATATGTTACC
AACTGCTGGTATAATCAGATTGTTTTTAAGATCTCCATTAATGTCATTTTTATGGATTGTAGACCCAGTTTTGA
AACCAAAAAAGAAACCTAGAATCTAATGCAGAAGAGATCTTTTAAAAAATAAACTTGAGTCTTGAATGTGAGCCA
CTTTCCTATATACCACACCTCCCTGTCCACTTTTCAGAAAAACCATGTCTTTTATGCTATAATCATTCCAAATTT
TGCCAGTGTTAAGTTACAAATGTGGTGTGTCATTCCATGTTTCAGCAGAGTATTTTAAATTATATTTCTCGGGATTAT
TGCTCTTCTGTCTATAAATTTTGAATGATACTGTGCCTTAATTGGTTTTTCATAGTTTAAAGTGTGTATCATTATCA
AAGTTGATTAATTTGGCTTCATAGTATAATGAGAGCAGGGCTATTGTAGTTCCAGATTCAATCCACCGAAGTGT
TCACTGTCATCTGTTAGGGAATTTTTGTTTCTGCTTTGCCTGGATCCATAGCGAGAGTGTCTGTATTTTTT
TTTAAGATAATTTGTATTTTTGCACACTGAGATATAATAAAAGGTGTTTATCATAAAAA

298/615

FIGURE 296

MPLLKLVHGSPLVFGEKFKLFTLVSACIPVFRLLARRRKILFYCHFDPDLLLTKRDSFLKRLYRAPIDWIEEYTTG
MADCILVNSQFTAAVFKETFKSLSHIDPDVLYPSLNVTSFDSVVPEKLDDLVPKGKKFLLLSINRYERKKNLTIA
LEALVQLRGRLTSQDWERVHLIVAGGYDERVLENVEHYQELKKMVQQSDLGQYVTFLLRSFSDKQKISLLHSCTCV
LYTPSNEHFGIVPLEAMYMOCPIAVNSGGPLESIDHSVTGFLCEPDVHFSEAIEKFIREPSLKATMGLAGRAR
VKEKFSPEAFTEQLYRYVTCLLV

Signal peptide:

amino acids 1-15

299/615

FIGURE 297

GACTACGCCGATCCGAGACGTGGCTCCCTGGGCGGCAGAACCATGTTGGACTTCGCGATCTTCGCCGTTACCTTC
TTGCTGGCGTTGGTGGGAGCCGTGCTCTACCTCTATCCGGCTTCCAGACAAGCTGCAGGAATTCCAGGGATTACT
CCAACTGAAGAAAAAGATGGTAATCTTCCAGATATTGTGAATAGTGGAAGTTTGCATGAGTTCCTGGTTAATTTG
CATGAGAGATATGGGCCTGTGGTCTCCTTCTGGTTTGGCAGGCGCCTCGTGGTTAGTTTGGGCACGTGTGATGTA
CTGAAGCAGCATATCAATCCCAATAAGACATCGGACCCCTTTGAAACCATGCTGAAGTCATTATTAAGGTATCAA
TCTGGTGGTGGCAGTGTGAGTGAAAACCACATGAGGAAAAAATTGTATGAAAATGGTGTGACTGATTCTCTGAAG
AGTAACTTTGCCCTCCTCCTAAAGCTTTCAGAAGAATTATTAGATAAATGGCTCTCCTACCCAGAGACCCAGCAC
GTGCCCCCTCAGCCAGCATATGCTTGGTTTTGCTATGAAGTCTGTTACACAGATGGTAATGGGTAGTACATTTGAA
GATGATCAGGAAGTCATTGCTTCCAGAAGAATCATGGCACAGTTTGGTCTGAGATTGGAAAAGGCTTCTAGAT
GGGTCACTTGATAAAAACATGACTCGGAAAAACAATATGAAGATGCCCTCATGCAACTGGAGTCTGTTTTAAGG
AACATCATAAAAGAACGAAAAGGAAGGAACCTTCAGTCAACATATTTTCATTGACTCCTTAGTACAAGGGAACCTT
AATGACCAACAGATCCTAGAAGACAGTATGATATTTTCTCTGGCCAGTTGCATAATAACTGCAAAATTGTGTACC
TGGGCAATCTGTTTTTTAACCACCTCTGAAGAAGTTCAAAAAAATTATATGAAGAGATAAACCAAGTTTTTGA
AATGGTCCTGTTACTCCAGAGAAAATTGAGCAGCTCAGATATTGTCAGCATGTGCTTTGTGAACTGTTCGAACT
GCCAACTGACTCCAGTTTCTGCCCAGCTTCAAGATATTGAAGGAAAAATTGACCGATTTATTATTCCTAGAGAG
ACCCTCGTCCTTTATGCCCTTGGTGTGGTACTTCAGGATCCTAATACTTGGCCATCTCCACACAAGTTTGATCCA
GATCGGTTTGATGATGAATTAGTAATGAAAACTTTTTCTCACTTGGATTCTCAGGCACACAGGAGTGTCCAGAG
TTGAGGTTTGCATATATGGTGACCACAGTACTTCTTAGTGTATTGGTGAAGAGACTGCACCTACTTTCTGTGGAG
GGACAGGTTATTGAAACAAAGTATGAACTGGTAACATCATCAAGGGAAGAAGCTTGGATCACTGTCTCAAAGAGA
TATTAAAATTTTATACATTTAAAATCATTGTTAAATTGATTGAGGAAAACAACCATTTAAAAAAATCTATGTTG
AATCCTTTTATAAACAGTATCACTTTGTAATATAAACACCTATTTGTACTTAA

300/615

FIGURE 298

MLDFAIFAVTFLLALVGAVLYLYPASRQAAGIPGITPTEEKDGNLPDIVNSGSLHEFLVNLHERYGPVVSFWFGR
RLVVS LGTV DVLKQHINPNKTS DPFETMLKSLRLRYQSGGGSVSENHMRKKLYENGVTDSLKSNFALLKLSEELL
DKWLSYPETQHVP LSQLHMLGFAMKSVTQMVMGSTFEDDQEVIRFQKNHGTWVSEIGKGFLDGS LDKNMTRKKQYE
DALMQLESVLRNIIKERKGRNFSQHIFIDSLVQGNLNDQQILED SMIFSLASCIITAKLCTWAICFLT TSEEVQK
KLYEEINQVFGNGPVTPEKIEQLRYCQHVLCE TVRTAKLTPVSAQLQDIEGKIDRFIIPRETLVLYALGVVLQDP
NTWPSPHKFD PDRFDDELVMKTFSSLGFSGTQECPELRFAYMVTTVLLSVLVKRLHLLSVEGQVIETKYELVTSS
REEAWITVSKRY

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 271-290

301/615

FIGURE 299

CTAGATTTGTCGGCTTGCGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGACCGCCGCCCTT
GTCCCGAGGGCCATGGGCGGGTCTCAGGGCTTGTGCCCTCTCGCTTCCTGACGCTCCTGGCGCATCTGGTGGT
CGTCATCACCTTATTCTGGTCCCGGGACAGCAACATACAGGCCTGCCTGCCTCTCACGTTACCCCCGAGGAGTA
TGACAAGCAGGACATTGAGCTGGTGGCCGCGCTCTCTGTACCCCTGGGCCTCTTGCACTGGAGCTGGCCGGTTT
CCTCTCAGGAGTCTCCATGTTCAACAGCACCCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGATCCGTGGC
CCTGTCCTTCTTCATATTCGAGCGTTGGGAGTGCACTACGTATTGGTACATTTTGTCTTCTGCAGTGCCCTTCC
AGCTGTCACTGAAATGGCTTTATTCTGTCACCGTCTTTGGGCTGAAAAAGAAACCCTTCTGATTACCTTCATGACG
GGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCTGGAAGAAGGAAGGCATAGGCTTCGGTT
TTCCCTCGGAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACGTCTTGAGTCTGGGATTATCCGCATT
GTATTTAGTGCTTTGTAATAAAATATGTTTTGTAGTAACATTAAGACTTATATACAGTTTTAGGGGACAATTAA
AAAAAAAA

302/615

FIGURE 300

MGRVSGLVPSRFLTLLAHLVVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFAVELAGFLSGV
SMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCSALPAVTEMALFVTVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

303/615

FIGURE 301

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGACTCGCTGCTGC
TTCGTGTTCTTGGTGCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATGGTCTCCCGGCTCAGAGGAC
CCTGAGCGTGATGACCACGAGGGCCAGCCCCGCCCCGGGTGCCCTCGGAAGCGGGGCCACATCTCACCTAAGTCC
CGCCCCATGGCCAATTCCACTCTCCTAGGGCTGCTGGCCCCGCTGGGGAGGCTTGGGGCATTCTTGGGCAGCCC
CCCAACCGCCCGAACCACAGCCCCCACCCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCC
AACATCAAGACGGTGGCCCTGAACCTGCTCGTCACAGGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTC
CACTTCCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAGAGTTC
CACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATGGAGTGGGAGAAGGTA
GAACGGGGCCCGCGGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTGCTCCCGAGACCACGCTCAGAGCTCA
GCCACCTGGAGCTGCTCCAGCCCTTCAAAGTCGTCTGTGTCTACATCGCCTTCTACAGCACGGACTATCGGCTG
GTCCAGAAGGTGTGCCCAGATTACAACTACCATAGTGATACCCCCTACTACCCATCTGGGTGACCCGGGGCAGGC
CACAGAGGCCAGGCCAGGGCTGGAAGGACAGGCCTGCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGG
GTTGGGCCTCAGGCAGGGAGGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
AGAAAGGGTCCCAAGTGTGCTGGTCCCAACCTGAAGCTGTGGAGTGACTAGATCACAGGAGCACTGGAGGAGGAGTG
GGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGGTCCCCGAGGCCTGTGGGCAG
GCCGATCAGTGTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGCCCTTGGTTCTTGCCATCCTGAGGAAAGATA
GCAACAGGGAGGGGGAGATTTTCATCAGTGTGGACAGCCTGTCAACTTAGGATGGATGGCTGAGAGGGCTTCCTAG
GAGCCAGTCAGCAGGGTGGGGTGGGGCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCCCTTGTC
GTGTGCTGAGCATGGCATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCT
CCAGCCAGGCCACCCCTTTCCAAAATTCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATGGCACA
CCCATCCTTAAGCTAAGACAGGACGATTGTGGTCTCCACACTAAGGCCACAGCCATCCGCGTGCTGTGTGTC
CCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCGAGAGGGGTCCCTCAACAGTCAGCC
TCACCTGTCAGACCGGGTTCTCCCGATCTGGATGGCGCCGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGGC
CGGGCCGAGAGCATGTGCTGGATCTGTTCTGTGTGTCTGTGTGGGTGGGGGGAGGGGAGGGAAGTCTTGTGA
AACCGCTGATTGCTGACTTTTGTGTGAAGAATCGTGTCTTGGAGCAGGAAATAAAGCTTGCCCCGGGGCA

304/615

FIGURE 302

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66521

><subunit 1 of 1, 252 aa, 1 stop

><MW: 28127, pI: 8.91, NX(S/T): 5

MQLTRCCFVFLVQGSLYLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTLLGLLAPPGEA
WGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTFSVHFQHNATGQGNISISLVP
PSKAVEFHQEQQIFIEAKASKIFNCRMWEKVERGRRTSLCTHDPAKICSRDHAQSSATWSCSQPFKVVVCVYIAF
YSTDYRLVQKVC PDYNYHSDTPYYPSG

Important features of the protein:**Signal peptide:**

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

305/615

FIGURE 303

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCTGCGCTCGCCCTTTATGTCT
TCACCATCGCCATCGAGCCGTTGCGTATCATCTTCCTCATCGCCGGAGCTTCTTCTGGTTGGTGTCTCTACTGA
TTTCGTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACAAAGATGGACCAACACAGAAATATCTGCTGA
TCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAAATGTTCCGATTGTCATATTATAAACTCTTAAAAAAGCCA
GTGAAGGTTTGAAGAGTATAAACCAGGTGAGACAGCACCCCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGG
GCTTTGGAATCATGAGTGGAGTATTTTCCTTTGTGAATACCCCTATCTGACTCCTTGCGGCCAGGCACAGTGGGCA
TTCATGGAGATTCTCCTCAATTCTTCCTTTATTGAGCTTTCATGACGCTGGTCATTATCTTGCTGCATGTATTCT
GGGGCATTGTATTTTTTGATGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTCTCCTGACCCACCTGC
TGGTGTGAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCGTCAGCATTATAATCCTGGTGCTCA
TGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCGAAGCCTGAAACTCTGCCTGCTCTGCCAAGACAAGA
ACTTCTTCTTTACAACCAGCGCTCCAGATTAACCTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTA
GAGGAAGCACAACTGTGCCTTTTTCTGAAAATCCCTTTTTCTGGTGGAATTGAGAAAGAAATAAACTATGCAGATA

306/615

FIGURE 304

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66658
><subunit 1 of 1, 257 aa, 1 stop
><MW: 28472, pI: 9.33, NX(S/T): 0
MTAAVFFGCAFIAFGPALALYVFTIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKDGPTQKYLLIFG
AFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLLAYVSGLGFGIMSGVFSFVNTLSDSLGPQTVGIHG
DSPQFFLYSAFMTLVIIILLHVFWGIVFFDGCEKKKWGILLIVLLTHLLVSAQTFISSYYGINLASAFIILVLMGT
WAFLAAGGSCRSCLKCLLCQDKNFLLYNQSR
```

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

307/615

FIGURE 305

[illegible]

308/615

FIGURE 306

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQSNQVFPSLSLIPLTQM
LTLGPDHLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPFVTLGAQGTLISSEE
LPQIFTSIIHSLFPGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLETPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

Signal peptide:

amino acids 1-16

309/615

FIGURE 307

CCGGGGACATGAGGTGGATACTGTTTCATTGGGGCCCTTATTGGGTCCAGCATCTGTGGCCAAGAAAAATTTTTTG
GGGACCAAGTTTTGAGGATTAATGTCAGAAATGGAGACGAGATCAGCAAATTGAGTCAACTAGTGAATTCAAACA
ACTTGAAGCTCAATTTCTGGAAATCTCCCTCCTCCTTCAATCGGCCTGTGGATGTCTGGTCCCATCTGTCTAGTC
TGCAGGCATTTAAATCCTTCCCTGAGATCCCAGGGCTTAGAGTACGCAGTGACAATTGAGGACCTGCAGGCCCTTT
TAGACAATGAAGATGATGAAATGCAACACAATGAAGGGCAAGAACGGAGCAGTAATAACTTCAACTACGGGGCTT
ACCATTCCTGGAAGCTATTTACCACGAGATGGACAACATTGCCGCAGACTTTCCTGACCTGGCGAGGAGGGTGA
AGATTGGACATTCGTTTGAAGAACCGGCCGATGTATGTACTGAAGTTCAGCACTGGGAAAGGCGTGAGGCGGCCGG
CCGTTTGGCTGAATGCAGGCATCCATTCCTGAGAGTGGATCTCCAGGCCACTGCAATCTGGACGGCAAGGAAGA
TTGTATCTGATTACCAGAGGGATCCAGCTATCACCTCCATCTTGGAGAAAATGGATATTTTCTTGTTCCTGTGG
CCAATCCTGATGGATATGTGTATACTCAAACCTCAAACCGATTATGGAGGAAGACGCGGTCCCGAAATCCTGGAA
GCTCCTGCAATTGGTGCTGACCCAAATAGAAACTGGAACGCTAGTTTTGTCAGGAAAGGGAGCCAGCGACAACCTT
GCTCCGAAGTGTACCATGGACCCACGCCAATTCGGAAGTGGAGGTGAAATCAGTGGTAGATTTTCATCCAAAAAC
ATGGGAATTTCAAGGGCTTCATCGACCTGCACAGCTACTCGCAGCTGCTGATGTATCCATATGGGTACTCAGTCA
AAAAGGCCCCAGATGCCGAGGAACCTCGACAAGGTGGCGAGGCTTGGCGGCCAAAGCTCTGGCTTCTGTGTGGGCA
CTGAGTACCAAGTGGGTCCACCTGCACCACTGTCTATCCAGCTAGCGGGAGCAGCATCGACTGGGCGTATGACA
ACGGCATCAAATTTGCATTCACATTTGAGTTGAGAGATACCGGGACCTATGGCTTCCTCCTGCCAGCTAACCGAGA
TCATCCCCACTGCAGAGGAGACGTGGCTGGGGCTGAAGACCATCATGGAGCATGTGCGGGACAACCTCTACTAGG
CGATGGCTCTGCTCTGTCTACATTTATTTGTACCCACACGTGCACGCACTGAGGCCATTGTTAAAGGAGCTCTTT
CCTACTGTGTGAGTCAGAGCCCTCTGGGTTTTGTGGAGCACACAGGCCTGCCCTCTCCAGCCAGCTCCCTGGAG
TCGTGTCTCCTGGCGGTGTCCCTGCAAGAACTGGTTCTGCCAGCCTGCTCAATTTTGGTCTGCTGTTTTTGATG
AGCCTTTTGTCTGTTTTCTCCTTCCACCCTGTGGCTGGGCGGCTGCACTCAGCATCACCCCTCCTGGGTGGCAT
GTCTCTCTCTACCTCATTTTTAGAACCAAGAACATCTGAGATGATTCTCTACCCTCATCCACATCTAGCCAAGC
CAGTGACCTTGCTCTGGTGGCACTGTGGGAGACACCACTTGTCTTTAGGTGGGTCTCAAAGATGATGTAGAATTT
CCTTTAATTTCTCGCAGTCTTCTGGAATAATTTTCTTTGAGCAGCAAATCTGTAGGGATATCAGTGAAGGT
CTCTCCCTCCCTCCTCTCCTGTTTTTTTTTTTTTTTGGAGACAGAGTTTTGCTCTTGTGCCCAGGCTGGAGTGTGA
TGGCTCGATCTTGGCTCACCAACCTCTGCCTCCTGGGTTCAAGCAATTCTCCTGCCTCAGCCTCTTGAGTAGC
TTGGTTTATAGGCGCATGCCACCATGCCTGGCTAATTTTGTGTTTTTAGTAGAGACAGGGTTTCTCCATGTTGGT
CAGGCTGGTCTCAAACCTCCCAACCTCAGGTGATCTGCCCTCCTTGGCCTCCAGAGTGTGGGATTACAGGTGTG
AGCCACTGTGCCGGGGCCCGTCCCTCCTTTTTTAGGCCTGAATACAAAGTAGAAGATCACTTTCCTTCACTGTGC
TGAGAATTTCTAGATACTACAGTTCTTACTCCTCTCTTCCCTTTGTTATTCAGTGTGACCAGGATGGCGGGAGGG
GATCTGTGTCACTGTAGTACTGTGCCCAGGAAGGCTGGGTGAAGTGACCATCTAAATTGCAGGATGGTGAATTT
ATCCCCATCTGTCTAATGGGCTTACCTCCTCTTTGCTTTTGAACCTCACTTCAAAGATCTAGGCCTCATCTTAC
AGGTCTTAATCACTCATCTGGCCTGGATAATCTCACTGCCCTGGCACATTCCCATTTGTGCTGTGGTGTATCCT
GTGTTTCTTGTCTGTTTTGT
TTTTGTATCCTGGACCACAAGTTCCTAAGTAGAGCAAGAATTCATCAACCAGCTGCCTCTTGTTCATTTACCT
CAGCAGTACCATCTGTCTTTTGT
TCTTAACCTCCTGCCTAGGATTTGTACAGCATCTGGTGTGTGCTTATAAGCCAATAAATATTCATGTGAAAAA
AAAAAAAAA

310/615

FIGURE 308

MRWILFIGALIGSSICGQEKFFGDQVLRINVRNGDEISKLSQLVNSNNLKLNFWKSPSSFNRPVLDLVPVSVSLQA
FKSFLRSQGLEAYVTIEDLQALLDNEDDEMQHNEGQERSNNFNFGAYHSLEAIYHEMDNIAADFPDLARRVKIG
HSFENRPMYVLKFSTGKGVRRPAVWLNAGIHSREWISQATAIWTARKIVSDYQRDPAITSILEKMDIFLLPVANP
DGYVYTQTQNRLWRKTRSRNPGSSCIGADPNRNWNASFAGKGASDNPCSEVYHGPHANSEVEVKSVVDFIQKHGN
FKGFIDLHSYSQLLMPYGYSVKKAPDAEELDKVARLAALKALASVSGTEYQVGPTCTTVYPASGSSIDWAYDNGI
KFAFTFELRDTGTYGFLLPANQIIPTAEETWLGLKTIMEHVRONLY

Signal peptide:
amino acids 1-16

311/615

FIGURE 309

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCACGCCTGAGTCCAAGAT
TCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTATCTTTCACCTTCAAGTCCC
CTTTCTCAAGAATCCTCTGTTCTTTGCCCTCTAAAGTCTTGGTACATCTAGGACCCAGGCATCTTGCTTTCCAGC
CACAAAGAGACAGATGAAGATGCAGAAAGGAAATGTTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGC
AACAAATTCCAATGAGACTAGCACCTCTGCCAACCTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCAC
CAACTCTGGGTCCAGTGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGG
GGTCAGCATAGTCACCAACTCTGAGTTCATACAACCTCCAGTGGGATCAGCACAGCCACCAACTCTGAGTTCAG
CACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGAGTCCAGCACACCTCCAGTGGGGCCAGCACAGTCCACCAACTCTGGGTCCAGTGTGACCTCCAGTGG
AGCCAGCACTGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAG
CACACTCTCCAGTGGGGCCAGCACAGCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCTAGCACAGCCAC
CAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAG
GGCCAGCACTGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAG
AACGACCTCCAATGGGGCTGGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG
GGCCAGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCTAGCACAGCCACCAACTCTGACTCCAG
CACAACTCCAGTGGGGCCGGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCCAC
CAATTCTGAGTCCAGCACACCTCCAGTGGGGCCAACACAGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGG
GGCCAACACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAG
CACAACTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCTAGCACAGCCAC
CAACTCTGACTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCTAGCACAGTGTCCAGTGG
GATCAGCACAGTCCACCAATTCTGAGTCCAGCACAACTCCAGTGGGGCCAACACAGCCACCAACTCTGGGTCCAG
TGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGAATGCACACAACTTCCCATAGTGCATCTACTGCAGT
GAGTGAGGCAAAGCCTGGTGGGTCCCTGGTGCCGTGGGAAATCTTCCTCATACCCTGGTCTCGGTTGTGGCGGC
CGTGGGGCTCTTTGCTGGGCTCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGT
CTACCACCTCATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAAATCATGGAGCCCCCACAGGCCAG
GTGGAGTCTTAAGTCTGGTCTGGAGGAGACAGTATCATCGATAGCCATGGAGATGAGCGGGAGGAACAGCGGGCC
CTGAGCAGCCCCGGAAGCAAGTGCCGCACTTCTTCAGGAAGGAAGAGACCTGGGCACCCAAGACCTGGTTTCTTT
CATTTCATCCCAGGAGACCCCTCCCAGCTTTGTTTGAGATCCTGAAAATCTTGAAGAAGGTATTCCTCACCTTTCT
TGCCTTTACAGACACTGGAAAGAGAATACTATATTGCTCATTTAGCTAAGAAATAAATACATCTCATCTAACAC
ACACGACAAAAGAGAAGCTGTGCTTGCCCCGGGGTGGGTATCTAGCTCTGAGATGAACTCAGTTATAGGAGAAAAAC
CTCCATGCTGGACTCCATCTGGCATTCAAAATCTCCACAGTAAAATCCAAGACCTCAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

312/615

FIGURE 310

MKMQKGNVLLMFGLLLHLEAATNSNETSTTSANTGSSVISSGASTATNSGSSVTSSGVSTATIS
GSSVTSNGVSIIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESS
TPSSGASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTS
SGASTATNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTSNGA
GTATNSESSTTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTA
TNSDSSTTSSGAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNS
ESSTVSSGASTATNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESS
TVSSGISTVTNSESSTTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGS
LVPWEIFLITLVSVVAAGLFAGLFFCVRNSLSLRNTFNTAVYHPHGLNHGLGPGPGGNHGAP
HRPRWSPNWFWRFPVSSIAMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

313/615

FIGURE 311A

CTAAGCCGGAGGATGTGCAGCTGCGGCGGGCGGGCGGGCTACGAAGAGGACGGGGACAGGCGCGCTGCGAACC GA
GCCCAGCCAGCCGGAGGACGCGGGCAGGGCGGGACGGGAGCCCGGACTCGTCTGCCGCCGCGCTCGTCGCCGTGC
TGCCCGGCCCCCGCTCCCGCGCGCGAGCGGGAGGAGCGCCGCCACTCGCGCCCCAGCCCGCGCTAGCGCGCGC
CGGGCATGGTCCCCTCTTAAAGCGCAGGCCGCGGGCGGGCGGGGGCGGGTGTGCGGAACAAAGCGCCGGCGCGGG
CCTGCGGGCGGGCTCGGGGGCCGCGATGGGCGCGGGCGGGCCCGCGGGCGGGCGGGCGCTGCCGGGCCGGGCGCTCG
CGGCGCTAGGGCGGGCTGGCCTCCGTGGGCGGGGGGCAAGCGGGCTGAGGGCGCGCGGAGCCTGCGGCGGGCGGGC
GGCGGGCGGGCGGGCCCGGGCGGGCGGAGCGGGCGGGCATGGCGCGCGGGCGGGCGGGCGCTGGCTCAGCGTGC
TGCTCGGGCTCGTCTGGGCTTCGTGCTGGCCTCGCGGCTCGTCTGCCCGGGCTTCCGAGCTGAAGCGAGCGG
GCCCACGGCGCGCGCCAGCCCCGAGGGCTGCCGGTCCGGGCGAGGCGCGGGCTTCCAGGCCGGCGGGGCGCGCG
GCGATGCGCGCGGGGCGCAGCTCTGGCCGCGGGCTCGGACCCAGATGGCGGGCCGCGCGACAGGAACTTTCTCT
TCGTGGGAGTCATGACCGCCAGAAATACCTGCAGACTCGGGCCGTGGCGCCTACAGAACATGGTCCAAGACAA
TTCTGGGAAAGTTCACTTCTTCAAGTGAGGGTCTGACACATCTGTACCAATTCCAGTACTGCCACTACGGG
GTGTGGAGCACTCTACCCGCCCCAGAAGAAGTCTTCATGATGCTCAAGTACATGCACGACCACTACTTGGACA
AGTATGAATGGTTTATGAGAGCAGATGATGACGTGTACATCAAAGGAGACCGTCTGGAGAACTTCTGAGGAGTT
TGAACAGCAGCGAGCCCCCTTTCTTGGGCGAGCAGGCCCTGGGCACCACGGAAGAAATGGGAAAATGGCCCTGG
AGCCTGGTGAGAACTTCTGCATGGGGGGGCTGGCGTATCATGAGCCGGGAGGTGCTTCGGGAAATGGTGCCGC
ACATTGGCAAGTGTCTCCGGGAGATGTACACACCCATGAGGACGTGGAGGTGGGAAGGTGTGTCCGGAGGTTTG
CAGGGGTGCAGTGTGTCTGGTCTTATGAGATGCGGCAGCTTTTTTATGAGAATTACGAGCAGAACAAAAAGGGGT
ACATTAGAGATCTCCATAACAGTAAATTCACCAAGCTATCACATTACACCCCAACAAAACCCACCTACCAGT
ACAGGCTCCACAGCTACATGCTGAGCCGCAAGATATCCGAGCTCCGCCATCGCACAAATACAGCTGCACCGCGAA
TTGTCTGTATGAGCAAAATACAGCAACACAGAAATCATAAAGAGGACCTCCAGCTGGGAATCCCTCCCTCCTTCA
TGAGGTTTCAGCCCCCGCAGCGAGAGGAGATTCTGGAATGGGAGTTCTGACTGGAAATACTTGTATTCCGCAG
TTGACGGCCAGCCCCCTCGAAGAGGAATGGACTCCGCCCAGAGGGAAGCCTTGGACGACATTGTATGCAGGTCA
TGGAGATGATCAATGCCAACGCCAAGACCAGAGGGCGCATATTGACTTCAAAGAGATCCAGTACGGCTACCGCC
GGGTGAACCCCATGTATGGGGCTGAGTACATCCTGGACCTGCTGCTTCTGTACAAAAGCACAAGGGAAGAAAA
TGACGGTCCCTGTGAGGAGGCACGCGTATTTACAGCAGACTTTCAGCAAAATCCAGTTTGTGGAGCATGAGGAGC
TGGATGCACAAGAGTTGGCCAAAGAGAATCAATCAGGAATCTGGATCCTTGTCTCTCTCAAACCTCCCTGAAGA
AGCTCGTCCCCTTTAGCTCCCTGGGTGCAAGAGTGAGCACAAAGAACCCAAAGATAAAAAGATAAACATACTGA
TTCTTTGTCTGGGCGTTTCGACATGTTTGTGAGATTTATGGGAACTTTGAGAAGACGTGTCTTATCCCCAATC
AGAAGCTCAAGCTCGTGGTCTGCTTTTCAATTCTGACTCCAACCTGACAAGGCCAAACAAGTTGAACCTGATGA
GAGATTACCGCATTAAGTACCCTAAAGCCGACATGCAGATTTGCCTGTGTCTGGAGAGTTTCAAGAGCCCTGG
CCCTGGAAGTAGGATCCCTCCAGTTTAACAATGAATCTTTGCTCTTCTGCGACGTCGACCTCGTGTCTTACTA
CAGAATTCCTTCAGCGATGTGAGCAAAATACAGTTCTGGGCCAACAAATATATTTTCCAATCATCTTCAGCCAGT
ATGACCCAAAGATTGTTTATAGTGGGAAAGTTCCAGTGACACCATTTTGCCTTTACTCAGAAAATGGCTTCT
GGAGAACTATGGGTTTGGCATCACGTGTATTTATAAGGGAGATCTTGTCCGAGTGGGTGGCTTTGATGTTTCCA
TCCAAGGCTGGGGGCTGGAGGATGTGGACCTTTTCAACAAGGTTGTCCAGGCAGGTTTGAAGACGTTTAGGAGCC
AGGAAGTAGGAGTAGTCCACGTCCACCATCCTGTCTTTTGTGATCCCAATCTTGACCCCAACAGTACAAAATGT
GCTTGGGGTCAAAGCATCGACCTATGGGTCCACCCAGCAGCTGGCTGAGATGTGGCTGGAAAAAATGATCCAA
GTTACAGTAAAAGCAGCAATAATAATGGCTCAGTGAGGACAGCCTAATGTCCAGCTTTGCTGGAAAAGACGTTTT
TAATTTATCTAATTTATTTTCAAAAATTTTTTGTATGATCAGTTTTTGAAGTCCGTATACAAGGATATATTTTAC
AAGTGGTTTTCTTACATAGGACTCCTTTAAGATTGAGCTTTCTGAACAAGAAGGTGATCAGTGTGTGCTTTGAA
CACATCTTCTTGCTGAACATTATGTAGCAGACCTGCTTAACTTTGACTTGAAATGTACCTGATGAACAAAATTT
TTTAAAAAATGTTTTCTTTTGAAGCCCTTGTCTCCAGTCTATGGCAGAAAACGTGAACATTCTGCAAAGTAT
TATTGTAACAAAACACTGTAACCTCTGGTAAATGTTCTGTTGTGATTGTTAACATCCACAGATTCTACCTTTTGT
GTTTTGTTTTTTTTTTTTTACAATTGTTTTAAAGCCATTTTCATGTTCCAGTTGTAAGATAAGGAAATGTGATAATA
GCTGTTTCATCATTGTCTTCAGGAGAGCTTTCCAGAGTTGATCATTTCTCTCATGGTACTCTGCTCAGCATGGC
CACGTAGGTTTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGAGACGGAGTCTCACTCTGTTACCCAGGCTGGAATG
CAGTGGCGCAATCTTGCTCACTTTAACCTCCACTTCCCTGGTTCAAGCAATTCCTGCTTGCCTCCCGAGT
AGCTGGGATTACAGGCACACACCACGCCCAGNTAGTTTTTTTGTATTTTTTAGTAGAGACGGGGTTTACCAT
GCAAGCCAGCTGGCCACGTAGGTTTTTAAAGCAAGGGGCGTGAAGAAGGCACAGTGAGGTATGTGGCTGTTCTCG
TGGTAGTTCATTGCGCCTAAATAGACCTGGCATTAAATTTCAAGAAGGATTTGGCATTCTCTCTTGACCCCT
CTCTTTAAAGGGTAAAATATTAATGTTTAGAATGACAAAGATGAATTATTACAATAAATCTGATGTACACAGACT
GAAACATACACATACACCCCTAATCAAAACGTTGGGGAAAAATGATTTGGTTTTGTTTCTCTTATCCTGTCTG
TGTTATGTGGGTGGAGATGGTTTTTCACTTCTTCACTACTGTTTTGTTTTATCCTTTGTATCTGAAATACCTTTAA

314/615

FIGURE 311B

TTTATTTAATATCTGTTGTTTCAGAGCTCTGCCATTTCTTGAGTACCTGTTAGTTAGTATTATTTATGTGTATCGG
GAGTGTGTTTAGTCTGTTTTATTTGCAGTAAACCGATCTCCAAGATTTCCCTTTTGGAACGCTTTTTCCCCTCC
TTAATTTTTATATTCCCTTACTGTTTTACTAAATATTAAGTGTTCTTTGACAATTTGGTGCTCATGTGTTTTGGG
GACAAAAGTGAAATGAATCTGTCATTATACCAGAAAGTTAAATTCTCAGATCAAATGTGCCTTAATAAATTTGTT
TTCATTTAGATTTCAAACAGTGATAGACTTGCCATTTTAATACACGTCATTGGAGGGCTGCGTATTTGTAAATAG
CCTGATGCTCATTTGGAAAAATAAACAGTGAACAATATTTTCTATTGTACTTTTCGAACCATTTGTCTCATT
ATTCCTGTTTTAGCTGAAGAATTGTATTACATTTGGAGAGTAAAAAACTTAAACACGAAAAA

315/615

FIGURE 312

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68836
><subunit 1 of 1, 802 aa, 1 stop
><MW: 91812, pI: 9.52, NX(S/T): 3
MAARGRRAWLSVLLGLVLGFVLASRLVLPRASELKRAGPRRRASPEGCRSGQAAASQAGGARG
DARGAQLWPPPGSDPDGGPRDRNFLFVGVMATAQKYLQTRAVAAYRTWSKTI PGKVQFFSSEGSD
TSVPIPVVPLRGVDDSYPPQKKSFMMLKYMHDHYLDKYEFMRADDDVYIKGDRLNENFLRSLN
SSEPLFLGQTGLGTTEEMGKLALEPGENFCMGGPGVIMSREVLRRMVPHIGKCLREMYTTHE
VEVGRCVRRFAGVQCWVSYEMRQLFYENYEQNKKGYIRDLHNSKIHQAITLHPNKNPPYQYRL
HSYMLSRKISELRHRTIQLHREIVLMSKYSNTEIHKEDLQLGIPPSFMRFPQPRQREEILEWEEF
LTGKYLYSAVDGQPPRRGMDSAQREALDDIVMQVMEMINANAKTRGRIIDFKEIQYGYRRVNP
MYGAEYILDLLLLYKKHKGKKMTVPVRRHAYLQOTFSKIQFVEHEELDAQELAKRINQESGSL
SFLSNSLKKLVFPQLPGSKSEHKEPKDKKINILIPLSGRFDMFVRFMGNFEKTCLIPNQNVKL
VLLFNSDSNPDKAKQVELMRDYRIKYPKADMQILPVSGEFSRALALEVGSSQFNNESLLFFC
DVDLVFTTEFLQRCRANTVLGQQIYFPPIIFSQYDPKIVYSGKVPSDNHFAFTQKTGFWRNYGF
GITCIYKGDIVRVGGFDVSIQGWGLEDDVDFNKKVQAGLKTFRSQEVGVVHVHHPVFCDPNLD
PKQYKMCLGSKASTYGSTQQLAEMWLEKNDPSYSKSSNNNGSVRTA
```

Signal peptide:

amino acids 1-23

316/615

FIGURE 313

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCCGCACGGAGGTTGTGACCCC
TACGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCCTGCTTGTGACA
GGTGGGAGGCTGGAACATATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCA
ACAAATGGATGATGTGATATATGCAATTCAGGGGAAGGGAAATTGTGGTGCTTCTGAACCCAT
GGTCAATTAACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCT
TTGGAATCATGGTGTCATGGAAAGGGATTTACTTTATACTGACTCTGTTTTGGGGAAGCTTTT
TTGGAAGCATTFTTCATGCTGAGTCCCTTTTTTACCTTTGATGTTTGTAAACCCATCTTGGTATC
GCTGGATCAACAACCGCCTTGTGGCAACATGGCTCACCTACCTGTGGCATTATTGGAGACCA
TGTTTGGTGTAAGAGTGATTATAACTGGGGATGCATTTGTTCTGGAGAAAGAAGTGTCATTA
TCATGAACCATCGGACAAGAATGGACTGGATGTTCTGTGGAATTGCCTGATGCGATATAGCT
ACCTCAGATTGGAGAAAATTTGCCTCAAAGCGAGTCTCAAAGGTGTTCTGGATTGGTTGGG
CCATGCAGGCTGCTGCCTATATCTTCATTCATAGGAAATGGAAGGATGACAAGAGCCATTTCG
AAGACATGATTGATTACTTTTGTGATATTCACGAACCACTTCAACTCCTCATATCCCAGAAG
GGACTGATCTCACAGAAAACAGCAAGTCTCGAAGTAATGCATTGCTGAAAAAAATGGACTTC
AGAAATATGAATATGTTTTACATCCAAGAACTACAGGCTTTACTTTTGTGGTAGACCGTCTAA
GAGAAGGTAAGAACCTTGATGCTGTCCATGATATCACTGTGGCGTATCCTCACAACATTCTC
AATCAGAGAAGCACCTCCTCCAAGGAGACTTTCCAGGGAAATCCACTTTCACGTCCACCGGT
ATCCAATAGACACCCTCCCCACATCCAAGGAGGACCTTCAACTCTGGTGCCACAAACGGTGGG
AAGAGAAAGAAGAGAGGCTGCGTTCCTTCTATCAAGGGGAGAAGAATTTTTATTTTACCGGAC
AGAGTGTCAATCCACCTTGCAAGTCTGAACTCAGGGTCTTGTGGTCAAATTGCTCTCTATAC
TGTATTGGACCCTGTTCAAGCCTGCAATGTGCCTACTCATATATTTGTACAGTCTTGTTAAGT
GGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGAGAATATTTGGTGGACTGGAGA
TCATAGAACCTTGCATGTTACCGACTTTTACACAAACAGCCACATTTAAATTCAAAGAAAAATG
AGTAAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTGGAAATGTTCTAAACCTT
TCTAAGCTCAGATGCATTTTTTGCATGACTATGTGCAATATTTCTTACTGCCATCATTATTTGT
TAAAGATATTTTGCACCTTAATTTTGTGGGAAAAATATTGCTACAATTTTTTTTAAATCTCTGAA
TGTAATTTTCGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTTGGGCCAGAATA
TTATTAAACAATCATCAGGCTTTTAAA

317/615

FIGURE 314

MHSRGREIVVLLNPWSINEAVSSYCTYFIKQDSKSFIMVSWKGIYFILTLFWGSFFGSIFML
SPFLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTR
MDWMFLWNCLMRYSYLRLEKICLKASLKGVPFGFWAMQAAAYIFIHRKWKDDKSHFEDMIDYF
CDIHEPLQLLI FPEGTDLTENSKSRSNFAEKNGLOKYEYVLHPRTTGFTFVVDRLREGKNLD
AVHDITVAYPHNIPQSEKHLLQGDFPREIH FHVHRYPIDTLPTSKE DLQLWCHKRWEEKEERL
RSFYQGEKNFYFTGQSVIPPCKSELRLV LVKLLSILYWTLFSPAMCLLIYLYSLVKWYFIITI
VIFVLQERIFGGLIIE LACYRL LHKQPHLNSKKNE

Important features of the protein:

Signal peptide:

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108, 354-377

318/615

FIGURE 315

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGA
CCTCCAAATCATCCATCCACCCCTGCTGTCTGTTTTCATAGTGTGAGATCAACCCACAGG
AATATCCATGGCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTGAGGACAGTG
GCAAGTCACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTG
CTCCCTCTTTCTGAGACCAGTGCAGAGGCTATGGAAGTGCGGTTCTTCAGGAATCAGTTCCA
TGCTGTGGTCCACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCG
AGGGAGAAGTGAAGTTTGTGAAGGACTCCATTGCAGGGGGGCGTGTCTCTCTAAGGCTAAAAA
CATCACTCCCTCGGACATCGGCCTGTATGGGTGCTGGTTTCAAGTTCCTCTCATTTCATCGTGGGATA
GGCCACCTGGGAGCTGCGGGTGGCAGCACTGGGCTCACTTCTCTCATTTCATCGTGGGATA
TGTTGACGGAGGTATCCAGTTACTCTGCCTGTCTCAGGCTGGTTCCCCCAGCCACAGCCAA
GTGGAAAGGTCCACAAGGACAGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAG
CCTGTATGATGTGGAGATCTCCATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCCAT
CCACCTTGCTGAGCAGAGTCATGAGGTGGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCA
GCCCTCACCTTGGCGCCTGGCTTCTATTTTACTCGGGTTACTCTGTGGTGGCCTGTGTGGTGT
TGTCTATGGGGATGATAATTGTTTTCTTCAAATCCAAAGGGAAAATCCAGGCGGAAGTGGACTG
GAGAAGAAAGCACGGACAGGCAGAAATTGAGAGACGCCCCGAAACACGCAGTGGAGGTGACTCT
GGATCCAGAGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAAAGTGTAAACCATAGAAA
AGATCCCCAGGAGGTGCCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTTCTCA
GGGTTTCCAAGCAGGAGACATTACTGGGAGGTGGAGTGGGACAAAATGTAGGGTGGTGTGT
GGGAGTGTGTCGGGATGACGTAGACAGGGGGAAGAACAATGTGACTTTGTCTCCCAACAATGG
GTATTGGGTCTCAGACTGACAACAGAACATTTGTATTTACATTCAATCCCCATTTTATCAG
CCTCCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCTGGACTATGAGGGTGGGACCAT
CTCCTTCTTCAATACAAATGACCAGTCCCTTATTTATACCCTGCTGACATGTCAGTTTGAAGG
CTTGTTGAGACCCTATATCCAGCATGCGATGTATGACGAGGAAAAGGGGACTCCCATATTCAT
ATGTCCAGTGTCTGCGGATAGAGACAGAGAAGACCCTGCTTAAAGGGCCCCACACCACAGACC
CAGACACAGCCAAGGGAGAGTGCTCCCGACAGGTGGCCCCAGCTTCTCTCCGGAGCCTGCGC
ACAGAGAGTCACGCCCCCCTCTCCTTTAGGGAGCTGAGGTTCTTCTGCCCTGAGCCCTGCA
GCAGCGGCAGTCACAGCTTCCAGATGAGGGGGGATTGGCCTGACCCTGTGGGAGTCAGAAGCC
ATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTTGTGAAAAGTCCATC
CAGCTAAGCGATCTTGAACAAGTCACAACCTCCCAGGCTCCTCATTGCTAGTCACGGACAGT
GATTCCTGCCTCACAGGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTTGCAGGTTTGA
GGGCACAGTGTGCTAATGATGTGTTTTTATATTATACATTTTCCCACCATAAACTCTGTTT
GCTTATTCCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACAC
CTGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTCACTGATTCTATAAGCCCAG
CATTACCTGATACCAAACCAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAAGTACAGGTCCA
TATCCCTCATTAACACAGACACAAAAATTCTAAATAAAATTTTAAACAAATTAACTAAACAAT
ATATTTAAAGATGATATATAACTACTCAGTGTGGTTTGTCCCACAAATGCAGAGTTGGTTTAA
TATTTAAATATCAACCAGTGAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAAA
AAAAAAA

319/615

FIGURE 316

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68866
><subunit 1 of 1, 466 aa, 1 stop
><MW: 52279, pI: 6.16, NX(S/T): 2
MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAV
VHLYRDGEDWESKQMPQYRGRTFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEAT
WELRVAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPGQDLSSDSRANADGYSLY
DVEISIIVQENAGSILCSIHLAEQSHEVESKVLIGETFFQSPWRLASILGLLCGALCGVVM
GMIIVFFKSKGKIQAELDWRRKHGQAELRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKAP
QEVPHSEKRFTRKSVVASQGFQAGRHYWEVDVGQNVGWYVGVCRDDVDRGKNNVTLSPNNGYW
VLRLTTEHLYFTFNPFIISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLLTCQFEGLL
RPYIQHAMYDEEKGTPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

320/615

FIGURE 317

GCACCTGCGACCACCGTGAGCAGTCATGGCGTACTCCACAGTGCAGAGAGTCGCTCTGGCTTC
TGGGCTTGTCCTGGCTCTGTGCTGCTGCTGCTGCCCCAAGGCCTTCCTGTCCCGCGGGAAGCGGCA
GGAGCCGCGCCGACACCTGAAGGAAAATTGGGCGGATTTCACCTATGATGCATCATCACCA
GGCACCCCTCAGATGGCCAGACTCCTGGGGCTCGTTTCCAGAGGTCTCACCTTGCCGAGGCATT
TGCAAAGGCCAAAGGATCAGGTGGAGGTGCTGGAGGAGGAGGTAGTGGAAGAGGTCTGATGGG
GCAGATTATTCCAATCTACGGTTTTGGGATTTTTTTATATATACTGTACATTCTATTTAAGGT
AAGTAGAATCATCCTAATCATATTACATCAATTGAAAATCTAATATGGCGATAAAAATCATTGT
CTACATTAAAACTTCTTATAGTTCATAAAATTATTTCAAATCCATCATCTCTTTAAATCCTGC
CTCCTCTTCATGAGGTACTTAGGATAGCCATTATTTCAAGTTTCACATAAGAATGTTTACTCAA
TGTTTAAGTGTTTTGCCCCAAAATTCACAATAACAAGGCAGAACTAGGACTTGAACATGGAT
CTTTTGGTTCTTAATCCAGTGAGTGATACAATTCAATGCACTCCCCTGCCA

321/615

FIGURE 318

MAYSTVQRVALASGLVLALSLLLPKAFLSRGKRQEPPTPEGKLGRFPPMMHHHQAPSDGQTP
GARFQRSHLAEAFKAKGSGGGAGGGGSGRGLMGQIIPYGFIFLYILYILFKVSRILIILHQ

322/615

FIGURE 319

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAG
GAAAAGAGTTTGGTTGGGAACCCCTGGGTTATCGGCCTCGTCATCTTCATATCCCTGATTGTCCT
GGCAGTGTGCATTGGACTCACTGTTTCATTATGTGAGATATAATCAAAAGAAGACCTACAATTA
CTATAGCACATTGTCAATTTACAACCTGACAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAA
CAATTTTACAGAAATGAGCCAGAGACTTGAATCAATGGTGAAAAATGCATTTTATAAATCTCC
ATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTCAGTCAACAGAAGCATGGAGTGTT
GGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGAACTGTAGATAAAAT
TGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCTAAAGTAGATCCTCA
CTCAGTTAAAATTAAAAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGG
AACACGAAGAAGTAAAACCTCTAGGTCAGAGTCTCAGGATCGTTGGTGGGACAGAAGTAGAAGA
GGGTGAATGGCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTT
AATTAATGCCACATGGCTTGTGAGTGCTGCTCACTGTTTTACAACATATAAGAACCCTGCCAG
ATGGACTGCTTCCTTTGGAGTAACAATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAAT
AATTGTCCATGAAAAATACAAACACCCATCACATGACTATGATATTTCTCTTGACAGAGCTTTC
TAGCCCTGTTCCCTACACAAATGCAGTACATAGAGTTTGTCTCCCTGATGCATCCTATGAGTT
TCAACCAGGTGATGTGATGTTTGTGACAGGATTGGAGCACTGAAAAATGATGGTTACAGTCA
AAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACTTGCAATGAACCTCAAGC
TTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGC
ATGCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGC
TGGAATAGTGAGCTGGGGAGATGAATGTGCGAAACCAACAAGCCTGGTGTTTATACTAGAGT
TACGGCCTTGCGGGACTGGATTACTTCAAAAACCTGGTATCTAAAGAGACAAAAGCCTCATGGAA
CAGATAACATTTTTTTTTTGTGTTTTTGGGTGTGGAGGCCATTTTTTAGAGATACAGAATTGGAGA
AGACTTGCAAAACAGCTAGATTTGACTGATCTCAATAAACTGTTTGCTTGATGCATGTATTTT
CTTCCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCAGATCAACTCTGTCTATCTGTGA
GCAATAGTTGAACTTTTATGTACATAGAGAAATAGATAATACAATATTACATTACAGCCTGTA
TTCATTTGTTCTCTAGAAGTTTTGTGTCAGATTTTGACTTGTTGACATAAATTTGTAATGCATA
TATACAATTTGAAGCACTCCTTTTCTTCAGTTCCTCAGCTCCTCTCATTTTCAGCAAATATCCA
TTTTCAAGGTGCAGAACAAAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCTACATTTTA
TTGGCACAGAAAAGTATTAGGTGTTTTCTTAGTGGAATATTAGAAATGATCATATTTCATTAT
GAAAGGTCAAGCAAAGACAGCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAACATA
GTTAAGGAAGTCCAGAAAGAAGCCAAGATATATCCTTATTTTCATTTCCAAACAACACTACTATG
ATAAATGTGAAGAAGATTCTGTTTTTTGTGACCTATAATAATTATACAACTTCATGCAATG
TACTTGTTCTAAGCAAATTAAAGCAAATATTTATTTAACATTGTTACTGAGGATGTCAACATA
TAACAATAAAATATAAATCACCCA

323/615

FIGURE 320

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68871
><subunit 1 of 1, 423 aa, 1 stop
><MW: 47696, pI: 8.96, NX(S/T): 3
MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTYNYYSTLSFTTDK
LYAEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQVIKFSQQKHGVLAHMLLICRFH
STEDPETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQS
LRIVGGTEVEEGEWPWQASLQWDGSHRCGATLINATWLVSAAHCFTTYKNPARWTASFGVTIK
PSKMKRGLRRIIVHEKYKHPSHDYDISLAELSSPVYPYTNVHRVCLPDASYEFQPGDVMFVTG
FGALKNDGYSQNHRLRQAQVTLIDATTCNEPQAYNDAITPRMLCAGSLEGKTDACQGDSGGPLV
SSDARDIWYLAGIVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

324/615

FIGURE 321

CCGGGCTCCTGGGTGAGGCCGGCAAGTTTGGAGCGTGGTCAGACAATAGGGGCGTGGCTACGG
CTCGCGGAGCGCAACCAACGCTCTAGACCAGACCTGGGCTCGAGACCATAACTGTTTGGCTTT
AACAGTACGTGGGCGGCCGGAATCCGGGAGTCCGGTGACCCGGGCTGTGGTCTAGCATAAAGG
CGGAGCCCAGAAGAAGGGGCGGGGTATGGGAGAAGCCTCCCCACCTGCCCCCGCAAGGCGGCA
TCTGCTGGTCCTGCTGCTGCTCCTCTCTACCCTGGTGATCCCCTCCGCTGCAGCTCCTATCCA
TGATGCTGACGCCCAAGAGAGCTCCTTGGGTCTCACAGGCCTCCAGAGCCTACTCCAAGGCTT
CAGCCGACTTTTCTGAAAGGTAACCTGCTTCGGGGCATAGACAGCTTATTCTCTGCCCCCAT
GGACTTCCGGGGCCTCCCTGGGA ACTACCACAAAGAGGAGAACCAGGAGCACCAGCTGGGGAA
CAACACCCTCTCCAGCCACCTCCAGATCGACAAGATGACCGACAACAAGACAGGAGAGGTGCT
GATCTCCGAGAATGTGGTGGCATCCATTCAACCAGCGGAGGGGAGCTTCGAGGGTGATTTGAA
GGTACCCAGGATGGAGGAGAAGGAGGCCCTGGTACCCATCCAGAAGGCCACGGACAGCTTCCAC
ACAGAACTCCATCCCCGGGTGGCCTTCTGGATCATTAAGCTGCCACGGCGGAGGTCCCACCAG
GATGCCCTGGAGGGCGGCCACTGGCTCAGCGAGAAGCGACACCGCCTGCAGGCCATCCGGGAT
GGACTCCGCAAGGGGACCCACAAGGACGTCCTAGAAGAGGGGACCGAGAGCTCCTCCCACTCC
AGGCTGTCCCCCGAAAGACCCACTTACTGTACATCCTCAGGCCCTCTCGGCAGCTGTAGGGG
TGGGGACCGGGGAGCACCTGCCTGTAGCCCCCATCAGACCCTGCCCCAAGCACCATATGGAAA
TAAAGTTCTTTCTTACATCTAAAAA

325/615

FIGURE 322

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68879
><subunit 1 of 1, 242 aa, 1 stop
><MW: 27007, pI: 8.68, NX(S/T): 2
MGEASPPAPARRHLLVLLLLLSTLVIPSAAAPIHDADAQESSLGLTGLQSLQGFSLFL
KGNLLRGIDSLFSAPMDFRGLPGNYHKEENQEHQLGNNTLSSHLQIDKMTDNKTGEVLIS
ENVVASIQPAEGSFEGDLKVPRMEEKEALVPIQKATDSFHTELHPRVAFWIILPRRRSH
QDALEGGHWLSEKRHRLQAIRDGLRKGTKDVLEEGTESSSHSRLSPRKTHLLYILRPSR
QL

Important features of the protein:**Signal peptide:**

Amino acids 1-30

N-glycosylation sites:

Amino acids 97-101;112-116

N-myristoylation sites:

Amino acids 80-86;132-138;203-209;216-222

326/615

FIGURE 323

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCC
TGCCCCGATGAGCCCCCGCGTGCGTCCCCGACTATCCCCAGGCGGGCGTGGGGCACC GGCC
CAGCGCCGACGATCGCTGCCGTTTGGCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTC
TCCCTTACGGGGCTCACAATGGCCAGAGAAGATTCCGTGAAGTGTCTGCGCTGCCTGCTCTAC
GCCCTCAATCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGG
GACTACCTAAATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTG
ACTTACTTTTCTGTGGTTCATCCGGTCATGATTGCTGTTTGGTGTCTTCTTATCATTGTGGGG
ATGTTAGGATATTGTGGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGT
TTGCTTGTCAATTTTCTGTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTATG
GTTCCAGTACAATGGTCAGATATGGTCACCTTTGAAAGCCAGGATGACAAATTATGGATTACCT
AGATATCGGTGGCTTACTCATGCTTGGAAATTTTTTTCAGAGAGAGTTTAAGTGCTGTGGAGTA
GTATATTTCACTGACTGGTTGGAAATGACAGAGATGGACTGGCCCCAGATTCCTGCTGTGTT
AGAGAATTTCCAGGATGTTCCAAACAGGCCCCACCAGGAAGATCTCAGTGACCTTTATCAAGAG
GGTTGTGGGAAGAAAATGTATTCTTTTTGAGAGGAACCAACAACACTGCAGGTGCTGAGGTTT
CTGGGAATCTCCATTGGGGTGACACAAATCCTGGCCATGATTCTCACCATTACTCTGCTCTGG
GCTCTGTATTATGATAGAAGGGAGCCTGGGACAGACCAAAATGATGTCTTGAAGAATGACAAC
TCTCAGCACCTGTCAATGTCCCTCAGTAGAACTGTTGAAACCAAGCCTGTCAAGAATCTTTGAA
CACACATCCATGGCAAACAGCTTTAATACACACTTTGAGATGGAGGAGTTATAAAAAGAAAATG
TCACAGAAGAAAACCACAAACTTGTTTTTATTGGACTTGTGAATTTTTTGAGTACATACTATGTG
TTTCAGAAATATGTAGAAATAAAAAATGTTGCCATAAAATAACACCTAAGCATATACTATTCTA
TGCTTTAAAATGAGGATGGAAAAGTTTCATGTCTATAAGTCACCACCTGGACAATAATTGATGC
CCTTAAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCCTGTGTATGACTTTTACTGAAC
ACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCCGCATCCATGCAAACGAGTCACA
TATGGTGGGACTGGAGCCATAGTAAAGGTTGATTACTTCTACCAACTAGTATATAAAGTACT
AATTAAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTACTCAGCGATCTATTC
TTCTGATGCTAAATAAATTATATATCAGAAAATTTCAATATTGGTGACTACCTAAATGTGAT
TTTTGCTGGTTACTAAAATATTCTTACCACTTAAAAGAGCAAGCTAACACATTGTCTTAAGCT
GATCAGGGATTTTTTGTATATAAGTCTGTGTTAAATCTGTATAATTCAGTCGATTTTCAAGTCT
GATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGTCCTGTATAGCATCATTATTTTGA
GCCTTTCTGTGTTAATAAAGCTTTACTATTCTGTCTGGGCTTATATTACACATATAACTGTTA
TTTAAATACTTAACCACTAATTTTGAAAATTACCAGTGTGATACATAGGAATCATTATTCAGA
ATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTTCAGAA
AGGACTTGATGCTGTTTTTCTCCCAAATGAAGACTCTTTTTTGACACTAAACACTTTTTTAAAA
AGCTTATCTTTGCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATTTCTACAGA
AAATAGTGTCTTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAAACATGTGACAATTTAG
AGATTCTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAATTTT
TTTACAAGAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGTAT
TTTGTTTATTTCTCAGAATATGGAAAGAAAATTAAAATGTGTCAATAAATATTTTCTAGAGAG
TAA

327/615

FIGURE 324

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68880
><subunit 1 of 1, 305 aa, 1 stop
><MW: 35383, pI: 5.99, NX(S/T): 0
MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMRDYLNNVLTTLTAETRVEEAVILTYFPVV
HPVMIAVCCFLIIVGMLGYCGTVKRNLLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWS
DMVTLKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTMDWPPDSCCVREFPGC
SKQAHQEDLSDLYQEGCGKKMYSFLRGTKQLQVLRFLGISIGVTQILAMILTITLLWALYYDR
REPGTDQMMSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL
```

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

328/615

FIGURE 325

AGCAGTGCATTGCTGGAGCGAGGAGAAGCTCACGAATCAGCTGCAGGTCTCTGTTTTGAAAAA
GCAGAGATACAGAGGCAGAGGAAAAGGGTGGACTCCTATGTGACCTGTTCTTAGAGCAAGACA
ATCACCATCTGAATTCAGAAAGCCCTGTTTCATGGTTGGGGATATTTTCTCGACTGCATGGAAT
CAGAAAGAAGCAAAAGGATGGGAAATGCCTGCATCCCCCTGAAAAGAATTGCTTATTTCCCTAT
GTCTCTTATCTGCGCTTTTGCTGACTGAGGGGAAGAAACCAGCGAAGCCAAAATGCCCTGCCG
TGTGTA CTGTACCAAAGATAATGCTTTATGTGAGAATGCCAGATCCATTCCACGCACCGTTC
CTCCTGATGTTATCTCATTATCCTTTGTGAGATCTGGTTTTACTGAAATCTCAGAAGGGAGTT
TTTTATTACGCCATCGCTGCAGCTCTTGTTATTCACATCGAACTCCTTTGATGTGATCAGTG
ATGATGCTTTTATTGGTCTTCCACATCTAGAGTATTTATTATAGAAAACAACAACATCAAGT
CAATTTCAAGACATACTTTCCGGGGACTAAAGTCATTAATTCATTGAGCCTTGCAAACAACA
ATCTCCAGACACTCCCAAAGATATTTTCAAAGGCCTGGATTCTTTAACAATGTGGACCTGA
GGGGTAATTCATTTAATTGTGACTGTAACTGAAATGGCTAGTGGAAATGGCTTGGCCACACCA
ATGCAACTGTTGAAGACATCTACTGCCAAGGCCCCCAGAATACAAGAAGCGCAAAATCAATA
GTCTCTCCTCGAAGGATTTTCGATTGCATCATTACGAATTTGCAAAGTCTCAAGACCTGCCTT
ATCAATCATTGTCATAGACACTTTTCTTATTGTAATGATGAGTATGTAGTCATCGCTCAGC
CTTTTACTGGAAAATGCATTTTCTTGAATGGGACCATGTGGAAAAGACCTTCCGGAATTATG
ACAACATTACAGGCACATCCACTGTAGTATGCAAGCCTATAGTCATTGAAACTCAGCTCTATG
TTATTGTGGCCCAGCTGTTTGGTGGCTCTCACATCTATAAGCGAGACAGTTTTGCAAATAAAT
TCATAAAAATCCAGGATATTGAAATTTCTCAAAATCCGAAAACCCAATGACATTGAAACATTCA
AGATTGAAAACAACTGGTACTTTGTTGTTGCTGACAGTTCAAAGCTGGTTTTACTACCATTTAC
AAATGGAACGGAAACGGATTCTACTCCCATCAATPCCTTACACGCGTGGTACAGGGACACTGAT
GTGGAATATCTAGAAATAGTCAGAACACCTCAGACACTCAGAACGCCTCATTTAATTCTGTCT
AGTAGTTCCCAGCGTCCTGTAATTTATCAGTGGAACAAAGCAACACAATTATTCACTAACCAA
ACTGACATTCCTAACATGGAGGATGTGTACGCAGTGAAGCACTTCTCAGTGAAAGGGGACGTG
TACATTTGCTTGACAAGATTCATTGGTGATTCCAAAGTCATGAAATGGGGAGGCTCCTCGTTC
CAGGATATTCAGAGGATGCCATCGCGAGGATCCATGGTGTTCAGCCTCTTCAAATAAATAAT
TACCAATATGCAATTTCTGGAAGTGATTACTCCTTTACTCAAGTGTATAACTGGGATGCAGAG
AAAGCCAAATTTGTGAAATTTCAGGAATTAAATGTTCAAGGCACCAAGATCATTACACATGTG
TCCATTAATAAGCGTAATTTTCTTTTGTCTCCAGTTTTAAGGGAAATACACAGATTTACAAA
CATGT CATAGTTGACTTAAGCGCATGAGACACCAAATTTCTGTGGCTGCCATCAGAAATTTTCT
ACAGTACATGACCCGGATGAACTCAATGCATGATGACTCTTCTTATCACACTTGCAAATGAAT
GCCTTTCAAACATTGAGACTGCTAGAACCAAGCACTACCAGTATCTCCATCCTTAAGTGTCCA
GTCCAGTGATGTGGGAAGTTACCTTTTATAAGACAAAATTTAATTGTGTAAGTGTCTTTGCA
GTGAAGATGTGTAAATAAGCGTTTAAATGGTATCTGTTACTCCAAAAGAAATATTAATATGTA
CTTTTCCATTTATTTATTCATGTGTACAGAAACAACTGCCAAATAAATGTTTACATTTTCTT
TCATA

329/615

FIGURE 326

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68882
><subunit 1 of 1, 557 aa, 1 stop
><MW: 63818, pI: 8.61, NX(S/T): 3
MESERSKRMGNACIPLKRIAYFLCLLSALLLTEGKKPAKPKCPAVCTCTKDNALCENARS
IPRTVPPDVISLSFVRSGFTEISEGSFLFTPSLQLLLFTSNSFDVISDDAFIGLPHLEYL
FIENNNIKSISRHTFRGLKSLIHLSLANNNLQTLPKDIFKGLDSL TNVDLRGNSFNCDCCK
LKWLVEWLGHNTATVEDIYCEGPPEYKKRKINSLSSKDFDCIITEFAKSQDLPYQSLSID
TFSYLNDEYVVIAQPFTGKCIFLEWDHVEKTFRNYDNITGTSTVVCKPIVIETQLYVIVA
QLFGGSHIYKRDSFANKFIKIQDIEILKIRKPNDIETFKIENNWFV VADSSKAGFTTIY
KWNGNGFYSHQSLHAWYRDTDVEYLEIVRTPQTLRTPHLILSSSSQRPVIYQWNKATQLF
TNQTDIPNMEVDYAVKHFSVKGDVYICLTRFIGDSKVMKWGGSSFQDIQRMPSRGS MVFQ
PLQINNYQYAILGSDYSFTQVYNWDAEKAKFVKFQELNVQAPRSFTHVSINKRNFLEASS
FKGNTQIYKHVIVDLSA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-34

Transmembrane domain:

Amino acids 281-306

N-glycosylation sites:

Amino acids 192-196;277-281;422-426

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 310-314

Tyrosine kinase phosphorylation sites:

Amino acids 228-235;378-385

N-myristoylation sites:

Amino acids 172-178;493-499

Amidation site:

Amino acids 33-37

330/615

FIGURE 327

CCAAGGCCAGAGCTGTGGACACCTTATCCCACTCATCCTCATCCTCTTCTCTGATAAAGCCC
CTACCAAGTGCTGATAAAGTCTTTCTCGTGAGAGCCTAGAGGCCTTAAAAAAAAGTGCTTGA
AAGAGAAGGGGACAAAGGAACACCAGTATTAAGAGGATTTTCCAGTGTTTCTGGCAGTTGGTC
CAGAAGGATGCTCCATTCTGCTTCTCACCTGCCTCTTCATCACAGGCACCTCCGTGTCACC
CGTGGCCCTAGATCCTTGTTCTGCTTACATCAGCCTGAATGAGCCCTGGAGGAACACTGACCA
CCAGTTGGATGAGTCTCAAGGTCCTCCTCTATGTGACAACCATGTGAATGGGGAGTGGTACCA
CTTCACGGGCATGGCGGGAGATGCCATGCCTACCTTCTGCATACCAGAAAACCACTGTGGAAC
CCACGCACCTGTCTGGCTCAATGGCAGCCACCCCTAGAAAGGCGACGGCATTTGTGCAACGCCA
GGCTTGTGCCAGCTTCAATGGGAACCTGCTGTCTCTGGAACACCACGGTGGAAAGTCAAGGCTTG
CCCTGGAGGCTACTATGTGTATCGTCTGACCAAGCCCAGCGTCTGCTTCCACGTCTACTGTGG
TCATTTTATGACATCTGCGACGAGGACTGCCATGGCAGCTGCTCAGATAACCAGCGAGTGCAC
ATGCGCTCCAGGAACTGTGCTAGGCCCTGACAGGCAGACATGCTTTGATGAAAATGAATGTGA
GCAAAACAACGGTGGCTGCAGTGAGATCTGTGTGAACCTCAAAAACCTCCTACCGCTGTGAGTG
TGGGGTTGGCCGTGTGCTAAGAAGTGATGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAA
TAACAATGGTGGCTGCAGCCACTCTTGCCCTGGATCTGAGAAAGGCTACCAGTGTGAATGTCC
CCGGGCTGCTGTCTGAGGATAACCACACTTGCCAAGTCCCTGTGTTGTGCAAAATCAAA
TGCCATTGAAGTGAACATCCCCAGGGAGCTGGTGGTGGCCTGGAGCTCTTCTCTCAAGACATGG
TACAGTGGTCGATGTGGTGAATGACAAGATGTGGCCAGCAACCTCGTGACAGGTCTACCCAA
GCAGACCCCGGGGAGCAGCGGGGACTTCATCATCCGAACCAGCAAGCTGCTGATCCCGGTGAC
CTGCGAGTTTCCACGCCTGTACACCATTTCTGAAGGATACGTTCCCAACCTTCGAAACTCCCC
ACTGGAATCATGAGCCGAAATCATGGGATCTTCCCATTCCTCTGGAGATCTTCAAGGACAA
TGAGTTTGAAGAGCCTTACCGGGAAGCTCTGCCCACCCTCAAGCTTCGTGACTCCCTCTACTT
TGGCATTGAGCCCGTGGTGCACGTGAGCGGCTTGGAAGCTTGGTGGAGAGCTGCTTTGCCAC
CCCCACCTCCAAGATCGACGAGGTCCTGAAATACTACCTCATCCGGGATGGCTGTGTTTCAGA
TGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGGTCCCTGTCTT
CAAGTTTGTGGGCAAAGACCACAAGGAAGTGTTCCTGCACTGCCGGGTCTTGTCTGTGGAGT
GTTGGACGAGCGTTCCCGCTGTGCCAGGGTTGCCACCGGCGAATGCGTCGTGGGGCAGGAGG
AGAGGACTCAGCCGGTCTACAGGGCCAGACGCTAACAGGCGGCCCGATCCGCATCGACTGGGA
GGACTAGTTCGTAGCCATACCTCGAGTCCCTGCATTGGACGGCTCTGCTCTTTGGAGCTTCTC
CCCCACCGCCCTCTAAGAACATCTGCCAACAGCTGGGTTTCACTTCCACTGTGAGTTCAG
ACTCCAGCACCAACTCACTCTGATTCTGGTCCATTCACTGGGCACAGGTACAGCACTGCTG
AACAATGTGGCCTGGGTGGGGTTTCATCTTTCTAGGGTTGAAAATAAAGTGTCCACCCAGAA
AGACACTACCCCATTTCCCTCATTTCTTTCTTACACTTAAATACCTCGTGTATGGTGCAATC
AGACCACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCCTAGAAAAATTAAACAG
TTACTGAAATTATGACTTAAATACCCAATGACTCCTTAAATATGTAAATTATAGTTATACCTT
GAAATTTCAATTCAAATGCAGACTAATTATAGGAATTTGGAAGTGTATCAATAAAACAGTAT
ATAATTTT

331/615

FIGURE 328

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHQLDESQGPPLCDNHVNGEWYHFT
GMAGDAMPTFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNNTTVEVKACPG
GYVYRLTKPSVCFHVYCGHFYDIDCEDCHGSCSDTSECTCAPGTVLGPDRQTCFDENECEQN
NGGCSEICVNLKNSYRCECGVGRVLRSDGKTCEDEVEGCHNNNGGCSHSCLGSEKGYQCECPRG
LVLSEDNHTCQVPVLCKSNAIEVNIPRELVGGLFLTNNTSCRGVSNGTHVNIILFSLKTCGTV
VDVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVTCEFPRLYTISEGYVPNLRNSPLE
IMSRNHGIFPFTLEIFKDNEFEPEPYREALPTLKLRLDSLYFGIEPVVHVSGLESIVESCFAATPT
SKIDEVLKYYLIRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRVLVCGVLD
ERSRCAQGCHRRMRGAGGEDSAGLQGQTLTGGPIRIDWED

Important features of the protein:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
522-528, 531-537**Aspartic acid and asparagine hydroxylation site.**

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

332/615

FIGURE 329

GAGAGAGGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCT
GCACTCGGGCCTCCTCCAGCCAGTGCTGACCAGGGACTTCTGACCTGCTGGCCAGCCAGGACC
TGTGTGGGGAGGCCCTCCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACC
GGGAGGATCACAGAGCCAGCATGTTACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCG
ATGTCAAACCCCTGCGCAAACCCCGTATCCCCATGGAGACCTTCAGAAAGGTGGGGATCCCCA
TCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGTGGTTGTCCTCATCAAGGTGATTC
TGGATAAATACTACTTCCTCTGCGGGCAGCCTCTCCACTTCATCCCGAGGAAGCAGCTGTGTG
ACGGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTCCCCGAAG
GGCCTGCAGTGGCAGTCCGCTCTCCAAGGACCGATCCACACTGCAGGTGCTGGACTCGGCCA
CAGGGAAGTGGTTCTCTGCCTGTTTCGACAACCTTCACAGAAGCTCTCGCTGAGACAGCCTGTA
GGCAGATGGGCTACAGCAGAGCTGTGGAGATTGGCCCAGACCAGGATCTGGATGTTGTTGAAA
TCACAGAAAACAGCCAGGAGCTTCGCATGCGGAACCTCAAGTGGGCCCTGTCTCTCAGGCTCCC
TGGTCTCCCTGCACTGTCTTGCTGTGGGAAGAGCCTGAAGACCCCCCGTGTGGTGGGTGGGG
AGGAGGCCTCTGTGGATTCTTGCCCTTGGCAGGTACAGTCCAGTACGACAAACAGCACGTCT
GTGGAGGGAGCATCCTGGACCCCCACTGGGTCTCACGGCAGCCCACTGCTTCAGGAAACATA
CCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAACTGGGCAGCTTCCCATCCCTGG
CTGTGGCCAAGATCATCATCATTGAATTCAACCCCATGTACCCCAAAGACAATGACATCGCCC
TCATGAAGCTGCAGTTCCCACTCACTTTCTCAGGCACAGTCAGGCCCATCTGTCTGCCCTTCT
TTGATGAGGAGCTCACTCCAGCCACCCCACTCTGGATCATTTGGATGGGGCTTTACGAAGCAGA
ATGGAGGGAAGATGTCTGACATACTGCTGCAGGCGTCAGTCCAGGTCATTGACAGCACACGGT
GCAATGCAGACGATGCGTACCAGGGGGAAGTCACCGAGAAGATGATGTGTGCAGGCATCCCGG
AAGGGGGTGTGGACACCTGCCAGGGTGACAGTGGTGGGCCCCTGATGTACCAATCTGACCAGT
GGCATGTGGTGGGCATCGTTAGCTGGGGCTATGGCTGCGGGGGCCCGAGCACCCAGGAGTAT
ACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCTGGAAGGCTGAGCTGTAATGCT
GCTGCCCCCTTTGCAGTGCTGGGAGCCGCTTCCTTCCCTGCCCTGCCACCTGGGGATCCCCCAA
AGTCAGACACAGAGCAAGAGTCCCCTTGGGTACACCCCTCTGCCACAGCCTCAGCATTTCTT
GGAGCAGCAAAGGGCCTCAATTCCCTGTAAGAGACCCTCGCAGCCCAGAGGCGCCCAGAGGAAG
TCAGCAGCCCTAGCTCGGCCACACTTGGTGCTCCAGCATCCCAGGGAGAGACACAGCCCACT
GAACAAGGTCTCAGGGGTATTGCTAAGCCAAGAAGGAAGTTCACCACTACTGAATGGAAGC
AGGCTGTCTTGTAAGAGCCAGATCACTGTGGGCTGGAGAGGAGAAGGAAAGGGTCTGCGCCA
GCCCTGTCCGTCTTACCCATCCCCAAGCCTACTAGAGCAAGAAACCAGTTGTAATATAAAAT
GCACTGCCCTACTGTTGGTATGACTACCGTTACCTACTGTTGTCATTGTTATTACAGCTATGG
CCACTATTATTAAAGAGCTGTGTAACATCTCTGGCAAAAAAAAAAAAA

333/615

FIGURE 330

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68885
><subunit 1 of 1, 432 aa, 1 stop
><MW: 47644, pI: 5.18, NX(S/T): 2
MLQDPDS DQPLNSLDVKPLRKPRIPMETFRKVGIPIIIIALLSLASIIIVVVLIKVILDKYYFL
CGQPLHFIPRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQVLDSATGNWFSA
CFDNFTEALAEACRQMGYSRAVEIGPDQDLVDVEITENSQELMRNSSGPCLSGSLVSLHCL
ACGKSLKTPRVVGEEASVDSWPWQVSIQYDKQHVCSSILDPHWLTAAHCFRKHTDVFNWK
VRAGSDKLGSFPSLAVAKIIIIIEFNPMYPKDNNDIALMKLQFPLTFSGTVRPICLPFFDEELTP
ATPLWIIIGWGFTKQNGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMMCAGIPEGGVDTC
QGDSGGPLMYQSDQWHVVGIVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL
```

Transmembrane domain:

amino acids 32-53 (typeII)

334/615

FIGURE 331

AGTGGTTTCGATGGGAAGGATCTTTCTCCAAGTGGTTCCTCTTGAGGGGAGCATTCTGCTGGC
TCCAGGACTTTGGCCATCTATAAAGCTTGGCAATGAGAAATAAGAAAATTCTCAAGGAGGACG
AGCTCTTGAGTGAGACCCAACAAGCTGCTTTTACCAAATTGCAATGGAGCCTTTTCGAAATCA
ATGTTCCAAAGCCCAAGAGGAGAAATGGGGTGAAGTCTCCCTAGCTGTGGTGGTCATCTACC
TGATCCTGCTCACCGCTGGCGCTGGGCTGCTGGTGGTCCAAGTCTGAATCTGCAGGCGCGGC
TCCGGGTCCTGGAGATGTATTTCCTCAATGACACTCTGGCGGCTGAGGACAGCCCGTCCTTCT
CCTTGCTGCAGTCAGCACACCCTGGAGAACACCTGGCTCAGGGTGCATCGAGGCTGCAAGTCC
TGCAGGCCCCAACTCACCTGGGTCCGCGTCAGCCATGAGCACTTGCTGCAGCGGGTAGACAAC
TCACTCAGAACCCAGGGATGTTTCAAGATCAAAGGTGAACAAGGCGCCCCAGGTCTTCAAGGTC
ACAAGGGGGCCATGGGCATGCCTGGTGCCCTGGCCCGCCGGGACCACCTGCTGAGAAGGGAG
CCAAGGGGGCTATGGGACGAGATGGAGCAACAGGCCCCCTCGGGACCCCAAGGCCCACCGGGAG
TCAAGGGAGAGGCGGGCCTCCAAGGACCCAGGGTGTCTCAGGGAAGCAAGGAGCCACTGGCA
CCCCAGGACCCCAAGGAGAGAAGGGCAGCAAGGGGTGATGGGGTCTCATTGGCCCCAAAAGGGG
AAACTGGAACCTAAGGGAGAGAAAGGAGACCTGGGTCTCCAGGAAGCAAAGGGGACAGGGGCA
TGAAAGGAGATGCAGGGGTCTATGGGGCCTCCTGGAGCCCAGGGGAGTAAAGGTGACTTCGGGA
GGCCAGGCCCCACCAGGTTTGGCTGGTTTTCTTGAGCTAAAGGAGATCAAGGACAACCTGGAC
TGCAGGGGTGTTCCGGGCCCCCTGCTGGTGCAGTGGGACACCCAGGTGCCAAGGGTGAGCCTGGCA
GTGCTGGCTCCCCCTGGGCGAGCAGGACTTCCAGGGAGCCCCGGGAGTCCAGGAGCCACAGGCC
TGAAAGGAAGCAAAGGGGACACAGGACTTCAAGGACAGCAAGGAAGAAAAGGAGAATCAGGAG
TTCCAGGCCCTGCAGGTGTGAAGGGAGAACAGGGGAGCCCAGGGCTGGCAGGTCCCAAGGGAG
CCCCCTGGACAAGCTGGCCAGAAGGGAGACCAGGGAGTGAAAGGATCTTCTGGGGAGCAAGGAG
TAAAGGGAGAAAAAGGTGAAAGAGGTGAAAACCTCAGTGTCCGTGAGGATTGTCGGCAGTAGTA
ACCGAGGCCGGGCTGAAGTTTACTACAGTGGTACCTGGGGGACAATTTGCGATGACGAGTGGC
AAAATTCTGATGCCATTGTCTTCTGCCGCATGCTGGGTACTCCAAAGGAAGGGCCCTGTACA
AAGTGGGAGCTGGCACTGGGCAGATCTGGCTGGATAATGTTTCAAGTGTGCGGGCACGGAGAGTA
CCCTGTGGAGCTGCACCAAGAATAGCTGGGGCCATCATGACTGCAGCCACGAGGAGGACGCAG
GCGTGGAGTGCAGCGTCTGACCCCGAAACCCCTTCACTTCTCTGCTCCCGAGGTGTCTCTGGG
CTCATATGTGGGAAGGCAGAGGATCTCTGAGGAGTTCCTGGGGACAACCTGAGCAGCCTCTGG
AGAGGGGCCATTAATAAAGCTCAACATCATTGA

335/615

FIGURE 332

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA68886
><subunit 1 of 1, 520 aa, 1 stop
><MW: 52658, pI: 9.16, NX(S/T): 3
MRNKKILKEDELLSETQQAAFHQIAMEPFEINVPKPKRRNGVNFSLAVVVIYLILLTAGAGLL
VVQVLNLQARLRVLEMYFLNDTLAAEDSPSFSLLQSAHPGEHLAQGASRLQVLQAQLTWVRVS
HEHLLQRVDNFTQNPGMFRIKGEQGAPGLQGHKGAMGMPGAPGPPGPPAEKGAKGAMGRDGAT
GPSGPQGPVGKGEAGLQGPQGAPGKQGATGTPGPQGEKGSKGDGGLIGPKGETGTKGEKGD
GLPGSKGDRGMKGDAGVMGPPGAQGSKGDGFRPGPPGLAGFPGAKGDQGPGLQGVPGPPGAV
GHPGAKGEPGSAGSPGRAGLPGSPGSPGATGLKGSKGDGTLQGGQGRKGESGVPGPAGVKGEQ
GSPGLAGPKGAPGQAGQKGDQGVKGSSGEQGVKGEKGERGENSVSVRIVGSSNRGRAEVYYSG
TWGTICDDEWQNSDAIVFCRMLGYSKGRALYKVGAGTGQIWLQVQCRGTESTLWSCTKNSWG
HHDCSHEEDAGVECSV

Transmembrane domain:

amino acids 47-66 (type II)

N-glycosylation sites.

amino acids 43-47, 83-87, 136-140

Tyrosine kinase phosphorylation site.

amino acids 432-440

N-myristoylation sites.amino acids 41-47, 178-184, 253-259, 274-280, 340-346, 346-352,
400-406, 441-447, 475-481, 490-496, 515-521**Amidation site.**

amino acids 360-364

Leucine zipper pattern.

amino acids 56-78

Speract receptor repeat

amino acids 422-471, 488-519

Clq domain proteins.

amino acids 151-184, 301-334, 316-349

336/615

FIGURE 333

GGGCTGTTGATTTGTGGGGGATTTTGAAGAGAGGAGGAATAGGAGGAAGGGGTTGAGGGGCTG
CCTCTGGCATATGCACACACTCACACATTCTGTACACCCGTCACACACACATACCATGTTCT
CCATCCCCCAGGTCCAGCCCTCAGTGCTGTCCCATCCAGCAGGGCTACCCTGAAGCTCTGGC
TGCAGCCCTCCCGTCCAGTGGGCAGGCGGCTTCATCCCTCCTTTCTCTCCCAAAGCCCAACTG
CTGTCACTGCATGCTCTGCCAAGGAGGAGGGAACTGCAGTGACAGCAGGAGTAAGAGTGGGAG
GCAGGACAGAGCTGGGACACAGGTATGGAGAGGGGGTTTCAGCGAGCCTAGAGAGGGCAGACTA
TCAGGGTGCCGGCGGTGAGAAATCCAGGGAGAGGAGCGGAAACAGAAGAGGGGGCAGAAGACCGG
GGCACTTGTGGGTTGCAGAGCCCCCTCAGCCATGTTGGGAGCCAAGCCACACTGGCTACCAGGT
CCCCTACACAGTCCCGGGCTGCCCTTGTTCTGGTGCTTCTGGCCCTGGGGGCGGGTGGGCC
CAGGAGGGGTTCAGAGCCCGTCTGTGGAGGGGGAGTGCTTGGTGGTCTGTGAGCCTGGCCGA
GCTGCTGCAGGGGGGGCCGGGGGAGCAGCCCTGGGAGAGGCACCCCTGGGCGAGTGGCATTT
GCTGCGGTCCGAAGCCACCACCATGAGCCAGCAGGGGAAACCGGCAATGGCACCAGTGGGGCC
ATCTACTTCGACCAGGTCTTGGTGAACGAGGGCGGTGGCTTTGACCGGGCCTCTGGCTCCTTC
GTAGCCCCTGTCCGGGGTGTCTACAGCTTCCGGTTCATGTGGTGAAGGTGTACAACCGCCAA
ACTGTCCAGGTGAGCCTGATGCTGAACACGTGGCCTGTCTCTCAGCCTTTGCCAATGATCCT
GACGTGACCCGGGAGGCAGCCACCAGCTCTGTGCTACTGCCCTTGGACCCTGGGGACCGAGTG
TCTCTGCGCCTGCGTCCGGGGGAATCTACTGGGTGGTTGGAAATACTCAAGTTTCTCTGGCTTC
CTCATCTTCCCTCTCTGAGGACCCAAGTCTTCAAGCACAGAATCCAGCCCCCTGACAACTTT
CTTCTGCCCTCTCTTGCCCCAGAAACAGCAGAGGCAGGAGAGAGACTCCCTCTGGCTCCTATC
CCACCTCTTTGCATGGGACCCTGTGCCAAACACCCAAGTTTAAGAGAAGAGTAGAGCTGTGGC
ATCTCCAGACCAGGCCTTTCCACCCACCCACCCCAAGTTACCCTCCCAGCCACCTGCTGCATC
TGTTCCCTGCCTGCAGCCCTAGGATCAGGGCAAGGTTTGGCAAGAAGGAAGATCTGCACTACTT
TGGCGCCTTCTCCTCCGGTTCCCCCACCCAGCTTCTGCTCAATGCTGATCAGGGACAGG
TGGCGCAGGTGAGCCTGACAGGCCCCCACAGGAGCCAGATGGACAAGCCTCAGCGTACCCTG
CAGGCTTCTTCTGTGAGGAAAGCCAGCATCACGGATCTCAGCCAGCACCGTCAGAAGCTGAG
CCAGCACCGTATGGGCTAGGGTGGGAGGCTCAGCCACAGGCAGAAGGGTGGGAAGGGCCTGGA
GTCTGTGGCTGGTGAGGAAGGAAGGAGGGTGTATTGTCTAGACTGAACATGGTACACATTCTG
CATGTATAGCAGAGCAGCCAGCAGGTAGCAATCCTGGCTGTCTTCTATGCTGGATCCCAGAT
GGACTCTGGCCCTTACCTCCCCACCTGAGATTAGGGTGAGTGTGTTTGCTCTGGCTGAGAGCA
GAGCTGAGAGCAGGTATACAGAGCTGGAAGTGGACCATGGAAAACATCGATAACCATGCATCC
TCTTGCTTGGCCACCTCCTGAACTGCTCCACCTTTGAAGTTTGAACCTTTAGTCCCTCCACAC
TCTGACTGCTGCCTCCTTCTCCAGCTCTCTCACTGAGTTATCTTCACTGTACCTGTTCCAG
CATATCCCCACTATCTCTCTTCTCCTGATCTGTGCTGTCTTATTCTCCTCCTTAGGCTTCT
ATTACCTGGGATTCCATGATTTCCTTCAGACCCTCTCCTGCCAGTATGCTAAACCCTCCC
TCTCTCTTCTTATCCCGCTGTCCCATTTGGCCAGCCTGGATGAATCTATCAATAAAACAACT
AGAGAATGGTGGTCAGTGAGACACTATAGAATTACTAAGGAGAAGATGCCTCTGGAGTTTGA
TCGGGTGTTACAGGTACAAGTAGGTATGTTGCAGAGGAAATAAATATCAAACGTATACTAA
AATTAAAAA

337/615

FIGURE 334

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71180
><subunit 1 of 1, 205 aa, 1 stop
><MW: 21521, pI: 7.07, NX(S/T): 1
MLGAKPHWLPGLPLHSPGLPLVLVLLALGAGWAQEGSEPVLLEGECLVVCEPGRAAAGGPGGAA
LGEAPPGRVAFAAVRSHHHEPAGETGNGTSGAIYFDQVLVNEGGGFDRASGSFVAPVRGVYSF
RFHVVKVYNRQTVQVSLMLNTWPVISAFANDPDVTREAAATSSVLLPLDPGDRVSLRLRGNLL
GGWKYSSFSGFLIFPL
```

Signal peptide:
amino acids 1-32

338/615

FIGURE 335

[illegible]

339/615

FIGURE 336

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71184
><subunit 1 of 1, 388 aa, 1 stop
><MW: 43831, pI: 9.64, NX(S/T): 3
MKTLIAAYSGVLRGERQAEADRSQRSHGGPALSREGSGRWGTGSSILSALQDLFSVTWLNRSK
VEKQLQVISVLQWVLSFLVLGVACSAILMYIFCTDCWLI AVL YFTWL VFDWNTPKKGGRRSQW
VRNWAVWRYFRDYFPIQLVKTHNLLTTRNYIFGYHPHGIMGLGAF CNFSTEATEVSKKFP GIR
PYLATLAGNFRMPVLREYLMSSGGICPVSRDTIDYLLSKNGSGNAIIIVGGAAESLSSMPGKN
AVTLRNRKGFVKLALRHGADLVPIYSFGENEVYKQVIFEEGSWGRWVQKKFQKYIGFAPCI FH
GRGLFSSDTWGLVPYSPKIPITTVVGEPITIPKLEHPTQQDIDLYHTMYEALVKLFDKHKTKFG
LPETEVLEVN
```

Important features of the protein:**Transmembrane domain:**

amino acids 76-97

N-glycosylation sites.

amino acids 60-63, 173-176, 228-231

N-myristoylation sites.

amino acids 10-15, 41-46, 84-89, 120-125, 169-174, 229-234, 240-245, 318-323, 378-383

FIGURE 337

GGGCGCGGGGATGGGGCGGGGGCGGGGGCGCCGCACTCGTGAGGCCCGACGCAGGGCCGGGCGGGGCCA
GGGCCGAGGAGCGCGGCGGCCAGAGCGGGGCCGCGGAGGCGACGCCGGGGACGCCCGCGACGAGCAGGTGGCG
GCGGCTGCAGGCTTGTCCAGCCGGAAGCCCTGAGGGCAGCTGTTCCCACTGGCTCTGCTGACCTTGTGCCTTGG
CGGCTGTCTCAGCAGGGGCCGTGCACCCGCTCCTGAGCAGCCCATGGGCTCTGCTGGCCTTCTGAAGACCA
GTTCTGTCTGCACCTGCTGGTGGCTTTGTCTTCGTGTGTGAGTGGTCTGTGCATCAACTTCGTCCAGCTGTGCAC
GCTGGCGCTCTGGCCGGTCAGCAAGCAGCTCTACCGCCGCCTCAACTGCCGCTCGCCTACTCACTCTGGAGCCA
ACTGTCATGCTGCTGGAGTGGTGGTCCTGCACGGAGTGTACACTGTTACGGACCAGGCCACGTTAGAGCGCTT
TGGGAAGGAGCAGCAGTCATCATCCTCAACCACAACCTTCGAGATCGACTTCTCTGTGGGTGGACCATGTGTGA
GCGCTTCGGAGTGCTGGGGAGCTCCAAGGTCCTCGCTAAGAAGGAGCTGCTCTACGTGCCCTCATCGCTGGAC
GTGTGACTTTTGTGAGATTGTGTTCTGCAAGCGGAAGTGGGAGGAGGACCGGGACACCGTGGTCCGAAGGGCTGAG
GCGCTGTGCGACTACCCCGAGTACATGTGTTTTCTCTGTACTGCGAGGGGACGCGCTTCACGGAGACCAAGCA
CCGCGTTAGCATGGAGTGGCGGCTGCTAAGGGGCTTCTGTCTCAAGTACCACCTGCTGCCGCGGACCAAGGG
CTTCAACCACCGCAGTCAAGTGCCTCCGGGGGACAGTCGCAGCTGTCTATGATGTAACCTTGAACCTTCAGAGAAA
CAAGAACCCTGCTCTGGGGATCCTCTACGGGGAAGAAGTACGAGCGGCATGTGCGTGAGGAGATTTCCTCT
GGAAGACATCCGCTGGATGAAAGGAAGCAGCTCAGTGCTTCATAAATGTACGAGGAAGGACGCGCTCCA
GGAGATATATAATCAGAAGGGCATGTTTCCAGGGGAGCAGTTTAAGCCTGCCCGAGGCGGTGGACCCTCCTGAA
CTTCCTGTCTGGGCCACCATTCTCCTGTCTCCCTCTTCAGTTTTGTCTTGGGCGTCTTTGCCAGCGGATCACC
TCTCCTGTATCTGACTTTCCTTGGGGTTTTGTGGGAGCAGCTTCCTTTGGAGTTCGCAGACTGATAGGAGAATCGT
TGAACCTGGGAGGTGGAGATTGCAGTGAAGCTGAGATGGCATCACTGTACTCCAGCTAGGCCAACAGCAGAAGCT
CAGTCTCAAAAAAAAAAAAAAAAAAAAAAACCAGAAATCTGGAGTTGAAGTGTGTAGTTATCTGACATGAAAA
ATTCACTAGAGGCTGAACAGCAGATTGAGCAGGCAGAAAAAATCAGCAAGCTTGAAGATGGTACCTTGAGATT
TTTCAGGCTAATGAAAAAGAATGAAGGAAAATTAACAGCCTCAGAGACCCATGGTGCACCGTCACACAAATCAA
CATATGCATGATGAGAGTCCAGAGAAGGAGAGGAGAGAAGGGTCAGAAAGATGGCCACAAGCTGATGAAAAACA
GTAACCTACCCCATCAGGAAGCTCAGTGAATCCAATGAGGATGAATATCAGAGATCCACACCTAGATATTTTCA
AATCAAAGTGTCAAATGACAAAAGATCTTGAAGCAGCAAGAGATGAGCAACTATCTTGTTCAAAGGATCTTTG
ATCAGATTAAACAGCTCATTTCTCCTCAGAAATCATGGGAGCCAGGAGATAGTGGGATGAACACTGTTGAAGGCAA
AACCTTCAACTGTAATTATTGGACTTTTGAGTCTTAGATGGTCTGACCTCTTTGTCTTCAGGGACAGTTTTTCA
ATTTAATCCCTAATAACAATTAGTCAAGCTTCCTTGACCTGTAGGAAGGCTGTCTTTAGGCCGGGACAGTGGC
TTACACCTGTAATCCCAGCACTTTGGGAGGCCAGCGGGTGGATCATTTGGGGTCAGGCTGATCTCAAACTCCT
GAGTTCAAGTGATCTGCCCGCTCAGCCTCCCAAAGTGTGTGATTGACGGCTGAGCCACTGCGCTGGCCGGA
ATTTCTTTTTAAGGCTGAATGATGGGGGCCAGGCACGATGGCTCAGCCTGTGATCCCAAGTAGCTTGGATTGTA
AACATGCACCACCATGCCTGGCTAATTTTTGTATTTTTAGTAGAGACGTGTTAGCCAGGCTGGTCTCGATCTCCT
GACCTCAAGTGACCACCTGCCTCAGCCTCCCAAAGTACTGGGATTACAGCGGTGAGCCACTGTGCCTGGCCCTGA
GCATCTTGTGATGTGCTATTGGCCATTGTATATCTTCTATCTTCTTTGGGAAATGTCTGTTCAAGTCTTTG
CCTTTTTAAATTTTTATTATTTATTATTTATTTATTTATTTTGGACAGGGTCTGTTCTGTGTTGCCAGGCTGGAGTA
CAGTGGCACAGTCTTGGCTCACTGCAGCCTCGACCTCCTGGGCTGCAGTGATCCTCCACCTCAGCCTCCCTTGT
AGCTGTATTTTTTTGTATTTTGTATTTTGTAGCTGTAGTTTTTTGTATTTTTTTGTGGAGACAGATTTACCATGA
TGCCAGGGCTGGTCTTGAAGCTCCTGAGCTCAAGTGATCTGCCTGCTTCAGCCTCCCAAAGTGTCTGGGATTACAGA
CATGAGCCACTGCACCTGGCAAACCTCCCAAAATTAACACACACACAAAAAACCACTGATTCAAATGGGCA
GAGGGGCGGGTGTGGCCCAAACCTACCAAGGGAGACTCAAGTGGGAGGATCGTTGGGCATGAGAAGTCGAGGCTG
CAGTGAGTCGAGGTTGTGCGACTGCATTCCAGCCTGGACAACAGAGTGAGACCTGTCTC

341/615

FIGURE 338

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71213
><subunit 1 of 1, 368 aa, 1 stop
><MW: 42550, pI: 9.11, NX(S/T): 1
MGLLAFLKTQFVLHLLVGFVSVSGLVINFVQLCTLALWPVSKQLYRRLNCR LAYSLWSQLVM
LLEWWSCTECTLFTDQATVERFGKEHAVIILNHNFEIDFLCGWTMCERFGVLGSSKVLAKKEL
LYVPLIGWTWYFLEIVFCKRKWEEDRDTVVEGLRRLSDYPEYMWELLYCEGTRFTETKHRVSM
EVAAAKGLPVLKYHLLPRTKGFTTAVKCLRGTVAAVYDVTLNFRGNKNPSLLGILYGKKYEAD
MCVRRFPLEDIPLDEKEAAQWLHKLYQEKDALQEIYNQKGMFPGEQFKPARRPWTLNFLSWA
TILLSPLFSFVLGVFASGSPLLILTF LGFVGAASFGVRR LIGESLEPGRWRLQ
```

Important features of the protein:**Signal peptide:**

amino acids 1-25

Transmembrane domains:

amino acids 307-323, 335-352

Tyrosine kinase phosphorylation sites.

amino acids 160-168, 161-169

342/615

FIGURE 339

GATATTCTTTATTTTAAAGAATCTGAAGTACTATGCATCACTCCCTCCAATGTCTTGGGGCAG
CCACCAGGCATATTCATCTTTGTGTGTGTTTTCTTTTGGCTTTAGCACTGGGGCACTTCTTGC
TTATTTCTTTGGTAGGAAAGGGGCTCAGTTTGTCTTGTGGGGTTGGTGGCAGGCAGCCGGCT
TACGCCTGATACGGCCCTGGGTTAGAAGGGAAGGGAAGATAAACTTTTATACAAATGGGGATA
GCTGGGGTCTGAGACCTGCTTCCTCAGTAAAATTCCTGGGATCTGCCTATACCTTCTTTTCTC
TAACCTGGCATACCCTGCTTAAAGCCTCTCAGGGCTTCTCTCTGTTCTTAGGATCAAAGTATT
TAGAGCTACAAGAGCCCTCATGGTCTGGCCCTGCCCCCTGGCCAGCTTCATTGTACATGTG
GTGTTCTCTTGTCTGTTCCCTGTAATGTGGTATGCCATGGGGTCTTTGCACAAGCCTTTCCTCTT
TGGCTGGACACTGTTCCCTGCCCCCCCCATACTCTTCCTACTTAATATGTAGTCATCCTGCAG
ATTTCAATTCTAACATCATTTTCTCCAGGGATCCTGGCCTGACAGAATCTCATCTTGTTTAAT
GCTCTCATAAGACCACTTGTTCCTTTTGCAGCACTTGCCACTCAGTTGTATCTTTATGTGC
GTTTGTGGTTGTATGGGTTGTGTCTGTTCCCCAGAATGCCAGCTCTGAGCTGCGTGAGGGTC
AAGGGCATTGCTGTGCCTGCCAGGTATAGTGCCTACATGTGGTGGGTGCTCATGTTTTAGAGA
CTAAATGGAGGAGGAGATGAGGAAAAGATTGAAATCTCTCAGTTCACCAGATGGTGTAGGGCC
CAGCATTGTAAATTCACACGTTGACTGTGCTTGTGAATTATCTGGGGATGCAGGTCTGATTC
AGTAGGCCCAGGTGAGGCATCTCTAACAACTCCACGTGATGCTGATGCTGGTCCTATGAAC
TATACTAAATAGTAAGAATCTATGGAGCCAGGCTGGGCATGGTGGCTCACACCTATGATCCCA
GCACTTTGGGAGGCTGAGGCAGGCTGATCACCTGGAGTCAGGATTTCAAGACTAGCCTGGCCA
ACATGGTGGAAACCCATCTGTACTAAAAATACACAAATTAGCTGGGCATGGTGGCACATGCCT
GTAGTCCCAGCTACTTGGGAGGCTGAAGCAAGAGAATCGCTTGAACCTGGGAGGCGGAGGTTG
CAGTGAGCCGAGATCAGGCCACTGTATTCCAACCAGGGTGACAGAGTGAGACTCTATGTCCAA
AAAAAAAAAA

343/615

FIGURE 340

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71234
><subunit 1 of 1, 143 aa, 1 stop
><MW: 15624, pI: 9.58, NX(S/T): 0
MHHSLQCPGAATRHHLCVCFSEFALALGHFLLISLVGKGLSLSCGVGGRQAGLRLIRPWVRE
GKINFYTNGDSWGLRPASSVKFLGSAYTFFSLTWHTLLKASQGFSLFLGSKYLELQEPSWSGP
CPPGQLHCTCGVLLSFL
```

Important features of the protein:

Signal peptide:

amino acids 1-28

344/615

FIGURE 341

CGCCATGGCCGGGCTATCCCGCGGGTCCGCGCGCGCACTGCTCGCCGCCCTGCTGGCGTCGACG
CTGTTGGCGCTGCTCGTGTGCCCCGCGCGGGGTCGCGGCGGCCGGGACCACGGGGACTGGGAC
GAGGCCTCCCGGCTGCCGCCGCTACCACCCGCGAGGACGCGGCGCGCGTGGCCCCGCTTCGTG
ACGCACGTCTCCGACTGGGGCGCTCTGGCCACCATCTCCACGCTGGAGGCGGTGCGCGGCCGG
CCCTTCGCCGACGTCCTCTCGCTCAGCGACGGGCCCCCGGGCGCGGGCAGCGGCGTGCCCTAT
TTCTACCTGAGCCCGCTGCAGCTCTCCGTGAGCAACCTGCAGGAGAATCCATATGCTACACTG
ACCATGACTTTGGCACAGACCAACTTCTGCAAGAAACATGGATTTGATCCACAAAGTCCCCTT
TGTGTTACATAATGCTGTCAGGAAGTGTGACCAAGGTGAATGAAACAGAAATGGATATTGCA
AAGCATTCGTTATTCAATTCGACACCCTGAGATGAAAACCTGGCCTTCCAGCCATAATTGGTTC
TTTGCTAAGTTGAATATAACCAATATCTGGGTCCTGGACTACTTTGGTGGACCAAAAATCGTG
ACACCAGAAGAATATTATAATGTCACAGTTCAGTGAAGCAGACTGTGGTGAATTTAGCAACAC
TTATGAAGTTTCTTAAAGTGGCTCATACACACTTAAAAGGCTTAATGTTTCTCTGGAAAGCGT
CCCAGAATATTAGCCAGTTTTCTGTC

345/615

FIGURE 342

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71269
><subunit 1 of 1, 220 aa, 1 stop
><MW: 24075, pI: 7.67, NX(S/T): 3
MAGLSRGSARALLAALLASTLLALLVSPARGRGGRDHGDWDEASRLPPLPPREDAARVAR
FVTHVSDWGALATISTLEAVRGRPFADVLSLSDGPPGAGSGVPYFYLSPLQLSVSNLQEN
PYATLTMTLAQTNFCKKHGFDQSPLCVHIMLSGTVTKVNETEMDIAKHSLFIRHPEMKT
WPSSHNWFFAKLNITNIWVLDYFGGPKIYTPPEEYYNVTVQ
```

Important features of the protein:**Transmembrane domain:**

Amino acids 11-29

N-glycosylation sites:

Amino acids 160-164;193-197;216-220

N-myristoylation sites:

Amino acids 3-9;7-13;69-75;97-103

346/615

FIGURE 343

GGCTGGACTGGAACCTCCTGGTCCCAAGTGATCCACCCGCCTCAGCCTCCCAAGGTGCTGTGAT
TATAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACCTTTTTTCAGCAACTAAAAAAGCCACAG
GAGTTGAACTGCTAGGATTCTGACTATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATT
AAAATCTGTTTTTTGTTCTCTTGTAAGTACGCTTTACCTTCCTAACACAGAGGATCTGTCACT
GTGGCTCTGGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGT
CCCCTCGAAGCCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAAC
TGTCTCACGTCTGGAGGCACTGACTCGGGCAGTGACAGGTAGCTGAGCCTCTTGGTAGCTGCGG
CTTTCAAGGTGGGCCTTGCCCTGGCCGTAGAAGGGATTGACAAGCCCGAAGATTTTCATAGGCG
ATGGCTCCCACTGCCCAGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGG
GCCGTGGACACCTGCTCAGAAGCAGTGGGTGAGACATCACGCTGCCCGCCCATCTAACCTTTT
CATGTCCTGCACATCACCTGATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCT
TGAGTGAGCTGTGGCTCAGACCCAGAAGGGGTCTGCTTAGACCACCTGGTTTTATGTGACAGGA
CTTGCAATTCTCCTGGAACATGAGGGAACGCCGGAGGAAAGCAAAGTGGCAGGGAAGGAACTTG
TGCCAAATTATGGGTGAGAAAAGATGGAGGTGTTGGGTTATCACAAGGCATCGAGTCTCCTGC
ATTCAGTGGACATGTGGGGGAAGGGCTGCCGATGGCGCATGACACACTCGGGACTCACCTCTG
GGGCCATCAGACAGCCGTTTCCGCCCCGATCCACGTACCAGCTGCTGAAGGGCAACTGCAGGC
CGATGCTCTCATCAGCCAGGCAGCAGCCAAAATCTGCGATCACCAGCCAGGGGCAGCCGTCTG
GGAAGGAGCAAGCAAAGTGACCATTTCTCCTCCCCTCCTTCCCTCTGAGAGGCCCTCCTATGT
CCCTACTAAAGCCACCAGCAAGACATAGCTGACAGGGGCTAATGGCTCAGTGTTGGCCCAGGA
GGTCAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCTGTGCGAACACGGAAATGCCTCCAGT
AAGCACAGGCTGCAAATCCCCAGGCAAAGGACTGTGTGGCTCAATTTAAATCATGTTCTAGT
AATTGGAGCTGTCCCAAGACCAAAGGAGCTAGAGCTTGGTTCAAATGATCTCCAAGGGCCCT
TATACCCCAGGAGACTTTGATTTGAATTTGAAACCCCAAATCCAAACCTAAGAACCAGGTGCA
TTAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACATTTTGGGAGGCCGAGGCG
GGTAGATCACCTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCTGTCTC
TACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATCCCAGCTACTCGGG
AGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACAGGAGAATCACT
TCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAAATAAAAAAGAATTATGGTTATTT
GTAA

347/615

FIGURE 344

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71277
><subunit 1 of 1, 109 aa, 1 stop
><MW: 11822, pI: 8.63, NX(S/T): 0
MLWWLVLLLLPTLKSVCFLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTAS
PCWPLAGAVPSPVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRD .

Signal peptide:
amino acids 1-15

348/615

FIGURE 345

CCGCCGCCGACGCCGCTACCGCCGCTGCAGCCGCTTTCCGCCGCCCTGGGCCCTCTCGCCGTGAC
CATGCCACACGCCTTCAAGCCCGGGGACTTGGTGTTCGCTAAGATGAAGGGCTACCCTCACTG
GCCTGCCAGGATCGACGACATCGCGGATGGCGCCGTGAAGCCCCACCCAACAAGTACCCCAT
CTTTTTCTTTGGCACACACGAAACAGCCTTCCTGGGACCAAGGACCTGTTCCCTACGACAA
ATGTAAGACAAGTACGGGAAGCCCAACAAGAGGAAAGGCTTCAATGAAGGGCTGTGGGAGAT
CCAGAACAACCCCCACGCCAGCTACAGCGCCCTCCGCCAGTGAGCTCCTCCGACAGCGAGGC
CCCCGAGGCCAACCCCGCCGACGGCAGTGACGCTGACGAGGACGATGAGGACCGGGGGGTCA
GGCCGTACAGCGGTAACCGCCACAGCTGCCAGCGACAGGATGGAGAGCGACTCAGACTCAGA
CAAGAGTAGCGACAACAGTGGCCTGAAGAGGAAGACGCCTGCGCTAAAGATGTGGTCTCGAA
ACGAGCCCGAAAGGCCTCCAGCGACCTGGATCAGGCCAGCGTGTCCCATCCGAAGAGGAGAA
CTCGAAAGCTCATCTGAGTCGGAGAAGACCAGCGACCAGGACTTCACACCTGAGAAGAAAGC
AGCGTCCGGGCGCCACGGAGGGGCCCTCTGGGGGGACGGAAAAAAGAAGGCGCCGTACG
CTCCGACTCCGACTCCAAGGCCGATTGCGACGGGGCCAAGCCTGAGCCGGTGGCCATGGCGCG
GTCCGCGTCCTCCTCCTCCTCCTCCTCCTCCTCCTCCGACTCCGATGTGTCTGTGAAGAAGCC
TCCGAGGGGACAGGAAGCCAGCGGAGAAGCCTCTCCGAAGCCGCGAGGGCGGAAACCGAAGCC
TGAACGGCCTCCGTCCAGCTCCAGCAGTGACAGTGACAGCGACGAGGTGGACCGCATCAGTGA
GTGGAAGCGGCGGGACGAGGCGCGGAGGCGCGAGCTGGAGGGCCCGGCGGCGGCGAGAGCAGGA
GGAGGAGCTGCGGCGCCTGCGGGAGCAGGAGAAGGAGGAGAAGGAGCGGAGGCGCGAGCGGGC
GACCGCGGGGAGGCTGAGCGGGGACGCGGCGGCAGCAGCGGGGACGAGCTCAGGGAGGACGA
TGAGCCCGTCAAGAAGCGGGGACGCAAGGGCCGGGGCCGGGGTCCCCCGTCTCCTCTGACTC
CGAGCCCGAGGCCGAGCTGGAGAGAGAGGCCAAGAAATCAGCGAAGAAGCCGCAGTCCTCAAG
CACAGAGCCCGCCAGGAAACCTGGCCAGAAGGAGAAGAGAGTGCGGCCCGAGGAGAAGCAACA
AGCCAAGCCCGTGAAGGTGGAGCGGACCCGGAAGCGGTCCGAGGGCTTCTCGATGGACAGGAA
GGTAGAGAAGAAGAAAGAGCCCTCCGTGGAGGAGAAGCTGCAGAAGCTGCACAGTGAGATCAA
GTTTGCCCTAAAGGTCGACAGCCCGGACGTGAAGAGGTGCCTGAATGCCCTAGAGGAGCTGGG
AACCCTGCAGGTGACCTCTCAGATCCTCCAGAAGAACACAGACGTGGTGGCCACCTTGAAGAA
GATTGCGCGTTACAAAGCGAACAAGGACGTAATGGAGAAGGCAGCAGAAGTCTATAACCCGGCT
CAAGTCGCGGGTCTCGGCCCAAAGATCGAGGCGGTGCAGAAAGTGAACAAGGCTGGGATGGA
GAAGGAGAAGGCCGAGGAGCAAGCTGGCCGGGGAGGAGCTGGCCGGGGAGGAGGCCCCCGAGGA
GAAGGCGAGGACCAAGCCAGCACCAGTCTCTCAGCCCCAGTGAATGGCGAGGCCACATCACA
GAAGGGGGAGAGACGCGAGGACAAGGAGCACGAGGAGGGTGGGACTCGGAGGAGGGCCCAAG
GTGTGGCTCCTCTGAAGACCTGCACGACAGCGTACGGGAGGGTCCCGACTGGACAGGCGCCTGG
GAGCGACCGGCAGGAGCGCGAGAGGGCACGGGGGGACTCGGAGGCCCTGGACGAGGAGAGCT**GG**
AGCCGCGGGCAGCCAGGCCAGCCCCGCCCCGAGCTCAGGCTGCCCTCTCCTTCCCCGGCTC
GCAGGAGAGCAGAGCAGAGAAGTGTGGGGAACGCTGTGCTGTTTGTATTTGTTCCCTTGGGTT
TTTTTTTCCTGCCTAATTTCTGTGATTTCCAACCAACATGAAATGACTATAACGGTTTTTTTA
ATGA

349/615

FIGURE 346

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71286
><subunit 1 of 1, 671 aa, 1 stop
><MW: 74317, pI: 7.61; NX(S/T): 0
MPHAFKPGDLVFAKMGYPHWPARIDDIADGAVKPPPKNKYPIFFFGTHETAFLGPKDLFPYDK
CKDKYGKPNKRKGFNEGLWEIQNNPHASYSAPPPVSSSDSEAPEANPADGSDADEDDDRGVM
AVTAVTATAASDRMESDSDSDKSSDNSGLKRKTPALKMSVSKRARKASSDLDQASVSPSEEN
SESSSESEKTSQDQFTPEKKA AVRAPRRGPLGGRKKKKAPSASDSDSKADSDGAKPEPVAMAR
SASSSSSSSSSSSDSDSVKKPPRGRKPAEKPLPKPRGRKPKPERPPSSSSSDSDSDEVDRISE
WKRRDEARRRELEARRRREQEEELRRLREQEKEEKERRRERADRGEAERGSGGSSGDELREDD
EPVKKRGRKGRGRGPPSSSDSEPEAELEAREAKKSAKKPQSSSTEPARKPGQKEKRVRPPEKQQ
AKPVKVERTKRKRSEGFSDMRKVEKKKEPSVEEKLQKLHSEIKFALKVDSPOVKRCLNALEELG
TLQVTSQILQKNTDVVATLKKIRRYKANKDVMEKAAEVYTRLKSRVLGPKIEAVQKVNKAGME
KEKAEELKAGEELAGEEAPQEKAEDKPSTDLSAPVNGEATSQKGESAEDKEHEEGRDSEEGPR
CGSSEDLHDSVREGPDLDPRPGSDRQERERARGDSEALDEES
```

Signal peptide:

amino acids 1-13

350/615

FIGURE 347

GTTGGTTCTCCTGGATCTTCACCTTACCAACTGCAGATCTTGGGACTCATCAGCCTCAATAATTATATTAAATTA
ACACCATTGAAAGAGAACATTGTTTTATCATGAATGCTAATAAAGATGAAAGACTTAAAGCCAGAAGCCAAGA
TTTTACCTTTTTCTGCTTTGATGATGCTAAGCATGACCATGTTGTTCTTCCAGTCACTGGCACTTTGAAGCA
AATATTCCAAGACTCAAGCTAACCTACAAAGACTTGCTGCTTCAAATAGCTGTATTCCTTTTTGGGTTTCATC
AGAAGGACTGGATTTCAAACCTCTTCTCTAGATGAGGAAAGAGGCAGGCTGCTCTGGGAGCCAAAGACCACAT
CTTCTACTCAGTCTGGTTGACTTAAACAAAAATTTTAAAGAGATTTATTGGCCTGCTGCAAAGGAACGGGTGGA
ATTATGTAAATTAGCTGGGAAAGATGCCAATACAGAATGTGCAAATTTTCATCAGAGTACTTCAGCCCTATAACAA
AACTCACATATATGTGTGTGGAAGTGGAGCATTTCATCCAATATGTGGGTATATTGATCTTGGAGTCTACAAGGA
GGATATTATATTCAAACTAGACACACATAATTTGGAGTCTGGCAGACTGAAATGTCTTTTCGATCCTCAGCAGCC
TTTTGCTTCAGTAATGACAGATGAGTACCTCTACTCTGGAACAGCTTCTGATTTCTTGGCAAAGATACTGCATT
CACTCGATCCCTTGGGCTACTCATGACCACCACCTACATCAGAAGTACATTTTCAGAGCACTACTGGCTCAATGG
AGCAAAATTTATTGGAATTTCTTCATACCAGACACCTACAATCCAGATGATGATAAAATATATTTCTTCTTTTCG
TGAATCATCTCAAGAAGGCAGTACCTCCGATAAAACCATCCTTTCTCGAGTTGGAAGAGTTTGTAAAGATGATGT
AGGAGGACAACCGAGCCTGATAACAAGTGGACGACTTTTTCTTAAGGCCAGACTGATTTGCTCAATTCCTGGAAG
TGATGGGGCAGATACTTACTTTGATGAGCTTCAAGATATTTATTTACTCCCCACAAGAGATGAAAGAAATCCTGT
AGTATATGGAGTCTTTACTACAACCAGCTCCATCTTCAAAGGCTCTGCTGTTTGTGTATAGCATGGCTGACAT
CAGAGCAGTTTTTAATGGTCCATATGCTCATAAGGAAAGTGCAGACCATCGTTGGGTGCAGTATGATGGGAGAAT
TCCTTATCCACGGCCTGGTACATGTCCAAGCAAAACCTATGACCCACTGATTAAGTCCACCCGAGATTTTCCAGA
TGATGTATCAGTTTCATAAAGCGGCACCTCTGTGATGTATAAGTCCGTATACCCAGTTGCAGGAGGACCAACGTT
CAAGAGAATCAATGTGGATTACAGACTGACACAGATAGTGGTGGATCATGTCTATTGCAGAAGATGGCCAGTACGA
TGTAATGTTTCTTGGAAACAGACATTGGAAGTGCCTCAAGTGTGTCAGCATTCAAAGGAAAAGTGGAAATATGGA
AGAGGTAGTGTGGAGGAGTTGCAGATATTCAGCACTCATCAATCATCTTGAACATGGAATTGTCTCTGAAGCA
GCAACAATTGTACATTGGTTCCCGAGATGGATTAGTTTCAGCTCTCCTTGCACAGATGCGACACTTATGGGAAAGC
TTGCGCAGACTGTTGTCTTGCCAGAGACCCCTACTGTGCTGGGATGGAAATGCATGCTCTCGATATGCTCCTAC
TTCTAAAAGGAGAGCTAGACGCCAAGATGTAAATATGGCGACCCAATCACCCAGTGTCTGGGACATCGAAGACAG
CATTAGTCATGAACTGCTGATGAAAAGGTGATTTTGGCATTGAATTTAACTCAACCTTTCTGGAATGTATACC
TAAATCCCAACAAGCAACTATTAAATGGTATATCCAGAGGTGAGGAGTGCAGATCGAGAGGAGTTGAAGCCCGA
TGAAAGAATCATCAAAACGGAATATGGGCTACTGATTGCAAGTTTGCAGAAGAAGGATTCTGGGATGTATTACTG
CAAAGCCCAGGAGCACACTTTTCATCCACACCATAGTGAAGCTGACTTTGAATGTCTATTGAGAATGAACAGATGGA
AAATACCCAGAGGGCAGAGCATGAGGAGGGGCAGGTCAAGGATCTATTGGCTGAGTCACGGTTGAGATACAAAGA
CTACATCCAAATCCTTAGCAGCCCAACTTCAGCCTCGACCACTGCGAACAGATGTGGCACAGGGAGAAGCG
GAGACAGAGAAACAAGGGGGGCCAAAGTGGAAAGCAGATGCAGGAAATGAAGAAGAAACGAAATCGAAGACATCA
CAGAGACCTGGATGAGCTCCCTAGAGCTGTAGCCACGTAAGTTTCTACTTAATTTAAAGAAAAGAATTCCTTACC
TATAAAAACATTGCCTTCTGTTTTGTATATCCCTTATAGTAATTCATAAATGCTTCCCATGGAGTTTTGCTAAGG
CACAAGACAATAATCTGAATAAGACAATATGTGATGAATATAAGAAAGGGCAAAAATTCATTTGAACCACTTTT
CCAAGAACAATCTTGCAACAGCAAAGTATAAGAATTATCCTAAAAATAGGGGGTTTACAGTTGTAATGTTTTA
TGTTTTGAGTTTTGGAATTTATTGTATGTTAAATAGTTGAGCTAAGCAAGCCCGAATTTGATAGTGTATAAGGT
GCTTTATTCCCTCGAATGTCCATTAAGCATGGAATTTACCATGCAGTTGTGCTATGTTCTTATGAACAGATATAT
CATTCTATTGAGAACCAGCTACCTTGTGGTAGGGAATAAGAGGTCAGACACAAATTAAGACAACCTCCCATATC
AACAGGAATTTCTCAGTGAGCCATTCACTCCTGGAGAATGGTATAGGAATTTGGAGAGGTGCATTATTCTTTCT
TGGCCACTGGGGTTAAATTTAGTGTACTACAACATTGATTTACTGAAGGGCACTAATGTTTCCCCCAGGATTTCT
ATTGACTAGTCAGGAGTAACAGGTTACAGAGAGAAGTTGGTGCTTAGTTATGTGTTTTTTAGAGTATATACTAA
GCTCTACAGGGACAGAATGCTTAATAAATACTTTAATAAGATATGGGAAAATATTTAATAAAACAGGAAAAACA
TAATGATGTATAATGCATCCTGATGGGAAGGCATGCAGATGGGATTTGTTAGAAGACAGAAGGAAGACAGCCAT
AAATTCTGGCTTTGGGGAAAACTCATATCCCATGAAAAGGAAGAACAATCACAAATAAAGTGAGAGTAATGTAA
TGGAGCTCTTTCACTAGGGTATAAGTAGCTGCCAATTTGTAATTCATCTGTTAAAAAAATCTAGATTATAACA
AACTGCTAGCAAAATCTGAGGAAACATAAATCTTCTGAAGAATCATAGGAAGAGTAGACATTTTATTATAACC
AATGATATTTTCACTATATTTTCTCTTTTAAAAAATTTTATCATACTCTGTATATTATTCTTTTACTGC
CTTTATTCTCTCCTGTATATTGGATTTTGTGATTATTTGAGTGAATAGGAGAAAACAATATATAACACACAGA
GAATTAAGAAAATGACATTTCTGGGGAGTGGGGATATATATTTGTTGAATAACAGAACGAGTGTAAATTTTAAAC
AACGGAAGGGTTAAATTAACCTTTGACATCTTCACTCAACCTTTTCTCATTGCTGAGTTAATCTGTTGTAATT
GTAGTATTGTTTTGTAATTTAACAATAAATAAGCCTGCTACATGT

351/615

FIGURE 348

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71883
><subunit 1 of 1, 777 aa, 1 stop
><MW: 89651, pI: 7.97, NX(S/T): 3
MNANKDERLKARSQDFHLFPALMMLSMTMLFLPVTGTLKQNIPLRLKLTYSKDLLLSNSCIPFLG
SSEGLDFQTLILLDEERGRLLLGAKDHIFLLSLVDLNKNFKKIYWPAAKERVELCKLAGKDANT
ECANFIRVLQPYNKTHIYVCGTGAFHPICGYIDLGVYKEDIIFKLDTHNLESGRLKCPFDPOQ
PFASVMTDEYLYSGTASDFLGKDTAFTRSLGPTHDDHYIRTDISEHYWLNKAKFIGTFFIPDT
YNPDDDKIYFFFRESSQEGSTSDKTILSRVGRVCKNDVGGQORSLINKWTTFLKARLICSIPGS
DGADTYFDELQDIYLLPTRDERNPVVYGVFTTTSSIFKGSAVCVYSMADIRAVFNGPYAHKES
ADHRWVQYDGRIPYPRPGTCPSKTYDPLIKSTRDFPDVISFIKRHSVMYKSVYPVAGGPTFK
RINVDYRLTQIVVDHVIAEDGQYDVMFLGTDIGTVLKVVSSISKEKWNMEEVVLEELQIFKHSS
IILNMELSLKQQQLYIGSRDGLVQLSLHRCDTYKACADCCCLARDPYCAWDGNACSRYPATSK
RRARRQDVKYGDPITQCWDIEDSISHETADEKVIKGFIEFNSTFLECIPKSQQATIKWYIQRSG
DEHREELKPDERRIKTEYGLLIRSLQKKDSGMYCKAQEHTFIHTIVKLTLNVIENEQMENTQ
RAEHEEGQVKDLLAESRLRYKDYIQILSSPNFSLDQYCEQMWHREKRRQRNKGKPKWKHMQEM
KKKRNRHHRDLDELPRAVAT

Important features of the protein:**Signal peptide:**

amino acids 1-36

N-glycosylation sites.

amino acids 139-142, 607-610, 724-727

Tyrosine kinase phosphorylation site.

amino acids 571-576

Gram-positive cocci surface proteins 'anchoring' hexapeptide.

amino acids 32-37

352/615

FIGURE 349

CCCTGACCTCCCTGAGCCACACTGAGCTGGAAGCCGAGAGGTCATCCTGGAGCATGCCACCGCGGGGAGCAGA
CAACCTCCCAGGTAAGCTGGGAGCAAGACCTGAAGCTGTTTCTTCAGGAGCCTGGTGTATTTTCCCCACCCAC
CTCAGCAGTTTCAGCCAGCAGGGACTGATCAGGTGTGTCTCTGGAGTGGGGAGCAGAAGGCGTGGCTGGCAAGA
GTGGCCTGGAGAAAGAGGTTAGCGCTTGACCAGCCGAGCTGCCCGTGAAGTACAGATCCAGAACCATGGGCATC
GGGTGAGGTGGGGGGGACAGGTGTATGTGCACCTTCTTGTCTCAGCAAGAAGAGCTGAGAGAGGGGATCTTGG
AGCCATTGAGGGTGTATGGAGCTACAGAGGGGAGGGAAGGTATTTAAGGTAACAGTGTGGCACAATAGTTAA
GAGCACAGTTTTTGGAGCTAGACCGACATAGGTTCAAATTTCTTCTGTTGCTTCTTAGTTCTGTAGCCCCAGGT
AAGGGAGTGACTTAACCTCTCTGGACTTCAATTTCTCATCACTAAAGTAGGGCCAATAATAGCACCCACCTCAT
AGGGAAGATTAAATGACATAATGTATGTGATGCACTAGCAAGTACCAGTCCCATAGTAAGTCATGCCCCACAG
TATTTCCACCCACCCCTGTTCTCTGCCTTCCCAACCAGGTACTGCAACGACTGGAGCAGAGGCGGCAGCAGGCTT
CAGAGCGGGAGGCTCCAAGCATAGAACAGAGGTTACAGGAAGTGGGAGAGAGCATCCGCCGGGCACAGGTGAGCC
AGGTGAAGGGGGCTGCCCGGCTGGCCCTGCTGCAGGGGGCTGGCTTAGATGTGGAGCGCTGGCTGAAGCCAGCCA
TGACCCAGGCCCAGGATGAGGTGGAGCAGGAGCGGCGGCTCAGTGAGGCTCGGCTGTCCCAGAGGGACCTCTCTC
CAACCGCTGAGGATGCTGAGCTTTCTGACTTTGAGGAATGTGAGGAGACGGGAGAGCTCTTTGAGGAGCCTGCC
CCCAAGCCCTGGCCACGAGGGCCCTCCCTGCCCTGCACACGTGGTATTTCTGCTATCAGGCAGGGCGTGAGGATG
AGCTGACAATCACGGAGGGTGAGTGGCTGGAGGTCATAGAGGAGGGAGATGCTGACGAATGGGTCAAGGCTCGGA
ACCAGCACGGCGAGGTAGGCTTTGTCCCTGAGCGATATCTCAACTTCCCGACCTCTCCCTCCCAGAGAGCAGCC
AAGACAGTGACAATCCCTGCGGGGCAGAGCCACAGCATCTTGGCACAGGCCCTGTACAGCTACACCGGACAGA
GTGCAGAGGAGCTGAGCTTCCCTGAGGGGGCACTCATCGTCTGCTGCCCCGGGCCCAAGATGGAGTAGATGACG
GCTTCTGGAGGGGAGAATTTGGGGGCCGTGTTGGGGTCTTCCCTCCCTGCTGGTGAAGAGCTGCTTGGCCCCC
CAGGGCCACCTGAACCTCTCTGACCTGAACAGATGCTGCCGTCCCTTCTCCTCCAGCTTCTCCCCACCTGCAC
CTACCTCTGTGTTGGATGGGCCCTTGCACCTGTCTGCTGGGGACAAAGCCCTGGACTTCCCTGGGTCTCTGG
ACATGATGGCACCTCGACTCAGGCCGATGCGTCCACCCACCTCCCCCGCGGCTAAAGCCCCGGATCTTGGCCACC
CAGATCCCTCACCTGAAGGCCAGGGAAGCCTTGACCCCCAGTGATGCTGCTGTCCCTATCTTCAAGCTGTGAGA
CCACACCATCAATGATCCAGAGCAACACAGCCAAAAGCTGGAATCGCCCTTATTTCCACCTCACCTCCAAGGGT
GGAACTTGCCCCCTTCCATTTCTAGAGCTGGAACCCACTCCTTTTTTTCCCATTTGTTCTATCATCTCTAGGACC
GGAATACTACCTTCTCTTCTGTATGACCTATCTAGGGTGGTGAATGCCTGAAATCTCTGGGGCTGGAAACC
ATCCATCAAGGTCTCTAGTAGTTCTGGCCACCTCTTTCCCCACCTGGCTCCATGACCCACCCACTCTGGATG
CCAGGGTCACTGGGGTGGGGTGGGGAGAGGAACAGGCCTTGGGAATCAGGAGCTGGAGCCAGGATGCGAAGCAG
CTGTAATGGTCTGAGCGGATTTATGACAATGAATAAAGGGCACGAAGGCCAGGCCAGGGCCTGGGCTCTTGTG
CTAAGAGGGCAGGGGGCTACGGTGTCTATTGCTTTAGGGGCCACACGGGCAGGGGCTGCTCCAGCTGCCAC
GCTCTATCATATGGAGCAGGTGTTGGGGAAGGGGGGAGGCAGCCTGTTGCAGGCAGGGGAAGGAGAAGAGAC
TGAGGGCTGTGACCTCTCTGAGGCCCCCAGCTGAGACTGTGCAACTCCAGGTGGAAGTAGAGTGGTCCCTC
AGCTGGGGGGCAGTGCTGTCCAGTGAGGGGGAGGGCTTTACGCCACCCACCCCTGGCCCTGCCAGCTGGTAG
TCCATCAGCACAATGAAGGAGACTTGAGAGAAGAGGAAGAATAACACTGTTGCTTCTGTTCAAGCTGTGTCCAGC
TTTTCCCTGGGGCTCCAGGACCTTCCCTACCTCCACCACCAACCAAGGGATTTATAGCAAAGGCTAAGCCTGC
AGTTTACTCTGGGGGTTTCAAGGAGCCGAAAGGCTTAAATAGTTTAAAGTAGGTGATGGGAAGATGAGATTACCTCA
TTTAGGGCTCAGGCAGACTCACCTCACATACTCCCTGCTCCCTGTGGTAGAGACACCTGAGAGAAAGGGGAGGGG
TCAACAATGAGAGACCAGGAGTAGGTCTATCAGTGCCCCCAGAGTAGAGAGCAATAAGAGCCCAAGCCAGTGC
AGTCCCGGCTGTGTTTTCTACCTGGTGTATCAGAAGTGTCTGGTTTGGCTGGCTGCCATTGCTCTTGAAGTGG
GCAGCCCTGGGCTTGGGCCCTCCCTCCGGCCCTCAGTGTGGCTCTGCAGAAGCTCTGGGGTTCCTTCAAGTG
CACGAGGGGTTAGGCTGCTGTCCCTGAGTCTCCATTCTGTAAGTGGGGGCTGGCTAGGACCTGGGGCTGTGGCC
TCTCAGGGGGCAGCCTCTCCATGGCAGGCATCCCTGCCTTGGGCTGCCCTCCCCAGACCCCTGACCACCCCTG
GGTCTGTCCCCCACCAGAGCCCCAGCTCCTGTCTGTGGGGGAGCCATCACGGTGTTCGTGCAGTCCATAGCGCT
TCTCAATGTGTGTACCCGGAACCTGGGAGGGGAGGGAACACTGGGGTTTAGGACCACAACCTCAGAGGCTGCTTG
GCCCTCCCCTCTGACCAGGGACATCCTGAGTTTGGTGGCTACTTCCCTCTGGCCTAAGGTAGGGGAGGCCTTCTC
AGATTGTGGGGCACATTGTGTAGCCTGACTTCTGCTGGAGCTCCAGTCCAGGAGGAAAGAGCCAAGGCCACTT
TTGGGATCAGGTGCTGATCACTGGGCCCCCTACCTCAGCCCCCTTCCCTGGAGCAGCTGCCCACTGCCCA
CAGAGAACACAGTGGTCTCCCTGTCCGGGGCGGCTTTTTCTTCTTGGAGCGTCCCTGACGGACAAGTGGAG
GCCTCTTGTGCTGGGCTGCAATGGATGCAAGGGGCTGCAGAGCCAGGTGCACTGTGTGATGATGGGAGGGGGCTC
CGTCTGCAGGCTGGAGGTGGCATCCACTGGACAGCAGGAGGAGGGGAGTGAGGGTAACATTTCCATTTCCCT
TCATGTTTTGTTTCTTACGTTCTTTAGCATGCTCCTTAAACCCCAAGCCCCAATTTCCCCAAGCCCCATTT
TTCTTGTCTTTATCTAATAAACTCAATATTAAG

353/615

FIGURE 350

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73401
><subunit 1 of 1, 370 aa, 1 stop
><MW: 40685, pI: 4.53, NX(S/T): 0
MQLAKYQSHSKSCPTVFPPTPVLC L P N Q V L Q R L E Q R R Q Q A S E R E A P S I E Q R L Q E V R E S I R R A Q
V S Q V K G A A R L A L L Q G A G L D V E R W L K P A M T Q A Q D E V E Q E R R L S E A R L S Q R D L S P T A E D A E L S D F
E E C E E T G E L F E E P A P Q A L A T R A L P C P A H V V F R Y Q A G R E D E L T I T E G E W L E V I E E G D A D E W V K A
R N Q H G E V G F V P E R Y L N F P D L S L P E S S Q D S D N P C G A E P T A F L A Q A L Y S Y T G Q S A E E L S F P E G A L
I R L L P R A Q D G V D D G F W R G E F G G R V G V F P S L L V E E L L G P P G P P E L S D P E Q M L P S P S P P S F S P P A
P T S V L D G P P A P V L P G D K A L D F P G F L D M M A P R L R P M R P P P P P P A K A P D P G H P D P L T
```

354/615

FIGURE 351A

CACAGGGAGACCCACAGACACATATGCACGAGAGAGACAGAGGAGGAAAGAGACAGAGACAAAGGCACAGCGGAA
GAAGGCAGAGACAGGGCAGGCACAGAAGCGGCCAGACAGAGTCTTACAGAGGGAGAGGCCAGAGAAGCTGCAGA
AGACACAGGCAGGGGAGAGACAAAGATCCAGGAAGAAGAGGGGCTCAGGAGGAGAGTTTGGAGAAGCCAGACCCCTGG
GCACCTCTCCCAAGCCAAAGCTAAGTTTCTCCATTTCCTTTAACCGGTCTCAGCCCTCTCTGAAAACCTTTGGC
TCTGACCTTGGCAGAGTCCAAGCCCCAGGCTACAGAGAGGAGCTTTCCAAGCTAGGGTGTGGAGGACTTGGT
GCCCTAGACGGCCTCAGTCCCTCCCAGCTGCAGTACCAGTGCCATGCTCCAGACAGGCTCGCATCCCGGGAGGGG
CTTGGCAGGGCGCTGGCTGTGGGGAGCCCAACCTGCCTCCTGCTCCCCATTGTGCCGCTCTCCTGGCTGGTGTG
GCTGCTTCTGCTACTGCTGGCTCTCTCCTGCCCTCAGCCCCGGCTGGCCAGCCCCCTCCCCGGGAGGAGGAGAT
CGTGTTTCCAGAGAAGCTCAACGGCAGCGCTCCTGCCCTGGCTCGGGCGCCCCCTGCCAGGCTGTTGTGCCGCTTGA
GGCCTTTGGGGAGAGCGTCTACTAGAGCTGGAGCAGGACTCCGGTGTACAGGTCGAGGGGCTCAAGTGCAGT
CTCTGGGCGAGGCGCTGAGTGTCTGGGTGGAGCAGAGCTGGCAGCTGACTGCTGGCACCATTCAATGGAGATCC
GGAGTCCGTTGGCATCTCTGCACTGGGATGGGGAGCCCTGTAGGCGTGTACAATATCGGGGGGCTGAACCTCA
CCTCCAGCCCCCTGGAGGGAGGCACCCCTAACTCTGCTGGGGGACCTGGGGCTCACATCCTACGCCGGAAGAGTCC
TGCCAGCGGTCAAGGTCCCATTGTCAACGTCAAGGCTCCTCTTGAAGCCCCAGCCCCAGACCCCGAAGAGCCAA
GCGCTTTGCTTCACTGAGTAGATTGTGGAGACACTGGTGGTGGCAGATGACAAGATGGCCGCATCTCCACGGTGC
GGGGCTAAAGCGTACTCTGCTAACAGTATGATGGCAGCAGCAGCCAGGCCCTCAAGACCCCAAGCATCCGCAATCC
TGTCAGCTTGGTGGTGAAGTCTGGCTAGTGATCCTGGGGTCAGGCGAGGAGGGGCCCCAAGTGGGGCCAGTGCTGC
CCAGACCTGCGCAGCTTCTGTGCTTGGCAGCGGGGCTCAACACCCCTGAGGACTCGGGCCCTGACCACTTTGA
CACAGCCATTCTGTTTACCCTCAGGACCTGTGTGGAGTCTCCACTTGCACACGCTGGGTATGGCTGATGTGGG
CACCCTCTGTGACCCGGCTCGGAGCTGTGCGCATTGTGGAGGATGATGGGCTCCAGTCAGCCTTCACTGCTGCTCA
TGAATCTGGTCTCATGTTTCAACATGCTCCATGACAACCTCAAGCCATGCATCAGTTTGAATGGGCTTTGAGCAC
TCTCTCGCCATGTCTATGGCCCCCTGTGATGGCTCATGTGGATCCTGAGGAGCCTGGTCCCTTCAGTGCAGTCCGCTT
CATCACTGACTTCTTGGACAATGGCTATGGGCACTGTCTCTTAGACAAACCAGAGGCTCCATTGCATCTGCCTGT
GACTTTCCCTGGCAAGGACTATGATGCTGACCGCCAGTGCCAGCTGACCTTCGGGCCGACTCAGGCCATTGTCC
ACAGCTGCCGCGCCGCTGTGCTGCCCTCTGGTGCTCTGGCCACCTCAATGGCCATGCCATGTGCCAGACCAAACA
CTCGCCCTGGGCGCATGGCACAACCTTGGGGCCGCAAGGCTGCATGGGTGGTGGCTGCTGCCATCCACATGGACCA
GCTCCAGGACTTCAATATTTCCAGGCTGGTGGCTGGGCTCCTTGGGGACCATGGGCTGACTGCTCTCGGACCTG
TGGGGGTGGTGTCCAGTTCTCCTCCCAGAGACTGCACGAGGCTGTCCCCCGGAATGGTGGCAAGTACTGTGAGGG
CCGCGTACCCGCTTCCGCTCCTGCAACACTGAGGACTGCCAACTGGCTCAGCCCTGACCTTCCGCGAGGAGCA
GTGTGCTGCCTACAACCACGCAACCGACCTCTTCAAGAGCTTCCAGGGCCCATGGACTGGGTTCTCGCTACAC
AGGCGTGGGCCCCAGGACCACTGCAAACTCACTTCCAGGCGCGGCACTGGGCTACTACTATGTGCTGGAGCC
ACGGGTGGTATAGATGGGACCCCTGTTCCCGGACAGCTCTCGGTCTGTGTCAGGGCCGATGCATCATGCTGTG
CTGTGATCGCATCATTTGGCTCCAAGAAGAAGTTTGACAAGTGCATGGTGTGCGGAGGGGACGGTTCTGGTTGAG
CAAGCAGTCAGGCTCCTTCAGGAAATTAGGTACGGATACAACAATGTGGTCACTATCCCCGCGGGGGCCACCCA
CATTCTTGTCCGGCAGCAGGGAAACCTTGGCCACCGGAGCATCTACTTGGCCCTGAAGCTGCCAGATGGCTCCTA
TGCCCTCAATGGTGAATACACGCTGATGCCCTCCCCACAGATGTGGTACTGCCCTGGGGCAGTCAGCTTGCCTA
CAGCGGGGCACTGCAGCTCAGAGACACTGTCAAGCCATGGCCACTGGCCAGCCCTTGGACACTGCAAGTCTCT
AGGCTGCTGGCAACCCCGAGGACAGACGCTCCGATCAAGCTTCTCGTGGCCCGGCGGACCCCTTCAACAGCCAGC
CCCCACTCCCAGGACTGGCTGCACCGAAGAGCACAGATTCTGGAGATCCTTCGGCGGCGCCCTGGGCGGGCAG
GAAATCACTCTACTATCCCGGCTGCCCTTTCTGGGCACCGGGGCTCGGACTTAGCTGGGAGAAAGAGAGAGCTT
CTGTTGCTGCTCATGCTAAGACTCAGTGGGGAGGGGCTGTGGGCGTGAGACCTGCCCTCCTCTCTGCCCTAAT
GCGCAGGCTGGCCCTGCCCTGTTTCTGCCCCGGGAGGACAGTGGGTAGTGGATGGAAGGGGCTGACAGT
AGCCCTCCATCTAAACTGCCCTCTGCCCTGCGGTGCAGGAGGAGGGGGAAGGCAGGGAGGGCTGGGCCC
CAGTTGTATTTATTTAGTATTTATTCACTTTTATTTAGACCAGGGAAGGGGACAAGGACTAGGGTCTGGGGAA
CCTGACCCCTGACCCCTCATAGCCCTCACCTGGGGCTAGGAAATCCAGGGTGGTGGTGATAGGTATAAGTGGTG
TGTGTATGCGTGTGTGTGTGTGTGTGAAATGTGTGTGTGCTTATGTATAGGTACAACCTGTTCTGCTTTCCCTC
TTCTCTGAATTTATTTTGGGAAAAGAAAAGTCAAGGGTAGGGTGGGCTTCAGGGAGTGAGGGATTATCTTTT
TTTTTTTCTTTCTTTCTTTCTTTCTTTTGGAGACAAGTCTCGCTCTGTGCCAGGCTGGAGTGAATG
GGACAACTCTGGCTCACTGCATCTCTCGGCTCCGGGTTCAAGTGAATCTCATGCTCAGCCTCTGAGTAGTG
GGATTACAGGCTCCTGCCACCACGCCCAGCTAATTTTTGTTTTGTTTTGTTTTGGAGACAGAGTCTCGCTATTGTC
ACCAGGGCTGGAATGATTCAGCTCACTGCAACCTTCGCCACCTGGGTTCCAGCAATTCTCCTGCCCTCAGCCTCC
CGAGTAGCTGAGATTATAGGCACCTACCACACGCCCCGGCTAATTTTTGTATTTTGTAGTAGAGACGGGGTTTACAC
CATGTTTGGCCAGGCTGGTCTCGAATCCTGACCTTAGGTGATCCACTCGCCTTCACTCCCCAAGTGCTGGGAT
ACAGGCGTGAGCGACCGTGCCTGCCACGCCCACCTAATTTTTGTATTTTGTAGTAGAGACAGGGTTTCAACATG
TGCCAGGCTGCTCTTGAACCTGACCTCAGGTAATCGACCTGCCCTCGGCTCCCCAAGTGTGGGATTACAGG

356/615

FIGURE 352

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73492
><subunit 1 of 1, 837 aa, 1 stop
><MW: 90167, pI: 8.39, NX(S/T): 1
MSQTGSHPGRGLAGRWLWGAQPCLLLPIVPLSWLVWLLLLLLASLLPSARLASPLPREEEIVF
PEKLNGSVLPGSGAPARLLCRLQAFGETLLLELEQDSGVQVEGLTVQYLGQAPELLGGAEPGT
YLTGTINGDPESVASLHWDGGALLGVLYRGAELHLQPLEGGTPNSAGGPGAHLRRKSPASG
QGPMC NVKAPLGSPSPRRRAKRFASLSRFVETLVVADDKMAAFHGAGLKRYLLTVMAAAKA
FKHPSIRNPVSLVVTSLVILGSGEEGPQVGPSAAQTLRSFCWQRGLNTPEDSGPDHFDTAIL
FTRQDLCGVSTCDTLGMADVGTVCDPARSCAIVEDDGLQSAFTAAHELGHVFNMLHDNSKPCI
SLNGPLSTSRHVMAPVMAHVDPEEPWSPCSARFITDFLDNGYGHCLLDKPEAPLHLPVTFPGK
DYDADRQCQLTFGPDSRHCPQLPPPCAALWC SGHLNGHAMCQTKHSPWADGTPCGPAQACMGG
RCLHMDQLQDFNIPQAGGWGPWGPWGDCSRTC GGGVQFSSRDCTRPVPRNGGKYCEGRRTFR
SCNTEDCPTGSALTFREEQCAAYNHRTDLFKSFPGPMDWVPRYTGVAPQDQCKLTCQARALGY
YYVLEPRVVDGTPCSPDSSSVCVQGRCIHAGCDRIIGSKKKFDKCMVCGGDGSGCSKQSGSFR
KFRYGYNNVVTIPAGATHILVRQQGNPGHRSIYLALKLPDGSYALNGEYTLMPSTPDVVLPGA
VSLRYSGATAASETLSGHGPLAQPLTLQVLVAGNPQDTRLRYSFFVPRPTPSTPRPTPDWLH
RRAQILEILRRRPWAGRK
```

Important features of the protein:**Signal peptide:**

amino acids 1-48

N-glycosylation site.

amino acids 68-71

Glycosaminoglycan attachment site

amino acids 188-191, 772-775

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 182-185

Tyrosine kinase phosphorylation site.

amino acids 730-736

N-myristoylation sites.

amino acids 5-10, 19-24, 121-126, 125-130, 130-135, 147-152, 167-172, 168-173, 174-179, 323-328, 352-357, 539-544, 555-560, 577-582, 679-684, 682-687, 763-768

Amidation sites.

amino acids 560-563, 834-837

Leucine zipper pattern.

amino acids 17-38, 24-45

Neutral zinc metalloproteinases, zinc-binding region signature.

amino acids 358-367

357/615

FIGURE 353

GC GGAACTGGCTCCGGCTGGCACCTGAGGAGCGGCGTGACCCCGAGGGCCCAGGGAGCTGCCC
GGCTGGCCTAGGCAGGCAGCCGCACCATGGCCAGCACGGCCGTGCAGCTTCTGGGCTTCCTGC
TCAGCTTCCTGGGCATGGTGGGCACGTTGATCACCACCATCCTGCCGCACTGGCGGAGGACAG
CGCACGTGGGCACCAACATCCTCACGGCCGTGTCTACCTGAAAGGGCTCTGGATGGAGTGTG
TGTGGCACAGCACAGGCATCTACCAGTGCCAGATCTACCGATCCCTGCTGGCGCTGCCCCAAG
ACCTCCAGGCTGCCCCGCGCCCTCATGGTCATCTCCTGCCTGCTCTCGGGCATAGCCTGCGCCT
GCGCCGTATCGGGATGAAGTGCACGCGCTGCGCCAAGGGCACACCCGCCAAGACCACCTTTG
CCATCCTCGGCGGCACCCTCTTCATCCTGGCCGGCCTCCTGTGCATGGTGGCCGTCTCCTGGA
CCACCAACGACGTGGTGCAGAACTTCTACAACCCGCTGCTGCCAGCGGCATGAAGTTTGAGA
TTGGCCAGGCCCTGTACCTGGGCTTCATCTCCTCGTCCCTCTCGCTCATTGGTGGCACCCCTGC
TTTGCCTGTCTGCTGCCAGGACGAGGCACCCTACAGGCCCTACCAGGCCCCGCCAGGGCCACCA
CGACCACTGCAAACACCGCACCTGCCTACCAGCCACCAGCTGCCTACAAAGACAATCGGGCCC
CCTCAGTGACCTCGGCCACGCACAGCGGGTACAGGCTGAACGACTACGTGTGAGTCCCCACAG
CCTGCTTCTCCCCCTGGGCTGCTGTGGGCTGGGTCCCCGGCGGGACTGTCAATGGAGGCAGGGG
TTCCAGCACAAAGTTTACTTCTGGGCAATTTTTGTATCCAAGGAAATAATGTGAATGCGAGGA
AATGTCTTTAGAGCACAGGGACAGAGGGGAAATAAGAGGAGGAGAAAGCTCTCTATACCAA
GACTGAAAAAAAAAATCCTGTCTGTTTTTGTATTTATTATATATATTTATGTGGGTGATTTGA
TAACAAGTTTAAATATAAAGTGA CTGGGAGTTTGGTCAGTGGGGTTGGTTTGTGATCCAGGAA
TAAACCTTGCGGATGTGGCTGTTTATGAAAAAAAAAAAA

358/615

FIGURE 354

MASTAVQLLGFLLSFLGMVGTLITTILPHWRRRTAHVGTNILTAVSYLKGLWMECVWHSTGIYQ
CQIYRSLALPQDLQAARALMVISCLLSGIACACAVIGMKCTRCAKGTTPAKTTFAILGGTLFI
LAGLLCMVAVSWTTNDVVQNFYNPLLPSGMKFEIGQALYLGFISSSLIGGTLLCLSCQDEA
PYRPIQAPPRATTTTANTAPAYQPPAAYKDNRAPSVTSATHSGYRLNDYV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domains:

amino acids 82-103, 115-141, 160-182

359/615

FIGURE 355

GAGCTCCCCTCAGGAGCGCGTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGC
AGGCGGCAGGGCGGGCGGCCAGGATCATGTCCACCACCACATGCCAAGTGGTGGCGTTCCCTCC
TGTCCATCCTGGGGCTGGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCACCCAGG
ACCTGTACGACAACCCCGTCACCTCCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGA
GGCAGAGTTCAGGCTTCACCGAATGCAGGCCCTATTTACCATCCTGGGACTTCCAGCCATGC
TGCAGGCAGTGCAGGCCCTGATGATCGTAGGCATCGTCCTGGGTGCCATTGGCCTCCTGGTAT
CCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTGCCAAAGCCAACATGA
CACTGACCTCCGGGATCATGTTCAATTGTCTCAGGTCTTTGTGCAATTGCTGGAGTGTCTGTGT
TTGCCAACATGCTGGTGACTAATTCTGGATGTCCACAGCTAACATGTACACCGGCATGGGTG
GGATGGTGCAGACTGTTCCAGACCAGGTACACATTTGGTGCGGCTCTGTTCTGGGGCTGGGTG
CTGGAGGCCTCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCCTGGCACCAG
AAGAAACCAACTACAAAGCCGTTTCTTATCATGCCTCAGGCCACAGTGTTCCTACAAGCCTG
GAGGCTTCAAGGCCAGCACTGGCTTTGGGTCCAACACCAAAAACAAGAAGATATACGATGGAG
GTGCCCGCACAGAGGACGAGGTACAATCTTATCCTTCCAAGCACGACTATGTGTAATGCTCTA
AGACCTCTCAGCACGGGCGGAAGAACTCCCGGAGAGCTCACCCAAAAACAAGGAGATCCCA
TCTAGATTTCTTCTTGCTTTTGACTCACAGCTGGAAGTTAGAAAAGCCTCGATTTTCATCTTTG
GAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCACCATAAAACAGCTGAG
TTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTTAAATATAA
CTTTCTACTCTGATGAGAGAATGTGGTTTTAATCTCTCTCTCACATTTTGATGATTTAGACAG
ACTCCCCCTCTTCTCCTAGTCAATAAACCCATTGATGATCTATTTCCCAGCTTATCCCCAAG
AAAACTTTTGAAAGGAAAGAGTAGACCCAAAGATGTTATTTTCTGCTGTTTGAATTTTGTCTC
CCCACCCCCAACTTGGCTAGTAATAAACACTTACTGAAGAAGAAGCAATAAGAGAAAGATATT
TGTAATCTCTCCAGCCCATGATCTCGGTTTTCTTACACTGTGATCTTAAAAGTTACCAAACCA
AAGTCATTTTCAGTTTGAGGCAACCAACCTTTCTACTGCTGTTGACATCTTCTTATTACAGC
AACACCATTCTAGGAGTTTCTGAGCTCTCCACTGGAGTCCTCTTTCTGTGCGGGGTCAGAAA
TTGTCCCTAGATGAATGAGAAAATTATTTTTTTTAATTTAAGTCCTAAATATAGTTAAAATAA
ATAATGTTTTAGTAAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAG
AAGGAAATGAAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAA
GTACAAATTCATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGG
ATCACTTGAGCCCAGAAGTTCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAA
ATACAGAGAGAAAAAATCAGCCAGTCATGGTGGCATAACCTGTAGTCCCAGCATTCGGGGAG
GCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGTTGGGGCTGCAGTGAGCCATGATCACACC
ACTGCACTCCAGCCAGGTGACATAGCGAGATCCTGTCTAAAAAAATAAAAAATAAATAATGGA
ACACAGCAAGTCCTAGGAAGTAGGTTAAAACATAATCTTTAA

360/615

FIGURE 356

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73734

><subunit 1 of 1, 261 aa, 1 stop

><MW: 27856, pI: 8.50, NX(S/T): 1

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLRSCVRQSSGFTEC
RPYFTILGLPAMLQAVRALMIVGIVLGAIGLLVSIFALKCIRIGSMEDSAKANMTLTSGIMFI
VSGLCAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGG
VMMCIACRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQ
SYPSKHDYV

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

361/615

FIGURE 357

GGAAAACTGTTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCCGG
AGTCCAGCTGGCTAAAACTCATCCCAGAGGATAATGGCAACCCATGCCTTAGAAATCGCTGGG
CTGTTTCTTGGTGGTGTGGAATGGTGGGCACAGTGGCTGTCACTGTCATGCCTCAGTGGAGA
GTGTCGGCCTTCATTGAAAACAACATCGTGGTTTTTGAAAACCTCTGGGAAGGACTGTGGATG
AATTGCGTGAGGCAGGCTAACATCAGGATGCAGTGC AAAATCTATGATTCCCTGCTGGCTCTT
TCTCCGGACCTACAGGCAGCCAGAGGACTGATGTGTGCTGCTTCCGTGATGTCCTTCTTGGCT
TTCATGATGGCCATCCTTGGCATGAAATGCACCAGGTGCACGGGGGACAATGAGAAGGTGAAG
GCTCACATTCTGCTGACGGCTGGAATCATCTTCATCATCACGGGCATGGTGGTGCTCATCCCT
GTGAGCTGGGTTGCCAATGCCATCATCAGAGATTTCTATAACTCAATAGTGAATGTTGCCAA
AAACGTGAGCTTGGAGAAGCTCTCTACTTAGGATGGACCACGGCACTGGTGCTGATTGTTGGA
GGAGCTCTGTTCTGCTGCGTTTTTTGTTGCAACGAAAAGAGCAGTAGCTACAGATACTCGATA
CCTTCCCATCGCACAAACCCAAAAAAGTTATCACACCGGAAAAGAAGTCACCGAGCGTCTACTCC
AGAAGTCAGTATGTGTAGTTGTGTATGTTTTTTTAACTTTACTATAAAAGCCATGCAAATGACA
AAAATCTATATTACTTTCTCAAAATGGACCCCCAAAGAACTTTGATTTACTGTTCTTAACTGC
CTAATCTTAATTACAGGAAGTGTGCATCAGCTATTTATGATTCTATAAGCTATTTTCAGCAGAA
TGAGATATTAAACCCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGG
TTCAAGCATCTACTCTTTTTATCATTACTTCAAATGACATTGCTAAAGACTGCATTATTTT
ACTACTGTAATTTCTCCACGACATAGCATTATGTACATAGATGAGTGTAACATTTATATCTCA
CATAGAGACATGCTTATATGGTTTTATTTAAAATGAAATGCCAGTCCATTACACTGAATAAAT
AGAACTCAACTATTGCTTTTCAGGGAAATCATGGATAGGGTTGAAGAAGGTACTATTAATTG
TTTTAAAACAGCTTAGGGATTAATGTCCTCCATTTATAATGAAGATTAAAATGAAGGCTTTAA
TCAGCATTGTAAAGGAAATTGAATGGCTTTCTGATATGCTGTTTTTTAGCCTAGGAGTTAGAA
ATCCTAACTTCTTTATCCTCTTCTCCAGAGGCTTTTTTTTTCTTGTGTATTAAATTAACATT
TTTTAAACGCAGATATTTTGTCAAGGGGCTTTCATTCAAACCTGCTTTTCCAGGGCTATACTC
AGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTAGGAAAGTGAAAATATTTTT
GTTTTTGTATTTGAAGAAGAATGATGCATTTTGACAAGAAATCATATATGTATGGATATATTT
TAATAAGTATTTGAGTACAGACTTTGAGGTTTCATCAATATAAATAAAAGAGCAGAAAAATAT
GTCTTGTTTTTCATTTGCTTACCAAAAAACAACAACAAAAAAGTTGTCCTTTGAGAACTTC
ACCTGCTCCTATGTGGGTACCTGAGTCAAATTTGTCATTTTTGTTCTGTGAAAAATAAATTTT
CTTCTTGTAACCATTTCTGTTTAGTTTTACTAAAATCTGTAAATACTGTATTTTTCTGTTTATT
CCAAATTTGATGAAACTGACAATCCAATTTGAAAGTTTGTGTGCGACGTCTGTCTAGCTTAAAT
GAATGTGTTCTATTTGCTTTATACATTTATATTAATAAATTGTACATTTTTTCTAATT

362/615

FIGURE 358

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73735

><subunit 1 of 1, 225 aa, 1 stop

><MW: 24845, pI: 9.07, NX(S/T): 0

MATHALEIAGLFLGGVGMVGTVAVTVMPPQWRVSAFIENNIVVFENFW EGLWMNCVRQANIRMQ
CKIYDSLLALSPDLQAARGLMCAASVMSFLAFMMAILGMKCTRCTGDNEKVKAHILLTAGIIF
IITGMVVLIPVSWVANAIIRDFYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCCN
EKSSSYRYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

363/615

FIGURE 359

CCCGCGCCCGGTTCTCCCTCGCAGCACCTCGAAGTGCGCCCTCGCCCTCCTGCTCGCGCCCC
GCCGCCATGGCTGCCTCCCCCGCGCGGCCTGCTGTCCTGGCCCTGACCGGGCTGGCGCTGCTC
CTGCTCCTGTGCTGGGGCCCAGGTGGCATAAGTGGAAATAAACTCAAGCTGATGCTTCAAAAA
CGAGAAGCACCTGTTCCAATAAGACTAAAGTGGCCGTTGATGAGAATAAAGCCAAAGAATTC
CTTGGCAGCCTGAAGCGCCAGAAGCGGCAGCTGTGGGACCGGACTCGGCCCCGAGGTGCAGCAG
TGGTACCAGCAGTTTCTCTACATGGGCTTTGATGAAGCGAAATTTGAAGATGACATCACCTAT
TGGCTTAACAGAGATCGAAATGGACATGAATACTATGGCGATTACTACCAACGTCACTATGAT
GAAGACTCTGCAATTGGTCCCCGGAGCCCCCTACGGCTTTAGGCATGGAGCCAGCGTCAACTAC
GATGACTACTAACCATGACTTGCCACACGCTGTACAAGAAGCAAATAGCGATTCTCTTCATGT
ATCTCCTAATGCCTTACACTACTTGGTTTCTGATTTGCTCTATTTTCAGCAGATCTTTTCTACC
TACTTTGTGTGATCAAAAAAGAAGAGTTAAACAACACATGTAAATGCCTTTTGATATTTTCAT
GGGAATGCCTCTCATTTAAAAATAGAAATAAAGCATTTTGTTAAAAAGA

364/615

FIGURE 360

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73742

><subunit 1 of 1, 148 aa, 1 stop

><MW: 17183, pI: 8.77, NX(S/T): 0

MAASPARPAVLALTGLALLLLLCWGPGGISGNKCLKMLQKREAPVPTKTKVAVDENKAKEFLG

SLKRQKRQLWDRTRPEVQQWYQQFLYMGFDEAKFEDDITYWLNDRNGHEYYGDIYQRYHDED

SAIGPRSPYGFRRHGASVNYDDY

Signal peptide:

amino acids 1-30

366/615

FIGURE 362

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73746

><subunit 1 of 1, 148 aa, 1 stop

><MW: 16896, pI: 6.05, NX(S/T): 1

MTKALLIYLVSSFLALNQASLISRCDLAQVLQLEDLDGFEGYSLSDWLCLAFVESKFNISKIN

ENADGSFDYGLFQINSHYWCNDYKSYSENLCNVDCQDLLNPNNLAGIHCAKRIVSGARGMNNW

VEWRLHCSGRPLSYWLTGCRLR

Signal peptide:

amino acids 1-18

367/615

FIGURE 363

TCTGACCTGACTGGAAGCGTCCAAAGAGGGACGGCTGTCAGCCCTGCTTGACTGAGAACCCAC
CAGCTCATCCCAGACACCTCATAGCAACCTATTTATACAAAGGGGGAAAGAAACACCTGAGCA
GAATGGAATCATTATTTTTTTTCCCAAGGAGAAAACCGGGGTAAAGGGAGGGGAAGCAATTCAAT
TTGAAGTCCCTGTGAATGGGCTTTCAGAAGGCAATTAAAGAAATCCACTCAGAGAGGACTTGG
GGTGAAACTTGGGTCTGTGGTTTTCTGATTGTAAGTGGAAGCAGGTCTTGACACGCTGTTG
GCAAATGTCAGGACCAGGTTAAGTGACTGGCAGAAAACTTCCAGGTGGAACAAGCAACCCAT
GTTCTGCTGCAAGCTTGAAGGAGCCTGGAGCGGGAGAAAGCTAACTTGAACATGACCTGTTGC
ATTTGGCAAGTTCTAGCAACATGCTCCTAAGGAAGCGATACAGGCACAGACCATGCAGACTCC
AGTTCCTCCTGCTGCTCCTGATGCTGGGATGCGTCCTGATGATGGTGGCGATGTTGCACCCCTC
CCCACCACACCCCTGCACCAGACTGTACAGCCCAAGCCAGCAAGCACAGCCCTGAAGCCAGGT
ACCGCCTGGACTTTGGGGAATCCCAGGATTGGGTACTGGAAGCTGAGGATGAGGGTGAAGAGT
ACAGCCCTTCTGGAGGGCCTGCCACCCCTTTATCTCACTGCGGGAGGATCAGCTGCTGGTGGCCG
TGGCCTTACCCAGGCGAGGAAGCAAGCAAGCCAGGGCAGGAGAGGTGGGAGCTACCGCCTCA
TCAAGCAGCCAAGGAGGCAGGATAAGGAAGCCCCAAAGAGGGACTGGGGGGCTGATGAGGACG
GGGAGGTGTCTGAAGAAGAGGAGTTGACCCCGTTGAGCCTGGACCCACGTGGCCTCCAGGAGG
CACTCAGTGCCCCGCATCCCCCTCCAGAGGGCTCTGCCCGAGGTGCGGCACCCACTGTGTCTGC
AGCAGCACCCCTCAGGACAGCCTGCCACAGCCAGCGTCATCCTCTGTTTCCATGATGAGGCCT
GGTCCACTCTCCTGCGGACTGTACACAGCATCCTCGACACAGTGCCAGGGCCTTCTGAAAGG
AGATCATCCTCGTGACGACCTCAGCCAGCAAGGACAACCTCAAGTCTGCTCTCAGCGAATATG
TGGCCAGGCTGGAGGGGGTGAAGTTACTCAGGAGCAACAAGAGGCTGGGTGCCATCAGGGCCC
GGATGCTGGGGGCCACCAGAGCCACCGGGGATGTGCTCGTCTTCATGGATGCCCACTGCGAGT
GCCACCCAGGCTGGCTGGAGCCCCTCCTCAGCAGAATAGCTGGTGACAGGAGCCGAGTGGTAT
CTCCGGTGATAGATGTGATTGACTGGAAGACTTTCCAGTATTACCCCTCAAAGGACCTGCAGC
GTGGGGTGTGGACTGGAAGCTGGATTTCCTACTGGGAACCTTTGCCAGAGCATGTGAGGAAGG
CCCTCCAGTCCCCCATAAGCCCCATCAGGAGCCCTGTGGTGCCCGGAGAGGTGGTGGCCATGG
ACAGACATTACTTCCAAAACACTGGAGCGTATGACTCTCTTATGTCGCTGCGAGGTGGTGAAA
ACCTCGAACTGTCTTTCAAGGCCTGGCTCTGTGGTGGCTCTGTTGAAATCCTTCCCTGCTCTC
GGGTAGGACACATCTACCAAATCAGGATTCCCATTTCCCCCTCGACCAGGAGGCCACCTGA
GGAACAGGGTTTCGATTGCTGAGACCTGGCTGGGGTCATTCAAAGAAACCTTCTACAAGCATA
GCCCAGAGGCCTTCTCCTTGAGCAAGGCTGAGAAGCCAGACTGCATGGAACGCTTGCAGCTGC
AAAGGAGACTGGGTTGTTCGACATTCCACTGGTTTCTGGCTAATGTCTACCCTGAGCTGTACC
CATCTGAACCCAGGCCAGTTTCTCTGGAAGCTCCACAACACTGGACTTGGGCTCTGTGCAG
ACTGCCAGGCAGAAGGGGACATCCTGGGCTGTCCCATGGTGTGGCTCCTTGCACTGACAGCC
GGCAGCAACAGTACCTGCAGCACACCAGCAGGAAGGAGATTCACTTTGGCAGCCACAGCACC
TGTGCTTTGCTGTGAGGAGGAGCAGGTGATTCTTCAGAACTGCACGGAGGAAGGCCTGGCCA
TCCACCAGCAGCACTGGGACTTCCAGGAGAATGGGATGATTGTCCACATTCTTTCTGGGAAAT
GCATGGAAGCTGTGGTGCAAGAAAACAATAAAGATTTGTACCTGCGTCCGTGTGATGGAAAAG
CCCGCCAGCAGTGGCGATTTGACCAGATAAATGCTGTGGATGAACGATGAATGTCAATGTGAG
AAGGAAAAGAGAAATTTGGCCATCAAAATCCAGCTCCAAGTGAACGTAAAGAGCTTATATATT
TCATGAAGCTGATCCTTTTGTGTGTGTGCTCCTTGTGTAGGAGAGAAAAAGCTCTATGAAA
GAATATAGGAAGTTTCTCCTTTTCACACCTTATTTTATTGACTGCTGGCTGCTTA

368/615

FIGURE 364

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73760

><subunit 1 of 1, 639 aa, 1 stop

><MW: 73063, pI: 6.84, NX(S/T): 2

MLLRKRYRHRPCRLQFLLLLLLMLGCVLMMVAMLHPPHHTLHQTVTAQASKHSPEARYRLDFGE
SQDWVLEAEDEGE EYSPLEGLPPFISLREDQLLVAVALPQARRNQSQGRRGGSYRLIKQPRRQ
DKEAPKRDWGADEDEGEVSEEEELTPFSLDPRGLQEALSARIPLQRALPEVRHPLCLQQHPQDS
LPTASVILCFHDEAWSTLLRRTVHSILDTVPRAFLKEIILVDDLSQQGQLKSALSEYVARLEGV
KLLRSNKRLGAIRARMLGATRATGDVLVFMDAHCECHPGWLEPLLSRIAGDRSRVVSPVIDVI
DWKTFQYYPSKDLQRGVLDWKLDFHWEPLPEHVRKALQSPISPIRSPVVPGEVVAMDRHYFQN
TGAYDSLMSLRGGENLELSFKAWLCGGSVEILPCSRVGHYQNDQSHSPLDQEATLRNRVRIA
ETWLGSEFKETFYKHSPEAFSLSKAEKPCMERLQLQRRLGCRTFHWFLANVPELYPSEPRPS
FSGKLHNTGLGLCADCAEGDILGCPMVLAPCSDSRQQQYLQHTSRKEIHFGSPQHLCFAVRQ
EQVILQNCTEEGLAIHQQHWDFQENGMIVHILSGKCM EAVVQENNKDLYLRPCDGKARQQWRF
DQINAVDER

Signal peptide:

amino acids 1-28

369/615

FIGURE 365

GGAGAGAGGCGCGCGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGCCTCGGAGCGCGGCGG
AGCCAGACGCTGACCACGTTCTCTCCTCGGTCTCCTCCGCCTCCAGCTCCGCGCTGCCCGGC
AGCCGGGAGCCATGCAGCCCCAGGGCCCCGCGCCTCCCCGCAGCGGCTCCGCGGCCTCCTGC
TGCTCCTGCTGCTGCAGCTGCCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAA
AGGCGCAGCTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAG
CAGGAGTGCCTGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCC
CAGGTCGGGATGGATTCAAAGGAGAAAAGGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCT
GGACACCCAATAACAAGCAGTGTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAA
TTGCGGAGTGTACATTTACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTTGTTCAGTGGCT
CACTTCGGCTAAAATGCAGAAATGCATGCTGTGTCAGCGTTGGTATTTTACATTCAATGGAGCTG
AATGTTTCAGGACCTCTTCCCATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGA
ATTCAACAATTAATATTCATCGCACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTG
GATTAGTGATGTTGCTATCTGGGTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTA
CTGGATGGAATTCAGTTTCTCGCATCATTATTGAAGAACTACCAAAATAAATGCTTTAATTTT
CATTTGCTACCTCTTTTTTTTATTATGCCTTGGAATGGTTCACTTAAATGACATTTTAAATAAG
TTTATGTATACATCTGAATGAAAAGCAAAGCTAAATATGTTTACAGACCAAAGTGTGATTTCA
CACTGTTTTTAAATCTAGCATTATTCATTTTGCTTCAATCAAAAGTGGTTTCAATATTTTTTT
TAGTTGGTTAGAATACTTTCTTCATAGTCACATTCTCTCAACCTATAATTTGGAATATTGTTG
TGGTCTTTTGTTTTTTCTCTTAGTATAGCATTTTTTAAAAAATATAAAAGCTACCAATCTTTG
TACAATTTGTAAATGTTAAGAATTTTTTTTATATCTGTAAATAAAAATTATTTCCAACA

370/615

FIGURE 366

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76393

><subunit 1 of 1, 243 aa, 1 stop

><MW: 26266, pI: 8.43, NX(S/T): 1

MRPQGPAASPQRLRGLLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAQVP

GRDGSPGANVIPGTPGIPGRDGFKEGKECLRESFEESWTPNYKQCSWSSLNYGIDLKIAEC

TFTKMRSNSALRVLEFSGSLRLKCRNACCQRWYFTFNGAECGGLPIEAIYLDQGSPEMNSTI

NIHRTSSVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

371/615

FIGURE 367

GTTAACCAGCGCAGTCCTCCGTGCGTCCCGCCCGCCGCTGCCCTCACTCCCGGCCAGGATGGC
ATCCTGTCTGGCCCTGCGCATGGCGCTGCTGCTGGTCTCCGGGGTTCTGGCCCTGCGGTGCT
CACAGACGATGTTCCACAGGAGCCCGTGCCACGCTGTGGAACGAGCCGGCCGAGCTGCCGTC
GGGAGAAGGCCCCGTGGAGAGCACCAGCCCCGGCCGGGAGCCCGTGGACACCGGTCCCCCAGC
CCCCACCGTCGCGCCAGGACCCGAGGACAGCACCAGCGCAGGAGCGGCTGGACCAGGGCGGCGG
GTCGCTGGGGCCCGGCGCTATCGCGGCCATCGTGATCGCCGCCCTGCTGGCCACCTGCGTGGT
GCTGGCGCTCGTGGTCTGCGCTGAGAAAGTTTTCTGCCTCCTTGAAGCGAATAAAGGGGCCG
CGCCCGGCCGCGCGCGACTCGGCAAAAAAAAAAAAAA

372/615

FIGURE 368

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76398
><subunit 1 of 1, 121 aa, 1 stop
><MW: 12073, pI: 4.11, NX(S/T): 0
MASCLALRMALLLVSGVLAPAVLTDDVPQEPVPTLWNEPAELPSGEGPVESTSPGREPVDGTP
PAPTVPAGPEDSTAQERLDQGGGSLGPGAIAAIVIAALLATCVVLALVVVALRKFSAS
```

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 91-110

Glycosaminoglycan attachment site.

amino acids 44-47

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 116-119

N-myristoylation site.

amino acids 91-96

373/615

FIGURE 369

GGCCGTTGGTTGGTGCGCGGCTGAAGGGTGTGGCGGAGCAGCGTCGTTGGTTGGCCGGCGGC
GGGCCGGGACGGGCATGGCCCTGCTGCTGTGCCTGGTGTGCCTGACGGCGGCGCTGGCCCACG
GCTGTCTGCACTGCCACAGCAACTTCTCCAAGAAGTTCTCCTTCTACCGCCACCATGTGAACT
TCAAGTCCTGGTGGGTGGGCGACATCCCCGTGTCAGGGGCGCTGCTCACCGACTGGAGCGACG
ACACGATGAAGGAGCTGCACCTGGCCATCCCCGCCAAGATCACCCGGGAGAAGCTGGACCAAG
TGGCGACAGCAGTGTACCAGATGATGGATCAGCTGTACCAGGGGAAGATGTACTTCCCCGGGT
ATTTCCCCAACGAGCTGCGAAACATCTTCCGGGAGCAGGTGCACCTCATCCAGAACGCCATCA
TCGAAAGGCACCTGGCACCAGGCAGCTGGGGAGGAGGGCAGCTCTCCAGGGAGGGACCCAGCC
TAGCACCTGAAGGATCAATGCCATCACCCCGCGGGGACCTCCCCTAAGTAGCCCCCAGAGGCG
CTGGGAGTGTTGCCACCGCCCTCCCCTGAAGTTTGCTCCATCTCACGCTGGGGGTCAACCTGG
GGACCCCTTCCCTCCGGGCCATGGACACACATACATGAAAACCAGGCCGCATCGACTGTCAGC
ACCGCTGTGGCATCTTCCAGTACGAGACCATCTCCTGCAACAACCTGCACAGACTCGCACGTCG
CCTGCTTTGGCTATAACTGCGAGTAGGGCTCAGGCATCACACCCACCCGTGCCAGGGCCCTAC
TGTCCCTGGGGTCCCAGGCTCTCCTTGGAGGGGGCTCCCCGCCCTCCACCTGGCTGTCATCGG
GTAGGGCGGGGCCGTGGGTTTCAAGGGCGCACCACTTCCAAGCCTGTGTCCACAGGTCTCTCGG
CGCAGTGGAAGTCAGCTGTCCAGGGCCTCCTGAACCTACATAAATAACTGGCACAAGTAAGTCC
CCTCCTCAAACCAACACAGGCAGTGTGTGTATGTGAGCACCTCGTGGGTGAGTATGTGTGGGG
CACAGGCTGGCTCCCTCAGCTCCACGTCCTAGAGGGGGCTCCCGAGGAGGTGGAACCTCAACC
CAGCTCTGCGCAGGAGGCGGCTGCAGTCTTTTCTCCCTCAAAGGTCTCCGACCCTCAGCTGG
AGGCGGGCATCTTTCCTAAAGGGTCCCCATAGGGTCTGGTTCCACCCCATCCCAGGTCTGTGG
TCAGAGCCTGGGAGGGTTCCCTACGATGGTTAGGGGTGCCCCATGGAGGGGCTGACTGCCCCA
CATTCCTTTTTCAGACAGGACACGAGCATGAGGTAAGGCCGCCCTGACCTGGACTTCAGGGGGA
GGGGGTAAAGGGAGAGAGAGGGGGGGCTAGGGGGTCTCTAGATCAGTGGGGGCACTGCAGGT
GGGGCTCTCCCTATACCTGGGACACCTGCTGGATGTACCTCTGCAACCACACCCATGTGGTG
GTTTCATGAACAGACCACGCTCCTCTGCCTTCTCCTGGCCTGGGACACACAGAGCCACCCCGG
CCTTGTGAGTGACCCAGAGAAGGGAGGCCTCGGGAGAAGGGGTGCTCGTAAGCCAACACCAGC
GTGCCGCGGCCTGCACACCCTTCGGACATCCCAGGCACGAGGGTGTCTGGATGTGGCCACAC
ATAGGACCACACGTCCCAGCTGGGAGGAGAGGCCTGGGGCCCCCAGGGAGGGAGGCAGGGGGT
GGGGGACATGGAGAGCTGAGGCAGCCTCGTCTCCCCGACGCTGGTATCGCCAGCCTTAAGGT
GTCTGGAGCCCCCACACTTGGCCAACCTGACCTTGGGAAGATGCTGCTGAGTGTCTCAAGCAGC
ACTGACAGCAGCTGGGCCTGCCCCAGGGCAACGTGGGGGCGGAGACTCAGCTGGACAGCCCT
GCCTGTCACTCTGGAGCTGGGCTGCTGCTGCCTCAGGACCCCTCTCCGACCCCGGACAGAGC
TGAGCTGGCCAGGGCCAGGAGGGCGGGAGGGAGGGAATGGGGGTGGGCTGTGCGCAGCATCAG
CGCCTGGGCAGGTCCGCAGAGCTGCGGGATGTGATTAAAGTCCCTGATGTTTCTC

374/615

FIGURE 370

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76399

><subunit 1 of 1, 157 aa, 1 stop

><MW: 17681, pI: 7.65, NX(S/T): 1

MALLLCLVCLTAALAHGCLHCHSNFSKKFSFYRHHVNFKSWWVGDI PVSGALLTDWSDDTMKE

LHLAIPAKITREKLDQVATAVYQMMDQLYQGKMYFPGYFPNELRNIFREQVHLIQNAIIERHL

APGSWGGGQLSREGPSLAPEGSMPSPRGDL P

Signal peptide:

amino acids 1-15

375/615

FIGURE 371

GCCGGCTGTGCAGAGACGCCATGTACCGGCTCCTGTCAGCAGTGACTGCCCGGGCTGCCGCCC
CCGGGGGCTTGGCCTCAAGCTGCGGACGACGCGGGGTCCATCAGCGCGCCGGGCTGCCGCCTC
TCGGCCACGGCTGGGTTCGGGGCCTCGGGCTGGGGCTGGGGCTGGCGCTCGGGGTGAAGCTGG
CAGGTGGGCTGAGGGGCGCGGCCCGGCGCAGTCCCCGCGGCCCGGACCCTGAGGCGTCGC
CTCTGGCCGAGCCGCCACAGGAGCAGTCCCTCGCCCCGTGGTCTCCGCAGACCCCGGCGCCGC
CCTGCTCCAGGTGCTTCGCCAGAGCCATCGAGAGCAGCCGCGACCTGCTGCACAGGATCAAGG
ATGAGGTGGGCGCACCGGGCATAGTGGTTGGAGTTTCTGTAGATGGAAAAGAAGTCTGGTCAG
AAGGTTTAGGTTATGCTGATGTTGAGAACCGTGTACCATGTAAACCAGAGACAGTTATGCGAA
TTGCTAGCATCAGCAAAAGTCTCACCATGGTTGCTCTTGCCAAATTGTGGGAAGCAGGGAAAC
TGGATCTTGATATTCCAGTACAACATTATGTTCCCGAATTCCCAGAAAAAGAATATGAAGGTG
AAAAGGTTTCTGTCAACAACAGATTACTGATTTCCCATTTAAGTGGAATTCGTCATTATGAAA
AGGACATAAAAAAGGTGAAAGAAGAGAAAGCTTATAAAGCCTTGAAGATGATGAAAGAGAATG
TTGCATTTGAGCAAGAAAAAGAAGGCAAAAGTAATGAAAAGAATGATTTTACTAAATTTAAAA
CAGAGCAGGAGAATGAAGCCAAATGCCGGAATTCAAAACCTGGCAAGAAAAAGAATGATTTTG
AACAAGGCGAATTATATTTGAGAGAAAAGTTTGAAAATTCAATTGAATCCCTAAGATTATTTA
AAAATGATCCTTTGTTCTTCAAACCTGGTAGTCAGTTTTTGTATTCAACTTTGGCTATACCC
TACTGGCAGCCATAGTAGAGAGAGCTTCAGGATGTAAATATTTGGACTATATGCAGAAAATAT
TCCATGACTTGGATATGCTGACGACTGTGCAGGAAGAAAACGAGCCAGTGATTTACAATAGAG
CAAGGTAAATGAATACCTTCTGCTGTGTCTAGCTATATCGCATCTTAACACTATTTTATTAAT
TAAAAGTCAAATTTTCTTTGTTTCCATTCCAAAATCAACCTGCCACATTTTGGGAGCTTTTCT
ACATGTCTGTTTTCTCATCTGTAAAGTGAAGGAAGTAAAACATGTTTATAAAGTAAAAAA

376/615

FIGURE 372

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76522

><subunit 1 of 1, 373 aa, 1 stop

><MW: 41221, pI: 8.54, NX(S/T): 0

MYRLLSAVTARAAAPGGLASSCGRRGVHQAGLPPLGHGWVGGLGLGLGLALGVKLAGGLRGA
APAQSPAAPDPEASPLAEPPEQESLAPWSPQTPAPPCSRCFARAIESSRDLLHRIKDEVGAPG
IVVGVSVDGKEVWSEGLGYADVENRVPCKPETVMRIASISKSLTMVALAKLWEAGKLDLDIPV
QHYVPEFPEKEYEGEKVSVTTRLLISHLSGIRHYEKDIKKVKEEKAYKALKMMKENVAFEQEK
EGKSNEKNDFTKFKTEQENEAKCRNSKPGKKKNDFEQGELYLREKFENSIESLRLFKNDPLFF
KPGSQFLYSTFGYTLLAAIVERASGCKYLDYMQKIFHDLDMLTTVQEENEPVIYNRAR

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 39-60

377/615

FIGURE 373

GACTACGGGGAGAGAGAGAGAGACCAGGACAGCTGCTGAGACCTCTAAGAAGTCCAGATACTAA
GAGCAAAGATGTTTCAAACCTGGGGGCCTCATTGTCTTCTACGGGCTGTTAGCCCAGACCATGG
CCCAGTTTGGAGGCCTGCCCCTGCCCCTGGACCAGACCCTGCCCTTGAATGTGAATCCAGCCCTG
CCCTTGAGTCCCACAGGTCTTGCAGGAAGCTTGACAAATGCCCTCAGCAATGGCCTGCTGTCT
GGGGGCCTGTTGGGCATTCTGGAAAACCTTCCGCTCCTGGACATCCTGAAGCCTGGAGGAGGT
ACTTCTGGTGGCCTCCTTGGGGGACTGCTTGGAAAAGTGACGTCAGTGATTCCTGGCCTGAAC
AACATCATTGACATAAAGGTCACCTGACCCCCAGCTGCTGGAACCTTGGCCTTGTGCAGAGCCCT
GATGGCCACCGTCTCTATGTCACCATCCCTCTCGGCATAAAGCTCCAAGTGAATACGCCCCTG
GTCGGTGCAAGTCTGTTGAGGCTGGCTGTGAAGCTGGACATCACTGCAGAAATCTTAGCTGTG
AGAGATAAGCAGGAGAGGATCCACCTGGTCCTTGGTGA CTGCACCCATTCCCCTGGAAGCCTG
CAAATTTCTCTGCTTGATGGACTTGGCCCCCTCCCCATTCAAGGTCTTCTGGACAGCCTCACA
GGGATCTTGAATAAAGTCCTGCCTGAGTTGGTTCAGGGCAACGTGTGCCCTCTGGTCAATGAG
GTTCTCAGAGGCTTGGACATCACCTGGTGCATGACATTGTTAACATGCTGATCCACGGACTA
CAGTTTGTCAATCAAGGTCTAAGCCTTCCAGGAAGGGGCTGGCCTCTGCTGAGCTGCTTCCCAG
TGCTCACAGATGGCTGGCCCATGTGCTGGAAGATGACACAGTTGCCTTCTCTCCGAGGAACCT
GCCCCCTCTCCTTTCCCACCAGGCGTGTGTAACATCCCATGTGCCTCACCTAATAAAATGGCT
CTTCTTATGCA

378/615

FIGURE 374

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76533

><subunit 1 of 1, 256 aa, 1 stop

><MW: 26713, pI: 5.62, NX(S/T): 0

MFQTGGLIVFYGLLAQTMAQFGGLPVPLDQTLPLNVNPALPLSPTGLAGSLTNALSNGLL
SGLLGILENLPLLDILKPGGGTSGLLGGLLGKVTSVIPGLNNIIDIKVTDPQLLELGL
VQSPDGHRLYVTIPLGIKLQVNTPLVGASLLRLAVKLDITAEILAVRDKQERIHVLGDC
THSPGSLQISLLDGLGPLPIQGLLDSL TGILNKVLPVLVQGNVCPLVNEVLRGLDITLVH
DIVNMLIHGLQFVIKV

Important features of the protein:**Signal peptide:**

Amino acids 1-19

Transmembrane domain:

Amino acids 79-97

N-myristoylation sites:

Amino acids 46-52;49-55;58-64;62-68;66-72;80-86;81-87;
82-88;85-91;86-92;89-95;202-208;233-239

379/615

FIGURE 375

AGTTCTGAGAAAGAAGGAAATAAACACAGGCACCAAACCACTATCCTAAGTTGACTGTCCTTT
AAATATGTCAAGATCCAGACTTTTCAGTGTACCTCAGCGATCTCAACGATAGGGATCTTGTG
TTTGCCGCTATTCCAGTTGGTGCTCTCGGACCTACCATGCGAAGAAGATGAAATGTGTGTAAA
TTATAATGACCAACACCCTAATGGCTGGTATATCTGGATCCTCCTGCTGCTGGTTTTGGTGGC
AGCTCTTCTCTGTGGAGCTGTGGTCCTCTGCCTCCAGTGCTGGCTGAGGAGACCCCGAATTGA
TTCTCACAGGCGCACCATGGCAGTTTTTGTGTGGAGACTTGGACTCTATTTATGGGACAGA
AGCAGCTGTGAGTCCAACCTGTTGGAATTCACCTTCAAACCTCAAACCCCTGACCTATATCCTGT
TCCTGCTCCATGTTTTGGCCCTTTAGGCTCCCCACCTCCATATGAAGAAATTGTAAAAACAAC
CTGATTTTTAGGTGTGGATTATCAATTTAAAGTATTAACGACATCTGTAATTCAAAACATCAA
ATTTAGGAATAGTTATTTTCAGTTGTTGGAAATGTCCAGAGATCTATTCATATAGTCTGAGGAA
GGACAATTCGACAAAAGAATGGATGTTGGAAAAAATTTTTGGTCATGGAGATGTTTAAATAGTA
AAGTAGCAGGCTTTTGATGTGTCACTGCTGTATCATACTTTTATGCTACACAACCAAATTAAT
GCTTCTCCACTAGTATCCAAACAGGCAACAATTAGGTGCTGGAAGTAGTTTCCATCACATTTA
GGACTCCACTGCAGTATACAGCACACCATTTTCTGCTTTAAACTCTTTCCTAGCATGGGGTCC
ATAAAAATTATTATAATTTAACAATAGCCCAAGCCGAGAATCCAACATGTCCAGAACCAGAAC
CAGAAAGATAGTATTTGAATGAAGGTGAGGGGAGAGAGTAGGAAAAAGAAAAGTTTGGAGTTG
AAGGGTAAAGGATAAATGAAGAGGAAAAGGAAAAGATTACAAGTCTCAGCAAAAACAAGAGGT
TTTATGCCCCAACCTGAAGAGGAAGAAATTGTAGATAGAAGGTGAAGGAGATTGCTGAAGATA
TAGAGCACATATAATGCCAACACGGGGAGAAAAGAAAATTTCCCCTTTTACAGTAATGAATGT
GGCCTCCATAGTCCATAGTGTCTCTGGAGCCTCAGGGCTTGGCATTATTGCAGCATCATG
CTAAGAACCTTCGGCATAGGTATCTGTTCCCATGAGGACTGCAGAAGTAGCAATGAGACATCT
TCAAGTGGCATTTTGGCAGTGGCCATCAGCAGGGGGACAGACAAAACATCCATCACAGATGA
CATATGATCTTCAGCTGACAAATTTGTTGAACAAAACAATAAACATCAATAGATATCTAAAAA

380/615

FIGURE 376

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77303

><subunit 1 of 1, 146 aa, 1 stop

><MW: 16116, pI: 4.99; NX(S/T): 0

MSRSRLFSVTSIAISTIGILCLPLFQLVLSDLPCCEEDEMCVNYNDQHPNGWYIWILLLLVLVAA

LLCGAVVLCLQCWLRRPRIDSHRRTMAVFAVGDLDSIYGTEAAVSPTVGIHLQTQTPDLYPVP

APCFGPLGSPPPYEEIVKTT

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 52-70

381/615

FIGURE 377

CGCGGATCGGACCCAAGCAGGTCGGCGGGCGGCGGCAGGAGAGCGGGCCGGGCGTCAGCTCCTCG
ACCCCCGTGTGCGGGCTAGTCCAGCGAGGCGGACGGGCGGGCGTGGGGCCCATGGCCAGGCCCGGC
ATGGAGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGCGCTCGGGGGGCATCGGCGCGGGCC
GTGGCCCCGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCCGCACTGTGGGCAAC
ATCGAGGAGCTGGCTGCTGAATGTAAGAGTGCAGGCTACCCCGGGACTTTGATCCCTACAGA
TGTGACCTATCAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGC
GGTGTAGACATCTGCATCAACAATGCTGGCTTGGCCCCGCGCTGACACCCTGCTCTCAGGCAGC
ACCAGTGGTTGGAAGGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAA
GCCTACCAGTCCATGAAGGAGCGGAATGTGGACGATGGGCACATCATTAACATCAATAGCATG
TCTGGCCACCGAGTGTTACCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTC
ACTGCGCTGACAGAGGGACTGAGGCAAGAGCTTCGGGAGGCCCAGACCCACATCCGAGCCACG
TGCATCTCTCCAGGTGTGGTGGAGACACAATTGCGCTTCAAACCCGAGGATGTGGCCGAGGCTGTT
AAGGCAGCTGCCACCTATGAGCAAATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTT
ATCTACGTCCTCAGCACCCCCGCACACATCCAGATTGGAGACATCCAGATGAGGCCACGGAG
CAGGTGACCTAGTGACTGTGGGAGCTCCTCCTTCCCTCCCCACCCTTCATGGCTTGCCTCCTG
CCTCTGGATTTTAGGTGTTGATTTCTGGATCACGGGATACCACTTCTGTCCACACCCCGACC
AGGGGCTAGAAAATTTGTTTGAGATTTTATATCATCTTGTCAAATTGCTTCAGTTGTAAATG
TGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCCTAATTGTTTTACTTGTTAACTTGTTCCTG
TGCCCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTGTCTTCCCTTTGACATGGGAAAGGAGTT
GTGGCCAAAATCCCCATCTTCTTGACCTCAACGTCTGTGGCTCAGGGCTGGGGTGGCAGAGG
GAGGCCTTCACCTTATATCTGTGTTGTTATCCAGGGCTCCAGACTTCTCCTCTGCCTGCCCC
ACTGCACCCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCCAGCCCAGTCTTGGCTTCTTGT
CCCCTCCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAGCAGAACACCAGGGCCTGGC
CCAGTGGATTTTCATGGTGATCATTAAGGAAATCGCAACCAAAAAAAAAAAAA

382/615

FIGURE 378

MARPGMERWRDRLALVTGASGGIGA A VARALVQQGLKVVG CARTVGNIEELAAECKSAGYPGT
LIPYRC DLSNEEDILSMFSAIRSQHSGVDICINNAGLARPD TLLSGSTSGWKDMFN VNV LALS
ICTREAYQSMKERNVDDGHIININSMGHRVLP LSVTHFY SATKYAVTALTEGLRQELREAQT
HIRATCISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQ
MRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

383/615

FIGURE 379

GAGCGGAGTAAAATCTCCACAAGCTGGGAACAAACCTCGTCCCAACTCCCACCCACCGGCGTT
TCTCCAGCTCGATCTGGAGGCTGCTTCGCCAGTGTGGGACGCAGCTGACGCCCGCTTATTAGC
TCTCGCTGCGTCGCCCCGGCTCAGAAGCTCCGTGGCGGGCGGCGACCGTGACGAGAAGCCCACG
GCCAGCTCAGTTCTCTTCTACTTTGGGAGAGAGAGAAAGTCAGATGCCCCTTTTAAACTCCCT
CTTCAAACTCATCTCCTGGGTGACTGAGTTAATAGAGTGGATACAACCTTGCTGAAGATGAA
GAATATACAATATTGAGGATATTTTTTTCTTTTTTTTTTCAAGTCTTGATTGTGGCTTACCT
CAAGTTACCATTTTTTCAGTCAAGTCTGTTTGTGTTGCTTCTTCAGAAATGTTTTTTACAATCTC
AAGAAAAATATGTCCCAGAAATTGAGTTTACTGTTGCTTGATTTGGACTCATTTGGGGATT
GATGTTACTGCACTATACTTTTCAACAACCAAGACATCAAAGCAGTGTCAAGTTACGTGAGCA
AATACTAGACTTAAGCAAAGATATGTTAAAGCTCTAGCAGAGGAAAATAAGAACACAGTGGA
TGTCGAGAACGGTGCTTCTATGGCAGGATATGCGGATCTGAAAAGAACAATTGCTGTCTTCT
GGATGACATTTTGCAACGATTGGTGAAGCTGGAGAACAAGTTGACTATATTGTTGTGAATGG
CTCAGCAGCCAACACCACCAATGGTACTAGTGGGAATTTGGTGCCAGTAACCACAAATAAAAG
AACGAATGTCTCGGGCAGTATCAGATAGCAGTTGAAAATCACCTTGCTGCTGCCATCCACTG
TGGATTATATCCTATGGCAGAAAAGCTTTATAATTGCTGGCTTAGGACAGAGCAATACTTTAC
AATAAAAGCTCTACACATTTTCAAGGAGTATGCTGGATTGATGGAATCTAATTCTGTACATA
AAAATTTTAAAGTTATTTGTTTGTCTTTCAGGCAAGTCTGTTCAATGCTGTACTATGTCTTAA
AGAGAATTTGGTAACCTTGGTTGATGTGGTAAGCAGATAGGTGAGTTTTGTATAAATCTTTGT
TTTTGAGATCAAGCTGAAATGAAAACACTGAAAACATGGATTCAATTTCTATAACACATTTAT
TTAAGTATATAACACGTTTTTTTGGACAAGTGAAGAATGTTTAATCATTCTGTCAATTTGTTCTC
AATAGATGTAAGTGTAGACTACGGCTATTTGAAAAAATGTGCTTATTGTACTATATTTTGT
ATTCCAATTATGAGCAGAGAAAGGAAATATAATGTTGAAAATAATGTTTTGAAATCATGACCC
AAAGAATGTATTGATTTGCACTATCCTTCAGAATAACTGAAGGTTAATTATTGTATATTTTAA
AAAATTACACTTATAAGAGTATAATCTTGAAATGGGTAGCAGCCACTGTCCATTACCTATCGT
AAACATTGGGGCAATTTAATAACAGCATTAAAAATAGTTGTAAACTCTAATCTTATACTTATG
AAGAATAAAAGATATTTTTATGATGAGAGTAACAATAAAGTATTCATGATTTTTTCACATACAT
GAATGTTCAATTTAAAAGTTTAAATCCTTTGAGTGTCTATGCTATCAGGAAAGCACATTATTTCC
ATATTTGGGTTAATTTTGCTTTTATTATATTGGTCTAGGAGGAAGGGACTTTGGAGAATGGAA
CTCTTGAGGACTTTAGCCAGGTGTATATAATAAAGGTACTTTTGTGCTGCATTAAATTGCTTG
GAAAGTGTTAACATTATATTATATAAGAGTATCCTTTATGAAATTTTGAATTTGTATAACAGA
TGCATTAGATATTCATTTTATATAATGGCCACTTAAAATAAGAACATTTAAAATATAAACTAT
GAAGATTGACTATCTTTTCAGGAAAAAAGCTGTATATAGCACAGGGAACCCTAATCTTGGGTA
ATTCTAGTATAAAACAAATTATACTTTTATTTAAATTTCCCTTGCTAGCAAATCTAATTGCCAC
ATGGTGCCCTATATTTTCATAGTATTTATTTCTCTATAGTAACTGCTTAAGTGCAGCTAGCTTCT
AGATTTAGACTATATAGAATTTAGATATTGTATTGTTTCGTCATTATAATATGCTACCACATGT
AGCAATAATTACAATATTTTATTAATAAATATGTGAAATATTGTTTCATGAAAGACAGATT
TCCAAATCTCTCTTCTCTCTGTACTGTCTACCTTTATGTGAAGAAATTAATTATATGCCA
TTGCCAGGT

384/615

FIGURE 380

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77648

><subunit 1 of 1, 140 aa, 1 stop

><MW: 15668, pI: 10.14, NX(S/T): 5

MFFTISRKNMSQKLSLLLLVFGLIWGLMLLHYTFQQPRHQSSVKLREQILDLSKRYVKALAE

NKNTVDVENGASMAGYADLKRTIAVLLDDILQRLVKLENKVDYIVVNGSAANTTNGTSGNLVP

VTTNKRTNVSGSIR

Important features of the protein:**Signal peptide:**

amino acids 1-26

385/615

FIGURE 381

AACTTCTACATGGGCCTCCTGCTGCTGGTGCTCTTCCTCAGCCTCCTGCCGGTGGCCTACACC
ATCATGTCCCTCCCACCCTCCTTTGACTGCGGGCCGTTTCAGGTGCAGAGTCTCAGTTGCCCGG
GAGCACCTCCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCCAGAATTCCAGTTCTGGTT
TCATGCCAGCCTGTAAAAGGCCATGGAACCTTTGGGTGAATCACCGATGCCATTTAAGAGGGTT
TTCTGCCAGGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTTCATTTTCAGTAGCCACCAG
CCACCTGTGGCCGTTGAGTGCTTGAAATTGAGGAACTGAGAAAATTAATTTCTCATGTATTTTT
CTCATTTATTTATTAATTTTTTAACTGATAGTTGTACATATTTGGGGGTACATGTGATATTTGG
ATACATGTATACAATATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACAT
TTATTTTTTTATTCTTTTTTAGACAGAGTCTCACTCTGTCAACCAGGCTGGAGTGCAGTGGTGCC
ATCTCAGCTTACTGCAACCTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAA
GTAGCTGGGACTACAGGCATGCACCACAATGCCCAACTAATTTTTGTATTTTTAGTAGAGACG
GGGTTTTGCCATGTTGCCCAGGCTGGCCTTGAACCTCTGGCCTCAAACAATCCACTTGCCTCG
GCCTCCCAAAGTGTTATGATTACAGGCGTGAGCCACCGTGCTGGCCTAAACATTTATCTTTT
CTTTGTGTTGGGAACCTTTGAAATTATACAATGAATTATTGTTAACTGTCATCTCCCTGCTGTG
CTATGGAACACTGGGACTTCTTCCCTCTATCTAACTGTATATTTGTACCAGTTAACCAACCGT
ACTTCATCCCCACTCCTCTCTATCCTTCCCAACCTCTGATCACCTCATTCTACTCTCTACCTC
CATGAGATCCACTTTTTTAGCTCCCACATGTGAGTAAGAAAATGCAATATTTGTCTTTCTGTG
CCTGGCTTATTTCACTTAACATAATGACTTCCTGTTCCATCCATGTTGCTGCAAATGACAGGA
TTTCGTTCTTAATTTCAATTAAAATAACCACACATGGCAAAA

386/615

FIGURE 382

MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRIPVLVSCQ
PVKGHGTLGESPMPEFKRVFCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

387/615

FIGURE 383

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACCATGATCAGCGCAG
CCTGGAGCATCTTCCTCATCGGGACTAAAATTGGGCTGTTCTTCAAGTAGCACCTCTATCAG
TTATGGCTAAATCCTGTCCATCTGTGTGTCGCTGCGATGCGGGTTTCATTTACTGTAATGATC
GCTTTCTGACATCCATTCCAACAGGAATACCAGAGGATGCTACAACCTCTCTACCTTCAGAACA
ACCAAATAAAATAATGCTGGGATTCTTCAGATTTGAAAAACTTGCTGAAAGTAGAAAAGAATAT
ACCTATACCACAACAGTTTAGATGAATTTCTACCAACCTCCCAAAGTATGTAAAAGAGTTAC
ATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAAAAATTCCCTATCTGG
AAGAATTACATTTAGATGACAACCTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCATTCCGAG
ACAGCAACTATCTCCGACTGCTTTTCTGTCCCGTAATCACCTTAGCACAATTCCCTGGGGTT
TGCCCGAGGACTATAGAAGAACTACGCTTGATGATAATCGCATATCCACTATTTTCATCACCAT
CTCTTCAAGGTCTCACTAGTCTAAAACGCTGGTTCTAGATGGAAACCTGTTGAACAATCATG
GTTTAGGTGACAAAGTTTTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATT
CCCTGACTGCTGCACCAGTAAACCTTCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATA
ACCACATCAATCGGGTGCCCCCAAATGCTTTTTCTTATCTAAGGCAGCTCTATCGACTGGATA
TGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTTGATGATTGGACAATATAACAC
AACTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATGGGTACGTGACTGGT
TACAATCACTACCTGTGAAGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAAAGGTTT
GTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAA
GCACCATTTCAGATAACCACTGCAATACCCAACACAGTGTATCCTGCCCCAAGGACAGTGGCCAG
CTCCAGTGACCAAACAGCCAGATATTAAGAACCCCAAGCTCACTAAGGATCAACAAACCACAG
GGAGTCCCTCAAGAAAAACAATTACAATTACTGTGAAGTCTGTACCTCTGATACCATTTCATA
TCTCTTGGAACCTTGCTCTACCTATGACTGCTTTGAGACTCAGCTGGCTTAACTGGGCCATA
GCCCCGCATTTGGATCTATAACAGAAACAATTGTAACAGGGGAACGCAGTGAGTACTTGGTCA
CAGCCCTGGAGCCTGATTACCCCTATAAAGTATGCATGGTTCCCATGGAAACCAGCAACCTCT
ACCTATTTGATGAACTCCTGTTTGTATTGAGACTGAACTGCACCCCTTCGAATGTACAACC
CTACAACCACCCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAACCCCAATTTACCTTTGG
CTGCCATCATTGGTGGGGCTGTGGCCCTGGTTACCATTGCCCTTCTTGCTTTAGTGTGTTGGT
ATGTTTCATAGGAATGGATCGCTCTTCTCAAGGAAGTGTGCATATAGCAAAGGGAGGAGAAGAA
AGGATGACTATGCAGAAGCTGGCACTAAGAAGGACAACCTCTATCCTGGAAATCAGGGAACTT
CTTTTCAGATGTTACCAATAAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAATACACACCA
TATTTCTCCTAATGGAATGAATCTGTACAAAAACAATCACAGTGAAAGCAGTAGTAACCGAA
GCTACAGAGACAGTGGTATTCCAGACTCAGATCACTCACACTCATGATGCTGAAGGACTCACA
GCAGACTTGTGTTTTGGGTTTTTTAAACCTAAGGGAGGTGATGGT

388/615

FIGURE 384

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRC DAGFIYCND RFLTSIPTGIPEDATTL
YLQNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIRTITYDSL SK
IPYLEELHLDDNSVSAVSIEEGA FRDSNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRIST
ISSPSLQGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTNLRKL
YLQDNHINRVPPNAFSYLRQLYRLDMSNNNLSNLPQGIFDDL NITQLILRNNPWYCGCKMKW
VRDWLQSLPVKVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQ
GQWPAPVTKQPDIKNPKLTKDQOTTGSPSRKTITITVKS VTSDTIHISWKLALPMTALRLSWL
KLGHS PAFGSITETIVTGERSEYLVTALEPDSPYKVCMPMETS NLYLFDETPVC IETETAPL
RMYNPTTTTLNREQEKEPYKNPNLPLAAIIGGAVALVTIALLALVCWYVHRNGSLFSRNCAYSK
GRRRKDDYAEAGTKKDNSILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNLYKNNHSES
SSNRSYRDSGIPDS DSHSHS

Important features of the protein:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
640-645**Amidation site.**

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

389/615

FIGURE 385

CCGTCATCCCCCTGCAGCCACCCCTTCCCAGAGTCCTTTGCCAGGCCACCCCAGGCTTCTTGG
CAGCCCTGCCGGGCCACTTGTCTTCATGTCTGCCAGGGGGAGGTGGGAAGGAGGTGGGAGGAG
GGCGTGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGCTGAGCGTGTGACCAGCAGTGA
GCAGAGGCCGGCCATGGCCAGCCTGGGGCTGCTGCTCCTGCTCTTACTGACAGCACTGCCACC
GCTGTGGTCCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCT
GATCCTGTCTGCGCTGGAGAGAGCCACCGTCTTCTAGAACAGAGGCTGCCTGAAATCAACCT
GGATGGCATGGTGGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCCGGGAGAAGTGGGC
CCAGGAGCCCCTGCTGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGC
TGCCATCCAGAGATCCCTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCA
GCTGACCCTCCAGCCCGGGTTTGGGAAGCTCCCACATGCCTGGATCCACACTGATGCCTCCTT
GGTGTACCCACGTTCCGGGCCCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGT
GCAGCTGCTGGGAACCGGGACGGACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAG
CCTCATGACCAAGCCCGGCTGCTCAGGCTACTGCCTGTCCCACCAACTGCTCTTCTTCTCTG
GGCCAGAATGAGGGGATGCACACAGGGACCACTCCAACAGAGCCAGGACTATATCAACCTCTT
CTGCGCCAACATGATGGACTTGAACCGCAGAGCTGAGGCCATCGGATACGCCTACCCTACCCG
GGACATCTTCATGGAAAACATCATGTTCTGTGGAATGGGCGGCTTCTCCGACTTCTACAAGCT
CCGGTGGCTGGAGGCCATTCTCAGCTGGCAGAAACAGCAGGAAGGATGCTTCGGGGAGCCTGA
TGCTGAAGATGAAGAATTATCTAAAGCTATTCAATATCAGCAGCATTTTTTCGAGGAGAGTGAA
GAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGTTGCTCAGGCTGGAGTACAGTGGCGCAA
TCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAAGCAATTCTCTTGCCTCATCCTCCCGAG
TAGCTGGGACTACAGGAGCGTGCCACCATACTGGCTAATTTTTTATATTTTTTTTAGTAGAGAC
AGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGATCTCAAGAGATCCGCCCACCTC
AGGCTCCCAAAGTGTGGGATTATAGGTGTGAGCCACCGTGTCTGGCTGAAAAGCACTTTCAAA
GAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTCATGGGGGCTCTCTCCCC
TAGATGGCTGCTCCTCCCACAACACAGCCACAGCAGTGGCAGCCCTGGGTGGCTTCCTATACA
TCCTGGCAGAATACCCCCCAGCAAACAGAGAGCCACACCCATCCACACCGCCACCACCAAGCA
GCCGCTGAGACGGACGGTTCCATGCCAGCTGCCTGGAGGAGGAACAGACCCCTTTAGTCCTCA
TCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGGATAAGCAAA
GCCACCCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGTTAGGTGGGGGCCGGG
AGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAAAAAAAAA

390/615

FIGURE 386

MSARGRWEGGGRRACRGSGLARAQGAERVTSSSEQRPAMASLGLLLLLLLLTALPPLWSSSLPG
LDTAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPL
SLRVGMLGEKLEAAIQRSYLHYLKLSDPKYLREFQLTLQPGFWKLPHAWIHTDASLVYPTFGPQ
DSFSEERSDVCLVQLLGTGTDSSEPCGLSDLCSLMTKPGCSGYCLSHQLLFFLWARMRGCTQ
GPLQQSQDYINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILS
WQKQQEGCFGEFDAEDEELSKAIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQPLP
PGFKQFSCILPSSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLISRDPPTSGSQSVGL

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

391/615

FIGURE 387

GGTCTGAGTGCAGAGCTGCTGTC**ATG**GCGGCCGCTCTGTGGGGCTTCTTTCCCGTCCTGCTGC
TGCTGCTGCTATCGGGGGATGTCCAGAGCTCGGAGGTGCCCCGGGGCTGCTGCTGAGGGATCGG
GAGGGAGTGGGGTCGGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCAGTTGTTCCAGGGG
TGAAGCCTCAGGACTGGATCTCGGCGGCCCGAGTGCTGGTAGACGGAGAAGAGCACGTCGGTT
TCCTTAAGACAGATGGGAGTTTGTGGTTTCATGATATACCTTCTGGATCTTATGTAGTGGAAG
TTGTATCTCCAGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGA
GAGCAAGATATGTGAATTACATCAAACATCAGAGGTTGTCAGACTGCCCTATCCTCTCCAAA
TGAAATCTTCAGGTCCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTTC
TAATGAACCCAATGGTTATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCTAAAG
TGGTCAACACAAGTGATCCTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATT
CCAACCATGAGTTGCCTGATGTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAATCATCTG
GCAAACTAGCAGCGGCAGCAGTAAAACAGGCAAAAGTGGGGCTGGCAAAAGGAGG**TAGT**CAG
GCCGTCCAGAGCTGGCATTTCACAAAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAA
CCGTGTGAAGCAACTACTATAAACTTGAGTCATCCCGACGTTGATCTCTTACAACGTGTATGTT
AACTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGT
ATGAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCCCTATAGAAAAATGCCATTAATAAA
TTATATGAACTACTATACATTATGTATATTAATTAAAACATCTTAATCCAGAAATCAAAAAA
AAAAAAAAAAAAAAAAAAAAA

392/615

FIGURE 388

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEGSGSGVGIGDRFKIEGRAVVPGVKPDWIS
AARVLVDGEEHVGFLLKTDGSFVVHDIPSGSYVVEVSPAYRFDVVRVDITSKGKMRARYVNYI
KTSEVVRLPYPLQMKSSGPPSYFIKRESWGWTDFLMNPMVMMVLPLLI FVLLPKVVNTSDPD
MRREMEQSMNMLNSNHELDPDVSEFMTRLFSSKSSSGSSSKTGKSGAGKRR

Important features of the protein:**Signal sequence:**

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

393/615

FIGURE 389

GTCGTGTGCTTGGAGGAAGCCGCGGAACCCCCAGCGTCCGTCCTCCATGGCGTGGAGCCTTGGGAG
CTGGCTGGGTGGCTGCCTGCTGGTGTGAGCATTGGGAATGGTACCACCTCCCGAAAATGTCAG
AATGAATTCTGTTAATTTCAAGAACATTCTACAGTGGGAGTCACCTGCTTTTGGCAAAGGGAA
CCTGACTTTTACAGCTCAGTACCTAAGTTATAGGATATTCCAAGATAAATGCATGAATACTAC
CTTGACGGAATGTGATTTCTCAAGTCTTTCCAAGTATGGTGACCACACCTTGAGAGTCAGGGC
TGAATTTGCAGATGAGCATTGAGACTGGGTAAACATCACCTTCTGTCTGTGGATGACACCAT
TATTGGACCCCCCTGGAATGCAAGTAGAAGTACTTGCTGATTCTTTACATATGCGTTTCTTAGC
CCCTAAAATTGAGAATGAATACGAACTTGGACTATGAAGAATGTGTATAACTCATGGACTTA
TAATGTGCAATACTGGAAAAACGGTACTGATGAAAAGTTTCAAATTACTCCCCAGTATGACTT
TGAGGTCCTCAGAAACCTGGAGCCATGGACAACCTTATTGTGTTCAAGTTCGAGGGTTTCTTCC
TGATCGGAACAAAGCTGGGGAATGGAGTGAGCCTGTCTGTGAGCAAACAACCCATGACGAAAC
GGTCCCCTCCTGGATGGTGGCCGTATCCTCATGGCCTCGGTCTTCATGGTCTGCCTGGCACT
CCTCGGCTGCTTCTCCTTGCTGTGGTGCCTTTACAAGAAGACAAAGTACGCCTTCTCCCCTAG
GAATTCTCTTCCACAGCACCTGAAAGAGTTTTTGGGCCATCCTCATCATAACACACTTCTGTT
TTTCTCCTTTCCATTGTGCGATGAGAATGATGTTTTTGACAAGCTAAGTGTGATTGCAGAAGA
CTCTGAGAGCGGCAAGCAGAATCCTGGTGACAGCTGCAGCCTCGGGACCCCGCCTGGGCAGGG
GCCCCAAAGCTAGGCTCTGAGAAGGAAACACACTCGGCTGGGCACAGTGACGTACTCCATCTC
ACATCTGCCTCAGTGAGGGATCAGGGCAGCAAACAAGGGCCAAGACCATCTGAGCCAGCCCCA
CATCTAGAACTCCAGACCTGGACTTAGCCACCAGAGAGCTACATTTTAAAGGCTGTCTTGGCA
AAAATACTCCATTTGGGAACCTCACTGCCTTATAAAGGCTTTCATGATGTTTTCAGAAGTTGGC
CACTGAGAGTGTAATTTTACGCCCTTTTATATCACTAAAATAAGATCATGTTTTAATTGTGAGA
AACAGGGCCGAGCACAGTGGCTCACGCCTGTAATACCAGCACCTTAGAGGTCGAGGCAGGCGG
ATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAATATGGTGAAACCCAGTCTCTACTAA
AAATACAAAATTAGCTAGGCATGATGGCGCATGCCTATAATCCCAGCTACTCGAGTGCCTGA
GGCAGGAGAATTGCATGAACCCGGGAGGAGGAGGAGGAGGTTGCAGTGAGCCGAGATAGCGGC
ACTGCACTCCAGCCTGGGTGACAAAGTGAGACTCCATCTCAAAAAAAAAAAAAAAAAAATTGTG
AGAAACAGAAATACTTAAAATGAGGAATAAGAATGGAGATGTTACATCTGGTAGATGTAACAT
TCTACCAGATTATGGATGGACTGATCTGAAAATCGACCTCAACTCAAGGGTGGTCAGCTCAAT
GCTACACAGAGCACGGACTTTTGGATTCTTTGCAGTACTTTGAATTTATTTTCTACCTATAT
ATGTTTTATATGCTGCTGGTGTCTCCATTAAAGTTTACTCTGTGTTGC

394/615

FIGURE 390

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83551
><subunit 1 of 1, 325 aa, 1 stop
><MW: 37011, pI: 5.09, NX(S/T): 4
MAWSLGSWLGGCLLVSALGMVPPPENVRMNSVNFKNILQWESPAFAKGNLTFFTAQYLSYRIFQ
DKCMNTTLTECDFSSLSKYGDHTLRVRAEFADHSDWVNITFCPVDDTIIGPPGMQVEVLADS
LHMRFLAPKIENEYETWTMKNVNSWTYNVQYWKNGTDEKFQITPQYDFEVLRLNLEPWTTYCV
QVRGFLPDRNKAGEWSEPVCEQTTHDETVPSPWMVAVILMASVFMVCLALLGCFSLWCYKKT
KYAFSPRNSLPQHLKEFLGHPHNTLLFFSFPLSDENDVFDKLSVIAEDSESGKQNP GDSCSL
GTPPGQGPQS
```

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 222-245

N-glycosylation sites.

amino acids 49-53, 68-72, 102-106, 161-165

N-myristoylation sites.

amino acids 6-12, 316-322

395/615

FIGURE 391

CTGTGCAGCTCGAGGCTCCAGAGGCACACTCCAGAGAGAGCCAAGGTTCTGACGCGATGAGGA
AGCACCTGAGCTGGTGGTGGCTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGG
TCCAGACGAGGGGCATCAAGCACAGAATCAAGTGGAACCGGAAGGCCCTGCCAGCACTGCCC
AGATCACTGAGGCCCAGGTGGCTGAGAACCGCCCGGGAGCCTTCATCAAGCAAGGCCGCAAGC
TCGACATTGACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCG
ATGGCATCCACTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCACCGGCT
GCATCAATGCCACCCAGGCGGCGAACCAGGGGGAGTTCCAGAAGCCAGACAACAAGCTCCACC
AGCAGGTGCTCTGGCGGCTGGTCCAGGAGCTCTGCTCCCTCAAGCATTGCGAGTTTTGGTTGG
AGAGGGGCGCAGGACTTCGGGTCACCATGCACCAGCCAGTGCTCCTCTGCCTTCTGGCTTTGA
TCTGGCTCATGGTGAAATTAAGCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCGAGCAAA
TCCTGGCAAGTGACCCAGCTCTTCTCCCCCAAACCCACGCGTGTTCTGAAGGTGCCAGGAGC
GGCGATGCACTCGCACTGCAAATGCCGCTCCCACGTATGCGCCCTGGTATGTGCCTGCGTTCT
GATAGATGGGGGACTGTGGCTTCTCCGTCACTCCATTCTCAGCCCCTAGCAGAGCGTCTGGCA
CACTAGATTAGTAGTAAATGCTTGATGAGAAGAACACATCAGGCACTGCGCCACCTGCTTCAC
AGTACTTCCCAACAACCTCTTAGAGGTAGGTGTATCCCGTTTTACAGATAAGGAAACTGAGGC
CCAGAGAGCTGAAGTACTGCACCCAGCATCACCAGCTAGAAAGTGGCAGAGCCAGGATTCAAC
CCTGGCTTGTCTAACCCAGGTTTTCTGCTCTGTCCAATTCCAGAGCTGTCTGGTGATCACTT
TATGTCTCACAGGGACCCACATCCAAACATGTATCTCTAATGAAATTGTGAAAGCTCCATGTT
TAGAAATAAATGAAAACACCTGA

396/615

FIGURE 392

MRKHLSSWWLATVCMLLFSHL SAVQTRGIKHRIKWNRKALPSTAQITEAQVAENRPGAFIKQG
RKLDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNK
LHQQVLWRLVQELCSLKHCEFWLERGAGLRVTMHQPVLLCLLALIWLMVK
... ..

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

397/615

FIGURE 393

TGAAATGACTTCCACGGCTGGGACGGGAACCTTCCACCCACAGCTATGCCTCTGATTGGTGAA
TGGTGAAGGTGCCTGTCTAACTTTTCTGTAAAAAGAACCAGCTGCCTCCAGGCAGCCAGCCCT
CAAGCATCACTTACAGGACCAGAGGGACAAGACATGACTGTGATGAGGAGCTGCTTTCGCCAA
TTTAACACCAAGAAGAATTGAGGCTGCTTGGGAGGAAGGCCAGGAGGAACACGAGACTGAGAG
ATGAATTTTCAACAGAGGCTGCAAAGCCTGTGGACTTTAGCCAGACCCTTCTGCCCTCCTTTG
CTGGCGACAGCCTCTCAAATGCAGATGGTTGTGCTCCCTTGCCTGGGTTTTACCCTGCTTCTC
TGGAGCCAGGTATCAGGGGCCAGGGCCAAGAATTCCACTTTGGGCCCTGCCAAGTGAAGGGG
GTTGTTCCCCAGAACTGTGGGAAGCCTTCTGGGCTGTGAAAGACACTATGCAAGCTCAGGAT
AACATCACGAGTGCCCCGGCTGCTGCAGCAGGAGGTTCTGCAGAACGTCTCGGATGCTGAGAGC
TGTTACCTTGTCCACACCCTGCTGGAGTTCTACTTGAAAAGTGTTTTCAAAAACCACCACAAT
AGAACAGTTGAAGTCAGGACTCTGAAGTCATTCTCTACTCTGGCCAACAACCTTGTTCATC
GTGTCACAACCTGCAACCCAGTCAAGAAAATGAGATGTTTTCCATCAGAGACAGTGCACACAGG
CGGTTTCTGCTATTCCGGAGAGCATTCAAACAGTTGGACGTAGAAGCAGCTCTGACCAAAGCC
CTTGGGGAAGTGGACATTCTTCTGACCTGGATGCAGAAATCTACAAGCTCTTGAATGTCTAGA
CCAGGACCTCCCTCCCCCTGGCACTGGTTTGTTCCTGTGTCATTTCAAACAGTCTCCCTTCC
TATGCTGTTCACTGGACACTTCACGCCCTTGGCCATGGGTCCCATTCTTGGCCCAGGATTATT
GTCAAAGAAGTCATTCTTTAAGCAGCGCCAGTGACAGTCAGGGAAGGTGCCTCTGGATGCTGT
GAAGAGTCTACAGAGAAGATTCTTGTATTTATTACAACTCTATTTAATTAATGTCAGTATTTT
AACTGAAGTTCTATTTATTTGTGAGACTGTAAGTTACATGAAGGCAGCAGAATATTGTGCCCC
ATGCTTCTTTACCCCTCACAATCCTTGCCACAGTGTGGGGCAGTGGATGGGTGCTTAGTAAGT
ACTTAATAAACTGTGGTGCTTTTTTTGGCCTGTCTTTGGATTGTTAAAAAACAGAGAGGGATG
CTTGGATGTAAACTGAACTTCAGAGCATGAAAATCACACTGTCTTCTGATATCTGCAGGGAC
AGAGCATTGGGGTGGGGGTAAAGTGCATCTGTTTGAAAAGTAAACGATAAAATGTGGATTAAA
GTGCCCAGCACAAAGCAGATCCTCAATAAACATTTTCAATTTCCCACCCACACTCGCCAGCTCAC
CCCATCATCCCTTTCCCTTGGTGCCCTCCTTTTTTTTTTATCCTAGTCATTCTTCCCTAATCT
TCCACTTGAGTGTCAAGCTGACCTTGCTGATGGTGACATTGCACCTGGATGTACTATCCAATC
TGTGATGACATTCCCTGCTAATAAAAGACAACATAACTCCAAAAAAAAAAAAAAAAAAAAAAAAA
AAAA

398/615

FIGURE 394

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA88002

><subunit 1 of 1, 206 aa, 1 stop

><MW: 23799, pI: 9.12, NX(S/T): 3

MNFOQRLOSLWTLARPFPCPLLATASQMOMVVLPCLGFTLLLWSQVSGAQQQEFHFGPCQVKG
VVPQKLWEAFWAVKDTMQAQDNITSARLLQQEVLQNVSDAESCYLEVHTLLEFYLKTVFKNHHN
RTVEVRTLKSFSTLANNFVLIVSQLQPSQENEMFSIRDSAHRRFLLFRRAFKQLDVEAALTKA
LGEVDILLTWMQKFYKL

Signal sequence:

amino acids 1-42

N-glycosylation sites.

amino acids 85-89, 99-103, 126-130

399/615

FIGURE 395

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCAT
TTCCTGATGATTTATAGACTCAAAGAAAACTATGTTCAGAAGCTCTCTTCTCTTCTGGCCTC
CTCTCTGTCTTCTTTCCCTCTTTCTTCTTATTTAATTAGTAGCATCTACTCAGAGTCATGCA
AGCTGGAAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTTATTTTT
TGAAATTTCACTTTTCTAGATTCAGGGGGTACATGTGAAGGTTTGTTTTATGAGTATATTGCAT
GATGCTGAGGTTTGGGGT

400/615

FIGURE 396

MFRSSLLFWPPLCLLSLFLILISSIYSESKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGT
CEGLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

401/615

FIGURE 397

CATGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCCTG
TGTCTCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGT
CCTACAATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTT
CATATATGGGCAAAAGAAATGGCTGAATAAATCAGAATGCAGAAATATCAATAGAACCTACTG
TGATCTTTCTGCTGAAACTTCTGACTACGAACACCAGTATTATGCCAAAGTTAAGGCCATTTG
GGGAACAAAGTGTTCCAAATGGGCTGAAAGTGGACGGTTCTATCCTTTTTTTAGAAACACAAAT
TGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCCTGACAGCTCC
AGAGAAGTGAAGAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCT
GAAGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAA
CCACACGCTGGTGTCTCACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCTT
CGTCCCAGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGA
TCAATCATCAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGT
GTTTCTTTTTTCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACA
CCCAGCAAATTTGATTTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGA
AAAAATCGTGATTAACTTTATCACCCCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGA
TATGAGTTTACTGGGAAAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAA
CCTGAGGCCCCCTCAGGAGGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGA
AATTTTTTGTGACTCTGAAGAAAACACGGAAGGTACTTCTCTCACCCAGCAAGAGTCCCTCAG
CAGAACAATACCCCCGGATAAAACAGTCATTGAATATGAATATGATGTCAGAACCCTGACAT
TTGTGCGGGGCCTGAAGAGCAGGAGCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATT
ATTGGAGTCGCAGGCAGCGTTGGCAGTCTTGGGCCCCGAAACGTTACAGTACTCATACACCCC
TCAGCTCCAAGACTTAGACCCCCTGGCGCAGGAGCACACAGACTCGGAGGAGGGGCCGGAGGA
AGAGCCATCGACGACCCTGGTCGACTGGGATCCCCAACTGGCAGGCTGTGTATTCTTCGCT
GTCCAGCTTCGACCAGGATTCAGAGGGCTGCGAGCCTTCTGAGGGGGATGGGCTCGGAGAGGA
GGGTCTTCTATCTAGACTCTATGAGGAGCCGGCTCCAGACAGGCCACCAGGAGAAAATGAAAC
CTATCTCATGCAATTCATGGAGGAATGGGGTTATATGTGCAGATGGAAAACTGATGCCAAACA
CTTCCTTTTGCCTTTTGTTCCTGTGCAAACAAGTGAGTCACCCCTTTGATCCCAGCCATAAA
GTACCTGGGATGAAAGAAGTTTTTTCCAGTTTGTTCAGTGTCTGTGAGAA

402/615

FIGURE 398

MPLPPLLLLLLAAPWGRAVPCVSGGLPKPANITFLSINMKNVLQWTPPEGLOGVKVTTYTVQYF
IYGQKKWLNKSECRNINRTYCDLSAETSDYEHQYYAKVKAIWGTKCSKWAESGRFYPPFLETQI
GPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIYSNLKYNVSVLNTKSNRTWSQCVTN
HTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLKDQSSEFKAKIIFWYVLPISITV
FLFSVMGYSIYRYIHVGKEKHPANLILYGNFDRFFVPAEKIVINFITLNISSDDSKISHQD
MSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFCDSEENTEGTSLTQQESLS
RTIPDPKTVIEYEDVRTTDICAGPEEQELSLQEEVSTQGTLLSQAALAVLGPQTLQYSYTP
QLQDLDPPLAQEHTDSEEGPEEPSTTLVDWDPQTGRLCIPSLSSFDQDSEGCEPSEGDLGEE
GLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYQMEN

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 240-260

N-glycosylation sites.amino acids 31-34, 72-75, 80-83, 171-174, 180-183, 189-192,
304-307, 523-526**Tyrosine kinase phosphorylation site.**

amino acids 385-392, 518-526

N-myristoylation sites.

amino acids 53-58, 106-111, 368-373, 492-497

Tissue factor

amino acids 1-278

403/615

FIGURE 399

CCGGCG**ATG**TCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAG
CCGACCGTTCAATGTGGCTCTGAAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTA
ATCCCCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAACACTAGTGTTGCAACAGGGGAC
TATTCAATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTTGAAG
GCCACCAAGATTTGTGTGACGGGCAAAAGCAACTTCCAGTCCTACAGCTGTGTGAGGTGCAAT
TACACAGAGGCCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCCTACATC
GGCTTCCCTGTAGAGCTGAACACAGTCTATTTTCATTGGGGCCCATAATATTCCTAATGCAAAT
ATGAATGAAGATGGCCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCACATA
ATGAAATATAAAAAAAGTGTGTCAAGGCCGGAAGCCTGTGGGATCCGAACATCACTGCTTGT
AAGAAGAATGAGGAGACAGTAGAAGTGAACCTCACAACCACTCCCCTGGGAAACAGATACATG
GCTCTTATCCAACACAGCACTATCATCGGGTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAA
CAAACGCGAGCTTCAGTGGTGATTCCAGTGAAGTGGGGATAGTGAAGGTGCTACGGTGCAGCTG
ACTCCATATTTTCTACTTGTGGCAGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGC
CCACAAACAGGCGTCCCTTTCCCTCTGGATAACAACAAAAGCAAGCCGGGAGGCTGGCTGCCT
CTCCTCCTGCTGTCTCTGCTGGTGGCCACATGGGTGCTGGTGGCAGGGATCTATCTAATGTGG
AGGCACGAAAGGATCAAGAAGACTTCCTTTTCTACCACCACACTACTGCCCCCATTAAGGTT
CTTGTGGTTTACCCATCTGAAATATGTTTCCATCACACAATTTGTTACTTCACTGAATTTCTT
CAAAACCATTGCAGAAGTGAGGTCATCCTTGAAAAGTGGCAGAAAAAGAAAATAGCAGAGATG
GGTCCAGTGCAGTGGCTTGCCACTCAAAAGAAGGCAGCAGACAAAGTCGTCTTCCTTCTTTCC
AATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAAGAGCGAGGGCAGTCCCAGTGAGAAC
TCTCAAGACCTCTTCCCCCTTGCCTTTAACCTTTTCTGCAGTGATCTAAGAAGCCAGATTTCAT
CTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACAAAAGACGATTACAATGCTCTC
AGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTTCTGTGCAGAACTTCTCCAT
GTCAAGCAGCAGGTGTCAGCAGGAAAAAGATCACAAGCCTGCCACGATGGCTGCTGCTCCTTG
TAG

404/615

FIGURE 400

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLI PGDLRLDLRVEPVTTTSVATGDYS
ILMNVSWVLRADASIRLLKATKICVTGKS NFQSYSCVRCNYTEAFQTQTRPSGGKWTF SYIGF
PVELNTVYFIGAHNIPNANMNEDGPSMSVNFTSPGCLDHIMKYKKKCVKAGSLWDPNITACKK
NEETVEVNFTTTPLGNRYMALIQHSTIIGFSQVFEPHQKKQTRASVVI PVTGDSEGATVQLTP
YFPTCGSDCIRHKGTIVVLC PQTGVFPFLDNNKSKPGGWLP LLLL SLLVATWVLVAGIYLMWRH
ERIKKTSFSTTTLLPPIKVLVVYPSEICFHHTICYFTEFLQNHCRSEVILEKWQKKKIAEMGP
VQWLATQKKAADKVVFLLSNDVNSVCDGTCGKSEGSPSENSQDLFPLAFNLFCSDLRSQIHLH
KYVVVYFREIDTKDDYNALSVC PKYHLMKDATAFCAELLHV KQQVSAGKRSQACHDGCCSL

Important features of the protein:**Signal peptide:**

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201
and 283 - 287**cAMP- and cGMP-dependent protein kinase phosphorylation sites.**

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

405/615

FIGURE 401

GGGAACAGGGAACATATCAGCCCGTCGGCCTCCGGGCCCTGCATTCTCTAGCCATGGACCG
GGACCTTTTTGCGGCAGTCGCTAAATTGCCACGGGTCGTCTTTGCTCTCTCTACTTCGGAG
CGAACAGCAGGACAATCCACACTTCCGTAGCCTCCTGGGGTCGGCCGCCGAGCCAGCCCCG
GGGCCCGCCGCCCCAGCACCCGTTGCAGGGCAGAAAAGAGAAGAGAGTTGACAACATCGA
GATACAGAAATTCATCTCCAAAAAGCGGATCTGCTTTTTGCACCTTTCCTGGAAATCAGA
TGCACCTGCAACTTCTGAAATTAATGAAGACAGTGAAGATCATTATGCAATCATGCCACC
TTTAGAGCAATTCATGGAGATACCTAGTATGGATCGGAGAGAGCTGTTTTTCCGAGATAT
TGAGCGTGGTGATATAGTGATTGGAAGAATTAGTTCTATTTCGGGAATTCGGTTTTTTTCAT
GGTGTGATCTGTTTAGGAAGTGGTATCATGAGAGATATAGCCCACTTAGAAATCACAGC
TCTTTGTCCCTTAAGAGATGTGCCTTCTCACAGTAACCATGGGGATCCTTTATCATATTA
CCAACTGGTGACATCATTCGAGCTGGAATCAAGGATATTGACAGATACCATGAAAAGCT
AGCAGTATCTCTGTATAGCTCTTCTCTTCCACCACACCTATCTGGTATTAAATTAGGTGT
AATTAGCTCTGAAGAGCTTCCTTTATACTACAGGAGAAGTGTGAGCTAAATAGCAATTC
TTTGGAGTCCTATGAAAATGTCATGCAGAGTTCCTTGGGATTGTGTAATCCAGGAGTAGT
TGAATTCCTTCTAGAAAACTAGGAATAGATGAATCTAATCCACCATCTTTAATGAGAGG
CCTACAAAGCAAAAATTTCTCTGAAGATGATTTTGCTTCTGCATTGAGAAAAACAATC
CGCATCTTGGGCTTTAAAATGTGTGAAGATCGGAGTTGACTATTTTAAAGTTGGACGCCA
TGTGGATGCTATGAATGAATACAATAAAGCTTTGGAAATAGACAAACAAAACGTGGAAGC
TTTGGTAGCTCGTGGAGCATTATATGCGACAAAAGGAAGTTTGAACAAAGCAATAGAAGA
TTTTGAGCTTGCATTAGAAAACGTCCAACCTCACAGAAATGCAAGAAAATACCTCTGCCA
GACACTTGTAGAGAGAGGAGGACAGTTAGAAGAAGAAGAAAAGTTTTTAAATGCTGAAAG
TTACTATAAGAAAGCCTTGGCTTTGGATGAGACTTTTAAAGATGCAGAGGATGCTTTGCA
GAAACTTCATAAATATATGCAGAAATCTTTGGAATTAAGAGAAAAACAAGCTGAAAAGGA
AGAAAAGCAGAAAACAAAAGAAAATAGAAACAAGTGCAGAAAAGTTGCGTAAGCTCTTAAA
AGAAGAGAAGAGGCTAAAGAAGAAAAGAAGAAAATCAACTTCTTCTTCAAGTGTTCCTTC
TGCTGATGAATCAGTGTCTTCATCATCATCCTCTTCCTCTTCTGGTCACAAAAGGCATAA
GAAACATAAGAGGAACCGTTCAGAGTCTTCTCGCAGTTCAGAAAGGCATTTCATCTAGGGC
ATCCTCAAATCAGATAGATCAGAATAGGAAAGATGAGTGCTACCCAGTTCAGCTAATAC
TTCAGCATCTTTTCTTAACCATAAAACAAGAAGTGGAGAACTACTGGGGAAGCAGGATAG
GTTACAGTATGAAAAGACACAGATAAAAGAGAAAGATAGATGCCCTCTCTCTTCATCTTC
ACTTGAAATACCGGATGATTTTGGAGTGTACTCCTATTTATTTAAAAAGTTAACTATAAA
ACAGCCTCAGGCAGGTCTTCAGGAGATATTCCAGAAGAGGGCATTGTTATCATAGATGA
CAGCTCCATTCATGTTACTGACCCTGAAGACCTTCAAGTGGGACAAGATATGGAGGTGGA
AGACAGTGGTATTGATGATCCTGACCACGGGTAGGCTTAGGTTTATGTGTGTGTATGTGT
CTTAGTTTTTAACAAAAAAATTAAGAAAGTAAAAAACTAAAAATAGAAAAATGCTTAGAG
AATAAGGATATAAAGAATATTTTTGTGCAGTTGAACAATGAGTGCTTAAGCTAAATGTCA
TCACAAAAGAGTAAAAAAATTTTACAAAATTAAGAAATGTTTAAAGTTAAAAAGCTCTAGG
AAGCTAAGGTCAATTTATTATTGGAGAAATAAATTTATTTTATGAATTTACTGT

406/615

FIGURE 402

MDRDLRLRQSLNCHGSSLLSLLRSEQQDNPHFRSLLGSAAEPARGPPPQHPLOGRKEKRVD
NIEIQKFISKKADLLFALSWKSDAPATSEINEDSEDHYAIMPPLEQFMEIPSMRRELFF
RDIERGDIVIGRISSIREFGFFMVLIICLGSGIMRDIAHLEITALCPLRDVPSHSNHGDPL
SYYQTGDIIRAGIKDIDRYHEKLAVSLYSSSLPPHLSGIKLGVISSEELPLYRRSVELN
SNSLESYENVMQSSSLGFVNPGVVEFLLEKLGIDESNPPSLMRGLQSKNFSEDDFASALRK
KQSASWALKCVKIGVDYFKVGRHVDAMNEYNKALEIDKQNEALVARGALYATKGSLNKA
IEDFELALENCPTHNRKYLQCTLVERGGQLEEEEEKFLNAESYYKKALALDETFKDAED
ALQKLHKYMQKSLELREKQAEKEEKQKTKKIETSAEKLRLKLLKEEKRLKKRRKSTSSSS
VSSADESVSSSSSSSSSGHKRHKHKRNRSESSRRRHSSRASSNQIDQNRKDECYPVP
ANTSASFNLHKQEVKLLGKQDRLOYEKTOIKEKDRCPLSSSSLEIPDDFGVYSYLFKKL
TIKQPQAGPSGDIPEEGIVIIDDSSIHVTDPEDLQVGQDMEVEDSGIDDPDHG

Important features of the protein:**Signal peptide:**

Amino acids 1-23

Transmembrane domain:

Amino acids 138-155

N-glycosylation sites:

Amino acids 288-292;508-512;542-546

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 300-304;472-476;473-477;517-521;598-602

N-myristoylation sites:

Amino acids 218-224;222-228;271-277;348-354

Amidation site:

Amino acids 52-56

Cell attachment sequence:

Amino acids 125-128

407/615

FIGURE 403

CCGAGGCGGGAGGAGCCCGAGGGGGCGCGAGCCCCGCATGAATCATTGTAGTCAATCATTTTC
CAGTTCTCAGCCGCTCAGTTGTGATCAAGGGACACGTGGTTTCCGAAGTCCAGCTCAGAATA
GGAAAATAACTTTGGGATTTTATATTGGAAGACATGGATCTTGCTGCCAACGAGATCAGCATTT
ATGACAAACTTTTCAGAGACTGTTGATTTGGTGAGACAGACCGGCCATCAGTGTGGCATGTCAG
AGAAGGCAATTGAAAAATTTATCAGACAGCTGCTGGAAAAGAATGAACCTCAGAGACCCCCC
CGCAGTATCCTCTCCTTATAGTTGTGTATAAGGTTCTCGCAACCTTGGGATTAATCTTGCTCA
CTGCCTACTTTGTGATTCAACCTTTTCAGCCCATTAGCACCTGAGCCAGTGCTTTCTGGAGCTC
ACACCTGGCGCTCACTCATCCATCACATTAGGCTGATGTCCTTGCCCATTGCCAAGAAGTACA
TGTCAGAAAATAAGGGAGTTCCTCTGCATGGGGGTGATGAAGACAGACCCTTTCCAGACTTTG
ACCCCTGGTGGACAAACGACTGTGAGCAGAATGAGTCAGAGCCCATTCTGCCAAGTGCCTG
GCTGTGCCCAGAAACACCTGAAGGTGATGCTCCTGGAAGACGCCCCAAGGAAATTTGAGAGGC
TCCATCCACTGGTGATCAAGACGGGAAAGCCCCTGTTGGAGGAAGAGATTTCAGCATTTTTTGT
GCCAGTACCCTGAGGCGACAGAAGGCTTCTCTGAAGGGTTTTTCGCAAGTGGTGGCGCTGCT
TTCCTGAGCGGTGGTTCCCATTTCTTATCCATGGAGGAGACCTCTGAACAGATCACAAATGT
TACGTGAGCTTTTTCTGTTTTCACTCACCTGCCATTTCCAAAAGATGCCTCTTTAAACAAGT
GCTCCTTTCTTCACCCAGAACCTGTTGTGGGGAGTAAGATGCATAAGATGCCTGACCTATTTA
TCATTGGCAGCGGTGAGGCCATGTTGCAGCTCATCCCTCCCTTCCAGTGCCGAAGACATTGTC
AGTCTGTGGCCATGCCAATAGAGCCAGGGGATATCGGCTATGTCGACACCACCCACTGGAAGG
TCTACGTTATAGCCAGAGGGGTCCAGCCTTTGGTCATCTGCGATGGAACCGCTTTCTCAGAAC
TGTAGGAAATAGAACTGTGCACAGGAACAGCTTCAGAGCCGAAAACCAGGTTGAAAGGGGAA
AAATAAAAACAAAACGATGAAACTGCAAAA

408/615

FIGURE 404

MDLAANEISIIYDKLSETVDLVRQTGHQCGMSEKAIEKFIRQLLEKNEPQRPPPOYPPLLIVVYK
VLATLGLILLTAYFVIQPFSPLAPEPVLGAHTWRSLIHHIRLMSLPIAKKYMSENKGVPLHG
GDEDRPFPDFDPWWTNDCEQNESEPIPANCTGCAQKHLKVMLLEDAPRKFERLHPLVIKTGKP
LLEEEIQHFLCQYPEATEGFSEGFFAKWWRCFPERWFPPYPWRRPLNRSQMLRELFVFTHL
PFPKDASLNKCSFLHPEPVVGSKMHKMPDLFIIGSGEAMLQLIPPFQRRHCQSVAMPIEPGD
IGYVDTTHWKVYVIARGVQPLVICDGTAFSEL

409/615

FIGURE 405

TGCCGGGCTGCGGGGCGCCTTGACTCTCCCTCCACCCTGCCTCCTCGGGCTCCACTCGTCTGCCCCCTGGACTCCC
GTCTCCCTCCTGTCTCCGGCTTCCCAGAGCTCCCTCCTTATGGCAGCAGCTTCCCGCTCTCCGGCGCAGCTTCT
CAGCGGACGACCCTCTCGCTCCGGGGCTGAGCCAGTCCCTGGATGTTGCTGAAACTCTCGAGATCATGCGGGG
TTTGGCTGCTGCTTCCCCGCCGGGTGCCACTGCCACCGCCGCCCTCTGCTGCCGCCGTCCGCGGGATGCTCAG
TAGCCCCGCTGCCCCGGCCCCCGCATCTGTGTTCTCGGAAGCCGTTTGTGCTGCTGCAGAGTTGCACGAAC TAGTC
ATGGTGCTGTGGGAGTCCCCGCCGAGTGCAGCAGCTGGACACTTTGCGAGGGCTTTTGCTGGCTGCTGCTGCTG
CCCGTCATGCTACTCATCGTAGCCCCGCCGGTGAAAGCTCGCTGCTTTCCCTACCTCCTTAAGTGACTGCCAAACG
CCCACCGGCTGGAATTGCTCTGGTTATGATGACAGAGAAAATGATCTCTTCCTCTGTGACACCAACACCTGTAAA
TTTGATGGGGAATGTTTAAGAATTGGAGACACTGTGACTTGCGTCTGTCAAGTGCAACAATGACTATGTG
CCTGTGTGTGGCTCCAATGGGGAGAGCTACCAGAATGAGTGTTACCTGCGACAGGCTGCATGCAAACAGCAGAGT
GAGATACTTGTGGTGTGAGAAGGATCATGTGCCACAGATGCAGGATCAGGATCTGGAGATGGAGTCCATGAAGGC
TCTGGAGAACTAGTCAAAAGGAGACATCCACCTGTGATATTTGCCAGTTTGGTGCAGAATGTGACGAAGATGCC
GAGGATGTCTGGTGTGTGTGTAATATTGACTGTTCTCAAACCAACTTCAATCCCCCTCTGCGCTTCTGATGGGAAA
TCTTATGATAATGCATGCCAAATCAAAGAAGCATCGTGTGAGAAACAGGAGAAAATTGAAGTCATGTCTTTGGGT
CGATGTCAAGATAACACAAC TACA ACTACTAAGTCTGAAGATGGGCATTATGCAAGAACAGATTATGCAGAGAAT
GCTAACAAATTAGAAGAAAGTGCCAGAGAACACCACATACCTTGTCCGGAACATTACAATGGCTTCTGCATGCAT
GGGAAGTGTGAGCATTCTATCAATATGCAGGAGCCATCTTGCAGGTGTGATGCTGGTTATACTGGACAACACTGT
GAAAAAAGGACTACAGTGTCTATACGTTGTTCCCGGTCTGTACGATTTCAGTATGTCTTAATCGCAGCTGTG
ATTGGAACAATTCAAGTTGCTGTCTGTGTGGTGGTCTCTGCATCACAAGGAAATGCCCCAGAAGCAACAGA
ATTCACAGACAGAAGCAAAATACAGGGCACTACAGTTCAGACAATACAACAAGAGCGTCCACGAGGTTAATCTAA
AGGGAGCATGTTTCACAGTGGCTGGACTACCGAGAGCTTGGACTACACAATACAGTATTATAGACAAAAGAATAA
GACAAGAGATCTACACATGTTGCCTTGCAATTGTGGTAATCTACACCAATGAAAACATGTACTACAGCTATATTT
GATTATGTATGGATATATTTGAAATAGTATACATTGTCTTGATGTTTTTTCTGTAATGTAAATAAACTATTTATA
TCACACAATATAGTTTTTTCTTTCCCATGTATTTGTTATATATAATAAATACTCAGTGATGAG

410/615

FIGURE 406

MVLWESPRQCSSWTLCGFCWLLLLPVMLLIVARPVKLAAPPTSLSDCQTPTGWNC SGY
DDRENDLFLCDTNTCKFDGECLRIGDTVTCVCQFKCNNDYVPVCGSNGESYQNECYLRQ
AACKQQSEILVVSEGSCATDAGSGSGDGVHEGSGETSQKETSTCDICQFGAECDEDAED
VWCVCNIDCSQTNFNPLCASDGKSYDNACQIKEASCQKQEKIEVMSLGRCQDNTTTTTK
SEDGHYARTDYAENANKLEESAREHHIPCPEHYNGFCMHGKCEHSINMQEPSCRC DAGY
TGQHCEKKDYSVLYVVP GPVRFQYVLIAAVIGTIQIAVICVVVLCITRKCPRSNRIHRQ
KQNTGHYSSDNTTRASTRLI

411/615

FIGURE 407

CTCGCAGCCGAGCGCGGCCGGGGAAGGGCTCTCCTTCCAGCGCCGAGCACTGGGCCCTGGCAG
ACGCCCCAAGATTGTTGTGAGGAGTCTAGCCAGTTGGTGAGCGCTGTAATCTGAACCAGCTGT
GTCCAGACTGAGGCCCATTTGCATTGTTTAACATACTTAGAAAATGAAGTGTTTCAATTTTAA
CATTCCTCCTCCAATTGGTTTAAATGCTGAATTACTGAAGAGGGCTAAGCAAACCAGGTGCTT
GCGCTGAGGGCTCTGCAGTGGCTGGGAGGACCCCGGCGCTCTCCCCGTGTCCTCTCCACGACT
CGCTCGGCCCTCTGGAATAAAACACCCGCGAGCCCCGAGGGCCAGAGGAGGCCGACGTGCC
CGAGCTCCTCCGGGGTCCCGCCCGAGCTTCTTCTCGCCTTCGCATCTCCTCCTCGCGCG
TCTTGGACATGCCAGGAATAAAAAGGATACTCACTGTTACCATTCTGGCTCTCTGTCTTCCAA
GCCCTGGGAATGCACAGGCACAGTGCACGAATGGCTTTGACCTGGATCGCCAGTCAGGACAGT
GTTTAGATATTGATGAATGCCGAACCATCCCCGAGGCTGCCGAGGAGACATGATGTGTGTTA
ACCAAATGGCGGGTATTTATGCATTCGCCGACAAACCCTGTGTATCGAGGGCCCTACTCGA
ACCCCTACTCGACCCCTACTCAGGTCCGTACCCAGCAGCTGCCCCACCACTCTCAGCTCCAA
ACTATCCCACGATCTCCAGGCCTCTTATATGCCGCTTTGGATACCAGATGGATGAAAGCAACC
AATGTGTGGATGTGGACGAGTGTGCAACAGATTCCCACCAGTGCAACCCACCCAGATCTGCA
TCAATACTGAAGGCGGTACACCTGCTCCTGCACCGACGGATATTGGCTTCTGGAAGGCCAGT
GCTTAGACATTGATGAATGTGCTATGGTTACTGCCAGCAGCTCTGTGCGAATGTTTCTGGAT
CCTATTCTTGTACATGCAACCCTGGTTTTACCCTCAATGAGGATGGAAGGTCTTGCCAAGATG
TGAACGAGTGTGCCACCGAGAACCCTGCGTGCAAACCTGCGTCAACACCTACGGCTCTCTCA
TCTGCCGCTGTGACCCAGGATATGAACCTGAGGAAGATGGCGTTCATTGCAGTGATATGGACG
AGTGCAGCTTCTCTGAGTTCTCTGCCAACATGAGTGTGTGAACCAGCCCCGGCACATACTTCT
GCTCCTGCCCTCCAGGCTACATCCTGCTGGATGACAACCGAAGCTGCCAAGACATCAACGAAT
GTGAGCACAGGAACCACAGTGCACCTGCAGCAGACGTGCTACAATTTACAAGGGGGCTTCA
AATGCATCGACCCCATCCGCTGTGAGGAGCCTTATCTGAGGATCAGTGATAACCGCTGTATGT
GTCCTGCTGAGAACCCTGGCTGCAGAGACCAGCCCTTTACCATCTTGTACCGGGACATGGACG
TGGTGTGAGGACGCTCCGTTCCCGCTGACATCTTCAAATGCAAGCCACGACCCGCTACCCTG
GGGCTATTACATTTTCCAGATCAAATCTGGGAATGAGGGCAGAGAATTTTACATGCGGCAAA
CGGGCCCCATCAGTGCCACCCTGGTGTGACACGCCCCATCAAAGGGCCCCGGGAAATCCAGC
TGGACTTGGAATGATCACTGTCAACACTGTCATCAACTTCAGAGGCAGCTCCGTGATCCGAC
TGCGGATATATGTGTGTCAGTACCCATTCTGAGCCTCGGGCTGGAGCCTCCGACGCTGCCTCT
CATTGGCACCAAGGGACAGGAGAAGAGAGGAAATAACAGAGAGAATGAGAGCGACACAGACGT
TAGGCATTTCTGCTGAACGTTTCCCCGAAGAGTCAGCCCCGACTTCCTGACTCTCACCTGTA
CTATTGCAGACCTGTACCCTGCAGGACTTGCCACCCAGTTCCTATGACACAGTTATCAAA
AAGTATTATCATTGCTCCCCTGATAGAAGATTGTTGGTGAATTTTCAAGGCCTTCAGTTTATT
TCCACTATTTTCAAAGAAAATAGATTAGGTTTGCAGGGGTCTGAGTCTATGTTCAAAGACTGT
GAACAGCTTGCTGTCACTTCTTACCTCTTCCACTCCTTCTCTCACTGTGTTACTGCTTTGCA
AAGACCCGGGAGCTGGCGGGGAACCCTGGGAGTAGCTAGTTTGGCTTTTTGCGTACACAGAGAA
GGCTATGTAAACAAACCACAGCAGGATCGAAGGGTTTTTAGAGAATGTGTTTCAAAACCATGC
CTGGTATTTTCAACCATAAAAGAAGTTTCAGTTGTCCTTAAATTTGTATAACGGTTTAAATTCT
GTCTTGTTCATTTTGAAGTATTTTAAAAAATATGTCGTAGAATTCCCTTCGAAAGGCCTTCAGA
CACATGCTATGTTCTGTCTTCCCAAACCCAGTCTCCTCTCCATTTTAGCCAGTGTCTTTCTTT
GAGGACCCCTTAATCTTGCTTTCTTTAGAATTTTACCCTAATTGGATTGGAATGCAGAGGTCT
CCAACTGATTAAATATTTGAAGAGA

412/615

FIGURE 408

MPGIKRILTVTILALCLPSPGNAQAQCTNGFDLDRQSGQCLDIDECRTIPEACRGDMMCVNQ
GGYLCPRTNPVYRGYPYSNPYSTPYSGPYAAAPPLSAPNYPTISRPLICRFGYQMDESNQCV
DVDECATDSHQCNPTQICINTEGGYTCSCTDGYWLLEGQCLDIDECRYGYCQQLCANVPGSYS
CTCNPGFTLNEDGRSCQDVNECATENPCVQTCVNTYGSLICRCDPGYELEEDGVHCSDMDECS
FSEFLCQHECVNQPGTYFCSCPPGYILLDDNRSCQDINECEHRNHTCNLQOTCYNLQGGFKCI
DPIRCEEPYLRISDNRCMCPAENPGCRDQPFITILYRDMDVVSGRSVPADIFQMQATTRYPGAY
YIFQIKSGNEGREFYMRQTGPISATLVMTRPIKGPREIQLDLEMITVNTVINFRGSSVIRLRI
YVSQYPF

Important features of the protein:**Signal peptide:**

amino acids 1-25

N-glycosylation sites.

amino acids 283-287, 296-300

N-myristoylation sites.amino acids 21-27, 64-70, 149-155, 186-192, 226-232, 242-248,
267-273, 310-316**Aspartic acid and asparagine hydroxylation sites.**

amino acids 144-156, 181-193, 262-274

Cell attachment sequence.

amino acids 54-57

Calcium-binding EGF-like.

amino acids 131-166, 172-205, 211-245, 251-286

413/615

FIGURE 409

CCCACGCGTCCGCGGACGCGTGCGGTCGACTAGTTCTAGATCGCGAGCGGCCGCCGCGGGCTCA
GGGAGGAGCACCGACTGCGCCGCACCCTGAGAGATGGTTGGTGCCATGTGGAAGGTGATTGTT
TCGCTGGTCCTGTTGATGCCTGGCCCCTGTGATGGGCTGTTTCGCTCCCTATACAGAAGTGTT
TCCATGCCACCTAAGGGAGACTCAGGACAGCCATTATTTCTCACCCCTTACATTGAAGCTGGG
AAGATCCAAAAAGGAAGAGAATTGAGTTTGGTCGGCCCTTTCCCAGGACTGAACATGAAGAGT
TATGCCGGCTTCCTCACCGTGAATAAGACTTACAACAGCAACCTCTTCTTCTGGTTCTTCCCA
GCTCAGATACAGCCAGAAGATGCCCCAGTAGTTCTCTGGCTACAGGGTGGGCCGGGAGGTTCA
TCCATGTTTGGACTCTTTGTGGAACATGGGCCCTTATGTTGTCACAAGTAACATGACCTTGCGT
GACAGAGACTTCCCCTGGACCACAACGCTCTCCATGCTTTACATTGACAATCCAGTGGGCACA
GGCTTCAGTTTTACTGATGATACCCACGGATATGCAGTCAATGAGGACGATGTAGCACGGGAT
TTATACAGTGCACCTAATTCAGTTTTTCCAGATATTTCTGAATATAAAAAATAATGACTTTTAT
GTCAGTGGGGAGTCTTATGCAGGGAAATATGTGCCAGCCATTGCACACCTCATCCATTCCCTC
AACCCTGTGAGAGAGGTGAAGATCAACCTGAACGGAATTGCTATTGGAGATGGATATTCTGAT
CCCGAATCAATTATAGGGGGCTATGCAGAATTCCTGTACCAAATTGGCTTGTTGGATGAGAAG
CAAAAAAGTACTTCCAGAAGCAGTGCCATGAATGCATAGAACACATCAGGAAGCAGAAGTGG
TTTGAGGCCTTTGAAATACTGGATAAACTACTAGATGGCGACTTAACAAGTGATCCTTCTTAC
TTCCAGAATGTTACAGGATGTAGTAATTACTATAACTTTTTTGCGGTGCACGGAACCTGAGGAT
CAGCTTTTACTATGTGAAATTTTTGTCACTCCCAGAGGTGAGACAAGCCATCCACGTGGGGAAT
CAGACTTTTAAATGATGGAACATATAGTTGAAAAGTACTTGCGAGAAGATACAGTACAGTCAGTT
AAGCCATGGTTAACTGAAATCATGAATAATTATAAGGTTCTGATCTACAATGGCCAACTGGAC
ATCATCGTGGCAGCTGCCCTGACAGAGCGCTCCTTGATGGGCATGGACTGGAAAGGATCCCAG
GAATACAAGAAGGCAGAAAAAAAGTTTGGAAGATCTTTAAATCTGACAGTGAAGTGGCTGGT
TACATCCGGCAAGCGGGTGAAGTCCATCAGGTAATTATTCGAGGTGGAGGACATATTTTACCC
TATGACCAGCCTCTGAGAGCTTTTGACATGATTAATCGATTCTTATGGAAAAGGATGGGAT
CCTTATGTTGGATTAAGTACTACCTTCCCAAAGAGAACATCAGAGGTTTTTCATTGCTGAAAAGAA
AATCGTAAAAACAGAAAATGTCATAGGAATAAAAAAATTATCTTTTCATATCTGCAAGATTTT
TTTCATCAATAAAAAATTATCCTTGAAACAAGTGAGCTTTTGTTTTGGGGGGAGATGTTTACT
ACAAAATTAACATGAGTACATGAGTAAGAATTACATTATTTAACTTAAAGGATGAAAGGTATG
GATGATGTGACACTGAGACAAGATGTATAAATGAAATTTTAGGGTCTTGAATAGGAAGTTTAA
ATTTCTTCTAAGAGTAAGTGAAGGTGCAGTTGTAACAAACAAAGCTGTAAACATCTTTTTCTG
CCAATAACAGAAGTTTGGCATGCCGTGAAGGTGTTGGAAATATTATTGGATAAGAATAGCTC
AATTATCCCAAATAAATGGATGAAGCTATAATAGTTTTTGGGGAAAAGATTCTCAAATGTATAA
AGTCTTAGAACAAAAGAATTCTTTGAAATAAAAAATATTATATATAAAAGTAAAAA

414/615

FIGURE 410

MVGAMWKVIVSLVLLMPGPCDGLFRSLYRSVSMPPKGDGQPLFLTPYIEAGKIQKGRELSLV
GPFPGLNMKSYAGFLT VNKTYSNLFFWFFPAQIQPEDAPVVLWLQGGPGGSSMFGLFVEHGP
YVVT SNM TLRDRDFPWT T T T L S M L Y I D N P V G T G F S F T D D T H G Y A V N E D D V A R D L Y S A L I Q F F Q I
FPEYKNND FYVTGESYAGKYVPAIAHLIHS LNPNVREV KINLNGIAIGDGYSDPESIIGGYAEF
LYQIGLLDEKQKKYFQKQCHECIEHIRKQNWFEAFEILDKLLDGLTSDPSYFQNV TGCSNYY
NFLRCTEPEDQLYYVKFLSLPEVRQAIHVGNQTFNDGTIVEKYLREDTVQSVKPWLTEIMNNY
KVL IYNGQLDIIVAAALTE RSLMGMDWKG SQEYKKA EKKVWKIFKSDSEVAGYIRQAGDFHQV
IIRGGGHILPYDQPLRAFDMINRFIYGKGWDPYVG

Signal sequence:

amino acids 1-22

N-glycosylation site.

amino acids 81-85, 132-136, 307-311, 346-350

Casein kinase II phosphorylation site.amino acids 134-138, 160-164, 240-244, 321-325, 334-338, 348-352,
353-357, 424-428**Tyrosine kinase phosphorylation site.**

amino acids 423-432

N-myristoylation site.

amino acids 22-28, 110-116, 156-162, 232-238

Serine carboxypeptidases, serine active site.

amino acids 200-208

Crystallins beta and gamma 'Greek key' motif signature.

amino acids 375-391

415/615

FIGURE 411

GCAAGCCAAGGCGCTGTTTGAGAAGGTGAAGAAGTTCCGGACCCATGTGGAGGAGGGGGACATTGTGTACCGCCT
CTACATGCGGCGAGACCATCATCAAGGTGATCAAGTTCATCCTCATCATCTGCTACACCGTCTACTACGTGCACAA
CATCAAGTTCGACGTGGACTGCACCGTGGACATTGAGAGCCTGACGGGCTACCGCACCTACCGCTGTGCCACCC
CCTGGCCACACTCTTCAAGATCCTGGCGTCCCTTCTACATCAGCCTAGTCATCTTCTACGGCCTCATCTGCATGTA
CACACTGTGGTGGATGCTACGGCGCTCCCTCAAGAAGTACTCGTTTGAGTCGATCCGTGAGGAGAGCAGCTACAG
CGACATCCCCGACGTCAAGAAGCAGCTTCGCCTTCATGCTGCACCTCATTGACCAATACGACCCGCTCTACTCCAA
GCGCTTCGCCGTCTTCTGTGCGGAGGTGAGTGAGAACAAGCTGCGGCAGCTGAACCTCAACAACGAGTGGACGCT
GGACAAGCTCCGGCAGCGGCTCACCAGAAGCGCGCAGGACAAGCTGGAGCTGCACCTGTTTCATGCTCAGTGGCAT
CCCTGACACTGTGTTTGACCTGGTGGAGCTGGAGGTCCTCAAGCTGGAGCTGATCCCCGACGTGACCATCCCCGCC
CAGCATTGCCCAGCTCACGGGCTCAAGGAGCTGTGGCTCTACCACACAGCGGCCAAGATTGAAGCGCTGCGCT
GGCCTTCCTGCGCGAGAACCTGCGGGCGCTGCACATCAAGTTCACCGACATCAAGGAGATCCCGCTGTGGATCTA
TAGCCTGAAGACACTGGAGGAGCTGCACCTGACGGGCAACCTGAGCGCGGAGAACACCGCTACATCGTCATCGA
CGGGCTGCGGGAGCTCAACGCCTCAAGGTGCTGCGGCTCAAGAGCAACCTAAGCAAGCTGCCACAGGTGGTCAC
AGATGTGGGCGTGACCTGCAGAAGCTGTCCATCAACAATGAGGGCACCAAGCTCATCGTCTCAACAGCCTCAA
GAAGATGGCGAACCTGACTGAGCTGGAGCTGATCCGTGCGACCTGGAGCGCATCCCCACTCCATCTTCAGCCT
CCACAACCTGCAGGAGATTGACCTCAAGGACAACAACCTCAAGACCATCGAGGAGATCATCAGCTTCCAGCACCT
GCACCCCTCACCTGCCTTAAGCTGTGGTACAACCACATCGCCTACATCCCCATCCAGATCGGCAACCTCACC
CCTGGAGCGCCTCTACCTGAACCGCAACAAGATCGAGAAGATCCCCACCCAGCTCTTCTACTGCCGCAAGCTGCG
CTACCTGGACCTCAGCCACAACAACCTGACCTTCTCCCTGCCGACATCGGCCTCCTGCAGAACCTCCAGAACCT
AGCCATCACGGCCAACCGGATCGAGACGCTCCCTCCGGAGCTCTTCCAGTGCCGGAAGCTGCGGGCCCTGCACCT
GGGCAACAACGTGCTGCAGTCACTGCCCTCCAGGTGGGCGAGCTGACCAACCTGACGCAGATCGAGCTGCGGGG
CAACCGGCTGGAGTGCCTGCTGTGGAGCTGGGCGAGTGCCCACTGCTCAAGCGCAGCGGCTTGGTGGTGGAGGA
GGACCTGTTCAACACACTGCCACCCGAGGTGAAGGAGCGGCTGTGGAGGGCTGACAAGGAGCAGGCCTGAGCGAG
GCCGCCGACAGCAGCAAGCAGCAGGACCGCTGCCAGTCTCAGGCCCGGAGGGGCGAGGCTAGCTTCTCCAG
AATCCCCGACAGCAGGACAGCCTCGCGGCTGGGCGAGGAGCCTGGGGCCGCTTGTGAGTCAGGCCAGAGCGAGA
GGACAGTATCTGTGGGGCTGGCCCTTTTCTCCCTCTGAGACTCACGTCCCCCAGGGCAAGTGCTTGTGGAGGAG
AGCAAGTCTCAAGAGCGCAGTATTTGGATAATCAGGCTCTCCTCCCTGGAGGCCAGCTCTGCCCCAGGGGCTGAG
CTGCCACCAGAGGTCTTGGGACCCCTCACTTTAGTTCTTGGTATTTATTTTCTCCATCTCCACCTCCTTCATCC
AGATAACTTATACATTCCCAAGAAAGTTCAGCCCAGATGGAAGGTGTTCAAGGAAAGGTGGGCTGCCTTTTCCCC
TTGTCTTTATTTAGCGATGCCGCCGGGCATTTAACACCCACCTGGACTTCAGCAGAGTGGTCCGGGGCGAACCAG
CCATGGGACGGTCACCCAGCAGTGCCGGGCTGGGCTCTGCGGTGCGGTCCACGGGAGAGCAGGCCTCCAGCTGGA
AAGGCCAGGCCTGGAGCTTGCCCTCTCAGTTTTTGTGGCAGTTTTAGTTTTTGTTTTTTTTTTTTAAATCAAA
AAACAATTTTTTTTAAAAAAAGCTTTGAAAATGGATGGTTTTGGGTATTAAGAAAGAAAAAAACTTAAAAAA
AAAAGACACTAACGGCCAGTGAGTTGGAGTCTCAGGGCAGGGTGGCAGTTTCCCTTGAGCAAAGCAGCCAGACGT
TGAAGTGTGTTTTCTTTCCCTGGGCGCAGGGTGCAGGGTGTCTTCCGGATCTGGTGTGACCTTGGTCCAGGAGTT
CTATTTGTTTCTTGGGAGGGAGGTTTTTTTGTGTTTTTGGGTTTTTTTGGTGTCTGTTTTCTTTCTCCTCC
ATGTGTCTTGGCAGGCACTCATTTCTGTGGCTGTGCGCCAGAGGGAATGTTCTGGAGCTGCCAAGGAGGGAGGAG
ACTCGGGTTGGCTAATCCCCGGATGAACGGTGCTCCATTGCGACCTCCCTCCTCGTGCCTGCCTGCCTCTCCA
CGCAGAGTGTAAAGGAGCAAGAGGAGCCACTTCGCCCAGACTTTGTTTCCCCACCTCCTGCGGCATGGGTGTGT
CCAGTGCCACCGCTGGCCTCCGCTGCTTCCATCAGCCCTGTGCGCCACCTGGTCCCTCATGAAGAGCAGACACTTA
GAGGCTGGTGGGAATGGGAGGTGCCCCCTGGGAGGGCAGGCGTTGGTTCCAAGCCGGTTCCTGCTCCCTGGCGC
CTGGAGTGACACAGCCAGTCGGCACCTGGTGGCTGGAAGCCAACCTGCTTTAGATCACTCGGGTCCCCACCTT
AGAAGGGTCCCCGCCTTAGATCAATCAGTGGACACTAAGGCAGTTTTAGAGTCTCTTGTCTTAATGATTATGT
CCATCCGTCTGTCCGTCCATTTGTGTTTTCTGCGTGTGTCATTGGATATAATCCTCAGAAATAATGCACACTAG
CCTCTGACAACCATGAAGCAAAAATCCGTTACATGTGGTCTGAACCTGTAGACTCGGTACAGTATCAAATAAA
ATCTATAACAGAAAAAAAAAAAAAA

416/615

FIGURE 412

MRQTIIKVIKFILIICTVYYVHNIFDVDCTVDIESLTGYRTYRCAHPLATLFKILASFYIS
LVIFYGLICMYTLWWMLRRSLKKYSFESIREESSYSDIPDVKNDFAFMLHLIDQYDPLYSKRF
AVFLSEVSENKLRQLNLNNEWTLDKLRQRLTKNAQDKLELHLFMLSGIPDTVFDLVELEVLKL
ELIPDVTIPPSIAQLTGLKELWLYHTAAKIEAPALAFLENLRLALHIKFTDIKEIPLWIYSLK
TLEELHLTGNLSAENNRYIVIDGLRELKRLKVLRLKSNLSKLPQVVTDVGVHLQKLSINNEG
KLIVLNSLKKMANLTELELIRCDLERIPHSIFSLHNLQEI DLKDNNLKTIEEIIISFQHLHRLT
CLKLWYNHIAIYIPIQIGNLTNLERLYLNRNKIEKIPTQLFYCRKLRYLDLSHNNLTFLPADIG
LLQNLQNLAITANRIETLPPPELFQCRKLRLHLGNNVLQSLPSRVGELTNLTQIELRGNRLEC
LPVELGECPLLKRSGLVVEEDLENTLPPEVKERLWRADKEQA

Transmembrane domain:

amino acids 51-75 (type II)

N-glycosylation site.

amino acids 262-266, 290-294, 328-332, 396-400, 432-436, 491-495

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 85-89

Casein kinase II phosphorylation site.amino acids 91-95, 97-101, 177-181, 253-257, 330-334, 364-368,
398-402, 493-497**N-myristoylation site.**

amino acids 173-179, 261-267, 395-401, 441-447

417/615

FIGURE 413

GAATCATCCACGCACCTGCAGCTCTGCTGAGAGAGTGCAAGCCGTGGGGGTTTTGAGCTCATC
TTCATCATTCATATGAGGAAATAAGTGGTAAAAATCCTTGAAATACAATGAGACTCATCAGAA
ACATTTACATATTTTGTAGTATTGTTATGACAGCAGAGGGTGATGCTCCAGAGCTGCCAGAAAG
AAAGGGAACCTGATGACCAACTGCTCCAACATGTCTCTAAGAAAGGTTCCCGCAGACTTGACCC
CAGCCACAACGACACTGGATTTATCCTATAACCTCCTTTTTCAACTCCAGAGTTCAGATTTTC
ATTCTGTCTCCAACTGAGAGTTTTGATTCTATGCCATAACAGAATTCAACAGCTGGATCTCA
AAACCTTTGAATTCAACAAGGAGTTAAGATATTTAGATTTGTCTAATAACAGACTGAAGAGTG
TAACTTGGTATTTACTGGCAGGTCTCAGGTATTTAGATCTTTCTTTAATGACTTTGACACCA
TGCCTATCTGTGAGGAAGCTGGCAACATGTCACACCTGGAATCCTAGGTTTGAGTGGGGCAA
AAATACAAAAATCAGATTTCCAGAAAATTTGCTCATCTGCATCTAAATACTGTCTTCTTAGGAT
TCAGAACTCTTCCTCATTATGAAGAAGGTAGCCTGCCCATCTTAAACACAACAAAACCTGCACA
TTGTTTTACCAATGGACACAAATTTCTGGGTTCTTTTGCCTGATGGAATCAAGACTTCAAAAA
TATTAGAAATGACAAATATAGATGGCAAAAGCCAATTTGTAAGTTATGAAATGCAACGAAATC
TTAGTTTGAAGAAATGCTAAGACATCGGTTCTATTGCTTAATAAAGTTGATTACTTCTGGGACG
ACCTTTTCCTTATCTTACAATTTGTTTGGCATAACATCAGTGGAAACACTTTCAGATCCGAAATG
TGACTTTTGGTGGTAAGGCTTATCTTGACCACAATTCATTTGACTACTCAAATACTGTAATGA
GAACATAAAAAATGGAGCATGTACATTTTACAGAGTGTTTTACATTCAACAGGATAAAAACTATT
TGCTTTTGACCAAAATGGACATAGAAAACCTGACAATATCAAATGCACAAATGCCACACATGC
TTTTCCCGAATTATCCTACGAAATTCGAATTTTAAATTTTGCCAATAATATCTTAACAGACG
AGTTGTTTAAAGAAGTATCCAACCTGCCTCACTTGAAAACCTCTCATTTTGAATGGCAATAAAC
TGGAGACACTTTCTTTAGTAAGTTGCTTTGCTAACAACACACCCTTGGAACACTTGGATCTGA
GTCAAAATCTATTACAACATAAAAAATGATGAAAATTGCTCATGGCCAGAACTGTGGTCAATA
TGAATCTGTATACATAAATAAATTTGCTGATTTCTGCTTTCAGGTGCTTGCCCAAAAGTATTCAAA
TACTTGACCTAAATAATAACCAAATCCAACTGTACCTAAAGAGACTATTCATCTGATGGCCT
TACGAGAAGCTAAATATTGCATTTAATTTTCTAACTGATCTCCCTGGATGCAGTCATTTACAGTA
GACTTTTCACTTCTGAACATTGAAATGAACCTTCACTCTCAGCCCATCTCTGGATTTTGTTCAGA
GCTGCCAGGAAGTTAAACCTCTAAATGCGGGAAGAAATCCATTCCGGTGTACCTGTGAATTAA
AAAATTTTCACTCAGCTTGAAACATATTTCAGAGGTGATGATGGTTGGATGGTCAGATTCATACA
CCTGTGAATACCCTTTAAACCTAAGGGGAAGTGGTTAAAGACGTTTCACTCTCCACGAATTAT
CTTGCAACACAGCTCTGTGATTGTCAACATTTGTTGTTTATTATGCTAGTTCTGGGGTGGCTG
TGGCCTTCTGCTGTCTCCACTTTGATCTGCCCTGGTATCTCAGGATGCTAGGTCAATGCACAC
AAACATGGCAGAGGTAGGAAAACAACCCAAAGAACTCAAGAGAAATGTCGGATTCCACG
CATTTATTTTACATACAGTGAACATGATTCTCTGTGGGTGAAGAATGAATTGATCCCCAATCTAG
AGAAGGAAGATGGTTCTATCTTGATTTGCCTTTATGAAAGCTACTTTGACCCTGGCAAAAGCA
TTAGTGAAAATATTGTAAGCTTCATTGAGAAAAGCTATAAGTCCATCTTTGTTTTGTCTCCCA
ACTTTGTCCAGAAATGAGTGGTGCCATTATGAATTTCTACTTTGCCACCACAATCTCTTCCATG
AAAATTTCTGATCATATAATCTTATCTTACTGGAACCCATTCCATTCTATTGCATTCCCACCA
GGTATCATAACTGAAAGCTCTCCTGGAAAAAAGCATACTTGGAATGGCCCAAGGATAGGC
GTAAATGTGGGCTTTTCTGGGCAACCTTCGAGCTGCTATTAATGTTAATGTATTAGCCACCA
GAGAAATGTATGAACTGCAGACATTCACAGAGTTAAATGAAGAGTCTCGAGGTTCTACAATCT
CTCTGATGAGAACAGATTGTCTATAAAATCCCACAGTCTTGGAAGTTGGGGACCACATACA
CTGTTGGGATGTACATTGATACAACCTTTATGATGGCAATTTGACAATATTTATTAATAATAA
AAATGGTTATTCCCTTCATATCAGTTTCTAGAAGGATTTCTAAGAATGTATCCTATAGAAACA
CCTTCACAAGTTTATAAGGGCTTATGGAAAAGGTGTTATCCCAGGATTGTTTATAATCATG
AAAAATGTGGCCAGGTGCAGTGGCTCACTCTTGTAATCCAGCACTATGGGAGGCCAAGGTGG
GTGACCCACGAGGTCAAGAGATGGAGACCATCCTGGCCAACATGGTGAAACCCTGTCTCTACT
AAAAATACAAAAATTAGCTGGGCGTGATGGTGCACGCTGTAGTCCCAGCTACTTGGGAGGCT
GAGGCAGGAGAATCGCTTGAACCCGGGAGGTGGCAGTTGCAGTGAGCTGAGATCGAGCCACTG
CACTCCAGCCTGGTGACAGAGCGAGACTCCATCTCAAAAAAAGAAAAAAGAAAAA
ATGGAAAACATCCTCATGGCCACAAAATAAGGTCTAATTCATAAAATTATAGTACATTAATGT
AATATAATATTACATGCCACTAAAAAGAATAAGGTAGCTGTATTTTCTGGTATGAAAAA
CATATTAATATGTTATAAACTATTAGGTTGGTGCAAACTAATTGTGGTTTTTGGCATTGAAA
TGGCATTGAAATAAAAGTGTAAGAAATCTATACCAGATGTAGTAACAGTGGTTTTGGGTCTGG
GAGGTTGGATTACAGGGAGCATTTGATTCTATGTTGTGTATTCTATAATGTTTGAATGTT
TAGAATGAATCTGTATTTCTTTTATAAGTAGAAAAAATAAAGATAGTTTTTACAGCCT

418/615

FIGURE 414

MRLIRNIYIFCSIIVMTAEGDAPELPEERELMTNCSNMSLRKVPADLTPATTTLDLSYNLLFQL
QSSDFHSVSKLRVLILCHNRIQQDLKTFFFNKELRYLDLSNNRLKSVTWYLLAGLRYLDLSF
NDFDTMPICEEAGNMSHLEILGLSGAKIQKSDFQKIAHLHLNTVFLGFRTLPHYEEGSLPILN
TTKLHIVLPMDTNFWVLLRDGIKTSKILEMTNIDGKSQFVSYEMQORNLSLENAKTSVLLLNKV
DLLWDDLFLILQFVWHTSVEHFQIRNVTFGGKAYLDHNSFDYSNTVMRTIKLEHVHFRVFYIQ
QDKIYLLLTAKMDIENLTISNAQMPHMLFPNYPTKFQYLNFANNILTDELFRRTIQLPHLKTLLI
LNGNKLETLSLVSCFANNTPLEHLDLSQNLLQHKNDENCSPETVVNMNLSYNKLSDSVFRCL
PKSIQILDNLNNQIQTVPKETIHLMALRELNIAFNFLTDLPGCSHFSLSVLNIEMNFILSPS
LDFVQSCQEVKTLNAGRNPFRCTCELKNFIQLETYSEVMMVGWSDSYTCEYPLNLRGTRLKDV
HLHELSCNTALLIVTIVVIMLVGLAVAFCCCLHFDLPWYLRMLGQCTQTWHRVRKTTQEQLKR
NVRFHAFISYSEHDSLWVKNELIPNLEKEDGSILICLYESYFDPGKSISENIVSFIEKSYKSI
FVLSPNFVQNEWCHYEFYFAHHNLFHENS DHIILILLEPIPFYCIPTRYHKLKALLEKKAYLE
WPKDRRKCGLEFWANLRAAINVNVLATREMYELQTFTELNEESRGSTISLMRTDCL

419/615

FIGURE 415

CGGACGCGTGCGGCGACGCGTGGGCGCTGGGCAAGGGCGGGGCGCGGGCGGAGCCACCTCTTCCCCCTCCCCCGC
TTCCCTGTGCGGCTCCGCTGGCTGGACGCGCTGGAGGAGTGGAGCAGCACCCGGCCGGCCCTGGGGGCTGACAGT
CGGCAAAGTTTGGCCCCGAAGAGGAAGTGGTCTCAAACCCCGGCAGGTGGCGACCAGGCCAGACCAGGGGCGCTCG
CTGCCTGCGGGCGGGCTGTAGGCGAGGGCGCGCCCCA~~GTGCCGAGACCCGGGGCTTCAGGAGCCGGCCCCGGGAG~~
AGAAGAGTGGCGCGCGGACGGAGAAAACAACCTCCAAAGTTGGCGAAAGGCACCGCCCTACTCCCGGGTGCCG
CCGCTCCCCGCCCCAGCCCTGGCATCCAGAGTACGGGTCGAGCCCGGGCCATGGAGCCCCCTGGGGAGGCGG
CACCAGGGAGCCTGGGCGCCCCGGGGCTCCGCCGCGACCCCATCGGGTAGACCACAGAAGCTCCGGGACCCTTCCG
GCACCTCTGGACAGCCAGGAT~~GTCTGTTGGCCACCCTCCTCCTCCTCCTCCTGGAGGCGCTCTGGCCCATCCAG~~
ACCGGATTATTTTCCAAATCATGCTTGTGAGGACCCCCCAGCAGTGCTCTTAGAAGTGCAGGGCACCTTACAGA
GGCCCCGTGGTCCGGGACAGCCGCACCTCCCCTGCCAACTGCACCTGGCTCATCTGGGCAGCAAGGAACAGACTG
TCACCATCAGGTTCCAGAAGCTACACCTGGCCTGTGGCTCAGAGCGCTTAACCCCTACGCTCCCCTCTCCAGCCAC
TGATCTCCCTGTGTGAGGCACCTCCCAGCCCTCTGCAGCTGCCCGGGGCAACGTCACCATCACTTACAGCTATG
CTGGGGCCAGAGCACCATGGGCGAGGGCTTCCTGCTCTCCTACAGCCAAGATTGGCTGATGTGCCGTGCAGGAAG
AGTTTCAGTGCCCTGAACCAACCGCTGTGTATCTGCTGTCCAGCGCTGTGATGGGGTTGATGCCTGTGGCGATGGCT
CTGATGAAGCAGGTTGCAGCTCAGACCCCTTCCCTGGCCTGACCCCAAGACCCGTCCCCTCCCTGCCCTGCAATG
TCACCTTGGAGGACTTCTATGGGGTCTTCTCCTCTCCTCGATATACACACCTAGCCTCAGTCTCCACCCCACT
CCTGCCATTGGCTGCTGGACCCCCATGATGGCCGGCGGCTGGCCGTGCGCTTCACAGCCCTGGACTTGGGCTTTG
GAGATGCAGTGCATGTGTATGACGGCCCTGGGCCCCCTGAGAGCTCCCGACTACTGCGTAGTCTCACCACCTTCA
GCAATGGCAAGGCTGTCACTGTGGAGACACTGTCTGGCCAGGCTGTTGTGTCTTACCACACAGTTGCTTGGAGCA
ATGGTCGTGGCTTCAATGCCACCTACCATGTGCGGGGCTATTGCTTGCCTTGGGACAGACCCCTGTGGCTTAGGCT
CTGGCCTGGGAGCTGGCGAAGGCCTAGGTGAGCGCTGCTACAGTGAGGCACAGCGCTGTGACGGCTCATGGGACT
GTGCTGACGGCACAGATGAGGAGGACTGCCCAGGCTGCCACCTGGACACTTCCCCTGTGGGGCTGCTGGCACCT
CTGGTGCCACAGCCTGCTACCTGCCTGCTGACCGCTGCAACTACCAGACTTCTGTGCTGATGGAGCAGATGAGA
GACGCTGTGCGCATTGCCAGCCTGGCAATTTCCGATGCCGGGACGAGAAGTGCGTGTATGAGACGTGGGTGTGCG
ATGGGACAGCAGACTGTGCGGACGGCAGTGATGAGTGGGACTGCTCCTATGTTCTGCCCCGAAGGTCATTACAG
CTGCAGTCATTGGCAGCCTAGTGTGCGCCCTGCTCCTGGTCATCGCCCTGGGCTGCACCTGCAAGCTCTATGCCA
TTGCGACCCAGGAGTACAGCATCTTTGCCCCCTCTCCCGATGGAGGCTGAGATTGTGCAGCAGCAGGCACCCCC
CTTCTACGGGCGCTCATTGCCAGGGTGCCATCCACCTGTAGAAGACTTCTTCTACAGAGAATCCTAATGATA
ACTCAGTGCTGGGCAACCTGCGTTCTCTGCTACAGATCTTACGCCAGGATATGACTCCAGGAGGTGGCCAGGTG
CCCCCGCTCGTCAGCGGGGCGGCTTGATGCGACGCTGTACGCCGTCTCCGCCGCTGGGGCTTGCTCCCTCGAA
CCAACCCCCGCTCGGGCCTCTGAGGCCAGATCCAGGTCAACCTTCTGCTGCTCCCCTTGGGGCCTAGATG
GTGGCACAGGTCCAGCCCGTGAGGGCGGGGCGAGTGGGTGGGCAAGATGGGGAGCAGGCACCCCCACTGCCATCA
AGGCTCCCCTCCCATCTGCTAGCAGCTCTCAGCCCCCACTACTGTCCCTGAAGCCCCAGGGCCACTGCCCTCAC
TGCCCTAGAGCCATCACTATTGTCTGGAGTGGTGACGGCCCTGCGAGGCCGCTGTTGCCAGCCTGGGGCCCC
CAGGACCAACCCGGAGCCCCCTGGACCCACACAGCAGTCTTGGCCCTGGAAGATGAGGACGATGTGCTACTGG
TGCCACTGGCTGAGCCGGGGGTGTGGGTAGCTGAGGCGAGAGGATGAGCCACTGCTTACCT~~GAGGGGACCTGGGG~~
CTCTACTGAGGCTCTCCCCTGGGGGCTCTACTCATAGTGGCACAACTTTTAGAGGTGGGTACGCTCCCCTCC
ACCACTTCTTCCCTGTCCCTGGATTTAGGGACTTGGTGGGCCTCCCGTGGACCTATGTAGCTGCTATAAAGT
TAAGTGTCCCTCAGGCAGGGAGAGGGCTCACAGAGTCTCCTCTGTACGTGGCCATGGCCAGACACCCAGTCCCT
TCACCACCCTGCTCCCCAGCCACCACCATTTGGGTGGCTGTTTTTAAAAAGTAAAGTTCTTAGAGGATCATA
GGTCTGGACACTCCATCCTTGCCAAACCTCTACCCAAAAGTGGCCTTAAGCACCGGAATGCCAATTAACTAGAGA
CCCTCCAGCCCCCAAGGGGAGGATTTGGGCGAAGCTGAGGTTTTGCCATCCACAATCCCTCCTACAGGGCCTGG
CTCACAAAAGAGTGCAACAAATGCTTCTATTCCATAGCTACGGCATTGCTCAGTAAGTTGAGGTCAAAAATAAA
GGAATCATACATCTC

420/615

FIGURE 416

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49631
<subunit 1 of 1, 713 aa, 1 stop
<MW: 76193, pI: 5.42, NX(S/T): 4
MLLATLLLLLLGGALAHDPRIIFPNHACEDPPAVLLEVGTLQRPLVRDSRTSPANCTWLILG
SKEQTVTIRFQKLHLACGSERLTLRSPLQPLISLCEAPPSPLQLPGGNVTITYSYAGARAPMG
QGFLLSYSQDWMCLQEETFQCLNHRCSVSAVQRCDGVDACGDGSDEAGCSSDPFPGLTPRPVPS
LPCNVTLEDFYGVFSSPGYTHLASVSHPOQSCHWLLDPHDGRRRLAVRFTALDLGFGDAVHVYDG
PGPPESSRLLRSLTHFSNGKAVTVETLSGQAVVSYHTVAWSNGRGNATYHVRGYCLPWDRPC
GLGSGLGAGEGLGERCYSEAQRCDGSWDCADGTDEEDCPGCPPGHFPCGAAGTSGATACYLPA
DRCNYQTFCADGADERRCRHCQPGNFRCRDEKCVYETWVCDGQPD CADGSDEWDCSYVLPRKV
ITAAVIGSLVCGLLLLVIALGCTCKLYAIRTQEYSIFAPLSRMEAEIVQQQAPPSYGOLIAQGA
IPPVEDFPTENPNDNSVLGNLRSLLQILRQDMTPGGGPGARRRQGRMLMRRLLVRRLLRWGLLP
RTNTPARASEARSQVTPSAAPLEALDGGTGPAREGGAVGGQDGEQAPPLPIKAPLPSASTSPA
PTTVPEAPGPLPSLPLEPSLLSGVVQALRGRLPSLGP PGPTRSPPGPHTAVLALEDEDDVLL
VPLAEPGVWVAEAEDEPLLT
```

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domain:

amino acids 442-462

LDL-receptor class A (LDLRA) domain proteins

amino acids 411-431, 152-171, 331-350 and 374-393

421/615

FIGURE 417

GTCTGTTCCCTTTGCTCTCTCGCGCCAGTCCCTCCTCCCTGGTTCTCCTCAGCCGCTGTCCGAGGAGAGCACC CGGA
GACGCGGGCTGCAGTCGCGCGCGGCTTCTCCCCGCTGGGCGGCTCGCCGCTGGGCAGGTGCTGAGCGCCCCCTAG
AGCCTCCCTTGCCGCTCCCTCCTCTGCCCCGCCGAGCAGTGCACATGGGGTGTGGAGGTAGATGGGCTCCCG
GCCCGGAGGCGGCGGTGGATGCGGCGCTGGGSCAGAAGCAGCCGCGGATTCCAGCTGCCCCGCGCGCCCCGGGCG
CCCCTGCGAGTCCCCGTTTCAGCCATGGGGACCTCTCCGAGCAGCAGCACC GCGCTCGCTCCTGCAGCCGCATC
GCCCCGCCAGCCACAGCCACGATGATCGCGGGCTCCCTTCTCCTGCTTGGATTCCCTAGCACCACCACAGCTCAG
CCAGAACAGAAGGCCTCGAATCTCATTGGCACATACCGCCATGTTGACCGTGCCACCGGCCAGGTGCTAACCTGT
GACAAGTGTCCAGCAGGAACCTATGTCTCTGAGCATGTACCAACACAAGCCTGCGCGTCTGCAGCAGTTGCCCT
GTGGGGACCTTTACCAGGCATGAGAATGGCATAGAGAAATGCCATGACTGTAGTCAGCCATGCCCATGGCCATG
ATTGAGAAATTACCTTGTGCTGCCTTGACTGACCGAGAATGCACCTTGCCACCTGGCATGTTCCAGTCTAACGCT
ACCTGTGCCCCCATACGGTGTGTCTGTGGGTGGGGTGTGCGGAAGAAAGGGACAGAGACTGAGGATGTGCGG
TGTAAGCAGTGTGCTCGGGGTACCTTCTCAGATGTGCCTTCTAGTGTGATGAAATGCAAAGCATAACAGACTGT
CTGAGTCAGAACCTGGTGGTGATCAAGCGGGGACCAAGGAGACAGACAACGTCTGTGGCACACTCCCGTCTCTC
TCCAGCTCCACCTCACCTTCCCCTGGCACAGCCATCTTCCACGCGCTGAGCACATGGAACCCATGAAGTCCCT
TCTCCACTTATGTTCCCAAAGGCATGAACCAACAGAAATCCAACCTTCTGCCTCTGTTAGACCAAAGGTACTG
AGTAGCATCCAGGAAGGGACAGTCCCTGACAACACAAGCTCAGCAAGGGGGAAGGAAGACGTGAACAAGACCCCTC
CCAAACCTTCAGGTAGTCAACCACCAGCAAGGCCCCCACCACAGACACATCCTGAAGCTGCTGCCGTCCATGGAG
GCCACTGGGGGCGAGAAGTCCAGCAGCGCCATCAAGGGCCCCAAGAGGGGACATCCTAGACAGAACCTACACAAG
CATTTTGACATCAATGAGCATTTGCCCTGGATGATTGTGCTTTTCTGCTGCTGGTGTGTTGGTGTGTTGGTG
TGCAAGTATCCGGAAGCTCGAGGACTCTGAAAAGGGGCCCCGGCAGGATCCAGTGCCATTGTGGAAAAGGCA
GGGCTGAAGAAATCCATGACTCCAACCCAGAACC GGGGAGAAATGGATCTACTACTGCAATGGCCATGGTATCGAT
ATCCTGAAGCTTGTAGCAGCCCAAGTGGGAAGCCAGTGGAAAGATATCTATCAGTTTCTTTGCAATGCCAGTGAG
AGGGAGGTTGCTGCTTTCTCCAATGGGTACACAGCCGACCACGAGCGGGCTACGCAGCTCTGCAGCACTGGACC
ATCCGGGGCCCCGAGGCCAGCCTCGCCAGCTAATTAGCGCCCTGCGCCAGCACC GAGAAACGATGTTGTGGAG
AAGATTGCTGGGCTGATGGAAGACACCACCCAGCTGGAAGTGAACACTGACACTCTCCGATGAGCCCCAGCCCG
CTTAGCCCGAGCCCCATCCCCAGCCCCAACCGGAACTTGAGAAATTCCGCTCTCCTGACGGTGGAGCCTTCCCCA
CAGGACAAGAACAAGGGCTTCTCGTGGATGAGTCGGAGCCCTTCTCCGCTGTGACTCTACATCCAGCGGCTCC
TCCGCGCTGAGCAGGAACGGTTCCCTTATTACAAAGAAAGAAGGACACAGTGTGCGGCAGGTACGCTTGGAC
CCCTGTGACTTGCAGCCTATCTTTGATGACATGCTCCACTTTCTAAATCCTGAGGAGCTGCGGGTGAAGAG
ATTCCCCAGGCTGAGGACAACTAGACCGGCTATTGCAAAATTATTGGAGTCAAGAGCCAGGAAGCCAGCCAGACC
CTCCTGGACTCTGTTTATAGCCATCTTCTGACCTGCTGTAGAACATAGGGATACTGCATTCTGGAAATTA CTCA
ATTTAGTGGCAGGGTGGTTTTTTTAAATTTTCTTCTGTTTCTGATTTTTGTTGTTTGGGGTGTGTGTGTGTTTGT
GTGTGTGTGTGTGTGTGTGTGTGTGTGTGTTTAAACAGAGAATATGGCCAGTGCTTGAGTTCTTTCTCCTTCTC
TCTCTCTCTTTTTTTTTTAAATAACTCTTCTGGGAAGTTGGTTTATAAGCCTTTGCCAGGTGTAACCTGTTGTGAA
ATACCCACCACTAAAGTTTTTTAAGTTCCATATTTCTCCATTTTGCCTTCTTATGTATTTTCAAGATTATTCTG
TGCACTTTTAAATTTACTTTAACTTACCATAAATGCAGTGTGACTTTTCCACACACTGGATTGTGAGGCTCTTAAC
TTCTTAAAAGTATAATGGCATCTTGTGAATCCTATAAGCAGTCTTTATGTCTCTTAACATTACACCTACTTTTT
AAAAACAAATATTATTACTATTTTTATTATTGTTTGTCTTTATAAATTTTCTTAAAGATTAAAGAAATTTAAGA
CCCCATTGAGTTACTGTAATGCAATTCACCTTTGAGTTATCTTTAAATATGTCTTGTATAGTTCAATTCATGG
CTGAAACTTGACCACACTATTGCTGATTGTATGGTTTTACCTGGACACCGTGTAGAATGCTTGATTACTTGTAC
TCTTCTTATGCTAATATGCTCTGGGCTGGAGAAATGAAATCCTCAAGCCATCAGGATTGCTATTTAAGTGGCTT
GACAACCTGGGCCACCAAGAAGTGAACCTTACCTTTTAGGATTTGAGCTGTTCTGGAACACATTGCTGCACTTT
GGAAAGTCAAAATCAAGTGCCAGTGGCGCCCTTTCCATAGAGAATTTGCCAGCTTTGCTTTAAAGATGTCTTG
TTTTTTATATACATAATCAATAGGTCCAATCTGCTCTCAAGGCCTTGGTCCTGGTGGGATTCCCTTACCAATT
ACTTTAATTAATAATGGCTGCAACTGTAAGAACCCTTGTCTGATATATTTGCAACTATGCTCCCATTTACAAATG
TACCTTCTAATGCTCAGTTGCCAGGTTCCAATGCAAAGGTGGCGTGGACTCCCTTTGTGTGGGTGGGGTTTGTGG
GTAGTGGTGAAGGACGATATCAGAAAAATGCCTTCAAGTGTACTAATTTATTAATAAACATTAGGTGTTTGTTA
AAAAAAA

422/615

FIGURE 418

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52594
><subunit 1 of 1, 655 aa, 1 stop
><MW: 71845, pI: 8.22, NX(S/T): 8
MGTSPSSSTALASCSRIARRATATMIAGSLLLLGFLSTTTAQPEQKASNIGTYRHVDRATGQ
VLTCDKCPAGTYVSEHCTNTSLRVCSSCPVGTFTRHENGIEKCHDCSQPCPWPMIEKLPCAAL
TDRECTCPPGMFQSNATCAPHTVCPVGWGVRRKGTETEDVRCKQCARGTFSDVPSSVMKCKAY
TDCLSQNLVVIKPGTKETDNVCGTLPFSSTSPSPGTAFPRPEHMETHEVPSSTYVPKGMN
STESNSSASVRPKVLSSIQEGTVPDNTSSARGKEDVNKTLPNLQVNVHQGPVHHRHILKLLPS
MEATGGEKSSSTPIKGPGRGHPRQNLHKHFDINEHLPWMIVLFLLLVLVVIIVVCSIRKSSRTLK
KGPRQDPSAIVEKAGLKKSMPTQNREKWIYYCNGHGIDILKLVAQVGSQWKDIYQFLCNAS
EREVAAFSNGYTADHERAYAAALQHWTTIRGPEASLAQLISALRQHRRNDVVEKIRGLMEDTTQL
ETDKLALPMSPLSPSPPIPSNAKLENSALLTVEPSPQDKNKGFVDESEPLLRCSTSSGS
SALSRNGSFITKEKDDTVLRQVRLDPCDLQPIFDDMLHFLNPEELRVIEEIPQAEDKLDRLF
IIGVKSQEASQTLTLDVYSHLPDLL
```

Signal sequence:

amino acids 1-41

Transmembrane domain:

amino acids 350-370

423/615

FIGURE 419

ATGGCTGGTGACGGCGGGGCCGGGCAGGGGACCGGGGCCGCGGCCCGGGAGCGGGCCAGCTGCCGGGAGCCCTGA
ATCACCGCCTGGCCCGACTCCACCATGAACGTCGCGCTGCAGGAGCTGGGAGCTGGCAGCAACGTGGGATTCCAG
AAGGGGACAAGACAGCTGTTAGGCTCACGCACGCAGCTGGAGCTGGTCTTAGCAGGTGCCTCTCTACTGCTGGCT
GCACTGCTTCTGGGCTGCCTTGTGGCCCTAGGGGTCCAGTACCACAGAGACCCATCCACAGCACCTGCCTTACA
GAGGCCTGCATTGAGTGGCTGGAAAAATCCTGGAGTCCCTGGACCGAGGGGTGAGCCCTGTGAGGACTTTTAC
CAGTTCTCCTGTGGGGGCTGGATTGCGAGGAACCCCTGCCCGATGGGCGTCTCGCTGGAACACCTTCAACAGC
CTCTGGGACCAAAACCAGGCCATACTGAAGCACCTGCTTGAAAACACCACCTTCAACTCCAGCAGTGAAGCTGAG
CAGAAGACACAGCGCTTCTACCTATCTTGCTACAGGTGGAGCGCATTGAGGAGCTGGGAGCCAGCCACTGAGA
GACCTCATTGAGAAGATTGGTGGTTGGAACATTACGGGGCCCTGGGACCAGGACAACCTTTATGGAGGTGTTGAAG
GCAGTAGCAGGGACCTACAGGGCCACCCCATTTCTTACCCTCTACATCAGTGCCGACTCTAAGAGTTCCAACAGC
AATGTTATCCAGGTGGACAGTCTGGGCTCTTTCTGCCCTCTCGGGATTACTACTTAAACAGAAGTGCCAATGAG
AAAGTGCTCACTGCCTATCTGGATTACATGGAGGAAGTGGGGATGCTGCTGGGTGGGCGGGCCACCTCCACGAGG
GAGCAGATGCAGCAGGTGCTGGAGTTGGAGATACAGCTGGCCAACATCACAGTGCCCCAGGACCAGCGCGCGAG
GAGGAGAAGATCTACCACAAGATGAGCATTTTCGGAGCTGCAGGCTCTGGCGCCCTCCATGGACTGGCTTGAGTTC
CTGTCTTTCTTGCTGTCAACATTGGAGTTGAGTGACTCTGAGCCTGTGGTGGTGTATGGGATGGATTATTTGCAG
CAGGTGTGAGAGCTCATCAACCGCACGGAACCAAGCATCCTGAACAATTACCTGATCTGGAACCTGGTGCAAAAG
ACAACCTCAAGCCTGGACCGACGCTTTGAGTCTGCACAAGAGAAGCTGCTGGAGACCCCTCTATGGCACTAAGAAG
TCCTGTGTGCCGAGGTGGCAGACCTGCATCTCCAACACGGATGACGCCCTTGGCTTTGCTTTGGGGTCACTCTTC
GTGAAGGCCACGTTTGACCGGCAAAGCAAAGAAATTGCGAGGGGATGATCAGCGAAATCCGGACCGCATTGAG
GAGGCCCTGGGACAGCTGGTTTGGATGGATGAGAAGACCCGCCAGGCAGCCAAGGAGAAAGCAGATGCCATCTAT
GATATGATTGGTTTCCAGACTTTATCCTGGAGCCCAAAGAGCTGGATGATGTTTATGACGGGTACGAAATTTCT
GAAGATTCTTTCTTCCAAAACATGTTGAATTTGTACAACCTTCTCTGCCAAGGTTATGGCTGACCAGCTCCGCAAG
CCTCCAGCCGAGACAGTGGAGCATGACCCCCAGACAGTGAATGCCTACTACCTTCCAACCTAAGAATGAGATC
GTCTTCCCCGCTGGCATCCTGCAGGCCCTTCTATGCCCGCAACCAACCCCAAGGCCCTGAACCTCGGTGGCATC
GGTGTGGTCAATGGGCCATGAGTTGACGCATGCCTTTGATGACCAAGGGCGAGTATGACAAAGAAGGGAACCTG
CGGCCCTGGTGGCAGAATGAGTCCCTGGCAGCCTTCCGGAACCAACAGGCTGCATGGAGGAACAGTACAATCAA
TACCAGGTCAATGGGGAGAGGCTCAACGGCCGCCAGACGCTGGGGGAGAACATTACTGACAACGGGGGGCTGAAG
GCTGCCTACAATGCTTACAAAGCATGGCTGAGAAAGCATGGGGAGGAGCAGCAACTGCCAGCCGTGGGGCTCAAC
AACCACAGCTCTTCTTCGTGGGATTTGCCAGGTGTGGTGCTCGGTCCGCACACCAGAGAGCTTCACGAGGGG
CTGGTGACCGACCCCCACAGCCCTGCCGCTTCCGCGTGCTGGGCACTCTCTCCAACCTCCCGTGACTTCTCGGG
CACTTCGGCTGCCCTGTGGCTCCCCATGAACCCAGGGCAGCTGTGTGAGGTGTGGTATAGACCTGGATCAGGGGA
GAAATGGCCAGCTGTCAACAGACCTGGGGCAGCTCTCCTGACAAAGCTGTTGCTCTTGGGTGGGAGGAAGCAA
ATGCAAGCTGGGCTGGGTCTAGTCCCTCCCCCCCACAGGTGACATGAGTACAGACCTCCTCAATCACCACATTG
TGCTCTGCTTTGGGGGTGCCCTGCCTCCAGCAGAGCCCCCACCATTCACTGTGACATCTTCCGTGTACCCCT
GCCTGGAAGAGGTCTGGGTGGGGAGGCCAGTTCCCATAGGAAGGAGTCTGCC

424/615

FIGURE 420

MNVALQELGAGSNVGFQKGTROLLGSRTQLELVLAGASLLLAALLLGCLVALGVQYHRDPSHS
TCLTEACIRVAGKILES LDRGVSPCEDFYQFSCGGWIRRNPLPDGRSRWNTFNSLWDQNQAIL
KHLENTTFNSSSEAEQKTQRFYLSCLQVERIEELGAQPLRD LIEKIGGWNITGPWDQDNFME
VLKAVAGTYRATPFFT VYISADSKSSNSNVIQVDQSG LFLPSRDYYLNRTANEKVL TAYLDYM
EELGMLLGGRPTSTREQMQQVLELEIQ LANITVPQDQRRDEEKIYHKMSISELQALAPSMDWL
EFLSFLLSPLELS DSEPVVVYGMDYLQQVSELINRTEPSILNNYLIWNLVQKTTSSLD RRFES
AQEK LLETLYGTTKSCVPRWQTCISNTDDALGFALGSLFVKATFDRQSKEIAEGMISEIRTA F
EEALGQLVWMDEKTRQAAKEKADAIYDMIGFPDFILEPKELDDVYDGYEISEDSFFQNM LNL Y
NFSAKVMADQLRKPPSRDQWSMTPQTVNAYYLPTKNEIVFPAGILQAPFYARNHPKALNFGGI
GVVMGHELTHAFDDQGREYDKEGNLRPWWQNESLAAFRNHTACMEEQYNQYQVNGERLNGRQT
LGENITDNGGLKAAYNAYKAWLRKHGEEQQLPAVGLTNHQLFFVGFAQVWC SVRTPESSHEGL
VTDPHSPARFRVLGTLSNSRDFLRHFGCPVGSPMNPGLCEVW

Type II Transmembrane domain:
amino acids 32-57

425/615

FIGURE 421

GGCGCCGCGTAGGCCCGGGAGGCCGGGCGGGCTGCGAGCGCCTGCCCCATGCGCCGCC
GCCTCTCCGCACGATGTTCCCTCGCGGAGGAAAGCGGCGCAGCTGCCCTGGGAGGACGGCAG
GTCCGGGTGCTCTCCGGCGGCCTCCCTCGGAAGTGTTCCGTCTTCCACCTGTTCTGTCGCTG
CCTCTCGCTGGGCTTCTTCTCCCTACTCTGGCTGCAGCTCAGCTGCTCTGGGGACGTGGCCCG
GGCAGTCAGGGGACAAGGGCAGGAGACCTCGGGCCCTCCCCGTGCCTGCCCCCAGAGCCGCC
CCCTGAGCACTGGGAAGAAGACGCATCCTGGGGCCCCCACCGCCTGGCAGTGCTGGTGCCCTT
CCGCGAACGCTTCGAGGAGCTCCTGGTCTTCGTGCCCCACATGCGCCGCTTCCTGAGCAGGAA
GAAGATCCGGCACCACATCTACGTGCTCAACCAGGTGGACCACTTCAGGTTCAACCGGGCAGC
GCTCATCAACGTGGGCTTCCTGGAGAGCAGCAACAGCACGGACTACATTGCCATGCACGACGT
TGACCTGCTCCCTCTCAACGAGGAGCTGGACTATGGCTTTCTGAGGCTGGGCCCTTCCACGT
GGCCTCCCCGGAGCTCCACCCTCTCTACCACTACAAGACCTATGTGCGCGGCATCCTGCTGCT
CTCCAAGCAGCACTACCGGCTGTGCAATGGGATGTCCAACCGCTTCTGGGGCTGGGGCCGCGA
GGACGACGAGTTCTACCGGCGCATTAAGGGAGCTGGGCTCCAGCTTTTCCGCCCCCTCGGGAAT
CACAACTGGGTACAAGACATTTCCGCCACCTGCATGACCCAGCCTGGCGGAAGAGGGACCAGAA
GCGCATCGCAGCTCAAAAACAGGAGCAGTTCAAGGTGGACAGGGAGGGAGGCCTGAACACTGT
GAAGTACCATGTGGCTTCCCGCACTGCCCTGTCTGTGGGCGGGGCCCCCTGCACTGTCTCAA
CATCATGTTGGACTGTGACAAGACCGCCACACCCTGGTGCACATTAGCTGAGCTGGATGGAC
AGTGAGGAAGCCTGTACCTACAGGCCATATTGCTCAGGCTCAGGACAAGGCCTCAGGTCGTGG
GCCAGCTCTGACAGGATGTGGAGTGGCCAGGACCAAGACAGCAAGCTACGCAATTGCAGCCA
CCCGGCCGCCAAGGCAGGCTTGGGCTGGGCCAGGACACGTGGGGTGCCTGGGACGCTGCTTGC
CATGCACAGTGATCAGAGAGAGGCTGGGGTGTGTCTGTCCGGGACCCCCCTGCCTTCCTGC
TCACCCTACTCTGACCTCCTTCACGTGCCCAGGCCTGTGGGTAGTGGGAGGGCTGAACAGGA
CAACCTCTCATCACCCTACTCTGACCTCCTTCACGTGCCCAGGCCTGTGGGTAGTGGGAGGG
CTGAACAGGACAACCTCTCATCACCCCCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAA

426/615

FIGURE 422

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56531
><subunit 1 of 1, 327 aa, 1 stop
><MW: 37406, pI: 9.30, NX(S/T): 1
MFPSRRKAAQLPWEDGRSGLLSGGLPRKCSVFHLFVACLSLGGFFSLLWLQLSCSGDVARAVRG
QGQETSGPPRACPPPEPPPEHWEEDASWGPRLAVLVPFRERFEELLVFVPHMRRFLSRKKIRH
HIYVLNQVDHFRFNRAALINVGFLSSNSTDYIAMHDVDLLPLNEELDYGFPEAGPFHVASPE
LHPLYHYKTYVGGILLLSKQHYRLCNGMSNRFWGWGREDDDEFYRRIKGAGLQLFPSGITTGY
KTFRHLHDPAWRKRDQKRIAAQKQEQFKVDREGGLNTVKYHVASRTALSVGGAPCTVLNIMLD
CDKTATPWCTFS

Signal peptide:
amino acids 1-42

Transmembrane domain:
amino acids 29-49 (type II)

N-glycosylation site.
amino acids 154-158

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 27-31

Tyrosine kinase phosphorylation site.
amino acids 226-233

N-myristoylation site.
amino acids 19-25, 65-71, 247-253, 285-291, 303-309, 304-310

427/615

FIGURE 423

CCATCCCTGAGATCTTTTTATAAAAAACCCAGTCTTTGCTGACCAGACAAAGCATACCAGATC
TCACCAGAGAGTCGCAGACACTATGCTGCCTCCCATGGCCCTGCCCAGTGTGTCCTGGATGCT
GCTTTCCTGCCTCATTCTCCTGTGTTCAGGTTCAAGGTGAAGAAACCCAGAAGGAACTGCCCTC
TCCACGGATCAGCTGTCCCAAAGGCTCCAAGGCCTATGGCTCCCCCTGCTATGCCTTGTTTTT
GTCACCAAAATCCTGGATGGATGCAGATCTGGCTTGCCAGAAGCGGCCCTCTGGAAACTGGT
GTCTGTGCTCAGTGGGGCTGAGGGATCCTTCGTGTCTCCCTGGTGAGGAGCATTAGTAACAG
CTACTCATACATCTGGATTGGGCTCCATGACCCACACAGGGCTCTGAGCCTGATGGAGATGG
ATGGGAGTGGAGTAGCACTGATGTGATGAATTACTTTGCATGGGAGAAAAATCCCTCCACCAT
CTTAAACCCTGGCCACTGTGGGAGCCTGTCAAGAAGCACAGGATTTCTGAAGTGGAAAGATTA
TAACTGTGATGCAAAGTTACCCTATGTCTGCAAGTTCAAGGACTAGGGCAGGTGGGAAGTCAG
CAGCCTCAGCTTGGCGTGCAGCTCATCATGGACATGAGACCAGTGTGAAGACTCACCCCTGGAA
GAGAATATTCTCCCCAACTGCCCTACCTGACTACCTTGTCATGATCCTCCTTCTTTTTCCTT
TTTCTTACCTTCATTTACAGGCTTTTCTCTGTCTTCCATGTCTTGAGATCTCAGAGAATAATA
ATAAAAATGTTACTTTATAAAAAAAAAAAAAAAAAAAAAA

428/615

FIGURE 424

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56965
<subunit 1 of 1, 175 aa, 1 stop
<MW: 19330, pI: 7.25, NX(S/T): 1
MLPPMALPSVSWMLLSCLILLCQVQGEETQKELPSPRISCPKGSKAYGSPCYALFLSPKSWMD
ADLACQKRPSGKLVSVLSGAEGSFVSSLVRSISNSYSYIWIGLHDPTQGSEPDGDGWEWSSTD
VMNYFAWEKNPSTILNPGHCGSLSRSTGFLKWKDYNCDKLPYVCKEKD

Important features:**Signal peptide:**

amino acids 1-26

C-type lectin domain signature.

amino acids 146-171

429/615

FIGURE 425

CGGACGCGTGGGCGCCACCTCCGGAACAAGCCATGGTGGCGGCGACGGTGGCAGCGGCGTGG
CTGCTCCTGTGGGCTGCGGCCTGCGCGCAGCAGGAGCAGGACTTCTACGACTTCAAGGCGGTC
AACATCCGGGGCAAACCTGGTGTGCTGGAGAAGTACCGCGGATCGGTGTCCCTGGTGGTGAAT
GTGGCCAGCGAGTGCGGCTTCACAGACCAGCACTACCGAGCCCTGCAGCAGCTGCAGCGAGAC
CTGGGCCCCCACCACCTTTAACGTGCTCGCCTTCCCCCTGCAACCAGTTTGGCCAACAGGAGCCT
GACAGCAACAAGGAGATTGAGAGCTTTGCCCCGCCACCTACAGTGTCTCATTCCCCATGTTT
AGCAAGATTGCAGTCACCGGTACTGGTGCCCATCCTGCCTTCAAGTACCTGGCCCAGACTTCT
GGGAAGGAGCCCACCTGGAACCTTCTGGAAGTACCTAGTAGCCCCAGATGGAAAGGTGGTAGGG
GCTTGGGACCCAACCTGTGTCAGTGGAGGAGGTGAGACCCAGATCACAGCGCTCGTGAGGAAG
CTCATCCTACTGAAGCGAGAAGACTTATTAAACCACCGCGTCTCCTCCTCCACCACCTCATCCCG
CCCACCTGTGTGGGGCTGACCAATGCAAACCTCAAATGGTGCTTCAAAGGGAGAGACCCACTGA
CTCTCCTTCCTTTACTCTTATGCCATTGGTCCCATCATTCCTTGTGGGGGAAAAATTCTAGTAT
TTTGATTATTTGAATCTTACAGCAACAAATAGGAACCTCCTGGCCAATGAGAGCTCTTGACCAG
TGAATCACCAGCCGATACGAACGTCTTGCCAACAAAAATGTGTGGCAAATAGAAGTATATCAA
GCAATAATCTCCCACCCAAGGCTTCTGTAAACTGGGACCAATGATTACCTCATAGGGCTGTTG
TGAGGATTAGGATGAAATACCTGTGAAAGTGCCTAGGCAGTGCCAGCCAAATAGGAGGCATTC
AATGAACATTTTTTGCATATAAACCAAAAAATAACTTGTTATCAATAAAAACTTGCATCCAAC
ATGAATTTCCAGCCGATGATAATCCAGGCCAAAGGTTTAGTTGTTGTTATTTCTCTGTATTA
TTTTCTTCATTACAAAAGAAATGCAAGTTCATTGTAACAATCCAAACAATACCTCACGATATA
AAATAAAAATGAAAGTATCCTCCTCAAAA

430/615

FIGURE 426

MVAATVAAAWLLLWAAACAQQEQDFYDFKAVNIRGKLVSLVKYRGSVSLVVNVASECGFTDQH
YRALQQQLQORDLGPHHFNVLAFFPCNQFGQQEPDSNKEIESFARRTYSVSFPMFSKIAVTGTGAH
PAFKYLAQTSKGKEPTWNFWKYL VAPDGKVVGAWDPTVSVEEVRPQITALVRKLILLKREDL

431/615

FIGURE 427

CAGTTCTGAAATCAATGGAGTTAATTTAGGGAATACAAACCAGCCATGGGGGTGGAGATTGCC
TTTGCCTCAGTGATTCTCACCTGCCTCTCCCTTCTGGCAGCAGGAGTCTCCCAGGTTGTTCTT
CTCCAGCCAGTTCCAACCTCAGGAGACAGGTCCCAAGGCCATGGGAGATCTCTCCTGTGGCTTT
GCCGGCCACTCATGAGAGTGTTTTTGTGTAAAGTATTTTTTAGAATACTGTTGACTTCTTCAT
GATTTAATAACCATCCTTTGCGAAGTTTTATGAGGCTTTAGGGGAATGTCAACCCTCAAATTT
TTGTTATACTAGATGGCTTCCATTTACCCACCACTATTTTAAGGTCCCTTTATTTTTAGGTTT
AAGGTTCAATTTGACTTGAGAAAGTGCCCTTCTGCAGCTTCATTGATTTTGTTTATCTTCACTA
TTAATTGTAACGATTAAGAAAGAATAAGAGCACGCAGACCTCTAGGAGAATATTTTATCCCTG
GGTGCCCTGACACATTTATGTAGTGATCCACAAATGTGATTGTTAATTTAAATGTTATTCT
AATATTAGTACATTCAGTTGTGATGTAATATGAATAACCAGAATCTATTTCTTAAAGTTTTG
AGTATATTTTTCAACTAGATATTTGTATAGAAAGACTGAATAGTGATG

432/615

FIGURE 428

MGVEIAFASVILTCLSLLAAGVSQVLLQPVPTQETGPKAMGDLSCGFAGHS

433/615

FIGURE 429

CCAAAGTGATCATTTGAAAAAGAGATATCCACATCTTCAAGCCCATATAAAGGATAGAAGCTG
CACAGGGCAGCTTTACTTACTCCAGCACCTTCCTCTCCCAGGCAAATGGTGCTGACCATCTTT
GGGATACAATCTCATGGATACGAGGTTTTTAACATCATCAGCCCAAGCAACAATGGTGGCAAT
GTCAGGAGACAGTGACAATTGATAATGAAAAAATACCGCCATCGTTAACATCCATGCAGGA
TCATGCTCTTCTACCACAATTTTTGACTATAAACATGGCTACATTGCATCCAGGGTGCTCTCC
CGAAGAGCCTGCTTTATCCTGAAGATGGACCATCAGAACATCCCTCCTCTGAACAATCTCCAA
TGGTACATCTATGAGAAACAGGCTCTGGACAACATGTTCTCCAACAAATACACCTGGGTCAAG
TACAACCCTCTGGAGTCTCTGATCAAAGACGTGGATTGGTTCCTGCTTGGGTCACCCATTGAG
AAACTCTGCAAACATATCCCTTTGTATAAGGGGGAAGTGGTTGAAAACACACATAATGTCGGT
GCTGGAGGCTGTGCAAAGGCTGGGCTCCTGGGCATCTTGGGAATTTCAATCTGTGCAGACATT
CATGTTTAGGATGATTAGCCCTCTTGTTTTATCTTTTCAAAGAAATACATCCTTGGTTTACAC
TCAAAAGTCAAATTAAATTCTTTCCCAATGCCCCAACTAATTTTGAGATTCAGTCAGAAAATA
TAAATGCTGTATTTATA

434/615

FIGURE 430

><ss.DNA57834
><subunit 1 of 1, 176 aa, 1 stop
><MW: 19616, pI: 7.11, NX(S/T): 0
MVLTIQSHGYEVFNIIISPSNNGGNVQETVTIDNEKNTAIVNIHAGSCSSTTIFDYKH
GYIASRVLSRRACFILKMDHQNIPLNNLQWYIYEKQALDNMFSNKYTWVKYNPLESLIK
DVDWFLGSPIEKLCKHIPLYKGEVVENTHNVGAGGCAKAGLLGILGISICADIHV

Important features:**Signal peptide:**

Amino acids 1-26

N-myristoylation sites:

Amino acids 48-54;153-159;156-162;167-173

435/615

FIGURE 431

GCGTGGGGATGTCTAGGAGCTCGAAGGTGGTGCTGGGCCTCTCGGTGCTGCTGACGGCGGCCA
CAGTGGCCGGCGTACATGTGAAGCAGCAGTGGGACCAGCAGAGGCTTCGTGACGGAGTTATCA
GAGACATTGAGAGGCCAAATTCGGAAAAAAGAAAACATTTCGTCTTTTGGGAGAACAGATTATTT
TGA CTGAGCAACTTGAAGCAGAAAGAGAGAAGATGTTATTGGCAAAAGGATCTCAAAAATCAT
GACTTGAATGTGAAATATCTGTTGGACAGACAACACGAGTTTGTGTGTGTGTGTTGATGGAGA
GTAGCTTAGTAGTATCTTCATCTTTTTTTTTTGGTCACTGTCCTTTTAAACTTGATCAATAAA
GGACAGTGGGTCATATAAGTTACTGCTTTCAGGGTCCCTTATATCTGAATAAAGGAGTGTGGG
CAGACACTTTTTTGGAAAGAGTCTGTCTGGGTGATCCTGGTAGAAGCCCCATTAGGGTCACTGTC
CAGTGCTTAGGGTTGTTACTGAGAAGCACTGCCGAGCTTGTGAGAAGGAAGGGATGGATAGTA
GCATCCACCTGAGTAGTCTGATCAGTCGGCATGATGACGAAGCCACGAGAACATCGACCTCAG
AAGGACTGGAGGAAGGTGAAGTGGAGGGAGAGACGCTCCTGATCGTCGAATCC

436/615

FIGURE 432

MSRSSKVVLGLSVLLTAATVAGVHVKQQWDQQRLRDGVIRDIERQIRKKENIRLLGEQIILTE
QLEAEREKMLLAKGSQKS

437/615

FIGURE 433

GAATTCGTGTCTCGGCACTCACTCCCGGCCCGCCGACAGGGAGCTTTCGCTGGCGCGCTTGGCCGGCGACAGGA
CAGGTTTCGGGACGTCCATCTGTCCATCCGTCCGGAGAGAAATTACAGATCCGCAGCCCCGGGATGGGGCCGGCCC
CGCTGCCGCTGCTGCTGGGCCCTTCTCTCCCCGCGCTCTGGCGTAGAGCTATCACTGAGGCAAGGAAGGCCA
AGCCTTACCCGCTATTCCCGGGACCTTTTCCAGGGAGCCTGCAAACCTGACCACACACCGCTGTTATCCCTTCTC
ACGCCAGTGGGTACCAGCCTGCCTTGATGTTTTCCACCAACCCAGCCTGGAAGACCACATACAGGAAACGTAGCCATT
CCCCAGGTGACCTCTGTGCAATCAAAGCCCCCTACCGCCTCTTGCCCTCAAACACACAGTTGGACACATAATACTT
TCTGAACATAAAGGTGTCAAATTTAATTGCTCAATCAATGTACCTAATATATATACCAGGACACCACAATTTCTTGG
TGAAAGATGGGAAGGAATTGCTTGGGGGACATCATGAAATTACACAGTTTTATCCAGATGATGAAGTTACAGCA
ATAATCGCTTCTCTCAGCATAACAGTGTGCAGCGTTCAGACAATGGGTCGTATATCTGTAAGATGAAAATAAAC
AATGAAGAGATCGTGTCTGATCCCATCTACATCGAAGTACAAGGACTTCCTCACTTTACTAAGCAGCCTGAGAGC
ATGAATGTCAACAGAAACACAGCCTTCAACCTCACCTGTGAGGCTGTGGGCCCGCCTGAGCCCGTCAACATTTTC
TGGGTTCAAACACAGTAGCCGTGTTAACGAACAGCCTGAAAAATCCCCGGCGTGCTAACTGTTCCAGGCCTGACG
GAGATGGCGGTCTTCAGTTGTGAGGCCACAAATGACAAAGGGCTGACCGTGTCCAGGGAGTGACATCAACATC
AAAGCAATTCCCTCCCCACCAACTGAAGTCAGCATCCGTAACAGCACTGCACACAGCATTCTGATCTCTGGGTT
CCTGGTTTTGATGGATACTCCCCGTTTCCAGGAATTGCAGCATTGAGGTCAGGTAAGGAAGCTGATCCGCTGGGTAAATGGC
TCAGTCATGATTTTAAACACCTCTGCCCTTACCACATCTGTACCAATCAAGCAGCTGCAAGCCCTGGCTAATTAC
AGCATTTGGTGTCTTCTGCAATGAATAGGCTGGTCTGCAGTGAGCCCTTGGATTCTAGCAAGCAGACTGAA
GGAGCCCCATCAGTAGCACCTTTAAATGTCACTGTGTTTTCTGAATGAATCTAGTGATAATGTGGACATCAGATGG
ATGAAGCCTCCGACTAAGCAGCAGGATGGAGAAGTGGTGGGCTACCGGATATCCCAGCTGTGGCAGAGTGACAGGG
ATTTCCAAAGAGCTCTTGAGGAAGTTGGCCAGAATGGCAGCCGAGCTCGGATCTCTGTTCAAGTCCACAAATGCT
ACGTGCACAGTGAGGATTGCAGCCGTCACCAGAGGGGGAGTTGGGCCCTTCAGTGATCCAGTGAAAATATTTATC
CTGACACAGGTTGGGTAGATTATGCCCCCTCTTCACTCCGGCGCCTGGCAACGCAGATCCTGTGCTCATCATC
TTTGGCTGCTTTTGTGATTTATTTTGTATTGGGTTGATTTTATACATCTCCTTGCCCATCAGAAAAAGAGTCCAG
GAGACAAAGTTTGGGAATGCATTACAGAGGAGGATTCTGAATTAGTGGTGAATTATATAGCAAAGAAATCCTTC
TGTCGGCGAGCCATTGAACCTTACCTTACATAGCTTGGGAGTCAGTGAGGAACCTACAAATAAACTAGAGATGTT
GTGATTGACAGGAATCTTCTAATTCTTGGAAAAATCTGGGTGAAGGAGAGTTTGGGTCTGTAATGGAAGGAAAT
CTTAAGCAGGAAGATGGGACCTCTCTGAAAGTGGCAGTGAAGACCATGAAGTTGGACAACCTCTTACATCGGGAG
ATCGAGGAGTTTCTCAGTGAGGCAGCGTGCATGAAAGACTTCAGCCACCCAAATGTCACTCGACTTCTAGGTGTG
TGTATAGAAATGAGCTCTCAAGGCATCCCAAAGCCCATGGTAATTTTACCCTTCATGAAATACGGGGACCTGCAT
ACTTACTTACTTTATTTCCCGATTGGAGACAGGACCAAGCATATTCCTCTGCAGACACTATTGAAGTTCATGGTG
GATATTGCCCTGGGAATGGAGTATCTGAGCAACAGGAATTTTCTTCATCGAGATTTAGCTGCTCGAACTGCATG
TTGCGAGATGACATGACTGTCTGTGTGCGGACTTCGGCCTCTCTAAGAAGATTTACAGTGGCGATTATTACCGC
CAAGGCCGCTTGTCTAAGATGCCTGTAAATGGATCGCCATAGAAAGTCTTGACAGCCGAGTCTACACAAGTAAA
AGTGATGTGTGGGCATTTGGCGTGACCATGTGGGAAATACGTACGCGGGGAATGACTCCCTATCTGGGGTCCAG
AACCATGAGATGTATGACTATCTTCTCCATGGCCACAGGTTGAAGCAGCCCGAAGACTGCCTGGATGAAGTGTAT
GAAATAATGTACTCTTGCTGGAGAACCAGTCCCTTAGACCGCCCCACCTTTTTCAGTATTGAGGCTGCAGCTAGAA
AACTCTTAGAAAGTTTGCCTGACGTTCCGAACCAAGCAGACGTTATTTACGTCAATACACAGTTGCTGGAGAGC
TCTGAGGGCCTGGCCCCAGGGCCCCACCTTGCTCCACTGGACTTGAACATCGACCTGACTCTATAATTGCCTCC
TGCACTCCCCGCGCTGCCATCAGTGTGGTACAGCAGAAAGTTTATGACAGCAAACCTCATGAAGGACGGTACATC
CTGAATGGGGGAGTGAGGAATGGGAAGATCTGACTTCTGCCCCCTCTGCTGCAGTCACAGCTGAAAAGAACAGT
GTTTTACCGGGGGAGAGACTTGTTAGGAATGGGGTCTCCTGGTCCCATTCGAGCATGCTGCCCTTGGGAAGCTCA
TTGCCGATGAACTTTGTGTGCTGACGACTCCTCAGAAGGCTCAGAAGTCTGATGTGAGGAGAGGTGCGGGGA
GACATTTCCAAAAATCAAGCAATTCTTCTGCTGTAGGAGAATCCAATTGTACCTGATGTTTTTGGTATTTGCTCTT
CCTTACCAAGTGAACCTCATGGCCCCAAAGCACCAGATGAATGTTGTTAAGGAAGCTGTATTAAAAATACATAA
TATATATTTATTTAAAGAGAAAAATATGTGTATATCATGAAAAAGACAAGGATATTTTAAATAAACATTACTTA
TTTCATTTTCACTTATCTTGCATATCTTAAATTAAGCTTCAGCTGCTCCTTGATATTAACCTTTGTACAGAGTTG
AAGTTGTTTTTCAACTTCTTTTCTTTTTCATTACTATTAATGTAAAAATATTTGTAAATGAATGCCATATT
TGACTTGGCTTCTGGTCTTGATGATTTGATAAGAATGATTAATTTTCTGATATGGCTTCATAATAAATGAA
ATAGGA

438/615

FIGURE 434

MGPAPLP LLLGLFLPALWRRRAITEAREEAKPYLPFGPFPFPGSLQTDHTPLLSLPHASGYQPALMFSPPTQGRPHT
GNVAIPQVTSVESKPLPPLAFKHTVGHII LSEHKGVKFNCSINVPNIYQDTTISWWKDGKELLGGHHRITQFY PD
DEVTAI IASF SITSVQRS DNGSYICKMKINNEEIVSDPIYIEVQGLPHFTKQPESMNVTRNTAFNLTCQAVGPPE
PVNIFWVQNSSRVNEQPEKSPGVLTVPGLTEMAVFSCEAHNDKGLTVSQGVQINIKAI PPSPTTEVSIRNSTAHSI
LISWVPGFDGYSPFRNC SIQVKEADPLNGSVMIFNTSALPHLYQIKQLQALANYSIGVSCMNEIGWSAVSPWIL
ASTTEGAPSVAPLNVTVFLNESSDNVDIRWMKPPTKQQDGELVGYRISHVWQSAGISKELLEEVGQNGSRARISV
QVHNATCTVRIAAVTRGGVGPFSDPVKIFIPAHGWVDYAPSSTPAPGNADPVLIIFGCF CGFILIGLILYISLAI
RKR VQETKFGNAFTEEDSELVVNYIAKKSFCRRRAIELTLHSLGVSEELQNKLEDVVIDRNL LILGKILGEGEFGS
VMEGNLKQEDGTS LKVA VKTMKLDNSSHREIEEFLSEAACMKDFSHPNVIRLLGVCIEMSSQGIPKPMVILPFMK
YGD LHTYLLYSRLETGPKHIPLQTL LKFMVDIALGMEYLSNRNFLHRDLAARNCMLRDDMTVCVADFGLSKKIYS
GDYYRQGRIAKMPVKWIAIESLADRVYTSKSDVWAFGVTMWEIRTRGMT PYPGVQNH EMYDYLLHGHRLKQPEDC
LDELYEIMYSCWRTDPLDRPTFSVLRLQLEKLL ESIPDVRNQADVIYVNTQLLESSEGLAQGPTLAPLDL NIDPD
SIIASCTPRAAISVVTAEVHDSKPHEGRYILNGGSEEWEDLT SAPSAAVTAEKNSVLPGERLVRNGVSWSHSSML
PLGSSLPDELLFADDSSEGSEVLM

Signal sequence: Amino acids 1-18

Transmembrane domain: Amino acids 501-520

N-glycosylation sites: Amino acids 114-118;170-174;207-211;
215-219;234-238;294-298;316-320;329-333;
336-340;354-358;389-393;395-399;442-446;
454-458;625-629

Tyrosine kinase phosphorylation sites: Amino acids 675-683;865-873;923-930

N-myristoylation sites: Amino acids 41-47;110-116;171-177;
269-275;275-281;440-446;507-513;535-541;
966-972

Prokaryotic membrane lipoprotein lipid attachment site: Amino acids 351-362

Tyrosine protein kinases specific active-site signature: Amino acids 719-732

439/615

FIGURE 435

AATGTGAGAGGGGCTGATGGAAGCTGATAGGCAGGACTGGAGTGTTAGCACCAGTACTGGATG
TGACAGCAGGCAGAGGAGCACTTAGCAGCTTATTAGTGTCCGATTCTGATTCCGGCAAGGAT
CCAAGCATGGGAATGCTGCCGTCCGGGCAACTCCTGGCACACTGCTCCTCTTTCTGGCTTTCCTG
CTCCTGAGTTCCAGGACCGCACGCTCCGAGGAGGACCGGGACGGCCTATGGGATGCCTGGGGC
CCATGGAGTGAAATGCTCACGCACCTGCGGGGGAGGGGCCTCCTACTCTCTGAGGCGCTGCCTG
AGCAGCAAGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAGTAATGTGGACTGCCCA
CCAGAAGCAGGTGATTTCCGAGCTCAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGC
CAGTTTTATGAATGGCTTCCTGTGTCTAATGACCCTGACAACCCATGTTCACTCAAGTGCCAA
GCCAAAGGAACAACCCTGGTTGTTGAACTAGCACCTAAGGTCTTAGATGGTACGCGTTGCTAT
ACAGAACTCTTTGGATATGTGCATCAGTGGTTTATGCCAAATTGTTGGCTGCGATCACCAGCTG
GGAAGCACCGTCAAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCACCTGCCGGCTG
GTCCGAGGGCAGTATAAATCCCAGCTCTCCGCAACCAAATCGGATGATACTGTGGTTGCACTT
CCCTATGGAAGTAGACATATTGCGCTTGTCTTAAAGGTCCTGATCACTTATATCTGGAAACC
AAAACCCTCCAGGGGACTAAAGGTGAAAACAGTCTCAGCTCCACAGGAACCTTTCCTTGTGGAC
AATCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGATACTGAGAATGGCTGGACCACTC
ACAGCAGATTTTCAATTGTCAAGATTCGTAACCTCGGGCTCCGCTGACAGTACAGTCCAGTTCATC
TTCTATCAACCCATCATCCACCGATGGAGGGAGACGGATTTCTTTCCTTGCTCAGCAACCTGT
GGAGGAGGTTATCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAACCGTGTGGTTGCT
GACCAATACTGTCACTATTACCCAGAGAACATCAAACCCAAACCCAAGCTTCAGGAGTGCAAC
TTGGATCCTTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCTTATGACCTCTACCATCCC
CTTCCTCGGTGGGAGGCCACCCCATGGACCGGTGCTCCTCCTCGTGTGGGGGGGGCATCCAG
AGCCGGGCAGTTTCCTGTGTGGAGGAGGACATCCAGGGGCATGTCACTTCAGTGGAAGAGTGG
AAATGCATGTACACCCCTAAGATGCCCATCGCGCAGCCCTGCAACATTTTGGACTGCCCTAAA
TGGCTGGCACAGGAGTGGTCTCCGTGCACAGTGACATGTGGCCAGGGCCTCAGATACCGTGTG
GTCCTCTGCATCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCCAAAACAAAGCCCCAC
ATAAAAGAGGAATGCATCGTACCCACTCCCTGCTATAAAACCAAAGAGAACTTCCAGTCGAG
GCCAAGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGGAGCTGCTGTGTGTCAGAGGAG
CCCTCGTTAAGTGTGTAAGACACAGACTGTTCTATATTTGAACTGTTTTGTTTAAAGAAAGCA
GTGTCTCACTGGTTGTAGCTTTCATGGGTTCTGAACTAAGTGTAATCATCTCACCAAAGCTTT
TTGGCTCTCAAATTAAAGATTGATTAGTTTCAAAAAAAAAA

440/615

FIGURE 436

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58847
<subunit 1 of 1, 525 aa, 1 stop
<MW: 58416, pI: 6.62, NX(S/T): 1
MECCRRATPGTLLLFLAFLLLSSRTARSEEDRDGLWDAWGPWSECSRTC GGGASYSLRRCLSS
KSCEGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNPDNPSCLKQAK
GTTLVVELAPKVLDTGTRCYTESLDMCISGLCQIVGCDHQLGSTVKEDNCGVCNGDGSTCRLVR
GQYKSQLSATKSDDTVVALPYGSRHIRLVKGPDLHLYLETKTLQGTKGENSLSSSTGTFLVDNS
SVDFQKFDPKEILRMAGPLTADFIVKIRNSGSADSTVQFIFYQPIIHRWRETDFFPSCATCGG
GYQLTSAECYDLRSNRVVADQYCHYYPENIKPKPKLQECNLDPCPASDGYKQIMPYDLYHPLP
RWEATPWTACSSSCGGGIQSRAVSCVEEDIQGHVTSVEEWKCMYTPKMPIAQPCNIFDCPKWL
AQEWSPTCTVTCGQGLRYRVVLCIDHRGMHTGGCSPKTKPHIKEECIVPTPCYKPKEKLPVEAK
LPWFKQAQEELEGA AVSEEPS
```

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 251-254

Thrombospondin 1

amino acids 385-399

von Willebrand factor type C domain proteins

amino acids 385-399, 445-459 and 42-56

441/615

FIGURE 437

AACTGGAAGGAAAGAAAGAAAGGTCAGCTTTGGCCCAGATGTGGTTACCCCTTGGTCTCCTGT
CTTTATGTCTTTCTCCTCTTCCTATTCTGTTCATCTCCCTCACTTAAGTCTCAGGCCTGTCAGC
AGCTCCTGTGGACATTGCCATCCCCCTCTGGTAGCCTTCAGAGCAAACAGGACAACCTATGTTA
TGGATGTTTCCACCAACCAGGGTAGTGGCATGGAGCACCGTAACCATCTGTGCTTCTGTGATC
TCTATGACAGAGCCACTTCTCCACCTCTGAAATGTTCCCTGCTCTGAATCTGGCATGAGATG
GCACAGGTGACCACGCAGAAGCCACCAGAATCTTGCCTGCCCTATTCTCCTCCCAAGTCTGT
TCTCTTATTGTCAACCTCAGCACAAACAGGCTGGCGCCAATGGCATTACAGAGAAAGCAATCTG
TGTGGCTAGTGGGCAGATTACCATGCAAGCCCCAGGAGAAATGGAGGAGCTTTGTAGCCACCT
CCCTGTCAGCCAGTATTAACATGTCCCCCTTCCCCCTGCCCCGCCGTAGATTACAGGACATTCGC
CCCTGTGTGCCACCAAACCAGGACTTTCCCCTTGGCTTGGCATCCCTGGCTCTCTCCTGGTAC
CCAGCAAGACGTCTGTTCAGGGCAGTGTAGCATCTTCAAGCTCCGTTACTATGGCGATGGC
CATGATGTTACAATCCCACCTTGCTGAATAATCAAGTGGGAAGGGGAAGCAGAGGGAAATGGG
GCCATGTGAATGCAGCTGCTCTGTTCTCCCTACCTGAGGAAAAACCAAGGGAAGCAACAGG
AACTTCTGCAACTGGTTTTTATCGGAAAGATCATCCTGCCTGCAGATGCTGTTGAAGGGGCAC
AAGAAATGTAGCTGGAGAAGATTGATGAAAGTGCAGGTGTGTAAGGAAATAGAACAGTCTGCT
GGGAGTCAGACCTGGAATTCTGATTCCAACTCTTTATTACTTTGGGAAGTCACTCAGCCTCC
CCGTAGCCATCTCCAGGGTGACGGAACCCAGTGTATTACCTGCTGGAACCAAGGAACTAACA
ATGTAGGTTACTAGTGAATACCCAATGGTTTCTCCAATTATGCCCATGCCACCAAAACAATA
AAACAAAATTCTCTAACACTGAAA

442/615

FIGURE 438

MWLPLGLLSLCLSPILSSPSLKSQLQQLLWTLPSPLVAFRANRTTYVMDVSTNQSGMEH
RNHLCFCDLYDRATSPPLKCSLL

443/615

FIGURE 439

GTCTTCATAGTTGGCGTCTTCTAAAGGAAAACTAAATGAGGAACTCAGCGGACCGGGAGCGACGCAGCTT
GAGGGAAGCATCCCTAGCTGTTGGCGCAGAGGGGCGAGGCTGAAGCCGAGTGGCCCGAGGTGTCTGAGGGGCTGG
GGCAAAGGTGAAAGAGTTTCAGAACAGCTTCTTGGAAACCATGACCCATGAAGTCTTGTGACATTTATACCGT
CTGAGGGTAGCAGCTCGAACTAGAAGAAGTGGAGTGTGCCAGGGACGGCAGTATCTCTTTGTGTGACCCTGGC
GGCTATGGGACGTTGGCTTCAGACCTTTGTGATACACCATGCTGCGTGGGACGATGACGGCGTGGAGAGGAATG
AGGCTGAGGTACACTGGCTTGCCTCCTCTAGCCACAGCAGGCTGCTTGTGACTTGAACGAGGTCCCTCAG
GTCACCGTCCAGCCTGCGTCCACCGTCCAGAAGCCCGGAGGCACTGTGATCTTGGGCTGCGTGGTGGAACTCCA
AGGATGAATGTAACCTGGCGCTGAATGGAAGGAGCTGAATGGCTCGGATGATGCTCTGGGTGTCTCATCACC
CACGGGACCTCGTCATCACTGCCCTTAACAACCACTGTGGGACGGTACCACTGTGTGGCCCGGATGCCTGCG
GGGCTGTGGCCAGCGTCCAGCCACTGTGACACTAGCCAATCTCCAGGACTTCAAGTTAGATGTGCAGCAGCTG
ATTGAAGTGGATGAGGGAAACACAGCAGTCACTGCTGCCACCTGCGTGGAGAGCCACCCCAAAGCCAGGTCCGG
TACAGCGTCAAACAAGAGTGGCTGGAGGCTCCAGAGGTAACCTGATCATGCCCTCAGGGAACCTCCAGATT
GTGAATGCCAGCCAGGAGGACGAGGGCATGTACAAGTGTGAGCCTACAACCCAGTGACCCAGGAAGTGAAACCC
TCCGGCTCCAGCGACAGGCTACGTGTGCGCCGCTCCACCGTCCAGGCTGAGGCTGCCGCTCATCTACCCCCAGAGGCC
CAAACCATCATCGTCACCAAAGGCCAGAGTCTCATTCTGGAGTGTGTGGCCAGTGGAAATCCACCCCCACGGGT
ACCTGGGCCAAGGATGGGTCCAGTGTACCGGCTACAACAAGACGCGCTTCTGCTGAGCAACCTCCTCATCGAC
ACCACAGCGAGGAGGACTCAGGCACCTACCGTGTGACCTGGCCGACAATGGGGTGGGCAGCCCGGGGACGGGT
ATCCTTACAATGTGTGGCGGCTGTTTGAACCCCTGAGGTCAACCTGGAGCTATCCAGCTGGTCACTCCCTGGG
CAGAGTGCCAAGCTTACCTGTGAGGTGCGTGGGAACCCCCCGCTCCGTGCTGTGGCTGAGGAATGCTGTGCC
CTCATCTCCAGCCAGCGCTCCGGCTCTCCCGCAGGGCCCTGCGCTGCTCAGCATGGGCGCTGAGGACGAAGGC
GTCTACCAAGTGCATGGCGAGAACGAGGTGGGAGCGCCCTAGTCCAGCTGCGGACCTCCAGGCCAAGC
ATAACCCCAAGGCTATGGCAGGATGCTGAGCTGGCTACTGGCACACCTCTGTATCACCCTCCAACTCGGCAAC
CTGAGCAGATGCTGAGGGGGCAACCGGCGCTCCCGAGACCCCAACGTGAGTGGGGCTGCTTCCCCGAAGTGT
CCAGGAGAGAAGGGGCGAGGGGCTCCCGCCGAGGCTCCCATCATCTCAGCTCGCCCCGACCTCCAAGACAGAC
TCATATGAACCTGCTGTGGCGGCTCGGCTAGAGGCGAGTGGCCGGCGCCCAATCCTCTACTATGTGGTGAACAC
CGCAAGCAGGTCAAAATCTCTGACGATTGGACCATCTCTGGCATTCCAGCCAACCAAGCACCGCCTGACCCCTC
ACCAGACTTGACCCCGGAGCTTGTATGAAGTGGAGATGGCAGCTTACAACCTGTGCGGGAGAGGGCCAGACAGCC
ATGGTCACTTCCGAAGTGGACGGCGGCCCAACCCGAGATCATGGCCAGCAAGAGCAGCAGATCCAGAGAGAC
GACCTCGGAGCAGTCCCGCAGAGCAGCCAGCCAGACCGGCGCTCTCCCCCAGAAAGCTCCCGACAGG
CCCACCATCTCCAGGCTCCGAGACCTCAGTGTACGTGACCTGGATTCCCCGTGGGAATGGTGGGTTCCTCAATC
CAGTCTTCCGTGTGGAGTACAAGAAGCTAAAGAAAGTGGGAGACTGGATTCTGGCCACCAGCGCCATCCCCCA
TCGCGCTGTCTGCGGATACCGGCTAGAGAAAGGCACTCTTACAAGTTTCGAGTCCGGGCTCTGAACATG
CTGGGGGAGAGCGAGCCAGCGCCCCCTCTCGGCCCTACGTGGTGTGGGCTACAGCGGTGCGGTGTACGAGAGG
CCCGTGGCAGGTCTTATATACCTTACGGATGCGGTCAATGAGACCACCATCATGCTCAAGTGGATGTATATC
CCAGCAAGTAACAACAACACCCCAATCCATGGCTTTTATATCTATTATCGACCCACAGACAGTGAATGATAGT
GACTACAAGAAGGATATGGTGAAGGGGACAAGTACTGGCACTCCATCAGCCACCTGCAGCCAGACCTCCCTAC
GACATTAAGATGCAGTGCTTCAATGAAGGAGGGGAGAGCGAGTTCAGCAACGTGATGATCTGTGAGACCAAGCT
CGGAAGTCTTCTGCCCAGCCTGGTGCAGTGCACCCCCCACTCTGGCCCCACCAAGCCGCCCTTCTCTGAAACC
ATAGAGCGGCGGTGGGCACTGGGGCCATGGTGGCTCGCTCCAGCGACCTGCCCTATCTGATTGTGGGGTCTGTC
CTGGGCTCCATCGTTCTCATCATCGTCACCTTCACTCCCTTCTGCTTGTGGAGGGCTGGTCTAAGCAAAACAT
ACAACAGACCTGGGTTTTCTCGAAGTGCCTTCCACCCCTCTGCGCGTATACTATGGTGCCATTGGGAGGACTC
CCAGGCCACCAGCCAGTGGACAGCCCTACCTCAGTGGCATCAGTGGACGGGCTGTGCTAATGGGATCCACATG
AATAGGGGCTGCCCTCGGCTGCAGTGGGCTACCCGGGATGAAGCCCGAGCAGCACTGCCAGGGCAGCTTCAG
CAGCAGAGTGACACCAGCAGCCTGCTGAGGCAGACCCATCTGGCAATGGATATGACCCCCAAGTCAACAGATC
ACGAGGGGTCCCAAGTCTAGCCCGGACGAGGGCTCTTCTTATACACACTGCCCGACGACTCCACTCACCAGCTG
CTGCAGCCCCATCAGCACTGCTGCCAACGCCAGGAGCAGCTGCTGCTGTGGGCCAGTCAAGGGTGGAGAGGCC
CCCGACAGTCTGCTGCTGGAAGCAGTGTGGGACCTCCATTCACTCAGGGCCCCATGCTGCTTGGGCTTGTG
CCAGTTGAAGAGGTGGACAGTCTGACTCCTGCCAAGTGAAGGAGGAGTGGTGTCCCCAGCACCCCGTAGGG
GCCTACGTAGGACAGGAACCTGGAATGCAGCTCTCCCCGGGGCCACTGGTGCCTGTCTTTTGAACACCACT
CTCACAATTTAGGCGAAGCTGATATCCAGAAAGACTATATATTGTTTTTTTTTAAAAAAAAGAGAAAAA
AGAGACAGAGAAAATTTGATTATTTTCTATTATAGCCATATTTATATATTTATGCACTTGTAAATAAATGTA
TATGTTTTATAATTCTGGAGAGACATAAGGAGTCTTACCCGTTGAGGTTGGAGAGGGAAAATAAAGAAGCTGCCA
CCTAACAGAGGTCAACCCAGGAAAGCACCACAGGCTGGCGCGGGACAGACTCCTAACCTGGGGCTCTGCAGTG
GCAGCGAGGCTGCAGGAGGCCACAGATAAGCTGGCAAGGAAAGGATCCAGGCACATGGTTTCATCAGAGCA
TGAGGGAACAGCAAGGGGACGGTATCAGAGCCTGGAGACACCAACAGATGGCTGGATCCGGTGTACGGGAA
ACATTTTCTAAGATGCCATGAGAACAGACCAAGATGTGTACAGCACTATGAGCATTAAAAACCTTCCAGAAT
CAATAATCCGTGGCAACATATCTCTGTAACCAAACTGTAACCTCTAAATAAATGTTTAGTCTTCCCTGTAAAA

444/615

FIGURE 440

MLRGTMATAWRGMRPEVTLACLLLATAGCFADLNEVPQVTVQPASTVQKPGGTIVILGCVVEPPR
MNVTWRLNGKELNGSDDALGVLITHGTLVITALNNHTVGRYQCVARMPAGAVASVPATVTLAN
LQDFKLDVQHVEVDEGNTAVIACHLPESHKPAQVRYSVKQEWLEASRGNYLIMPSGNLQIVN
ASQEDEGMYKCAAYNPVTQEVKTSGSSDRLKVRRTAEAAARIITYPPEAQTIIVTKGQSLILEC
VASGIPPPRVTWAKDGSSVTGYNKTRFLLSNLLIDTTSEEDSGTYRCMADNGVGQPGAAVILY
NVQVFEPPEVTMELSOLVIPWGQSAKLTCEVRGNPPPSVLWLRNAVPLISSQRLRLSRRALRV
LSMGPEDEGVYQCAENEVGSAAHAVVQLRTSRPSITPRLWQDAELATGTPPVSPSKLGNPEQM
LRGQPALPRPPTSVGPASPKCPGKQGAPEAPIILSSPRTSKTDSYELVWRPRHEGSGRAP
ILYYVVKHRKQVTNSSDDWTISGIPANQHRLTLRLDPGSLYEVEMAAYNCAGEGQTAMVTFR
TGRRPKPEIMASKEQQIQRDDPGASQSSSQPDHGRSLPPEAPDRPTISTASETSVYVTWI PR
GNGGFPIQSFRVEYKCLKKVGDWILATSAIPPSRLSVEITGLEKGT SYKFRVRALNMLGESEP
SAPSRPYVVS GYSGRVYERP VAGPYITFTDAVNETTIMLKWMIYPASNNNTPIHGFIYYRPT
DSDNDSYKKDMVEGD KYWHSISHLQ PETS YDIKMQCFNEGGESEFSNVMICETKARKSSGQP
GRLPPPTLAPPQPLPETIERPVGTGAMVARSSDLPYLIVGVVLGSIVLIIVTFIPFCLWRAW
SKQKHTTDLGFPR SALPPSCPYTMVPLGGLPGHQASGQPYLSGISGRACANGIHMNRGCPSAA
VGYPGMKPQQHCPGELQQQSDTSSLLRQTHLGNGYDPQSHQITRGPKSSPDEGSFLYTL PDDS
THQLLQPHHDCCQRQEQPAAVGQSGVRRAPDSPVLEAVWDPPFHSGPPCCLGLVPVEEVDS PD
SCQVSGGDWCPQHPVGAYVGQEPGMQLSPGPLVRVSFETPPLTI

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 16-30 (type II), 854-879

445/615

FIGURE 441

GAGAGAATAGCTACAGATTCTCCATCCTCAGTCTTTGCAAGGCGACAGCTGTGCCAGCCGGGC
TCTGGCAGGCTCCTGGCAGCATGGCAGTGAAGCTTGGGACCCTCCTGCTGGCCCTTGCCCTGG
GCCTGGCCAGCCAGCCTCTGCCCCCGGAAGCTGCTGGTGTTTCTGCTGGATGGTTTTCTGCT
CAGACTACATCAGTGATGAGGCGCTGGAGTCATTGCCTGGTTTCAAAGAGATTGTGAGCAGGG
GAGTAAAAGTGGATTACTTGACTCCAGACTTCCCTAGTCTCTCGTATCCCAATTATTATACCC
TAATGACTGGCCGCCATTGTGAAGTCCATCAGATGATCGGGAACCTACATGTGGGACCCACCA
CCAACAAGTCCTTTGACATTGGCGTCAACAAAGACAGCCTAATGCCTCTCTGGTGGAATGGAT
CAGAACCTCTGTGGGTCACTCTGACCAAGGCCAAAAGGAAGGTCTACATGTACTACTGGCCAG
GCTGTGAGGTTGAGATTCTGGGTGTGAGACCCACCTACTGCCTAGAATATAAAAATGTCCCAA
CGGATATCAATTTTGCCAATGCAGTCAGCGATGCTCTTGACTCCTTCAAGAGTGGCCGGGCCG
ACCTGGCAGCCATATACCATGAGCGCATTGACGTGGAAGGCCACCACTACGGGCCTGCATCTC
CGCAGAGGAAAGATGCCCTCAAGGCTGTAGACACTGTCCTGAAGTACATGACCAAGTGGATCC
AGGAGCGGGGCCTGCAGGACCGCCTGAACGTCATTATTTCTCGGATCACGGAATGACCGACA
TTTTCTGGATGGACAAAGTGATTGAGCTGAATAAGTACATCAGCCTGAATGACCTGCAGCAAG
TGAAGGACCGCGGCCTGTTGTGAGCCTTTGGCCGGCCCCCTGGGAAACACTCTGAGATATATA
ACAACTGAGCACAGTGGAAACACATGACTGTCTACGAGAAAGAAGCCATCCCAAGCAGGTTCT
ATTACAAGAAAGGAAAGTTTGTCTCTCCTTTGACTTTAGTGGCTGATGAAGGCTGGTTCATAA
CTGAGAATCGAGAGATGCTTCCGTTTGGATGAACAGCACCGGCAGGCGGGAAGGTTGGCAGC
GTGGATGGCACGGCTACGACAACGAGCTCATGGACATGCGGGGCATCTTCCTGGCCTTCGGAC
CTGATTTCAAATCCAACCTCAGAGCTGCTCCTATCAGGTCGGTGGACGTCTACAATGTCTCATGT
GCAATGTGGTGGGCATCACCCCGCTGCCCAACAACGGATCCTGGTCCAGGGTGATGTGCATGC
TGAAGGGCCGCGCCGCACTGCCCCGCCTGTCTGGCCAGCCACTGTGCCCTGGCACTGATTC
TTCTCTTCCTGCTTGCATAACTGATCATATTGCTTGTCTCAGAAAAAACACCATCAGCAAAG
TGGGCCTCCAAAGCCAGATGATTTTCATTTTATGTGTGAATAATAGCTTCATTAACACAATCA
AGACCATGCACATTGTAAATACATTATTCTTGGATAATTCTATACATAAAAGTTCCTACTTGT
TAAA

446/615

FIGURE 442

MAVKLGTTTTLLALALGLAQPASARRKLLVFLLDGFRSDYISDEALESPLPGFKEIVSRGVKVDYL
TPDFPSLSYPNYYTLMTGRHCEVHQMIGNYMWDPTTNKSFDIGVNKDSLMLWWNGSEPLWVT
LTAKARKVYMYYPGCEVEILGVRPTYCLEYKNVPTDINFANAVSDALDSFKSGRADLAAYH
ERIDVEGHHYGPASPQRKDALKAVDTVLKYMTKWIQERGLQDRNLVIFSDHGMDIFWMDKV
IELNKYISLNDLQQVKDRGPVVS LWPAPGKHSEIYNKLSTVEHMTVYEKEAIPSRFYKKGKF
VSPLTLVADEGWFITENREMLPFWMNSTGRREGWQRGWHGYDNELMDMRGIFLAFGPDFKSNF
RAAPIRSVDVYNVMCNVVGITPLPNNGSWSRVMCMLKGRAGTAPPVWPSHCALALILLFLLA

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation sites.

amino acids 100-104, 118-122, 341-345, 404-408

N-myristoylation sites.

amino acids 148-154, 365-371

Amidation site.

amino acids 343-347

447/615

FIGURE 443

AGTGACTGCAGCCTTCCTAGATCCCCTCCACTCGGTTTCTCTCTTTGCAGGAGCACCGGCAGC
ACCAGTGTGTGAGGGGAGCAGGCAGCGGTCCCTAGCCAGTTCCTTGATCCTGCCAGACCACCCA
GCCCCCGGCACAGAGCTGCTCCACAGGCACCAATGAGGATCATGCTGCTATTACAGCCATCCT
GGCCTTCAGCCTAGCTCAGAGCTTTGGGGCTGTCTGTAAGGAGCCACAGGAGGAGGTGGTTCC
TGGCGGGGGCCGCAGCAAGAGGGATCCAGATCTCTACCAGCTGCTCCAGAGACTCTTCAAAAG
CCACTCATCTCTGGAGGGATTGCTCAAAGCCCTGAGCCAGGCTAGCACAGATCCTAAGGAATC
AACATCTCCCGAGAAACGTGACATGCATGACTTCTTTGTGGGACTTATGGGCAAGAGGAGCGT
CCAGCCAGAGGGAAAGACAGGACCTTTCTTACCTTCAGTGAGGGTTCCCTCGGCCCCCTTCATCC
CAATCAGCTTGGATCCACAGGAAAGTCTTCCCTGGGAACAGAGGAGCAGAGACCTTTATAAGA
CTCTCCTACGGATGTGAATCAAGAGAACGTCCCCAGCTTTGGCATCCTCAAGTATCCCCCGAG
AGCAGAATAGGTACTCCACTTCCGGACTCCTGGACTGCATTAGGAAGACCTCTTCCCTGTCC
CAATCCCCAGGTGCGCACGCTCCTGTTACCCCTTCTCTTCCCTGTTCTTGTAACATTCTTG TG
CTTTGACTCCTTCTCCATCTTTTCTACCTGACCCTGGTGTGGAACTGCATAGTGAATATCCC
CAACCCCAATGGGCATTGACTGTAGAATAACCTAGAGTTCCTGTAGTGTCTACATTAAAAAT
ATAATGTCTCTCTATTCTCAACAATAAAGGATTTTTGCATATGAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

448/615

FIGURE 444

MRIMLLFTAILAFSLAQSFQAVCKEPQEEVVPGGGRSKRDPDLYQLLQRLFKSHSSLEGLLKA
LSQASTDPKESTSPKRDMDHDFVGLMGKRSVQPEGKTGPFLPSVRVPRPLHPNQLGSTGKSS
LGTEEQRPL

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 36-45

N-myristoylation site.

amino acids 33-39, 59-65

Amidation site.

amino acids 90-94

Leucine zipper pattern.

amino acids 43-65

Tachykinin family signature.

amino acids 86-92

449/615

FIGURE 445

TGGACTTCTCTGGACCACAGTCCTCTGCCAGACCCCTGCCAGACCCAGTCCACCATGATCCATCTGGGTCACAT
CCTCTTCCTGCTTTTGCTCCCAGTGGCTGCAGCTCAGACGACTCCAGGAGAGAGATCATCACTCCCTGCCTTTTA
CCCTGGCACTTCAGGCTCTTGTTCCGGATGTGGGTCCCTCTCTGCCGCTCCTGGCAGGCCTCGTGGCTGCTGA
TGCGGTGGCATCGCTGCTCATCGTGGGGGCGGTGTTCTGTGCGCACGCCCACGCCGCAGCCCCGCCAAGATGG
CAAAGTCTACATCAACATGCCAGGCAGGGGGCTGACCCCTCCTGCAGCTTGGACCTTGGACTTCTGACCCTCTCATC
CTGGATGGTGTGTGGTGGCACAGGAACCCCGCCCCAACTTTGGATTGTAATAAAACAATTGAAACACCA

450/615

FIGURE 446

MIHLGHILFLLLLPVAAAQTTPGERSSLPAFYPGTSGSCSGCSLSLPLLAGLVAADAVASLLIVGAVFLCARPR
RSPAQDGKVIINMPGRG

Signal peptide:	Amino acids 1-18
transmembrane domain:	Amino acids 51-70
Glycosaminoglycan attachment site:	Amino acids 40-44
N-myristoylation sites:	Amino acids 34-40;37-43;52-58
Prokaryotic membrane lipoprotein lipid attachment site:	Amino acids 29-40

451/615

FIGURE 447

GCCAGGTGTGCAGGCCGCTCCAAGCCCAGCCTGCCCCGCTGCCGCCACCATGACGCTCCTCCC
CGGCCTCCTGTTTCTGACCTGGCTGCACACATGCCTGGCCCACCATGACCCCTCCCTCAGGGG
GCACCCCCACAGTCACGGTACCCACACTGCTACTCGGCTGAGGAACTGCCCTCGGCCAGGC
CCCCCACACCTGCTGGCTCGAGGTGCCAAGTGGGGGCAGGCTTTGCCTGTAGCCCTGGTGTC
CAGCCTGGAGGCAGCAAGCCACAGGGGGAGGCACGAGAGGCCCTCAGCTACGACCCAGTGCCC
GGTGCTGCGGCCGGAGGAGGTGTTGGAGGCAGACACCCACCAGCGCTCCATCTCACCCCTGGAG
ATACCGTGTGGACACGGATGAGGACCGCTATCCACAGAAGCTGGCCTTCGCCGAGTGCCGTGTG
CAGAGGCTGTATCGATGCACGGACGGGCCGCGAGACAGCTGCGCTCAACTCCGTGCGGCTGCT
CCAGAGCCTGCTGGTGCTGCGCCGCCGGCCCTGCTCCCGCGACGGCTCGGGGGCTCCCCACACC
TGGGGCCTTTGCCTTCCACACCGAGTTCATCCACGTCCCCGTCGGCTGCACCTGCGTGCTGCC
CCGTTCAGTGTGCACCGCCGAGGCCGTGGGGCCCCCTAGACTGGACACGTGTGCTCCCCAGAGGG
CACCCCCTATTTATGTGTATTTATTGTTATTTATATGCCTCCCCAACACTACCCTTGGGGTC
TGGGCATTCCCCGTGTCTGGAGGACAGCCCCCACTGTTCTCCTCATCTCCAGCCTCAGTAGT
TGGGGGTAGAAGGAGCTCAGCACCTCTTCCAGCCCTTAAAGCTGCAGAAAAGGTGTCACACGG
CTGCCTGTACCTTGGCTCCCTGTCTGCTCCCGGCTTCCCTTACCCTATCACTGGCCTCAGGC
CCCGCAGGCTGCCTCTTCCCAACCTCCTTGGAAGTACCCCTGTTTCTTAAACAATTATTTAAG
TGTACGTGTATTATTAAACTGATGAACACATCCCCAAA

452/615

FIGURE 448

MTLLPGLLFLTWLHTCLAHHDPSLRGHPHSHGTPHCYSAEELPLGQAPPHLLARGAKWGQALP
VALVSSLEAASHRGRHERPSATTQCPVLRPEEVLEADTHQRSISPWRVYRVDTDEDYRYPQKLAF
AECLCRGCIDARTGRETAALNSVRLQLSLLVLRRRPCSRDGSGLPTPGAFAFHTEFIHVPVGC
TCVLPRSV

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 112-121

N-myristoylation sites.

amino acids 32-38, 55-61, 133-139

Leucine zipper pattern.

amino acids 3-25

Homologous region to IL-17.

amino acids 99-195

453/615

FIGURE 449

TGCAGAGCTTGTGGAGGCCATGGGGCGCGTCGTCGCGGAGCTCGTCTCCTCGCTGCTGGGGTT
GTGGCTGTTGCTGTGCAGCTGCGGATGCCCCGAGGGCGCCGAGCTGCGTGCTCCGCCAGATAA
AATCGCGATTATTTGGAGCCGGAATTGGTGGCACTTCAGCAGCCTATTACCTGCGGCAGAAATT
TGGGAAAGATGTGAAGATAGACCTGTTTAAAAGAGAAGAGGTCGGGGGCCGCTGGCTACCAT
GATGGTGCAGGGGCAAGAATACGAGGCAGGAGGTTCTGTCATCCATCCTTTAAATCTGCACAT
GAAACGTTTTTGTCAAAGACCTGGGTCTCTGCTGTTTCAGGCCTCTGGTGGCCTACTGGGGAT
ATATAATGGAGAGACTCTGGTATTTGAGGAGAGCAACTGGTTCATAATTAACGTGATTAAATT
AGTTTGGCGCTATGGATTTCAATCCCTCCGTATGCACATGTGGGTAGAGGACGTGTTAGACAA
GTTTCATGAGGATCTACCGCTACCAGTCTCATGACTATGCCTTCAGTAGTGTCGAAAAATTACT
TCATGCTCTAGGAGGAGATGACTTCCTTGGAATGCTTAATCGAACACTTCTTGAAACCTTGCA
AAAGGCCGGCTTTTCTGAGAAGTTCCTCAATGAAATGATTGCTCCTGTTATGAGGGTCAATTA
TGGCCAAAGCACGGACATCAATGCCTTTGTGGGGGCGGTGTCACTGTCCTGTTCTGATTCTGG
CCTTTGGGCAGTAGAAGGTGGCAATAAACTTGTTTGCTCAGGGCTTCTGCAGGCATCCAAAAG
CAATCTTATATCTGGCTCAGTAATGTACATCGAGGAGAAAACAAAGACCAAGTACACAGGAAA
TCCAACAAAGATGTATGAAGTGGTCTACCAAATTGGAAGTGAAGTTCGTTTCAGACTTCTATGA
CATCGTCTTGGTGGCCACTCCGTTGAATCGAAAAATGTCGAATATTACTTTTCTCAACTTTGA
TCCTCCAATTGAGGAATTCCATCAATATTATCAACATATAGTGACAACTTTAGTTAAGGGGGA
ATTGAATACATCTATCTTTAGCTCTAGACCCATAGATAAATTTGGCCTTAATACAGTTTTAAC
CACTGATAATTCAGATTTGTTTCAATTAACAGTATTGGGATTGTGCCCTCTGTGAGAGAAAAGGA
AGATCCTGAGCCATCAACAGATGGAACATATGTTTGGGAAGATCTTTTCCAAGAACTCTTAC
TAAAGCACAAATTTTAAAGCTCTTTCTGTCTATGATTATGCTGTGAAGAAGCCATGGCTTGC
ATATCCTCACTATAAGCCCCGGAGAAATGCCCTCTATCATTCTCCATGATCGACTTTATTA
CCTCAATGGCATAGAGTGTGCAGCAAGTGCCATGGAGATGAGTGCCATTGCAGCCCACAACGC
TGCACTCCTTGCCCTATCACCGCTGGAACGGGCACACAGACATGATTGATCAGGATGGCTTATA
TGAGAACTTAAAACTGAACTATGAAGTGAACACTCCTTTTTTCCCCTCCTAGTTCCAAATGA
CTATCAGTGGCAAAAAAGAACAAAATCTGAGCAGAGATGATTTTGAACCAGATATTTTGCCAT
TATCATTTGTTTAAATAAAAGTAATCCCTGCTGGTCATAGGAAAAAAAAAAAAA

454/615

FIGURE 450

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62880
<subunit 1 of 1, 505 aa, 1 stop
<MW: 56640, pI: 6.10, NX(S/T): 4
MGRVVAELVSSLLGLWLLLCSCGCPEGAE LRAPPDKIAIIGAGIGGTS AAYYLRQKFGKDVKI
DLFEREEVGGRLATMMVQGQYEAGGSVIHPLNLHMKRFVKDLGLSAVQASGGLLGIYNGETL
VFEE SNWFIINVIKLVWRYGFQSLRMH MWVEDVLDKFMRIYRYQSHDYAFSSVEKLLHALGGD
DFLGMLNRTLLETLOKAGFSEKFLNEMIAPVMRVNYGQSTDINAFVGAVSLSCSDSGLWAVEG
GNKLVCSGLLQASKSNLISGSVMYIEEKT KTKYTGNPTKMYEVVYQIGTETRSDFYDIVLVAT
PLNRKMSNITFLNFDPPIEEFHQYYQHIVTTLVKGELNTSIFSSRPIDKFGLNTVLT TDNSDL
FINSIGIVPSVREKEDPEPSTDGTYVWKI FSQETLTKAQILKLFLSYDYAVKKPWLAYPHYKP
PEKCP SIILHDLRYLNGIECAASAMEMSAIAAHNAALLAYHRWNGHTDMIDQDGLYEKLKTEL
```

Important features:**Signal peptide:**

amino acids 1-23

N-glycosylation sites.

amino acids 196-200, 323-327, 353-357

Tyrosine kinase phosphorylation site.

amino acids 291-298

N-myristoylation sites.amino acids 23-29, 41-47, 43-49, 45-51, 46-52, 72-78, 115-121,
119-125, 260-266, 384-390, 459-465**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 12-23, 232-243

455/615

FIGURE 451

CAACCATGCAAGGACAGGGCAGGAGAAGAGGAACCTGCAAAGACATATTTTGTTCCTCAAAATGG
CATCTTACCTTTATGGAGTACTCTTTGCTGTTGGCCTCTGTGCTCCAATCTACTGTGTGTCCC
CGGCCAATGCCCCCAGTGCATACCCCGCCCTTCCTCCACAAAGAGCACCCCTGCCTCACAGG
TGTATTCCCTCAACACCGACTTTGCCTTCCGCCTATACCGCAGGCTGGTTTTGGAGACCCCGA
GTCAGAACATCTTCTTCTCCCCTGTGAGTGTCTCCACTTCCCTGGCCATGCTCTCCCTTGGGG
CCCACTCAGTCACCAAGACCCAGATTCTCCAGGGCCTGGGCTTCAACCTCACACACACACCAG
AGTCTGCCATCCACCAGGGCTTCCAGCACCTGGTTCACTCACTGACTGTTCCAGCAAAGACC
TGACCTTGAAGATGGGAAGTGCCCTCTTCGTCAAGAAGGAGCTGCAGCTGCAGGCAAATTTCT
TGGGCAATGTCAAGAGGCTGTATGAAGCAGAAGTCTTTTCTACAGATTTCTCCAACCCCTCCA
TTGCCCAGGCGAGGATCAACAGCCATGTGAAAAAGAAGACCCAAGGGAAGGTTGTAGACATAA
TCCAAGGCCCTTGACCTTCTGACGGCCATGGTTCTGGTGAATCACATTTTCTTTAAAGCCAAAGT
GGGAGAAGCCCTTTACCTTGAATATACAAGAAAGAACTTCCCATTCCTGGTGGGCGAGCAGG
TCACTGTGCAAGTCCCCATGATGCACCAGAAAGAGCAGTTTCGCTTTTGGGGTGGATACAGAGC
TGAAGTGTCTTGTGCTGCAGATGGATTACAAGGGAGATGCCGTGGCCTTCTTTGTCCTCCCTA
GCAAGGGCAAGATGAGGCAACTGGAACAGGCCTTGTGAGCCAGAACACTGATAAAGTGGAGCC
ACTCACTCCAGAAAAGGTGGATAGAGGTGTTTCATCCCCAGATTTTCCATTTCTGCCTCCTACA
ATCTGGAAACCATCCTCCCGAAGATGGGCATCCAAAATGCCTTTGACAAAAATGCTGATTTTT
CTGGAATTGCAAAGAGAGACTCCCTGCAGGTTTCTAAAGCAACCCACAAGGCTGTGCTGGATG
TCAGTGAAGAGGGCACTGAGGCCACAGCAGCTACCACCACCAAGTTCATAGTCCGATCGAAGG
ATGGTCCCTCTTACTTCACTGTCTCCTTCAATAGGACCTTCCTGATGATGATTACAAATAAAG
CCACAGACGGTATTCTCTTTCTAGGGAAAGTGGAAAATCCCACTAAATCCTAGGTGGGAAATG
GCCTGTAACTGATGGCACATTGCTAATGCACAAGAAATAACAAACCACATCCCTCTTTCTGT
TCTGAGGGTGCAATTTGACCCCAAGTGGAGCTGGATTTCGCTGGCAGGGATGCCACTTCCAAGGCT
CAATCACCAAACCATCAACAGGGACCCAGTCACAAGCCAACACCCATTAAACCCAGTCAGTG
CCCTTTTCCACAAATTTCTCCAGGTAAGTACTAGCTTCATGGGATGTTGCTGGGTTACCATATTTT
CATTCCTTGGGGCTCCCAGGAATGGAAATACGCCAACCCAGGTTAGGCACCTCTATTGCAGAA
TTACAATAACACATTCAATAAACTAAATATGAATTCAAAAAAAAAAAAAAAAAAAAAAAAAA
AA

456/615

FIGURE 452

MASYLYGVLFVAVGLCAPIYCVSPANAPSAYPRPSSTKSTPASQVYSLNTDFAFRLYRRLVLET
PSQNIFFSPVSVSTSLAMLSLGAHSVTKTQILQGLGFNLTHTPESAIHQGFQHLVHSLTVPSK
DLTLKMGSALFVKKELQLQANFLGNVKRLYEAEVFSTDFSNPSIAQARINSHVKKKTQGKVVD
IIQGLDLLTAMVLVNHIFFKAKWEKPFHLEYTRKNFPFLVGEQVTVQVPMMHQKEQFAFGVDT
ELNCFVLQMDYKGDVAFFVLPSKGKMRQLEQALSARTLIKWSHSLQKRWIEVFIPRFSISAS
YNLETILPKMGIQNAFDKNADFSGIAKRDSLQVSKATHKAVLDVSEEGTEATAATTTKFIVRS
KDGPSYFTVSFNRTFLMMITNKATDGILFLGKVENPTKS

Signal peptide:

amino acids 1-20

457/615

FIGURE 453

CTCCGGGTCCCCAGGGGCTGCGCCGGGCCGGCCTGGCAAGGGGGACGAGTCAGTGGACACTCCAGGAAGAGCGGC
CCCGCGGGGGGCGATGACCGTGCGCTGACCTGACTCACTCCAGGTCGGGAGGCGGGGGCCCCCGGGGCGACTCG
GGGGCGGACCGCGGGGCGAGCTGCCGCCCGTGAGTCCGGCCGAGCCACCTGAGCCCCGAGCCGGGACACCGTC
GCTCCTGCTCTCCGAATGCTGCGCACCGCGATGGGCCCTGAGGAGCTGGCTCGCCGCCCATGGGGCGCGCTGCCG
CCTCGGCCACCGCTGCTGCTGCTCCTGCTGCTGCTCCTGCTGCGACCGCCGCTCCGACCTGGGCGCTCAGC
CCCCGGATCAGCCTGCCTCTGGGCTCTGAAGAGCGGCCATTCTCAGATTGGAAGCTGAACACATCTCCAACCTAC
ACAGCCCTTCTGCTGAGCAGGGATGGCAGGACCCTGTACGTGGGTGCTCGAGAGGCCCTCTTTGCACTCAGTAGC
AACCTCAGCTTCTGCCAGGCGGGGAGTACCAGGAGCTGCTTTGGGGTGCAGACGAGAGAGAAACAGCAGTGC
AGCTTCAAGGGCAAGGACCCACAGCGCGACTGTCAAACTACATCAAGATCCTCCTGCCGCTCAGCGGCACTCAC
CTGTTACCTGTGGCACAGCAGCCTTACGCCCATGTGTACCTACATCAACATGGAGAATTACCCCTGGCAAGG
GACGAGAAGGGGAATGTCTCCTGGAAGATGGCAAGGGCCGTTGTCCCTTCGACCCGAATTTCAAGTCCACTGCC
CTGGTGGTTGATGGCGAGCTCTACACTGGAACAGTCAGCAGCTTCCAGGGAATGACCCGGCCATCTCGCGGAGC
CAAAGCCTTCGCCCCACCAAGACCGAGAGCTCCCTCAACTGGCTGCAAGACCCAGCTTTTGTGGCCTCAGCCTAC
ATTCCTGAGAGCCTGGGCAGCTTGAAGGCGATGATGACAAGATCTACTTTTCTTCAGCGAGACTGGCCAGGAA
TTTGAGTTCTTTGAGAACCATTGTGTCCCGCATTTGCCGCTCTGCAAGGGCGATGAGGGTGGAGAGCGGGTG
CTACAGCAGCGCTGGACCTCCTTCTCAAGGCCAGCTGCTGTGCTCACGGCCGACGATGGCTTCCCCTTCAAC
GTGCTGCAGGATGTCTTACGCTGAGCCCCAGCCCCAGGACTGGCGTGACACCTTTTCTATGGGGTCTTCACT
TCCCAGTGGCACAGGGGAACCTACAGAAGGCTCTGCCGTCTGTGCTTCACAATGAAGGATGTGCAGAGAGTCTTC
AGCGCCTCTACAAGGAGTGAACCGTGAGACACAGCAGTGGTACACCGTGACCCACCCGGTGGCCACACCCCGG
CCTGGAGCGTGATCACCACAGTGCCCGGGAAAGGAAGATCAACTCATCCCTGCAGCTCCGAGACCGCGTGCTG
AACTTCTCAAGGACACTTCTGATGGACGGGAGGTCCGAAGCCGATGCTGCTGCTGCAGCCCCAGGCTCGC
TACCAGCGGTGGCTGTACACCGCGTCCCTGGCCTGCACCACACCTACGATGTCTCTTCTGGGCACTGGTGAC
GGCCGGCTCCACAAGGCAAGTGAAGCTGGGCCCCCGGTGCACATCATTGAGGAGCTGCAGATCTTCTCATCGGA
CAGCCCGTGCAAGTCTGCTCCTGGACACCCACAGGGGCTGCTGTATGCGGCCTCACACTCGGGCGTAGTCCAG
GTGCCCATGGCCAACTGCAGCCTGTACCGGAGCTGTGGGGAAGTGCCTCCTCGCCCGGGACCCCTACTGTGCTTGG
AGCGGCTCCAGCTGCAAGCAGCTCAGCCTCTACCAGCCTCAGCTGGCCACCAGGCGTGGATCCAGGACATCGAG
GGAGCCAGCGCCAAGGACCTTTGAGCGCGTCTTGGGTTGTGTCCCGTCTTTTGTACCAACAGGGGAGAAGCCA
TGTGAGCAAGTCCAGTTCCAGCCCAACACAGTGAACACTTTGGCCTGCCCGCTCCTCTCCAACCTGGCGACCCGA
CTCTGGCTACGCAACGGGGCCCCCGTCAATGCCTCGGCCTCCTGCCAGTGCTACCCACTGGGGACCTGCTGCTG
GTGGGCACCCCAACAGCTGGGGGAGTTCCAGTGCTGGTCACTAGAGGAGGGCTTCCAGCAGCTGGTAGCCAGCTAC
TGCCCAGAGGTGGTGGAGGACGGGGTGGCAGACCAACAGATGAGGGTGGCAGTGTACCCGTATTATCAGCACA
TCGCTGTGAGTGACACAGCTGGTGGCAAGGCCAGCTGGGGTGCAGACAGGTCTACTGGAAGGAGTTCTTGGTG
ATGTGCACGCTCTTTGTGCTGGCCGTGCTGCTCCAGTTTTATTCTTGTCTTACCGGCACCGGAACAGCATGAAA
GTCTTCTGAAGCAGGGGGAATGTGCCAGCGTGACCCCAAGACCTGCCCTGTGGTGCTGCCCCCTGAGACCCGC
CCACTCAACGGCCTAGGGCCCCCTAGCACCCCGCTCGATCACCGAGGGTACCAGTCCCTGTGAGACAGCCCCCG
GGGGCCCGAGTCTTCACTGAGTCAGAGAAGAGGCCACTCAGCATCCAAGACAGCTTCGTGGAGGTATCCCCAGTG
TGCCCCCGGCCCGGGTCCGCCTTGGCTCGGAGATCCGTGACTCTGTGGTGTGAGAGCTGACTTCCAGAGGACGC
TGCCCTGGCTTACGGGGCTGTGAATGCTCGGAGAGGGTCAACTGGACCTCCCTCCGCTCTGCTCTTCTGTTGAAC
ACGACCGTGGTGCCCGGCCCTTGGGAGCCTTGGAGCCAGCTGGCCTGCTGCTCTCAGTCAAGTAGCGAAGCTCC
TACCACCCAGACACCCAAACAGCGTGGCCCCAGAGGTCTTGGCCAAATATGGGGGCTGCCTAGGTTGGTGGAA
CAGTGCTCCTTATGTAACTGAGCCCTTTGTTTAAAAAACAATTCCAAATGTGAACTAGAAATGAGAGGGAAGAG
ATAGCATGGCATGCAGCACACAGGCTGCTCCAGTTTATGGCCTCCAGGGGTGCTGGGGATGCATCCAAAGTGG
TTGTCTGAGACAGAGTTGGAACCCCTACCAACTGGCCTCTTACCTTCCACATTATCCCGCTGCCACCGGCTGC
CCTGCTCACTGCAGATTGAGGACAGCTTGGGCTGCGTGCTTTCGCTTGCAGTCAGCCGAGGATGTAGTTG
TTGCTGCCGTGCTCCACCACTCAGGGACAGAGGGCTAGGTTGGCACTGCGGCCCTCACCAGGCTCTGGGCTC
GGACCCAACTCCTGGACCTTTCAGCCTGTATCAGGCTGTGGCCACACGAGAGGACAGCGGAGCTCAGGAGAGA
TTTCTGTACAATGTACGCCCTTCCCTCAGAATTGAGGGAAGAGACTGTGCGCTGCCTTCTCCGTTGTTGCGTGA
GAACCCGTGTGCCCTTCCACCATATCCACCTCGCTCCATCTTTGAACTCAAACACGAGGAACCTGACACC
CTGGTCTCTCCCACTCCCACTTACCCCTCCATCCCTCACCTTCTTCACTCTAAGGGATATCAACACTGCCC
AGCACAGGGGCCCTGAATTTATGTGGTTTTTATACATTTTTTAATAAGATGCACCTTATGTCATTTTTAAATAA
GTCTGAAGAATTACTTTTAAAAAATAA

458/615

FIGURE 454

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA67962
><subunit 1 of 1, 837 aa, 1 stop
><MW: 92750, pI: 7.04, NX(S/T): 6
MLRTAMGLRSWLAAPWGALPPRPPLLLLLLLLLLLLLLQPPPTWALSPRISLPLGSEERPFLRFE
AEHISNYTALLLSRDGRTLYVGAREALFALSSNLSFLPGGEYQELLWGADAEKKQQCSFKGKD
PQRDCQNYIKILLPLSGSHLFTCGTAAFSMPCTYINMENFTLARDEKGNVLLEDGKGRCPPDP
NFKSTALVVDGELYTGTVSSFQGNDAISRSQSLRPTKTESSLNWLQDPAFVASAYIPESLGS
LQGDDDKIYFFFSETGQEFFEFFENTIVSRIARICKGDEGGERVLQQRWTSFLKAQLLCSRDD
GFPFNVLQDVFTLSPSPQDWRDTLFYGVFTSQWHRGTTEGSAVCVFTMKDVQRVFSGLYKEVN
RETQQWYTVTHPVPTPRPGACITNSARERKINSSLQLPDRVLNFLKDHFLMDGQVRSRMLLLQ
PQARYQRVAVHRVPGLHHTYDVLFLGTGDGRLHKAVSVGPRVHIIIEELQIFSSGQPVQNLLLD
THRGLLYAASHSGVVQVPMANCSLYRSCGDCLLARDPYCAWSGSSCKHVSlyQPQLATRPWIQ
DIEGASAKDLCSASSVSPSFVPTGKPCQVQFQPNVTNLTACPLLSNLATRLWLRNGAPVN
ASASCHVLPTGDLVLVGTQQLGEFQCWSLEEGFQQLVASYCPEVVEDGVADQTDGGSVPVII
STSRVSAPAGGKASWGADRSYWKEFLVMCTLFVLAVLLPVLFLLYRHRNSMKVFLKQGECAV
HPKTCPVVLPPEPTRPLNGLGPPSTPLDHRGYQSLSDSPPGARVFTESEKRPLSIQDSFVEVSP
VCPRPRVRLGSEIRDSV
```

Transmembrane domains:

amino acids 23-46 (type II), 718-738

459/615

FIGURE 455

TAAGATGAGGGCATCCCTCACGTTACACCCCCTGGTGGCATCTGCCAGCCCTGTTCTGGGGAC
AAGGCGGGCTTTCGTGGGAGCCATGCTCAGCCTGCCAGGAAGCCAAGCCCTACAGTGCAGAGG
AAACAGAATTTCAACGGGAAGCTGGTTTGCCTTCATACCATTTGGGATCTGCTGGTAAAGCTGTT
ATTTGGGTTTAGGGACTGATCCCTTGCACTTTACTTCTGGATCACCATGAATGGCCAAGATGG
TGGCAGAACACGCTGTGGACCCTGAGTTAGAGACAATGCAAATGTTGGATTGGGTGTAATTCT
TTTTGAATCCCAGATCCAGTCTGTACTTGAATATGAGCAGAAGATCTACAAGAATGCTGACAG
GGAACCGTGTTAAGACCCAGCACCCCTATTCCCAGGAGCTTCTGGCCTGACCATCTGCAGCCA
AAGCACTAACAGGGACAGATATGGGAATGTCCACCTTTGATCCGCATCCTGCACAATAGTGGT
CCCACCATGGCTGCCACTTTTTTATACTATTTGGAGAAAAGACCTTGTATAAATTCGAGGCCC
GAGTGACTAACGTCTCTGTACACGGAAATGGGTACTTGGTGGCATAGAGAAACACAATTAGC
CACTTTTTTCAGCTACACTTCTCACTCAGCTGCACCCCTACACTTCTCACTCAGGTGCACCCCT
TCTGCTGTCTTTCCCAACGTACTGGGTCCCGAGCGTGGTGGGTATTTGCCACACTGGGTGC
CAGCTCAGCAGCCCCCACCTCTCTTTATTCTCTCCAAAGCTGGTCTTTCTGACTATCATTGT
GGTAGGGGGAGGACAGATGCTAAAGGTGGAAGCTGACCTGGAGAAAGAGACACACGGGGTGAC
TGTGGCAAAGGACAGCTGGAAAAGAACTCTATCACTTCTTCATTGGCAACCACAAGGCACCC
GAGGCCATGGCACTCCCAGAGGCTGTGCGCAGAGCCAAGCCTCTCAACCTCTTCTGGCCCTGC
GTCCTGCAGCGAAGTCTCTGCTGTAAGACAGTAGACTCCTTCGATGAGGTGCTCAAAAATGCT
ACCCGGGGTGGTGGTGTCTGGCTTGCAGTCTGGCCAGTTTCAGAGAAAGTTGCAGAGATCAGGG
GCCAAGGATGTCATAGCCCCAGGTTGTCCTCAGGGTCCCAATCCTAGGGCAGGGTGTGCATGG
AAGCAAGAACTATGGAAACCTAGCTCCAGTCTGCAGGCTCTGAGCCCTAGTTCTCTCACTCCA
GCGGGGCTCCCTCACTGCACAGAACCCACCCCTTCTGTGTGGGCACTGCTGACCACACAGATG
ACCCAGACCCAAAGAGCCTGGCAGAAGCTCTGTGGTTGGAGCTGGGCTCCGTCTCCAGGTCTG
GTTCAAGGGGATCAGGAAGGCTCTTTTCCACCTGTGGCTTCACTGGCCCTTTGAGATTCCTA
TCTCACCGTTACTTCAGTTACCCCTGCAGGGGGCCAGGGAGTCAAGAATATACCGTGTTCCTC
CAGGGTTTAAGCCGGCCATGCCTTCCCGAGAGCATAACCAACTTGACAGGGGTGCCAGTTAC
CCCACAACTGAAGGAAGGAGATCCTTCCCCCGTCCCCAGGAGTGCTCTCAACCAGCCTCAGA
AAGCTTGAGAAGATGGACCCTTTGCCCACCAGGGTTAATTCCTGGTGGGGCAGCTCGGCTGTG
ATCAGGGCAACCAAACCTATAGGAAGCCTTCCAGTGTGAGCTGGAATTAGACTGAACATGTGC
TTGGGCCTGCCTCTCCCTAGACGCAGTTGCGGGGCACTCCAGGGAATGAACCAGCTCAAGTGT
GTCCCTAACAGCAGCCTGGAGCTACCCCCAATCCCTCACAGCCTGACCTCCTCATTCCATCA
GATCTCGTGCCG

460/615

FIGURE 456

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA69555
><subunit 1 of 1, 148 aa, 1 stop
><MW: 16214, pI: 10.22, NX(S/T): 0

MGTWWHRETQLATFSATLLTQLHPTLLTQVHPLLLSFPQRTGSRWWVFATLGASSAAPH
LSLFSPKLVFLTIIVVGGGQMLKVEADLEKETHGVTVAKDSWKRNSITSSLATTRHPRPW
HSQRLCAEPSLSTSSGPASCSEVSAVRQ

Important features of the protein:**Signal peptide:**

Amino acids 1-28

Transmembrane domain:

Amino acids 64-78

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 103-107

N-myristoylation sites:

Amino acids 53-59;94-100

461/615

FIGURE 457

CCCGCGCGCCCCCTGGCACTCAATCCCCGCCATGTGGGGGCTCCTGCTCGCCCTGGCCGCCTTC
GCGCCGGCCGTCGCCCCGGCTCTGGGGGCGCCAGGAACTCGGTGCTGGGCCTCGCGCAGCCC
GGGACCACCAAGGTCCCAGGCTCGACCCCGGCCCTGCATAGCAGCCGGCACAGCCGCCGGCG
GAGACAGCTAACGGGACCTCAGAACAGCATGTCCGGATTTCGAGTCATCAAGAAGAAAAAGGTC
ATTATGAAGAAGCGGAAGAAGCTAACTCTAACTCGCCCCACCCCACTGGTGACTGCCGGGCCC
CTTGTGACCCCCACTCCAGCAGGGACCCTCGACCCCGCTGAGAAACAAGAAACAGGCTGTCTT
CCTTTGGGTCTGGAGTCCCTGCGAGTTTCAGATAGCCGGCTTGAGGCATCCAGCAGCCAGTCC
TTTGGTCTTGGACCACACCGAGGACGGCTCAACATTTCATTTCAGGCCTGGAGGACGGCGATCTA
TATGATGGAGCCTGGTGTGCTGAGGAGCAGGACGCCGATCCATGGTTTCAGGTGGACGCTGGG
CACCCACCCGCTTCTCGGGTGTTATCACACAGGGCAGGAACCTCTGTCTGGAGGTATGACTGG
GTCACATCATACAAGGTCCAGTTCAGCAATGACAGTCGGACCTGGTGGGGAAGTAGGAACCAC
AGCAGTGGGATGGACGCAGTATTTCTTGCCAATTCAGACCCAGAACTCCAGTGCTGAACCTC
CTGCCGGAGCCCCAGGTGGCCCGCTTCATTGCGCTGCTGCCCCAGACCTGGCTCCAGGGAGGC
GCGCCTTGCCCTCCGGGCAGAGATCCTGGCCTGCCAGTCTCAGACCCCAATGACCTATTCCTT
GAGGCCCCCTGCGTCGGGATCCTCTGACCCTCTAGACTTTTCAGCATCACAAATTACAAGGCCATG
AGGAAGCTGATGAAGCAGGTACAAGAGCAATGCCCAACATCACCCGCATCTACAGCATTGGG
AAGAGCTACCAGGGCCTGAAGCTGTATGTGATGGAAATGTGGACAAGCCTGGGGAGCATGAG
CTGGGGGAGCCTGAGGTGCGCTACGTGGCTGGCATGCATGGGAACGAGGCCCTGGGGCGGGAG
TTGCTTCTGCTCCTGATGCAGTTCCTGTGCCATGAGTTCCTGCGAGGGAACCCACGGGTGACC
CGGCTCTCTCTGAGATGCGCATTACCTGCTGCCCTCCATGAACCCTGATGGCTATGAGATC
GCCTACCACCGGGTTTCAGAGCTGGTGGGCTGGGCCGAGGGCCGCTGGAACAACACAGAGATC
GATCTTAACCATAAATTTTGCTGACCTCAACACACAGCTGTGGGAAGCACAGGACGATGGGAAG
GTGCCCCACATCGTCCCCAACCATCACCTGCCATTGCCCACTTACTACACCCTGCCCAATGCC
ACCGTGGCTCCTGAAACGCGGGCAGTAATCAAGTGGATGAAGCGGATCCCCTTTGTGCTAAGT
GCCAACCTCCACGGGGGTGAGCTCGTGGTGTCTTACCCATTCGACATGACTCGCACCCCGTGG
GCTGCCCCGCGAGCTCACGCCCCACACCAGATGATGCTGTGTTTCGCTGGCTCAGCACTGTCTAT
GCTGGCAGTAATCTGGCCATGCAGGACACCAGCCGCCGACCCTGCCACAGCCAGGACTTCTCC
GTGCACGGCAACATCATCAACGGGGCTGACTGGCACACGGTCCCCGGGAGCATGAATGACTTC
AGCTACCTACACACCAACTGCTTTGAGGTCACTGTGGAGCTGTCTGTGACAAGTTCCCTCAC
GAGAATGAATTGCCCCAGGAGTGGGAGAACAAAGACGCCCTCCTCACCTACCTGGAGCAG
GTGCGCATGGGCATTGCAGGAGTGGTGAGGGACAAGGACACGGAGCTTGGGATTGCTGACGCT
GTCATTGCCGTGGATGGGATTAACCATGACGTGACCACGGCGTGGGGCGGGGATTATTGGCGT
CTGCTGACCCCAAGGGGACTACATGGTGACTGCCAGTGCCGAGGGCTACCATTTCAGTGACACGG
AACTGTGCGGTACCTTTGAAGAGGGCCCCCTTCCCCTGCAATTTTCGTGCTACCAAGACTCCC
AAACAGAGGCTGCGCGAGCTGCTGGCAGCTGGGGCCAAGGTGCCCCCGGACCTTCGCAGGCGC
CTGGAGCGGCTAAGGGGACAGAAGGATTGATACCTGCGGTTTAAGAGCCCTAGGGCAGGCTGG
ACCTGTCAAGACGGGAAGGGGAAGAGTAGAGAGGGAGGGACAAAGTGAGGAAAAGGTGCTCAT
TAAAGCTACCGGGCACCTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

462/615

FIGURE 458

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71162
><subunit 1 of 1, 734 aa, 1 stop
><MW: 81677, pI: 6.60; NX(S/T): 6
MWGLLLALAAFAPAVGPALGAPRNSVLGLAQPGTTKVPGSTPALHSSPAQPPAETANGTS
EQHVRIIRVIKKKKVIMKKRKKLTLTRPTPLVTAGPLVTPTAGTLDPAEKQETGCPPLGL
ESLRVSDSRLEASSSQSFGLGPHRGRLNIHSGLEDGDLYDGAWCAEEQDADPWFQVDAGH
PTRFSGVITQGRNSVWRYDWVTSYKVQFSNDSRTWWGSRNHSSGMDAVFPANSDPETPVL
NLLPEPQVARFIRLLPQTLWLQGGAPCLRAEILACPVSDPNDLFLEAPASGSSDPLDFQHH
NYKAMRKLMKQVQEQCPNITRIYSIGKSYQGLKLYVMEMSDKPGHEHELGEPEVRYVAGMH
GNEALGRELLLLLMQFLCHEFLRGNPRVTRLLSEMRIHLLPSMNPDGYEIAHYHRGSELVG
WAEGRWNNQSIDLNHNFADLNTPLWEAQDDGKVPPIVPHHLPLPTYYTLPNATVAPETR
AVIKWMKRIPFVLSANLHGGEVLVSYPFDMTRTPWAARELTPTPDDAVFRWLSTVYAGSN
LAMQDTSRRPCHSQDFSVHGNIINGADWHTVPGSMNDFSYLHTNCFEVTVELSCDKFPHE
NELPQEWENNKDALLTYLEQVRMGIAGVVRDKDTLGIADAVIAVDGINHDVTTAWGGDY
WRLLTTPGDYMTASAEQYHSVTRNCRVTFEEGFFPCNFVLTKTPKQRLRELLAAGAKVPP
DLRRRLERLRGQKD
```

463/615

FIGURE 459

TAAAACAGCTACAATATTCCAGGGCCAGTCACTTGCCATTTCTCATAACAGCGTCAGAGAGAA
AGAACTGACTGAAACGTTTGAGATGAAGAAAGTTCTCCTCCTGATCACAGCCATCTTGGCAGT
GGCTGTTGGTTTCCCAGTCTCTCAAGACCAGGAACGAGAAAAAAGAAGTATCAGTGACAGCGA
TGAATTAGCTTCAGGGTTTTTTGTGTTCCCTTACCCATATCCATTTGCCCCACTTCCACCAAT
TCCATTTCCAAGATTTCCATGGTTTAGACGTAATTTTCCTATTCCAATACCTGAATCTGCCCC
TACAACTCCCCCTTCCTAGCGAAAAGTAAACAAGAAGGATAAGTCACGATAAACCTGGTCACCT
GAAATTGAAATTGAGCCACTTCCTTGAAGAATCAAATTCCTGTTAATAAAAGAAAAACAAAT
GTAATTGAAATAGCACACAGCATTCTCTAGTCAATATCTTTAGTGATCTTCTTTAATAAACAT
GAAAGCAAAGATTTTGGTTTCTTAATTTCCACA

464/615

FIGURE 460

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71290
><subunit 1 of 1, 85 aa, 1 stop
><MW: 9700, pI: 9.55, NX(S/T): 0
MKKVLLLLITAILAVAVGFVPSQDQEREKRSISDSDELASGFFVFPYPYPFRPLPPIPFPRFPW
FRRNFPIPIPIESAPTTPLPSEK
```

Important features of the protein:**Signal peptide:**

amino acids 1-17

Homologous region to B3-hordein:

amino acids 47-85

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-glycosylation sites:

Amino acids 57-61;210-214;220-224;318-322;428-432;472-476

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 80-84

N-myristoylation sites:Amino acids 3-9;20-29;39-48;152-161;161-170;262-271;358-364;
538-544;560-566;637-643**Zinc carboxypeptidases, zinc-binding region 2 signature:**

Amino acids 498-509

Zinc carboxypeptidases:

Amino acids 391-411

465/615

FIGURE 461

AGCAGGAGCAGGAGAGGGGACAATGGAAGCTGCCCCGTCCAGGTTTCATGTTCTCTTATTTCTC
CTCACGTGTGAGCTGGCTGCAGAAGTTGCTGCAGAAGTTGAGAAATCCTCAGATGGTCTTGGT
GCTGCCCAGGAACCCACGTGGCTCACAGATGTCCCAGCTGCCATGGAATTCATTGCTGCCACT
GAGGTGGCTGTCATAGGCTTCTTCCAGGATTTAGAAATACCAGCAGTGCCCATACTCCATAGC
ATGGTGCAAAAATTCCCAGGCGTGTCAATTTGGGATCAGCACTGATTCTGAGGTTCTGACACAC
TACAACATCACTGGGAACACCATCTGCCTCTTTCGCCTGGTAGACAATGAACAACCTGAATTTA
GAGGACGAAGACATTGAAAGCATTGATGCCACCAAATTGAGCCGTTTCATTGAGATCAACAGC
CTCCACATGGTGACAGAGTACAACCCGTGACTGTGATTGGGTTATTCAACAGCGTAATTCAG
ATTCATCTCCTCCTGATAATGAACAAGGCCTCCCCAGAGTATGAAGAGAACATGCACAGATAC
CAGAAGGCAGCCAAGCTCTTCCAGGGGAAGATTCTCTTTATTCTGGTGGACAGTGGTATGAAA
GAAAATGGGAAGGTGATATCATTTTTCAAATAAAGGAGTCTCAACTGCCAGCTTTGGCAATT
TACCAGACTCTAGATGACGAGTGGGATACACTGCCACAGCAGAAAGTTCCGTAGAGCATGTG
CAAACTTTTGTGATGGATTCTTAAGTGGAAAATTGTTGAAAGAAAATCGTGAATCAGAAGGA
AAGACTCCAAAGGTGGAACCTTGAACCTTCTCCTTGGAACCTACATATGGCCAAGTATCTACTTTA
TGCAAAGTAAAAAGGCACAACCTCAAATCTCAGAGACACTAAACAACAGGATCACTAGGCCTGC
CAACCACACACACACGCACGTGCACACACGCACGCACGCGTGCACACACACACGCGCACACAC
ACACACACACAGAGCTTCATTTCTGTCTTAAATCTCGTTTTCTCTTCTTCTTCTTTTAAA
TTTCATATCCTCACTCCCTATCCAATTTCTTCTTATCGTGCATTCTACTCTGTAAAGCCCAT
CTGTAAACACACCTAGATCAAGGCTTTAAGAGACTCACTGTGATGCCTCTATGAAAGAGAGGCA
TTCCTAGAGAAAGATTGTTCCAATTTGTCAATTTAATATCAAGTTTGTATACTGCACATGACTT
ACACACAACATAGTTCTTCTCTTTTAAAGGTTACCTAAGGGTTGAAACTCTACCTTCTTTTCA
AAGCACATGTCCGTCTCTGACTCAGGATCAAAAACCAAAGGATGGTTTTAAACACCTTTGTGA
AATTGTCTTTTTGCCAGAAGTTAAAGGCTGTCTCCAAGTCCCTGAACTCAGCAGAAATAGACC
ATGTGAAAACCTCCATGCTTGGTTAGCATCTCCAACCTCCCTATGTAAATCAACAACCTGCATAA
TAAATAAAAGGCAATCATGTTATA

466/615

FIGURE 462

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76401
><subunit 1 of 1, 273 aa, 1 stop
><MW: 30480, pI: 4.60, NX(S/T): 1
MEAAPSRFMFLFLLTCELAAEVAAEVEKSSDGPAAQEPTWLTDPAAAMEFIAATEVAVIGF
FQDLEIPAVPILHSMVQKFPVSGISTDSEVLTHYNITGNTICLFRDVDNEQLNLEDEDIES
IDATKLSRFIEINSLHMTVEYNPVTVIGLFNSVIQIHLLIMNKASPEYEENMHRYQKAALF
QGKILFILVDSGMKENGKVISFFKLKESQLPALAIYQTLDDWDTLPTAEVSVQNFCDGF
LSGKLLKENRESEGKTPKVEL
```

Signal peptide:
amino acids 1-20

Transmembrane domain:
amino acids 143-162

467/615

FIGURE 463

CTCGCTTCTTCCTTCTGGATGGGGGCCCAGGGGGCCCAGGAGAGTATAAAGGCGATGTGGAGG
GTGCCCCGGCACAACCAGACGCCCAGTCACAGGCGAGAGCCCTGGGATGCACCGGCCAGAGGCC
ATGCTGCTGCTGCTCACGCTTGCCCTCCTGGGGGGCCCCACCTGGGCAGGGAAGATGTATGGC
CCTGGAGGAGGCAAGTATTTTCAGCACCACTGAAGACTACGACCATGAAATCACAGGGCTGCGG
GTGTCTGTAGGTCTTCTCCTGGTGAAAAGTGTCCAGGTGAAACTTGGAGACTCCTGGGACGTG
AAACTGGGAGCCTTAGGTGGGAATACCCAGGAAGTCACCCTGCAGCCAGGCGAATACATCACA
AAAGTCTTTGTGCGCTTCCAAGCTTTCCTCCGGGGTATGGTCATGTACACCAGCAAGGACCGC
TATTTCTATTTTGGGAAGCTTGATGGCCAGATCTCCTCTGCCTACCCCAGCCAAGAGGGGCAG
GTGCTGGTGGGCATCTATGGCCAGTATCAACTCCTTGGCATCAAGAGCATTGGCTTTGAATGG
AATTATCCACTAGAGGAGCCGACCACTGAGCCACCAGTTAATCTCACATACTCAGCAAACCTCA
CCCGTGGGTCGCTTAGGGTGGGGTATGGGGCCATCCGAGCTGAGGCCATCTGTGTGGTGGTGGC
TGATGGTACTGGAGTAACTGAGTCGGGACGCTGAATCTGAATCCACCAATAAATAAAGCTTCT
GCAGAAAA

468/615

FIGURE 464

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76541
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19600, pI: 5.89, NX(S/T): 1
MHRPEAMLLLLTLALLGGPTWAGKMYGPGGGKYFSTTEDYDHEITGLRVSVGLLLVKSQVVKL
GDSWDVKLGALGGNTQEVTLQPGYITKVFVAFQAFLRGMVMYTSKDRYFYFGKLDGQISSAY
PSQEGQVLVGIYGQYQLLGIKSIGFEWNYPLEEPTTEPPVNLTYSANSPVGR
```

Signal peptide:
amino acids 1-22

469/615

FIGURE 465

CGGACGCGTGGGTCCGGCGGCCTGAGGCTGCACCGGGCAGGGTCCGGCCGAATCCAGCCTGGGCGGAGCCGGAG
TTGCGAGCCGCTGCCTAGAGGCCGAGGAGCTCACAGCTATGGGCTGGAGGCCCGGAGAGCTCGGGGGACCCCGT
TGCTGCTGCTGCTACTACTGCTGCTGCTCTGGCCAGTGCCAGGCGCCGGGGTGCTTCAAGGACATATCCCTGGGC
AGCCAGTCACCCCGCACTGGGTCTGGATGGACAACCCTGGCGCACCGTCAGCCTGGAGGAGCCGGTCTCGAAGC
CAGACATGGGGCTGGTGGCCCTGGAGGCTGAAGGCCAGGAGCTCCTGCTTGAGCTGGAGAAGAACCACAGGCTGC
TGGCCCCAGGATACATAGAAACCCACTACGGCCCAGATGGGCAGCCAGTGGTGTGGCCCCCAACCACACGGATC
ATTGCCACTACCAAGGGCGAGTAAGGGGCTTCCCCGACTCCTGGGTAGTCCTCTGCACCTGCTCTGGGATGAGTG
GCCTGATCACCTCAGCAGGAATGCCAGCTATTATCTGCGTCCCTGGCCACCCCGGGGCTCCAAGGACTTCTCAA
CCCACGAGATCTTTGCGATGGAGCAGCTGCTCACCTGGAAAGGAACCTGTGGCCACAGGGATCCTGGGAACAAAG
CGGGCATGACCAGCCTTCTGGTGGTCCCCAGAGCAGGGGCGAGGCGAGAAGCGCGCAGGACCCGGAAGTACCTGG
AACTGTACATTGTGGCAGACCACACCCTGTTCTTGACTCGGCACCGAACTTGAACCACACCAAACAGCGTCTCC
TGGAAGTCGCCAACTACGTGGACAGCTTCTCAGGACTCTGGACATTAGGTGGCGCTGACCGGCCTGGAGGTGT
GGACCGAGCGGGACCGCAGCCGCTCAGCAGGACGCCAACGCCACGCTCTGGGCCTTCTGCACTGGCGCCGGG
GGCTGTGGGCGCAGCGGCCACGACTCCGCGCAGCTGCTCACGGGCCGCGCTTCCAGGGCGCCACAGTGGGCC
TGGCGCCCTCGAGGGCATGTGCGCGCCGAGAGCTCGGGAGGCGGTGAGCACGGACCACTCGGAGCTCCCCATCG
GCGCCGACGCCACCATGGCCCATGAGATCGGCCACAGCCTCGGCCTCAGCCACGACCCCGACGGCTGCTGCGTGG
AGGCTGCGGCCGAGTCCGGAGGCTGCGTCATGGCTGCGGCCACCGGCGACCCGTTTCCGCGCGTGTTCAGCGCT
GCAGCCGCGCCAGCTGCGCGCTTCTTCCGCAAGGGGGGCGGCGCTTGCCCTCTCAATGCCCGGAGCCCGGAC
TCCCGGTGCGCCCGCGCTCTGCGGGAACGGCTTCGTGGAAGCGGGCGAGGAGTGTGACTGCGGCCCTGGCCAGG
AGTGCCCGGACCTCTGCTGCTTTGCTCACAACCTGCTCGCTGCGCCCGGGGGCCAGTGCGCCACGGGGACTGCT
GCGTGCCTGCTGCTGAAGCCGGCTGGAGCGCTGTGCCGCCAGGCCATGGGTGACTGTGACCTCCCTGAGTTTT
GCACGGGCACCTCCTCCACTGTCCCCAGACGTTTACCTACTGGACGGCTCACCTGTGCCAGGGGCGAGTGGCT
ACTGCTGGGATGGCGCATGTCCCACGCTGGAGCAGCAGTGCCAGCAGCTCTGGGGGCTGGCTCCCACCCAGCTC
CCGAGGCCTGTTTCCAGGTGGTGAACCTCTGCGGGAGATGCTCATGGAACCTGCGGCCAGGACAGCGAGGGCCACT
TCCTGCCCTGTGCAGGGAGGGATGCCCTGTGTGGGAAGCTGCAGTGCCAGGGTGGAAGCCACGCTGCTCGCAC
CGCACATGGTGCCAGTGGACTCTACCGTTCACCTAGATGGCCAGGAAGTGAATTGTGCGGGGAGCCTTGGCACTCC
CCAGTGCCAGCTGGACCTGCTTGGCCTGGGCTGGTAGAGCCAGGCACCCAGTGTGGACCTAGAATGGTGTGCC
AGAGCAGGCGCTGCAGGAAGATGCCTTCCAGGAGCTTCAGCGCTGCTGACTGCCTGCCACAGCCACGGGGTTT
GCAATAGCAACCATAACTGCCACTGTGCTCCAGGCTGGGCTCCACCCCTCTGTGACAAGCCAGGCTTTGGTGGCA
GCATGGACAGTGGCCCTGTGCAGGCTGAAAACCATGACACCTTCTGCTGCCCCATGCTCCTCAGCGTCTGTGCTG
CTCTGCTCCCAGGGGCGGCCCTGGCCTGGTGTGCTACCGACTCCCAGGAGCCATCTGCAGCGATGCAGCTGGG
GCTGCAGAAGGGACCTGCGTGCAGTGGCCCCAAAGATGGCCACACAGGGACCAACCCCTGGGCGGCGTTTACC
CCATGGAGTTGGGCCCCACAGCCACTGGACAGCCCTGGCCCTGGACCTGAGAACTCTCATGAGCCAGCAGCC
ACCCTGAGAAGCCTCTGCCAGCAGTCTCGCTGACCCCCAAGCAGATCAAGTCCAGATGCCAAGATCCTGCCTCT
GGTGAGAGGTAGCTCCTAAATGAACAGATTTAAAGACAGGTGGCCACTGACAGCCACTCCAGGAACCTGAACCTG
CAGGGGCAGAGCCAGTGAATCACCGGACCTCCAGCAGCTGCAGGAGCTTGGAAAGTTTCTTCCCCGAGTGGAGCT
TCGACCCACCCACTCCAGGAACCCAGAGCCACATTAGAAGTTCTTGAGGGCTGGAGAACACTGCTTGGGCACACT
CTCCAGCTCAATAAACCATCAGTCCCAGAAGCAAAGGTACACAGCCCTGACCTCCCTCACCAGTGGAGGCTGG
GTAGTGCTGGCCATCCCAAAAGGGCTCTGTCTGGGAGTCTGGTGTGCTCTCTACATGCAATTTCCACGGACCCA
GCTCTGTGGAGGGCATGACTGCTGGCCAGAAGCTAGTGGTCTGGGGCCCTATGGTTCGACTGAGTCCACACTCC
CCTGCAGCCTGGCTGGCTTCTGCAACAAACATAATTTTGGGGACCTTCTTCTGTTTCTTCCCACCCCTGTCTT
CTCCCCTAGGTGGTTCTGAGCCCCCACCCTAATCCAGTGCTACACCTGAGGTTCTGGAGCTCAGAATCTGAC
AGCTCTCCCCATTCTGTGTGTGTCCGGGGGACAGAGGGAACCATTTAAGAAAAGATACCAAAGTAGAAGTCAA
AAGAAAACATGTTGGCTATAGGCGTGGTGGCTCATGCCTATAATCCCAGCACTTTGGGAAGCCGGGGTAGGAGG
ATCACCAGAGGCCAGCAGGTCCACACCAGCCTGGGCAACACAGCAAGACACCGCATCTACAGAAAAATTTAAAA
TTAGCTGGGCGTGGTGGTGTGTACCTGTAGGCTAGCTGCTCAGGAGGCTGAAGCAGGAGGATCACTTGAGCCTG
AGTTCAACACTGCAGTGAGCTATGGTGGCACCCTGCACTCCAGCCTGGGTGACAGAGCAAGACCCTGTCTCTAA
AATAAATTTTAAAGGACTTAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAA

470/615

FIGURE 466

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76788

><subunit 1 of 1, 813 aa, 1 stop

><MW: 87739, pI: 6.94, NX(S/T): 5

MGWRPRRARGTPLL LLLLLLLLLLWPVPGAGVLQGHIPGQPVTPHWVLDGQPWRTVSL EEPVSKPDMGLVALEAEGQ
ELLLELEKNHRL LAPGYIETHYGPDGQPVVLAPNHTDHCHYQGRVRGFPDSWVVLCTCSGMSGLITLSRNASYYL
RPWPPRGSKDFSTHEIFRMEQLLTWKGT CGHRDPGNKAGMTSLPGGPQSRGRREARRTRKYLELYIVADHTLFLT
RHRNLNHTKORLLEVANYVDQLLRTLDIQVALTGLEVWTERDRSRVTQDANATLWAFLOWRRGLWAQRPHDSAQL
LTGRAFQGATVGLAPVEGMCRAESSGGVSTDHSELPIGAAATMAHEIGHSLGLSHDPDGCCVEAAAESGGCVMAA
ATGHPFPRVFSACSRRLRAFFRKGGGACLSNAPDPGLPVPPALCGNGFVEAGEECDGPGQECDLCCFAHNCS
LRPGAQCAHGDCCVRCLLKPAGALCRQAMGDCDLPEFCTGTSSHCPPDVYLLDGSPCARGSGYCWDGACPTLEQQ
CQQLWGP GSHPAPEACFQV VNSAGDAHGNCGQDSEGHFLPCAGRDALCGKLQCGGKPSLLAPHMVPVDSTVHLD
GQEVTCRGALALPSAQLDLLGLGLVEPGTQC GPRMVCQSRRCRKNAFQELQRCLTACHSHGVCNSNHNCHCAPGW
APPFCDKPGFGGSMDSGPVQAENHDTFLLAMLLSVLLPLLPAGLAWCCYRLPGAHLQRCSWGCCRDPACSGPKD
GPHRDHPLGGVHPMELGPTATGQPWPLDPENSHEPSSHPEKPLPAVSPDPQADQVQMPRSLW

Important features of the protein:**Signal peptide:**

Amino acids 1-27

Transmembrane domain:

Amino acids 702-720

N-glycosylation sites:

Amino acids 109-113;145-149;231-235;276-280;448-452

Tyrosine kinase phosphorylation site:

Amino acids 236-244

N-myristoylation sites:

Amino acids 29-35;185-191;195-201;308-314;318-324;326-332;338-344;370-376;
400-406;402-408;454-460;504-510;510-516;517-523;580-586;
601-607;661-667;687-693;717-723;719-725

Amidation site:

Amino acids 200-204

Neutral zinc metalloproteinases, zinc-binding region signature:

Amino acids 342-352

472/615

FIGURE 468

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77623
><subunit 1 of 1, 97 aa, 1 stop
><MW: 10160, pI: 6.56, NX(S/T): 0
MQLGTGLLLAAVLSLQLAAAEAIWCHQCTGFGGCSHGSRCLRDSTHCVTTATRVLSNTEDLPL
VTKMCHIGCPDIPSLGLGPYYSIACCQTSLCNHD
```

Important features of the protein:**Signal peptide:**

amino acids 1-20

N-myristoylation sites.

amino acids 6-11 and 33-38

Prokaryotic membrane lipoprotein lipid attachment sites.

amino acids 24-34 and 78-88

473/615

FIGURE 469

CATGGAGCCTCTTGCAGCTTACCCGCTAAAATGTTCCGGGCCCCAGAGCAAAGGTATTTGCAGT
TTTGCTGTCTATAGTTCTATGCACAGTAACGCTATTTCTTCTACAACATAAAATTCCTCAAACC
TAAAATCAACAGCTTTTATGCCTTTGAAGTGAAGGATGCAAAAGGAAGAACTGTTTCTCTGGA
AAAGTATAAAGGCAAAGTTTCACTAGTTGTAAACGTGGCCAGTGAAGTCCAACTCACAGACAG
AAATTACTTAGGGCTGAAGGAAGTGCACAAAGAGTTTGGACCATCCCACTTCAGCGTGTTGGC
TTTTCCCTGCAATCAGTTTGGAGAATCGGAGCCCCGCCCAAGCAAGGAAGTAGAATCTTTTGC
AAGAAAAAACTACGGAGTAAGTTTCCCCATCTTCCACAAGATTAAGATTCTAGGATCTGAAGG
AGAACCTGCATTTAGATTTCTTGTTGATTCTTCAAAGAAGGAACCAAGGTGGAATTTTGGAA
GTATCTTGTCAACCCTGAGGGTCAAGTTGTGAAGTTCTGGAGGCCAGAGGAGCCCATTTGAAGT
CATCAGGCCTGACATAGCAGCTCTGGTTAGACAAGTGATCATAAAAAAGAAAGAGGATCTATAG
AGAATGCCATTGCGTTTCTAATAGAACAGAGAAATGTCTCCATGAGGGTTTGGTCTCATTTTA
AACATTTTTTTTTTGGAGACAGTGTCTCACTCTGTCAACCCAGGCTGGAGTGCAGTAGTGCGTT
CTCAGCTCATTGCAACCTCTGCCTTTTTTAAACATGCTATTAAATGTGGCAATGAAGGATTTTT
TTTTAATGTTATCTTGCTATTAAAGTGGTAATGAATGTTCCCAGGATGAGGATGTTACCCAAAG
CAAAAATCAAGAGTAGCCAAAGAATCAACATGAAATATATTAAGTACTTCCTCTGACCATACT
AAAGAATTCAGAATACACAGTGACCAATGTGCCTCAATATCTTATTGTTCAACTTGACATTTT
CTAGGACTGTACTTGATGAAAATGCCAACACACTAGACCACTCTTTGGATTCAAGAGCACTGT
GTATGACTGAAATTTCTGGAATAACTGTAAATGGTTATGTTAATGGAATAAACACAAAATGTT
GAAAAATGTAAATATATATACATAGATTCAAATCCTTATATATGTATGCTTGTTTTGTGTAC
AGGATTTTGTTTTTTCTTTTTAAGTACAGGTTCCTAGTGTTTTACTATAACTGTCATATGTA
TGTAAGTACATATATAAATAGTCATTTATAAATGACCGTATTATAACATTTGAAAAAGTCTT
CATCAAAAAAAAAAAAAA

474/615

FIGURE 470

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA80136
><subunit 1 of 1, 209 aa, 1 stop
><MW: 23909, pI: 9.68, NX(S/T): 0
MEPLAAYPLKCSGPRAKVFAVLLSIVLCTVTLFLLQLKFLKPKINSFYAFEVKDAKGRTVSLE
KYKGKVSLLVNVASDCQLTDRNYLGLKELHKEFGPSHFVLAFFPCNQFGESEPRPSKEVESFA
RKNYGVTFPFIHFKIKILGSEGEPAFRFLVDSSKKEPRWNFWKYLVNPEGQVVKFWRPEEPIEV
IRPDIAALVRQVVIKKKEDL
```

Important features of the protein:

Signal peptide:

amino acids 1-31

Glutathione peroxidases signature 2.

amino acids 104-112

Glutathione peroxidases.

amino acids 57-82

475/615

FIGURE 471

GCCCTAACCTTCCCAGGGCTCAGCTCTTTGGAGCTGCCATTCTCCGGCTGCGAGAAAGGACGCGGCCCTGCG
TCGGGCGAAGAAAAGAAGCAAACTTGTGCGGGAGGGTTTCGTCAATCAACCTCCTTCCCGCAAACCTAAACCTCCT
GCCGGGGCCATCCCTAGACAGAGGAAAGTTCCCTGCAGAGCCGACCAGCCCTAGTGGATCTGGGGCAGGCAGCGGC
GCTGGCTGTGGAATTAGATCTGTTTGAACCCAGTGGAGCGCATCGCTGGGGCTCGGAAGTCACCGTCCGCGGGC
ACCGGGTTGGCGCTGCCGAGTGGAAACGACAGTTTGCAGGCCTCGGCTGCAAGTGGCCTCTCCTCCCCGCGGTT
GTTGTTCAGTGTGCGGTGAGGGCTGCGAGTGTGGCAAGTTGCAAAGAGAGCCTCAGAGGTCCGAAGAGCGCTGCG
CTCCTACTCGCGTTCGCTTCTTCTCCTCTCGGTTCCCTACTGTGAAATCGCAGCGACATTTACAAAGGCCTCCG
GGTCTACCGAGACCGATCCGCGAGCGTTTGGCCCGGTGCTGCCTATTGCATCGGGAGCCCCCGAGCACCGGCGAA
GGACTGGCGGGTGGGGTAGGGAGGTGGCGGGCGGGCAGTGGCGAGGTTCCCGAAGGCCGACCTGGCCGCTGCAGG
AGTTATGTTACTTTGCCACTTCTTACGGACCAAGTTTCAGTTGCGCCGATGGGAAACCCGGAGACCAAAATCCTTGA
TTGGCAGTATGGAGTTACTCAGGCCTTCCCTCACACAGAGGAGGAGGTGGAAGTTGATTACACGCGTACAGCCA
CAGGTGGAAAAGAACTTGGACTTTCTCAAGCGGTAGACACGAACCGAGCAAGCGTCGGCCAAGACTCTCCTGA
GCCAGAAGCTTACAGACCTGCTGCTGGATGATGGGCAGGACAATAACACTCAGATCGAGGAGGATACAGACCA
CAATTACTATATATCTCGAATATATGGTCCATCTGATTCTGCCAGCCGGGATTTATGGGTGAACATAGACCAAAT
GGAAAAAGATAAAAGTGAAGATTGATGGAATATTGTCCAATACTCATCGGCAAGCTGCAAGAGTGAATCTGTCTCT
CGATTTTCCATTTTATGGCCACTTCTACGTGAAATCACTGTGGCAACCGGGGGTTTCATATACACTGGAGAAGT
CGTACATCGAATGCTAACAGCCACACAGTACATAGCACCTTTAATGGCAAATTTGATCCAGTGTATCCAGAAA
TTCAACTGTCAGATATTTTGATAATGGCACAGCACTTGTGGTCCAGTGGGACCATGTACATCTCCAGGATAATTA
TAACCTGGGAAGCTTCACATTCAGGCAACCTGCTCATGGATGGACGAATCATCTTTGGATACAAAGAAATTC
TGTCTTGGTCACACAGATAAGTTCAACCAATCATCCAGTGAAAGTGGAGTGTCCGATGCATTTGTCTGTGTC
CAGGATCCAACAAATTCCTAATGTTGGAAGAAGACAATTTATGAATACCACCGAGTAGAGCTACAAATGTCAA
AATTACCAACATTTGCGCTGTGGAGATGACCCCATACCCACATGCCTCCAGTTTAACAGATGTGGCCCTGTGT
ATCTTCTCAGATTGGCTTCAACTGCAGTTGGTGTAGTAAACTTCAAAGATGTTCCAGTGGATTTGATCGTCATCG
GCAGGACTGGGTGGACAGTGGATGCCCTGAAGAGTCAAAAGAGAAGATGTGTGAGAATACAGAACCAGTGGAAAC
TTCTTCTCGAACCACCACAACCGTAGGAGCGACAACCACCCAGTTCAGGGTCCCTAACTACCACCAGAAGAGCAGT
GACTTCTCAGTTTCCCACCAGCCTCCCTACAGAAGATGATACCAAGATAGCACTACATCTAAAAGATAATGGAGC
TTCTACAGATGACAGTGCAGCTGAGAAGAAAGGGGGAACCCCTCCACGCTGGCCTCATCATTGGAATCCTCATCCT
GGTCTCATTTGTAGCCACAGCCATTCTTGTGACAGTCTATATGTATCACCACCCAACATCAGCAGCCAGCATCTT
CTTTATTGAGAGACGCCAAGCAGATGGCCTGCGATGAAGTTTAGAAGAGGCTCTGGACATCCTGCCTATGCTGA
AGTTGAACCAAGTTGGAGAGAAAGAAGGCTTTATTGTATCAGAGCAGTGCTAAATTTCTAGGACAGAACAACACC
AGTACTGGTTTACAGGTGTTAAGACTAAAATTTTGCTATACCTTTAAGACAAACAAACAAACACACACACAAAC
AAGCTCTAAGCTGCTGTAGCCTGAAGAAGACAAGATTTCTGGACAAGCTCAGCCCAGGAACAAAGGGTAAACAA
AAAATAAACTTATACAAGATACCATTTACACTGAACATAGAATCCCTAGTGAATGTCATCTATAGTTCACT
CGGAACATCTCCCGTGGACTTATCTGAAGTATGACAAGATTATAATGCTTTTGGCTTAGGTGCAGGGTTGCAAAG
GGATCAGAAAAAAAATCATAATAAAGCTTTAGTTCATGAGGG

476/615

FIGURE 472

MARFPKADLAAAGVMLLCHFFTDQFQFADGKPGDQILDWQYGVTOAFPHTEEEVEVD SHAYSH
RWKRNLDFLKAVDTNRASVGQDSPEPRSFTDLLDDGQDNNTQIEEDTDHNYIISRIYGPSDS
ASRDLWVNIDQMEKDKVKIHGILSNTHRQAARVNLSFDFPFYGHFLREITVATGGFIYTGEVV
HRMLTATQYIAPLMANFDPSVSRNSTVRYFDNGTALVVQWDHVLQDNYNLGSFTFQATLLMD
GRIIFGYKEIPVLVTQISSTNHPVKVGLSDAFVVVHRIQQIPNVRRTIYEHYRVELQMSKIT
NISAVEMTPLPTCLQFNRCGPCVSSQIGFNCSWCSKLQRCSSGFDRHRQDWVDSGCPEESKEK
MCENTEPVETSSRTTTTGVGATTTQFRVLTTTTRAVTSQFPTSLPTEDDTKIALHLKDNGASTD
DSAAEKKGGTLHAGLIIGILILVLIVATAILVTVYMYHHPTSAASIFFIERRPSRWPAMKFRR
GSGHPAYAEVEPVGEKEGFIVSEQC

Important features of the protein:**Transmembrane domain:**

amino acids 454-478

N-glycosylation sites.

amino acids 103-107, 160-164, 213-217, 221-225, 316-320, 345-349

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 297-301, 492-496, 503-507

N-myristoylation sites.amino acids 42-48, 100-106, 147-153, 279-285, 397-403, 450-456,
455-461

477/615

FIGURE 473

CGCGGAGCCCTGCGCTGGGAGGTGCACGGTGTGCACGCTGGACTGGACCCCCATGCAACCCCG
CGCCCTGCGCCTTAACCAGGACTGCTCCGCGCGCCCTGAGCCTCGGGCTCCGGCCCCGGACCT
GCAGCCTCCCAGGTGGCTGGGAAGAACTCTCCAACAATAAATACATTTGATAAGAAAGATGGC
TTTAAAAGTGCTACTAGAACAAAGAGAAAACGTTTTTCACTCTTTTAGTATTACTAGGCTATTT
GTCATGTAAAGTGACTTGTGAATCAGGAGACTGTAGACAGCAAGAATTCAGGGATCGGTCTGG
AAACTGTGTTCCCTGCAACCAGTGTGGGCCAGGCATGGAGTTGTCTAAGGAATGTGGCTTCGGC
TATGGGGAGGATGCACAGTGTGTGACGTGCCGGCTGCACAGGTTCAAGGAGGACTGGGGCTTC
CAGAAATGCAAGCCCTGTCTGGACTGCGCAGTGGTGAACCGCTTTCAGAAGGCAAATTGTTCA
GCCACCAGTGATGCCATCTGCGGGGACTGCTTGCCAGGATTTTATAGGAAGACGAAACTTGTC
GGCTTTCAAGACATGGAGTGTGTGCCCTTGTGGAGACCCTCCTCCTCCTTACGAACCGCACTGT
GCCAGCAAGGTCAACCTCGTGAAGATCGCGTCCACGGCCTCCAGCCCACGGGACACGGCGCTG
GCTGCCGTTATCTGCAGCGCTCTGGCCACCGTCTGCTGGCCCTGCTCATCCTCTGTGTCAATC
TATTGTAAGAGACAGTTTTATGGAGAAGAAACCCAGCTGGTCTCTGCGGTGCGAGGACATTAG
TACAACGGCTCTGAGCTGTCTGTGTTTTGACAGACCTCAGCTCCACGAATATGCCACAGAGCC
TGCTGCCAGTGCCGCCGTGACTCAGTGCAGACCTGCGGGCCGGTGCGCTTGCTCCCATCCATG
TGCTGTGAGGAGGCCTGCAGCCCCAACCCGGCGACTCTTGGTTGTGGGGTGCAATCTGCAGCC
AGTCTTCAGGCAAGAAACGCAGGCCACGCCGGGAGATGGTGCCGACTTTCTTCGGATCCCTC
ACGCAGTCCATCTGTGGCGAGTTTTAGATGCCTGGCCTCTGATGCAGAATCCCATGGGTGGT
GACAACATCTCTTTTTGTGACTCTTATCCTGAACTCACTGGAGAAGACATTATCTCTCAAT
CCAGAACTTGAAAGCTCAACGTCTTTGGATTCAAATAGCAGTCAAGATTTGGTTGGTGGGGCT
GTTCCAGTCCAGTCTCATTCTGAAAACCTTTACAGCAGCTACTGATTTATCTAGATATAACAAC
ACACTGGTAGAATCAGCATCAACTCAGGATGCACTAACTATGAGAAGCCAGCTAGATCAGGAG
AGTGGCGCTGTATCCACCCAGCCACTCAGACGTCCCTCCAGGAAGCTTAAAGAACCTGCTTC
TTTCTGCAGTAGAAGCGTGTGCTGGAACCCAAAGAGTACTCCTTTGTTAGGCTTATGGACTGA
GCAGTCTGGACCTTGCAATGGCTTCTGGGGCAAAAATAAATCTGAACCAAACCTGACGGCATTG
AAGCCTTTCAGCCAGTTGCTTCTGAGCCAGACCAGCTGTAAGCTGAAACCTCAATGAATAACA
AGAAAAGACTCCAGGCCGACTCATGATACTCTGCATCTTTCCTACATGAGAAGCTTCTCTGCCAC
AAAAGTGACTTCAAAGACTGATGGGTTGAGCTGGCAGCCTATGAGATTGTGGACATATAACAA
GAAACAGAAATGCCCTCATGCTTATTTCTATGTTGATTTGTGGTTTTACAAGACTGAAGACCCA
GAGTATATTTTTCTTCCAGAAATAATTTACACGCCCTATGAAATATCAGATAAATTAACCT
TAGCTTTTATGTAGAATGGGTTCAAAGTGAGTGTCTTCTATTTGAGAAGGACACTTTTTTCATC
ATCTAAACTGATTTCGCATAGGTGGTTAGAATGGCCCTCATATTGCCTGCCTAAATCTTGGGTT
TATTAGATGAAGTTTACTGAATCAGAGGAATCAGACAGAGGAGGATAGCTCTTTCCAGAATCC
ACACTTCTGACCTCAGCCTCGGTCTCATGAACACCCGCTGATCTCAGGAGAACACCTGGGCTA
GGGAATGTGGTCGAGAAAGGGCAGCCCATGCCCAGAATTAACACATATTGTAGAGACTTGTA
TGCAAAGGTTGGCATATTTATATGAAAATTAGTTGCTATAGAAACATTTGTTGCATCTGTCCC
TCTGCCTGAGCTTAGAAGGTTATAGAAAAGGGTATTTATAAACATAAATGACCTTTTACTTG
CATTGTATCTTATACTAAAGGCTTTAGAAATTACAACATATCAGGTTCCCCTACTACTGAAGT
AGCCTTCCGTGAGAACACACCACATGTTAGGACTAGAAGAAAATGCACAATTTGTAGGGGTTT
GGATGAAGCAGCTGTAACGCCCCTAGTGTAGTTTGACCAGGACATTGTCGTGCTCCTTCCAAT
TGTGTAAGATTAGTTAGCACATCATCTCCTACTTTAGCCATCCGGTGTGGATTTAAGAGGAC
GGTGCTTCTTTCTATTAAAGTGCTCCATCCCCTACCATCTACACATTAGCATTGTCTCTAGAG
CTAAGACAGAAATTAACCCCGTTCAGTCACAAAGCAGGGAATGGTTCATTTACTCTTAATCTT
TATGCCCTGGAGAAGACCTACTTGAACAGGGCATATTTTTTTAGACTTCTGAACATCAGTATGT
TCGAGGCTACTATGATATTTTTGGTTTGAATTGCCCTGCCCAAGTCACTGTCTTTAACTTTT
AACTGAATATTAATAATGTATCTGTCTTCCCT

478/615

FIGURE 474

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA84210
><subunit 1 of 1, 417 aa, 1 stop
><MW: 45305, pI: 5.12, NX(S/T): 6
MALKVLLLEQEKTFFTLLVLLGYLSCKVTCESGDCRQQEFRDRSGNCVPCNQCGPGMELSK
ECGFGYGEDAQCVCRLHRFKEDWGFQCKPCLDCAVVNRFOKANCSATSDAICGDCLPG
FYRKTKLVGFQDMECVPCGDP PPPPYEPHCASKVNLVKIASTASSPRDTALAAVICSALAT
VLLALLILCVIYCKRQFMKKPSWSLSRQDIQYNGSELSCFDRPQLHEYAHRACCQCRRD
SVQTCGPVRLLPSCCEEACSPNPATLGCQGVHSAASLQARNAGPAGEVMVPTFFGSLTQSI
CGEFSDAWPLMQNPMGGDNISFCDSYPELTGEDIHSLNPELESSTSLDSNSSQDLVGGAV
PVQSHSENFTAATDLSRYNNTLVESASTQDALTMRSQLDQESGAVIHPATQTSLQEA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

Transmembrane domain:

Amino acids 169-192

N-glycosylation sites:

Amino acids 105-109;214-218;319-323;350-354;368-372;379-383

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 200-204;238-242

Tyrosine kinase phosphorylation site:

Amino acids 207-214

N-myristoylation sites:

Amino acids 55-61;215-221;270-276

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 259-270

TNFR/NGFR family cysteine-rich region proteins:

Amino acids 89-96

479/615

FIGURE 475

AGCCAGGCAGCACATCACAGCGGGAGGAGCTGTCCCAGGTGGCCCAGCTCAGCAATGGCAATG
GGGGTCCCCAGAGTCATTCTGCTCTGCCTCTTTGGGGCTGCGCTCTGCCTGACAGGGTCCCAA
GCCCTGCAGTGCTACAGCTTTGAGCACACCTACTTTGGCCCCCTTTGACCTCAGGGCCATGAAG
CTGCCCAGCATCTCCTGTCCTCATGAGTGCTTTGAGGCTATCCTGTCTCTGGACACCGGGTAT
CGCGCGCCGGTGACCCTGGTGCGGAAGGGCTGCTGGACCGGGCCTCCTGCGGGCCAGACGCAA
TCGAACCCGGACGCGCTGCCGCCAGACTACTCGGTGGTGCGCGGCTGCACAACCTGACAAATGC
AACGCCCACCTCATGACTCATGACGCCCTCCCCAACCTGAGCCAAGCACCCGACCCGCCGACG
CTCAGCGGCGCCGAGTGCTACGCCTGTATCGGGGTCCACCAGGATGACTGCGCTATCGGCAGG
TCCCGACGAGTCCAGTGTCACCAGGACCAGACCGCCTGCTTCCAGGGCAGTGGCAGAATGACA
GTTGGCAATTTCTCAGTCCCTGTGTACATCAGAACCTGCCACCGGCCCTCCTGCACCACCGAG
GGCACCACCAGCCCCTGGACAGCCATCGACCTCCAGGGCTCCTGCTGTGAGGGGTACCTCTGC
AACAGGAAATCCATGACCCAGCCCTTCACCAGTGCTTCAGCCACCACCCCTCCCCGAGCACTA
CAGGTCCTGGCCCTGCTCCTCCCAGTCCTCCTGCTGGTGGGGCTCTCAGCATAGACCGCCCCT
CCAGGATGCTGGGGACAGGGCTCACACACCTCATTCTTGCTGCTTCAGCCCCTATCACATAGC
TCACTGGAAAATGATGTTAAAGTAAGAATTGCAAAA

480/615

FIGURE 476

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA86576
><subunit 1 of 1, 251 aa, 1 stop
><MW: 26935, pI: 7.42, NX(S/T): 2
MAMGVPRVILLCLFGAALCLTGSQALQCYSFEHTYFGPFDLRAMKLPSISCPHECFEAILSLD
TGYRAPVTLVRKGCWTGPPAGQTQSNPDALPPDYSVVRGCTTDKCNAHLMTHDALPNLSQAPD
PPTLSGAECYACIGVHQDDCAIGRSRRVQCHQDQTACFQGSGRMTVGNFSVPVYIIRTCHRPSC
TTEGTTSPWTAIDLQSCCEGYLCNRKSMTQPF TSASATTPPRALQVLALLLPVLLLVLGLSA
```

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 233-251

N-glycosylation sites.

amino acids 120-124, 174-178

N-myristoylation sites.

amino acids 15-21, 84-90

481/615

FIGURE 477

CCCACGCGTCCGGGACAGATGAACTTAAAAGAGAAGCTTTAGCTGCCAAAGATTGGGAAAGGGAAAGGACAAAA
AGACCCCTGGGCTACACGGCGTAGGTGCAGGGTTTCTACTGCTGTTCTTTTATGCTGGGAGCTGTGGCTGTAAC
CAACTAGGAAATAACGTATGCAGCAGCTATGGCTGTGAGAGATTGTGCTTCCCAAGACAAAGGCAAGTCCTGTT
TCTTTTTCTTTTTTGGGGAGTGTCCTTGGCAGGTTCTGGGTTTGGACGTTATTCGGTGACTGAGGAAACAGAGAA
AGGATCCTTTGTGGTCAATCTGGCAAAGGATCTGGGACTAGCAGAGGGGGAGCTGGCTGCAAGGGGAACAGGGT
GGTTCCGATGATAACAAACAATACCTGCTCCTGGATTACATACCGGGAATTTGCTCACAAATGAGAACTGGA
CCGAGAGAAGCTGTGTGGCCCTAAAGAGCCCTGTATGCTGTATTTCCAAATTTTAAATGGATGATCCCTTTTCAGAT
TTACCGGGCTGAGCTGAGAGTCAGGGATATAAATGATCACGCGCCAGTATTTTCAGGACAAAGAAACAGTCTTAAA
AATATCAGAAAATACAGCTGAAGGGACAGCATTTAGACTAGAAAGAGCACAGGATCCAGATGGAGGACTTAACGG
TATCCAAAACCTACACGATCAGCCCCAACTCTTTTTTCCATATTAACATTAGTGGCGGTGATGAAGGCATGATATA
TCCAGAGCTAGTGTTGGACAAAGCACTGGATCGGGAGGAGCAGGGAGAGCTCAGCTTAACCCCTCACAGCGCTGGA
TGGTGGGTCTCCATCCAGGTCTGGGACCTCTACTGTACGCATCGTTGCTTGGACGTCAATGACAATGCCCCACA
GTTTGCCAGGCTCTGTATGAGACCCAGGCTCCAGAAAACAGCCCCATTGGGTTCCTTATTGTTAAGGTATGGGC
AGAAGATGTAGACTCTGGAGTCAACGCGGAAGTATCCTATTCAATTTTTGATGCCTCAGAAAATATTTCGAACGAC
CTTTCAAATCAATCCTTTTTCTGGGGAAATCTTTCTCAGAGAATTGCTTGATTATGAGTTAGTAAATTCTTACAA
AATAATATACAGGCAATGGACGGTGGAGGCCCTTCTGCAAGATGTAGGGTTTTAGTGGAAGTATTGGACACCAA
TGACAATCCCCCTGAAGTATCGTATCATCATTTTCCAACTCTGTTGCTGAGAATTCCTCTGAGACGCCGCTGGC
TGTTTTTAAGATTAATGACAGAGACTCTGGAGAAAATGGAAGATGGTTTTGCTACATTCAGAGAATCTGCCATT
CCTACTAAAACCTTCTGTGGAGAATTTTACATCCTAATTACAGAAGGCGCGCTGGACAGAGAGATCAGAGCCGA
GTACAACATCACTATCACCGTCACTGACTTGGGGACACCCAGGCTGAAAACCGAGCACACATAACGGTCTGGT
CTCCGACGTCAATGACAACGCCCCCGCCTTACCCAAACCTCCTACACCCTGTTGCTCCGCGAGAACAACAGCCC
CGCCCTGCACATCGGCAGCGTCAGCGCCACAGACAGAGACTCGGGCACCAACGCCAGGTCACCTACTCGCTGCT
GCCGCCCAAGACCCGCACCTGCCCTCGCCTCCCTGGTCTCCATCAACGCGGACAACGGCCACCTGTTTCGCCCT
CAGGTGCGTGGACTACGAGGCCCTGCAGGCTTTCGAGTTCGCGTGGGCGCCACAGACCGCGGCTCCCCCGCGCT
GAGCAGAGAGGCGCTGCTGCGCGTGTGTTGCTGGACGCCAACGACAACCTCGCCCTTCGTGCTGTACCCGCTGCA
GAACGGCTCCGCGCCCTGCACCGAGCTGGTCCCCGGGCGGCGGAGCCGGGCTACCTGGTGACCAAGGTGGTGGC
GGTGGACGGCGACTCGGGCCAGAACGCTGGCTGTGCTACCAGCTGCTCAAGGCCACGAGCCCGGGCTGTTTCGG
TGTGTGGGCGCACAATGGGAGGTGCGCACCGCCAGGCTGCTGAGCGAGCGCGACGCAGCCAAGCACAGGCTCGT
GGTGCTTGTCAAGGACAATGGCGAGCCTCCTCGCTCGGCCACCGCCACGCTGCACCTGCTCCTGGTGGACGGCTT
CTCCAGCCCTACCTGCCTCTCCCGAGGCGGCCCCGGGCCAGGCCAGGCCGAGGCCGAGGCGGACTTGCTCACCGCTA
CCTGGTGGTGGCGTTGGCCTCGGTGTCTTCGCTCTTCTCCTCTCGGTGCTCCTGTTTCGTGGCGGTGCGGCTGTG
CAGGAGGAGCAGGGCGGCTCGGTGGGTGCTGCTCGGTGCCGAGGGTCTTTTCCAGGGCATCTGGTGGACGT
GAGGGGCGCTGAGACCTGTCCCAGAGCTACCAGTATGAGGTGTGCTGACGGGAGGCCCCGGGACCAAGTGAAGTT
CAAGTTCCTGAAACAGTTATTTCCGATATTACAGGCACAGGGCCCTGGGAGGAAGGGTGAAGAAAATTCACCTT
CCGAAATAGCTTTGGATTTAATATTCAAGTCTGTTTTAGTTTTCATATACTTTTGGTGTGTTACATAGCCA
TGTTTCTATTAGTTTACTTTTTAAATCTCAAATTTAAGTTATTATGCAACTTCAAGCATTTATTTTCAAGTAGTATA
CCCCTGTGGTTTTACAATGTTTCATCATTTTTTGCATTAAATAACAACCTGGGTTTAAATTAATGAGTATTTTTT
CTAAATGATAGTGTTAAGGTTTTAATTTCTTTCCAACTGCCAAGGAATTAATTACTATTATATCTCATTCAGAA
ATCTGAGGTTTTGATTCATTTAGAGCTTGCATCTCATGATTCTAATCACTTCTGTCTATAGTGTACTTGTCTA
TTTAAGAAGGCATATCTACATTTCCAACTCATTCTAACATTCTATATATTCGTGTTTGAACCATGTCATTTA
TTTCTACATCATGTATTTAAAAAGAAATATTTCTCTACTACTATGCTCATGACAAAATGAAACAAAGCATATTGT
GAGCAATACTGAACATCAATAATACCCTTAGTTTATATACTTATTATTTTATCTTTAAGCATGCTACTTTTACTT
GGCCAATATTTTCTTATGTTAACTTTTGTGATGTATAAAACAGACTATGCCTTATAATTGAAATAAAATTATAA
TCTGCCTGAAAATGAATAAAAAATAAACATTTTGAATGTGAAAAAATAAAAAAAAAAAAAAAAAA

482/615

FIGURE 478

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA87976
><subunit 1 of 1, 800 aa, 1 stop
><MW: 87621, pI: 4.77, NX(S/T): 7
MAVRELCFPRQRQVLFLEFLFWGVS LAGSGFG RYSVTEET EKGSFVVNLAKDLGLAEGELAARG
TRVVSDDNKQYLLLLDSHTGNLLTNEKLDREKLCGPKEPCMLYFQILMDDPFQIYRAELRVRDI
NDHAPVFQDKETVLKISENTAEGTAFRLERAQDPDGG LNGIQNYTISPNSFFHINISGGDEGM
IYPELVLDKALDREEQGELS LTLTALDGGSPSRSGTSTVRIVVLDVNDNAPQFAQALYETQAP
ENSPIGFLIVKVWAEDVD SGVNAEVSYSFFDASENIRTTTFQINPFSGEIFLRELLDYELVNSY
KINIQAMDGGGLSARCRVLVEVLD TNNDNPPELIVSSFSNSVAENSPETPLAVFKINDRDSGEN
GKMVCYIQENLPFLLKPSVENFYILITEGALDREIRA EYNITITVTDLGTPRLKTEHNITVLV
SDVNDNAPAFQTQTSYTLFVRENNSPALHIGSVSATDRDSGTNAQVTYSLLPPQDPHLPLASLV
SINADNGHLFALRSLDYEALQAFEF RVGATDRGSPALSREALVRVLVLDANDNSPFVLYPLQN
GSAPCTELVPRAAEPGYLVTKVVAVDGDSGQNAWLSYQLLKATEPGLFGVWAHNGEVRTARLL
SERDAAKHRLVVLVKDNGEPPRSATATLHLLLVDGFSQP YLPLPEAAPAQAEADLLTVYLV
VALASVSSLFLLSVLLFVAVRLCRRSRAASVGRCSVPEGPFPGHLVDVRGAETLSQSYQYEV C
LTGGPGTSEFKFLKPVISDIQAQGPGRKGEENSTFRNSFGFNIQ
```

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 687-711

N-glycosylation sites.

amino acids 169-173, 181-185, 418-422, 436-440, 567-571, 788-792

Glycosaminoglycan attachment site.

amino acids 28-32

Tyrosine kinase phosphorylation sites.

amino acids 394-402, 578-585

N-myristoylation sites.amino acids 22-28, 27-33, 53-59, 82-88, 162-168, 184-190,
217-223, 324-330, 325-331, 471-477, 568-574, 759-765**Amidation site.**

amino acids 781-785

Aminoacyl-transfer RNA synthetases class-II signature 1.

amino acids 117-138

Cadherins extracellular repeated domain signature.

amino acids 121-132, 230-241, 335-346, 439-450, 549-560

483/615

FIGURE 479

CTCGGCTGGATTTAAGGTTGCCGCTAGCCGCCTGGGAATTTAAGGGACCCACACTACCTTCCC
GAAGTTGAAGGCAAGCGGTGATTGTTTGTAGACGGCGCTTTGTCAATGGGACCTGTGCGGTTGG
GAATATTGCTTTTCCTTTTTTTGGCCGTGCACGAGGCTTGGGCTGGGATGTTGAAGGAGGAGG
ACGATGACACAGAACGCTTGCCCAGCAAATGCCAAGTGTGTAAGCTGCTGAGCACAGAGCTAC
AGGCGGAACCTGAGTCGCACCGGTGCATCTCGAGAGGTGCTGGAGCTGGGGCAGGTGCTGGATA
CAGGCAAGAGGAAGAGACACGTGCCTTACAGCGTTTTAGAGACAAGGCTGGAAGAGGCCCTTAG
AGAATTTATGTGAGCGGATCCTGGACTATAGTGTTCACGCTGAGCGCAAGGGCTCACTGAGAT
ATGCCAAGGGTCAGAGTCAGACCATGGCAACACTGAAAGGCCTAGTGCAGAAGGGGGTGAAGG
TGGATCTGGGGATCCCTCTGGAGCTTTGGGATGAGCCAGCGTGGAGGTACATACCTCAAGA
AGCAGTGTGAGACCATGTTGGAGGAGTTTGAAGACATTGTGGGAGACTGGTACTTCCACCATC
AGGAGCAGCCCCCTACAAAATTTCTCTGTGAAGGTCATGTGCTCCCAGCTGCTGAAACTGCAT
GTCTACAGGAACTTGGACTGGAAAGGAGATCACAGATGGGGAAGAGAAAACAGAAGGGGAGG
AAGAGCAGGAGGAGGAGGAGGAAGAGGAGGAAGAGGAAGGGGGAGACAAGATGACCAAGACAG
GAAGCCACCCCAAACCTTGACCGAGAAGATCTTTGACCCTTGCCTTTGAGCCCCCAGGAGGGGA
AGGGATCATGGAGAGCCCTCTAAAGCCTGCACCTCTCCCTGCTCCACAGCTTTCAGGGTGTGTT
TATGAGTGACTCCACCCAAGCTTGTAGCTGTTCTCTCCCATCTAACCTCAGGCAAGATCCTGG
TGAAACAGCATGACATGGCTTCTGGGGTGGAGGGTGGGGGTGGAGGTCTGCTCCTAGAGATG
AACTCTATCCAGCCCCTTAATTGGCAGGTGTATGTGCTGACAGTACTGAAAGCTTTCCTCTTT
AACTGATCCCACCCCAACCAAAAGTCAGCAGTGGCACTGGAGCTGTGGGCTTTGGGGAAGTC
ACTTAGCTCCTTAAGGTCTGTTTTTAGACCCTTCCAAGGAAGAGGCCAGAACGGACATTCTCT
GCGATCTATATACATTGCCTGTATCCAGGAGGCTACACACCAGCAAACCGTGAAGGAGAATGG
GACACTGGGTCATGGCCTGGAGTTGCTGATAATTTAGGTGGGATAGATACTTGGTCTACTTAA
GCTCAATGTAACCCAGAGCCCACCATATAGTTTTATAGGTGCTCAACTTTCTATATCGCTATT
AAACTTTTTTCTTTTTTCTA

484/615

FIGURE 480

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92256
><subunit 1 of 1, 248 aa, 1 stop
><MW: 28310, pI: 4.63, NX(S/T): 0
MGPVRLGILLFLFLAVHEAWAGMLKEEDDDTERLPSKCEVCKLLSTELQAELSRTGRSREVLE
LGQVLDTGKRKRHVPYSVSETRLEEALENLCERILDYSVHAERKGSRLRYAKGQSQTMATLKGL
VQKGVKVDLGIPLELWDEPSVEVTYLKKQCETMLEEFEDIVGDWYFHHQEQLQNFLCEGHVL
PAAETACLOETWTGKEITDGEKTEGEEEQEEEEEEEEEGGDKMTKTGSHPKLDREDL
```

Important features of the protein:

Signal peptide:

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 106-110

N-myristoylation site.

amino acids 115-121

Amidation site.

amino acids 70-74

485/615

FIGURE 481

GGCGTGTCGAAGGCGGGGTCCGGCCCCGCGCAGGTTCGGGTAAGCGCGTCTAGGGCGCTGCGCGG
CGCAGCGAAAAATGGCGGCTTCCAGGTGGGCGCGCAAGGCCGTGGTCCTGCTTTGTGCCTCTGA
CCTGCTGCTGCTGCTGCTACTGCTACCACCGCCTGGGTCTGCGCGGCCGAAGGCTCGCCCGG
GACGCCCCGACGAGTCTACCCACCTCCCCGGAAGAAGAAGGATATTCGCGATTACAATGA
TGCAGACATGGCGCGTCTTCTGGAGCAATGGGAGAAAGATGATGACATTGAAGAAGGAGATCT
TCCAGAGCACAAAGAGACCTTCAGCACCTGTCGACTTCTCAAAGATAGACCCAAGCAAGCCTGA
AAGCATATTGAAAATGACGAAAAAAGGGAAGACTCTCATGATGTTTGTCACTGTATCAGGAAG
CCCTACTGAGAAGGAGACAGAGGAAATTACGAGCCTCTGGCAGGGCAGCCTTTTCAATGCCAA
CTATGACGTCCAGAGGTTTCATTGTGGGATCAGACCGTGCTATCTTCATGCTTCGCGATGGGAG
CTACGCCTGGGAGATCAAGGACTTTTTTGGTCGGTCAAGACAGGTGTGCTGATGTAACCTCTGGA
GGGCCAGGTGTACCCCGGCAAAGGAGGAGGAAGCAAAGAGAAAAATAAAACAAAGCAAGACAA
GGGCAAAAAAAGAAGGAAGGAGATCTGAAATCTCGGTCTTCCAAGGAAGAAAATCGAGCTGG
GAATAAAAGAGAAAGACCTGTGATGGGGCAGCAGTGACGCGCTGTGGGGGGACAGGTGGACGTG
GAGAGCTCTTTGCCAGCTCCTGGGGTGGGAGTGGTCTCAGGCAACTGCACACCGGATGACAT
TCTAGTGTCTTCTAGAAAGGGTCTGCCACATGACCAGTTTGTGGTCAAAGAATTACTGCTTAA
TAGGCTTCAAGTAAGAAGACAGATGTTTTCTAATTAATACTGGACACTGACAAATTCATGTTT
ACTATAAAATCTCCTTACATGGAAATGTGACTGTGTTGCTTTTTCCCATTTACACTTGGTGAG
TCATCAACTCTACTGAGATTCCACTCCCCTCCAAGCACCTGCTGTGATTGGGTGGCCTGCTCT
GATCAGATAGCAAATTCATGATCAGAGAAGACTTTAAACTCTTGACTTAATTGAGTAAACTCT
TCATGCCATATACATCATTTTCATTATGTTAAAGGTAAAATATGCTTTGTGAACCTCAGATGTC
TGTAGCCAGGAAGCCAGGGTGTGTAAATCCAAATCTATGCAGGAAATGCGGAGAATAGAAAA
TATGTCACTTGAAATCCTAAGTAGTTTTGAATTTCTTTGACTTGAATCTTACTCATCAGTAAG
AGAACTCTTGGTGTCTGTCAGGTTTTATGTGGTCTGTAAAGTTAGGGGTCTGTTTTGTTTCC
TTATTTAGGAAAGAGTACTGCTGGTGTGAGGGGTTATATGTTCCATTTAATGTGACAGTTTT
AAAGGATTTAAGTAGGGAATCAGAGTCCTTTGCAGAGTGTGACAGACGACTCAATAACCTCAT
TTGTTTCTAAACATTTTTCTTTGATAAAGTGCCTAAATCTGTGCTTTTCGTATAGAGTAACATG
ATGTGCTACTGTTGATGTCTGATTTTGCCGTTTCATGTTAGAGCCTACTGTGAATAAGAGTTAG
AACATTTATATACAGATGTCATTTCTAAGAACTAAAATTCCTTTGGGAAAAACCCTCAAAAAA
AAAAAAAAAAAAAAAAAAAAA

486/615

FIGURE 482

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92289
><subunit 1 of 1, 234 aa, 1 stop
><MW: 26077, pI: 8.13, NX(S/T): 1
MAASRWARKAVVLLCASDLLLLLLLLLLPPPGSCAAEGSPGTPDESTPPPRKKKKDIRDYND
ADMARLLEQWEKDDDDIEEGDLPEHKRPSAPVDFSKIDPSKPESILKMTKKGKTLMMFVTV
SGSPTEKETEEITSLWQGSLEFNANYDVQRFIVGSDRAIFMLRDGSYAWWEIKDFLVGQDRC
ADVTLEGQVYPGKGGGSKEKNKTKQDKGKKKKEGDLKSRSSKEENRAGNKREDL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-32

N-glycosylation site:

Amino acids 201-205

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 85-89

Tyrosine kinase phosphorylation site:

Amino acids 50-59

N-myristoylation sites:

Amino acids 30-36;138-144;153-159;176-182

Amidation site:

Amino acids 207-211

FIGURE 483

[illegible]

488/615

FIGURE 484

MALPPGPAALRHTLLLLPALLSSGWGELEPQIDGQTWAERALRENERHAFTCRVAGGPGTPRL
AWYLDGQLQEASTSRLLSVGGEAFSGGTSTFTVTAHRAQHELNCSLQDPRSGRSANASVILNV
QFKPEIAQVGAKYQEAQGPGLLVVLFALVRANPPANVTWIDQDGPVTVNTSDFLVLDAQNPW
LTNHTVQLQLRSLAHNLSVVATNDVGVTASLPAPGPSRHPSLISSDSNNLKLNNVRLPRENM
SLPSNLQLNDLTPDSRAVKPADRQMAQNNSRPELLDPEPGGLLTSQGFIRLPVLGYIYRVSSV
SSDEIWL

N-glycosylation sites:

amino acids 106-110, 119-123, 162-166, 175-179, 192-196, 205-209,
251-255, 280-284

Glycosaminoglycan attachment site:

amino acids 23-27

Casein kinase II phosphorylation sites:

amino acids 36-40, 108-112, 164-168, 282-286, 316-320

N-myristoylation sites:

amino acids 34-40, 89-95, 215-221, 292-298, 293-299

489/615

FIGURE 485

AGAGTTCCTTTTTCTAGGTCGATTAGGTTATACATTGTTGAAGTATAGTTTCGAGTTAGAATT
GGTCATTTTATTTTCAGTGTTTCACAGAAATCGAAGAAGACAGAAATGCGCGCTTCTGTGGTGG
ATATCTACAGTAGCAATACTGTTGTTTACTTCGACGATTTTGGGAACATACGTTGAAGCTGGT
GCCGCTAAGTCTAACGAAGAAGAGATTGTGAACAAAAGCGAATTTGGAAGATTTCCACGAGGG
TCGAGAAAGGATGCATCGGGGTGCCACAAGCCGGGCTACCCTGTACCCCTCATTCTCGCTGC
CCTCCACCTCCCCATGTGCAGCGTCCTCGTCCTATTCTGCATGCTTAGTCTAACACCATCAGG
CTCGTTTATCTTTTCTGTCATTGATCTCACCAGGAGCAAATCACTAGTGCGTGCTTCTGATTC
ACGTAACGTAGTATGTAAATAAATGTCAGTGATATTATGAATTGGTAAAACATTTCTGTTATC
TAAATAAACAGTGAAGTTTGTTGACTAAAAAAA

490/615

FIGURE 486

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96855
><subunit 1 of 1, 84 aa, 1 stop
><MW: 9274, pI: 9.70, NX(S/T): 1
MALLWWISTVAILLFTSTILGTYVEAGAAKSNEEEIVNKSEFGRFPRGSRKDASGCHKPG
YPVPPHSRCPPPPHVQRPRPILHA
```

Signal peptide:

Amino acids 1-21

N-glycosylation site:

Amino acids 38-42

N-myristoylation site:

Amino acids 27-33

491/615

FIGURE 487

CGGGGACGGAAGCGGCCCCCTGGGCCCCGAGGGGCTGGAGCCGGGCGGGGCGATGTGGAGCGCG
GGCCGCGGCGGGGCTGCCTGGCCGGTGCTGTTGGGGCTGCTGCTGGCGCTGTTAGTGCCGGGC
GGTGGTGCCGCCAAGACCGGTGCGGAGCTCGTGACCTGCGGGTCGGTGCTGAAGCTGCTCAAT
ACGCACCACCGCGTGCGGCTGCACTCGCACGACATCAAATACGGATCCGGCAGCGGCCAGCAA
TCGGTGACCGGCGTAGAGGCGTCGGACGACGCCAATAGCTACTGGCGGATCCGCGGCGGCTCG
GAGGGCGGGTGCCCGCGCGGGTCCCCGGTGCGCTGCGGGCAGGCGGTGAGGCTCACGCATGTG
CTTACGGGCAAGAACCTGCACACGCACCACTTCCCCTGCGCGCTGTCCAACAACCAGGAGGTG
AGTGCCTTTGGGGAAGACGGCGAGGGCGACGACCTGGACCTATGGACAGTGCCTGCTCTGGA
CAGCACTGGGAGCGTGAGGCTGCTGTGCGCTTCCAGCATGTGGGCACCTCTGTGTTCTGTCA
GTCACGGGTGAGCAGTATGGAAGCCCCATCCGTGGGCAGCATGAGGTCCACGGCATGCCCAGT
GCCAACACGCACAATACGTGGAAGGCCATGGAAGGCATCTTCATCAAGCCTAGTGTGGAGCCC
TCTGCAGGTCACGATGAACCTCTGAGTGTGTGGATGGATGGGTGGATGGAGGTTGGCAGGTGGG
GCGTCTGCAGGGCCACTCTTGGCAGAGACTTTGGGTTTGTAGGGGTCCTCAAGTGCCTTTGTG
ATTAAAGAATGTTGCTCTATGAAA

492/615

FIGURE 488

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96857
><subunit 1 of 1, 221 aa, 1 stop
><MW: 23598, pI: 6.96, NX(S/T): 0
MWSAGRGGAAWPVLLGLLLALLVPGGGAAKTGAELVTCGSVLKLLNTHHRVRLHSHDIKYGSG
SGQQSVTGVEASDDANSYWRIRGGSEGGCPRGSPVRCGQAVRLTHVLTGKNLHTHHFPSPLSN
NQEVSAGFEDGEGEDDLWLTVRCGQHWEREAAVRFQHVGTSVFLSVTGEQYGSPIRGQHEVH
GMPSANTHNTWKAMEGIFIKPSVEPSAGHDEL
```

Important features of the protein:

Signal peptide:

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 62-66

N-myristoylation sites.

amino acids 16-22, 25-31, 27-33, 61-67, 71-77, 86-92, 87-93,
91-97, 190-196

Endoplasmic reticulum targeting sequence.

amino acids 218-223

493/615

FIGURE 489

CAGCAGCCGAGACAGCAGCTGAGACGGCAGCGGCAGCTTCTCAGGGCCGAGCCAGTTCTTGGAGGAGACTCTGC
ACAGGGCATGGATCACTGTGGTGGCCCTTTTCTGTGCCTGTGCCTTCTGACTTTGCAGAATGCAACAACAGAGAC
ATGGGAAGAACTCCTGAGCTACATGGAGAATATGCAGGTGTCCAGGGGCCGAGCTCAGTTTTTCTCTCGTCA
ACTCCACCAGCTGGAGCAGATGCTACTGAACACCAGCTTCCCAGGCTACAACCTGACCTTGCAGACACCCACCAT
CCAGTCTCTGGCCTTCAAGCTGAGCTGTGACTTCTCTGGCCTCTCGCTGACCAGTGCCACTCTGAAGCGGGTGCC
CCAGGCAGGAGGTGAGCATGCCCCGGGTGAGCAGGCCATGCAGTTCCCCGCCGAGCTGACCCGGGACGCCTGCAA
GACCCGCCCCAGGGAGCTGCGGCTCATCTGTATCTACTTCTCCAACACCCACTTTTTCAAGGATGAAAACAACCTC
ATCTCTGCTGAATAACTACGTCTGGGGGCCAGCTGAGTCATGGGCACGTGAACAACCTCAGGGATCCTGTGAA
CATCAGCTTCTGGCACAACCAAAGCCTGGAAGGCTACACCCTGACCTGTGTCTTCTGGAAGGAGGGAGCCAGGAA
ACAGCCCTGGGGGGCTGGAGCCCTGAGGGCTGTGCTACAGAGCAGCCCTCCACTCTCAGGTGCTGTGCCGCTG
CAACCACCTCACCTACTTTGCTGTTCTCATGCAACTCTCCCGCCCTGGTCCCTGCAGAGTTGCTGGCACCTCT
TACGTACATCTCCCTCGTGGGCTGCAGCATCTCCATCGTGGCCTCGCTGATCACAGTCTGCTGCCTTCCATTT
CAGGAAGCAGAGTGACTCCTTAACACGTATCCACATGAACCTGCATGCCTCCGTGCTGCTCCTGAACATCGCCTT
CCTGCTGAGCCCCGATTGCAATGTCTCCTGTGCCGGGTGAGCATGCACGGCTCTGGCCGCTGCCCTGCACTA
CGCGCTGCTCAGCTGCCTCACCTGGATGGCCATCGAGGGCTTCAACCTCTACCTCCTCCTGGGCGTGTCTACAA
CATCTACATCCGCAGATATGTGTTCAAGCTTGGTGTGCTAGGCTGGGGGGCCCCAGCCCTCCTGCTGCTGCTTTC
CCTCTCTGTCAAGAGCTCGGTATACGGACCCTGCACAATCCCCGTCTTCGACAGCTGGGAGAATGGCACAGGCTT
CCAGAACATGTCCATATGCTGGGTGCGGAGCCCCGTGGTGCACAGTGTCTGGTGCATGGGCTACGGCGGCCTCAC
GTCCCTCTTCAACCTGGTGGTGTGCTGGCCTGGGCGCTGTGGACCCTGCCAGGCTGCGGGAGCGGGCGGATGCACC
AAGTGTGAGGGCCTGCCATGACACTGTCACTGTGCTGGGCTCACCGTGTGCTGGGAACCACTGGGCTTGGC
CTTCTTTTCTTTTGGCGTCTTCCCTGCTGCCCCAGCTGTTCTCTTACCATCTTAAACTCGCTGTACGGTTTCTT
CCTTTTCTGTGGTTCTGCTCCCAGCGGTGCCGCTCAGAAGCAGAGGCCAAGGCACAGATAGAGGCCCTCAGCTC
CTCCAAACAACACAGTAGTCCGGGCCCTCCTGGCCTGGAATCCTCAGCCTCTCTGGCCGCCAGTAGCCTGAGGCT
ACGGCTCCTGCTAGAGAGGGTGGCAGGCCTGTGCTGGACCCAGAGGCCACTGTGACCGCCAGGGGGCCTTTTC
CACTTCCACGGCCTCTCCAGGCACTGAGGGGAAGGCATTGCTCTACCTCTCCCTGACATTTTGTCTCCGGGGCAGA
TCCAACCTTACCTGGGGCAGCAAACTTTGCTCCTGGTACCTGGGCCAGCTCGCCAGGGATGTGGGCAGAGCACC
GCCTGGGCATCAGGAAGCCAAGTTTCAAGGACTGTCTTTGAGTCTGTCTGTATGACCTTGGGCCTGCCACTTCTC
ACAGACCCTAGGTATCCACAGCTGTGACATGGGGGCAAGCAGCTTTGTTTCAGCCTAACCAGGAGCTTAGTAAA
AATTGCATAAGACCAGGGGGAAGAGTGTGAGCGTGGGGTGGGAATCCCGCGGCCTCCACCTGCTGTAGGGGC
AGGATCTCATTAGGCTGCCCTGGAAGCACCTGCTTGGCCCTGCCACCTTCTCCAGGGGAGGGCCAGATGGCAT
CCTGGCTTGGGGCGGGTGGGACCTACCCAGGCTCTGAGACTTTACTGGCCTATGCCTGAGGCTCTTTTCTTTTA
ACTCCCTAAATTATGATGACTCCAAGTCCAAGCCCACCTTCCCAAAGATTGGGAGGTTCCGCGCTTCCAGAGG
CTCCTCCTGCGGTGCTCCCAAGACTTCCATAGACCATCTGGACCAGTAGCCCATCCCGCAGTTTTCTTGGGGGCA
GAGGAAAACGCTTCTTTCTCCTCCAGCTGAATCAGCTGGATCCCAGTGTCTGGCTGTTTGGTGATTGGGCAAGA
TTGAATTTGCCAGGTAGGCGTGAGAGTGTGGGTTTTAAATTCGAGCTCAGGCCATAGTTTCAGAGAATCACCC
TTACCCAGACCTTCATGAGACAGTGTGATGAAGCCAGTGCCTTCCAGAACGAACACTAGGGCGGCACCGTTG
GTCCACACTCAGAGGCCCTTGGCGCCAAGACTGCATCTAGAATCGCTCAAACACCTGTTTGCAGACCCCATGCAC
CAGCTGGAGGGGGCCGTAACCTGCAGGACTGCGCCTACTGAGTGACCCATTTCTCCAGGAGGAAGGCAAGACAG
CTTACACGGCCATTTGTCTCTTTTCCCAATGCGGCGGTGCACTTTCGCTCTTGGGGGCTGCACCCAGACATAGC
TGGCACCAGAGCAGGGTGTCTCAGGTGGTGGGTGCTCAGGGCCCTGCCCCAGGCCACTGGGCGGTTTTGATGACCT
CAAAGGTACAGGCAGAAAATAGGAGCAGGATTTCCCTGGGGAAAAGTTATCCTGGGACATCTTCTGCTCTTCT
GTACATTTCTAGATGCAATAACTCTTACCAGGCAGTGAGTGGCGTAGGCTCTGGAGCCAGGCTGCCTGGGCT
CCAATGCCAGCTCTGCCACTTGTAGCTGTGAGACTGTGGACAAACCACTCAGCCTCTGTGTGCCTCAGTTTTCC
TATTTGTAAAATAGAGACCATAGTGGTACCTATTTTGAAGACTAAGTAAAGAATTCAAATAAGAGACTTGGCA
CAGAGTAAGTGCTCAGTAAAAA

494/615

FIGURE 490

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96860
><subunit 1 of 1, 528 aa, 1 stop
><MW: 59000, pI: 8.73, NX(S/T): 9
MDHCGALFLCLCLLTLQNATTETWEEELLSYEMNQVSRGRSSVFSSRQLHQLEQMLLNTS
FPGYNLTTLQTPTIQSLAFKLSCDFSGLSLTSATLKRVPQAGGQHARGQHAMQFPAELTRD
ACKTRPRELRLICIYFSNTHFFKDENNSSLNNYVLGAQLSHGHVNNLRDPVNISFWHNQ
SLEGYTLTCVFWKEGARKQPWGGWSPEGCRTEQPSHSQVLCRCNHLTYFAVLMQLSPALV
PAELLAPLTYISLVGCSISIVASLITVLLHFHFRKQSDSLTRIHMNLHASVLLLNIAFLL
SPAFAMSPVPGSACTALAAALHYALLSCLTWMMAIEGFNLYLLLGRVYNIYIRRYVFKLGV
LGWGAPALLVLLSLSVKSSVYGPCPTIPVFDSEWNGTGFGQNSICWVRSPVVHSLVMGYG
GLTSLFNLVVLAWALWTLRRLRERADAPSVRACHDTVTVLGLTVLLGTTWALAFFSFGVF
LLPQLFLFTILNSLYGFFLFLWFCSQRRCRSEAEAKAQIEAFSSSQTTQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domains:

Amino acids 244-264;290-309;316-344;358-376;411-431;468-491

N-glycosylation sites:Amino acids 18-22;58-62;65-69;146-150;147-151;173-177;
179-183;394-398;400-404**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 274-278

N-myristoylation sites:86 GLSLTS
101 GGQHAR
157 GAQLSH
255 GCSISI
311 GSACTA
420 GGLTSL
467 GTTWAL**Prokaryotic membrane lipoprotein lipid attachment sites:**

Amino acids 246-257;318-329

Eukaryotic thiol (cysteine) proteases histidine active site:

Amino acids 410-421

G-protein coupled receptors family 2 proteins:

Amino acids 273-302;314-343

495/615

FIGURE 491

CTTGGCTGCCCCGACAACAAGCTCGCCACCTGCGCTGGGCGCATCCACCATCCAAGGCCAGCT
GAGGGGCACCAGACAGAGGATGAGGAGAGAGAGTCGCACACGGGCTGCCCTGAGAGACATTTTC
CATGGACATCCTCATGCTGCTTCTGCTTTTGTGTGTAATATATGGGAGATTTTCCCAAGATGA
ATACTCCCTCAATCAAGCTATCCGGAAAGAATTTACAAGAAATGCCAGAACTGCTTGGGTGG
CCTGAGAAACATCGCTGACTGGTGGGACTGGAGTCTGACCACACTTCTGGATGGCCTGTACCC
GGGAGGCACCCCGTCAGCCCGTGTGCCGGGGGCTCAGCCTGGAGCTCTTGGAGGAAAATGCTA
CCTAATAGGCAGTTCCGTAATTAGGCAGCTAAAAGTTTTTCCTAGGCATTTATGCAAGCCTCC
CAGGCCATTTTCAGCACTCATCGAAGACTCTATTCTACATGTAGTCCCGAAGTTGGAGGCC
TGAGAACCCCTACCTGATAGACCCAGAGAACC AAAACGTGACCCTGAATGGTCCTGGGGGCTG
TGGGACAAGGGAGGACTGTGTGCTCAGCCTGGGCAGAACAAGGACTGAAGCCCACACAGCCCT
GTCCCGACTCAGGGCCAGCATGTGGATTGACCGCAGCACCAGGGCTGTGTCTGTGCACTTCAC
TCTCTATAACCCCTCAACCCAACTCTTCACCAGCGTGTCCCTGAGAGTGGAGATCCTCCCTAC
GGGGAGTCTCGTCCCCTCATCCCTGGTGGAGTCATTACAGCATCTCCGCAGCGACTCAGCCCT
GCAGTACCACCTCATGCTTCCCCAGCTGGTCTTCCTGGCACTCAGCCTGATCCACCTCTGTGT
TCAACTCTACCGTATGATGGACAAGGGCGTCCTCAGCTACTGGCGAAAGCCAAGGAACTGGCT
GGAGGTAGCCTCTCTTGTGTCATTTTCTTTTGAAAAATTAACAATAAACTGTTTATATCTTGAA
AAAATAATTTAAATAAGAAATTGATTATGCACTAGCTACTGCCAACATTATTGCAGTTTTCTC
CCTCTGTAGTGTTAATCTCAAAACAGCATTTGAGATCAGGTATCATTTAGTGTTGTTACAGTT
ACCGTCATGTACCACACGAATTTAGCCAAGGTGGTGGTCCCATAGATCATATGGTGCTAAG
AAATTTCTGTACCTAATGACATCTTGATTCTGACCTTGTATGTAGGCCTAGGCTAAATATGT
CTGTTTGTATCTTAGCTTTTAATAAAGAAGTTAAAAATAAAAAA

496/615

FIGURE 492

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96861
><subunit 1 of 1, 300 aa, 1 stop
><MW: 33649, pI: 9.26, NX(S/T): 1
MRRESRTRAALRDISMDILMLLLLLCVIYGRFSQDEYSLNQAIRKEFTRNARNCLGGLRN
IADWWDWSLTLLDGLYPGGTPSARVPGAQPGALGGKCYLIGSSVIRQLKVFPRLCKPP
RPFSAIEDSIPTCSPEVGGPENPYLIDPENQNVTLNGPGGCGTREDCVLSLGRTRTEAH
TALSRLRASMWIDRSTRAVSVHFTLYNPPTQLFTSVSLRVEILPTGSLVPSSLVESFSIF
RSDSALQYHMLPQLVFLALSLIHLVCVQLYRMDKGVLSYWRKPRNWLEVASLVSFSEK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 250-267

N-glycosylation site:

Amino acids 153-157

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 2-6

N-myristoylation sites:

Amino acids 56-62;75-81;79-85;80-86;88-94;92-98;160-166

497/615

FIGURE 493

TCTCAGGGCTTCATACAGGAAATCTATTGCTGTGTCAAGTTCCAGAGAAAAGCTTCTGTTCGT
CCAAGTTACTAACCAGGCTAAACCACATAGACGTGAAGGAAGGGGCTAGAAGGAAGGGAGTGC
CCCCTGTTGATGGGGTAAGAGGATCCTGTACTGAGAAGTTGACCAGAGAGGGTCTCACCATG
CGCACAGTTCCCTTCTGTACCTGTGTGGAGGAAAAGTACTGAGTGAAGGGCAGAAAAAGAGAAA
ACAGAAATGCTCTGCCCTTGGAGAACTGCTAACCTAGGGCTACTGTTGATTTTGAATATCTTC
TTAGTGGCCGAAGCGGAGGGTGTCTGCTCAACCAACAACCTCATTAAATGCTGCAAACTAGCAAG
GAGAATCATGCTTTAGCTTCAAGCAGTTTATGTATGGATGAAAAACAGATTACACAGAACTAC
TCGAAAGTACTCGCAGAAGTTAACACTTCATGGCCTGTAAAGATGGCTACAAATGCTGTGCTT
TGTTGCCCTCCTATCGCATTAAAGAAATTTGATCATAATAACATGGGAAATAATCCTGAGAGGC
CAGCCTTCCCTGCACAAAAGCCTACAGGAAAGAAACAAATGAGACCAAGGAAACCAACTGTACT
GATGAGAGAATAACCTGGGTCTCCAGACCTGATCAGAATTCGGACCTTCAGATTTCGTCCAGTG
GCCATCACTCATGACGGGTATTACAGATGCATAATGGTAACACCTGATGGGAATTTCCATCGT
GGATATCACCTCCAAGTGTTAGTTACACCTGAACTGACCCTGTTTCAAAACAGGAATAGAAGT
GCAGTATGCAAGGCAGTTGCAGGGAAGCCAGCTGCGCAGATCTCCTGGATCCCAGAGGGCGAT
TGTGCCACTAAGCAAGAATACTGGAGCAATGGCACAGTGACTGTTAAGAGTACATGCCACTGG
GAGGTCCACAATGTGTCTACCGTGACCTGCCACGTCTCCCATTTGACTGGCAACAAGAGTCTG
TACATAGAGCTACTTCCCTGTTCCAGGTGCCAAAAAATCAGCAAAATTATATATTCCATATATC
ATCCTTACTATTATTATTTTGACCATCGTGGGATTCATTTGGTTGTTGAAAGTCAATGGCTGC
AGAAAATATAAATTGAATAAAACAGAATCTACTCCAGTTGTTGAGGAGGATGAAATGCAGCCC
TATGCCAGCTACACAGAGAAGAACAATCCTCTCTATGATACTACAAACAAGGTGAAGGCATCT
CAGGCATTACAAAGTGAAGTTGACACAGACCTCCATACTTTATAAGTTGTTGGACTCTAGTAC
CAAGAAACAACAACAACGAGATACATTATAATTACTGTCTGATTTTCTTACAGTTCTAGAAT
GAAGACTTATATTGAAATTAGGTTTTCCAAGGTTCTTAGAAGACATTTTAATGGATTCTCATT
CATACCCTTGTATAATTGGAATTTTTGATTCTTAGCTGCTACCAGCTAGTTCTCTGAAGAACT
GATGTTATTACAAAGAAAATAACATGCCCATGACCAATATTCAAATTGTGCAGGACAGTAAAT
AATGAAAACCAAATTTCCCTCAAGAAATAACTGAAGAAGGAGCAAGTGTGAACAGTTTCTTGTG
TATCCTTTTCAGAATATTTTAATGTACATATGACATGTGTATATGCCTATGGTATATGTGTCAA
TTTATGTGTCCCCTTACATATACATGCACATATCTTTGTCAAGGCACCAGTGGGAACAATACA
CTGCATTACTGTTCTATACATATGAAAACCTAATAATATAAGTCTTAGAGATCATTTTATATC
ATGACAAGTAGAGCTACCTCATTCTTTTTAATGGTTATATAAAATTCCATTGTATAGTTATAT
CATTATTTAATTAATAAACAACCCTAATGATGGATATTTAGATTCTTTTAAGTTTTGTTTATTT
CTTTTAAGTTTTGTTTGTGGTATAAACAATAACCACATAGAATGTTTCTTGTTCATATATCTCT
TTGTTTTTGGTATATCTGTAGGATAACTTTCTTGAGTGGAATTGTCAGGTCAAAGGGTTTGT
GCATTTTACTATTGATATATATGTTAAATTGTGTCAAATATATATGTCAAATCCCTCCAACA
TTGTTTAAATGTGCCTTTCCCTAAATTTCTATTTTAATAACTGTACTATTCTGCTTCTACAG
TTGCCACTTTCTCTTTTAAATCAACCAGATTAAATATGATGTGAGATTATAATAAGAATTATA
CTATTTAATAAAAATGGATTTATA

498/615

FIGURE 494

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96866
><subunit 1 of 1, 348 aa, 1 stop
><MW: 39069, pI: 8.13; NX(S/T): 10
MLCPWRTANLGLLLILTIFLVAEAEAGAAQPNNSLMLQTSKENHALASSSLCMDEKQITON
YSKVLAEVNTSWPVKMATNAVLCCPPIALRNLIITWEIILRGQPSTKAYRKETNETKE
TNCTDERITWVSRPDQNSDLQIRPVAITHDGYRCIMVTPDGNFHRGYHLQVLVTPELTL
FQNRNRTAVCKAVAGKPAAQISWIPEGDCATKQEYWSNGTVTVKSTCHWEVHNVSTVTCH
VSHLTGNKSLYIELLPVPGAKKSAKLYIPYIILTIIILTIVGFIWLLKVNGCRKYKLNKT
ESTPVVEEDEMQPYASYTEKNNPLYDTTNKVKASQALQSEVDTDLHTL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

Transmembrane domains:

Amino acids 78-98;267-286

N-glycosylation sites:Amino acids 31-35;60-64;69-73;116-120;122-126;185-189;
218-222;233-237;247-251;298-302**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 112-116

N-myristoylation sites:

Amino acids 103-109;259-265

499/615

FIGURE 495

CCAGGTGCACAGCGCATCGCCCCGAGGCTGTCACCGCCCTGCCCCGCCACCCCAGCTGTCCTG
GACCCAGGGGCAGGGAGAGGCTGGACGCCAGGTGCGCGGACACAGAAGCGTCTAAGCACAGCT
TCCTCCTTGCCGCTCCGGGAAGTGGGCAGCCAGCCAGGAACCAGTACCACCTGCACCATGGG
GCTGTCCCGGAAGGAGCAGGTCTTCTTGGCCCTGCTGGGGGCTCGGGGGTCTCAGGCCTCAC
GGCACTCATTCCTCCTGGTGGAGGCCACCAGCGTGCTCCTGCCACAGACATCAAGTTTGG
GATCGTGTTTGATGCGGGCTCCTCCACACGTCCCTCTCCTGTATCAGTGGCCGGCGAACA
GGAGAATGGCACGGGTGTGGTCAGCCAGGCCCTGGCCTGCCAGGTGGAAGGGCCTGGAATCTC
CTCCTACACTTCTAATGCTGCACAGGCTGGTGAGAGCCTGCAGGGCTGCTTGGAGGAGGCGCT
GGTGCTGATCCCAGAGGCCAGCATCGGAAAACACCCACGTTCTTGGGGGCCACGGCTGGCAT
GAGGTTGCTCAGCCGGAAGAACAGCTCTCAGGCCAGGGACATCTTTGCAGCAGTCACCCAGGT
CCTGGGGCCGGTCTCCCGTGGACTTTTGGGGTGCCGAGCTCCTGGCCGGGCAGGCCGAAGGTGC
CTTTGGTTGGATCACTGTCAACTACGGCTTGGGGACGCTGGTCAAGTACTCCTTCACTGGAGA
ATGGATCCAGCCTCCGGAGGAGATGCTGGTGGGTGCCCTGGACATGGGAGGGGCTCCACCCA
GATCACGTTTCGTGCCTGGGGGCCCATCTTGGACAAGAGCACCCAGGCCGATTTTCGCCTCTA
CGGCTCCGACTACAGCGTCTACACTACAGCTACCTGTGCTTTGGACGGGACCAGATGCTGAG
CAGGCTCCTCGTGGGGCTGGTGACAGCCGCCGGCTGCCCTGCTCCGTCACCCGTGCTACCT
CAGCGGCTACCAGACCACACTGGCCCTGGGCCCGCTGTATGAGTCACCTGTGTCCACGCCAC
GCCCCGCTGAGCCTCCCCAGAACCTCACAGTTGAAGGGACAGGCAACCCTGGAGCCTGCGT
CTCAGCCATCCGGGAACTTTCAACTTCTCCAGCTGCCAGGGCCAGGAGGACTGCGCCTTTGA
CGGGTCTACAGCCCCCGCTGCGGGGCCAGTTCTATGTGGAGGCCAGCTACCCTGGGCAGGA
CCGCTGGCTGCGGGACTACTGTGCCTCAGGCCTGTACATCCTCACCTCCTGCACGAGGGCTAC
GGGTTCAGCGAGGAGACCTGGCCAGCCTCGAGTTCGAAAGCAGGCGGGCGGTGTGGACATT
GGCTGGACACTGGGCTACATGCTGAACCTGACCGGGATGATCCCGGCCGATGCGCCGGCTCAG
TGGCGGGCAGAGAGCTACGGCGTCTGGGTGGCCAAAGTGGTGTTCATGGTGCTGGCCCTGGTG
GCGGTGGTGGGGGCTGCCTTGGTCCAGCTCTTCTGGTTGCAGGACTAGTGGGAAGGCGGAGGT
GGGCCCCACAGAGCCCACAGGCAGCTGCGTCCCGGATGCTGGAGGCTTCCTGAGCCCTGAGC
GCCGTGGGGCCTTGCTCTGTGGCTCTGCCACGGTCAGGTGACAGCCACCTCCAGGGCACCGT
CAGGGTGGTGCTGGCCACAGAGGCTGCATGACCTCCCTCCCGGCGTCCCTCCCCAACCTCC
TTCCGCAACTGGGCTTCCAGGGCCGTAGGTGCCTTTCTGCACACAGGCCGCCAGGACTCGTGG
TGTCTCCAGGCTGTGTGACTGCAGGGCCACATGCTGCCTGCAAACAGGGCAAGACCACGGAGG
CACAGGGGTCCTGCTCCTGATGGGGCCTCAGGAGGGGCGGAGAGGGGTGGAAGGGAGGGAGCT
GCCCCACCTGGACCCCGCTCTCCCTGCTGTTGTCTGAGCAGATGGATGGAGTCCAGGCCTGG
GGGCTTCTGCTGGGCCAGCCCGCCTCCACACCCACTTGGAGGGTGAGACTGCAGTGGGGGT
TGTTTTTATTAAAGCATCATGGACACAGCAAAAAAAAAAAAAA

500/615

FIGURE 496

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96870
><subunit 1 of 1, 458 aa, 1 stop
><MW: 49377, pI: 4.98, NX(S/T): 5
MGLSRKEQVFLALLGASGVSGLTALILLVEATSVLLPTDIKFGIVFDAGSSHTSLFLYQ
WPANKENGTVGVVSQALACQVEGPGISSYTSNAAQAGESLQGCLEEALVLIPEAQHRKTPT
FLGATAGMRLLSRKNSSQARDIFAAVTQVLGRSPVDFWGAELLAGQAEGAFGWITVNYGL
GTLVKYSFTGEWIQPPPEMLVGALDMGGASTQITFVPGGPILDKSTQADFRLYGSDYSVY
THSYLCFGRDQMLSRLLVGLVQSRPAALLRHPCYLSGYQTTLALGPLYESPCVHATPPLS
LPQNLTVEGTGNPGACVSAIRELFNFSSCQGQEDCAFDGVYQPPLRGQFYVEASYPGQDR
WLRDYCASGLYILTLLHEGYGFSEETWPSLEFRKQAGGVDIGWTLGYMLNLTGMIPADAP
AQWRAESYGVVWAKVVFVVLALVAVVGAALVQLFWLQD
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 428-449

N-glycosylation sites:

Amino acids 67-71;135-139;304-308;325-329;410-414

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 133-137

N-myristoylation sites:

Amino acids 50-56;123-127;165-171;207-213;234-240;
259-265;311-317;314-320;331-337;398-404;
413-419;429-435

GDA1/CD39 family of nucleoside phosphatases proteins:

Amino acids 43-59;202-215

501/615

FIGURE 497

GCCTTATAAAGTAGCCTCTGCATCTGCCTGCCTCGGGCAGAGGAGGGCTACCCTGGGGCTGAG
AGTTCACCTGTCTCAGGAACCACCTGAGCCCACAGATCCTGTGGGCAGCGGCCAGGGCAGCCA
TGGCTTGGGCAAGTAGGCTGGGCCTGCTGCTGGCACTGCTGCTGCCCCGTGGTGGTGCTCCA
CGCCAGGCACCGTGGTCCGACTCAACAAGGCAGCATTGAGCTACGTGTCTGAAATTGGGAAAG
CCCCTCTCCAGCGGGCCCTGCAGGTCACTGTCCCTCATTTCTGGACTGGAGTGGAGAGGCGC
TTCAGCCCCACCAGGATCCGGATTCTGAATGTCCATGTGCCCCGCTCCACCTGAAATTCATTG
CTGGTTTCGGAGTGCGCCTGCTGGCAGCAGCTAATTTTACTTTCAAGGTCTTTCGCGCCCCAG
AGCCCCCTGGAGCTGACGCTGCCTGTGGAAGTGTGGCTGACACCCGCGTGACCCAGAGCTCCA
TCAGGACCCCTGTGGTCAGCATCTCTGCCTGCTCTTTATTCTCGGGCCACGCCAACGAGTTTG
ATGGCAGTAACAGCACCTCCCACGCGCTGCTGGTCTGGTGCAGAAGCACATTAAAGCTGTCT
TGAGTAACAAGCTGTGCCTGAGCATCTCCAACCTGGTGCAGGGTGTCAATGTCCACCTGGGCA
CCTTAATTGGCCTCAACCCCGTGGGTCTGAGTCCCAGATCCGCTATTCCATGGTCAGTGTGC
CCACTGTCACCACTGACTACATTTCCCTGGAAGTCAATGCTGTTCTCTCCTGCTGGGCAACC
CCATCATCCTGCCACGGATGCCACCCCTTTTGTGTTGCCAAGGCATGTGGGTACCGAGGGCT
CCATGGCCACCGTGGGCCTCTCCCAGCAGCTGTTTGACTCTGCGCTCCTGCTGCTGCAGAAGG
CCGGTGGCCTCAACCTGGACATCACAGGGCAGCTGAGGTCGGATGACAACCTGCTGAACACCT
CTGCTCTGGGCCGGCTCATCCCGGAGGTGGCCCCGCCAGTTTCCCGAGCCCATGCCTGTGGTGC
TCAAGGTGCGGCTGGGTGCCACACCTGTGGCCATGCTCCACACAAACAACGCCACCCCTGCGGC
TGCAGCCCTTCGTGGAGGTCTGGCCACAGCCTCCAACCTCGGCTTTCCAGTCCCTCTTCTCCC
TGGATGTGGTAGTGAACCTTGAGACTCCAGCTCTCTGTGTCCAAGGTGAAGCTTCAGGGGACCA
CGTCTGTGCTGGGGGATGTCCAGCTCACGGTGGCCTCCTCCAACGTGGGCTTCATTGATACAGAT
CAGGTGCGCACACTGATGGGCACCGTTTTTTGAGAAGCCCCCTGCTGGACCATCTCAATGCTCTC
TTGGCCATGGGAATTGCCCTCCCTGGTGTGGTCAACCTCCACTATGTTGCCCTGAGATCTTT
GTCTATGAGGGCTACGTGGTGATATCCAGTGGACTCTTCTACCAGAGCT**TGAGGCAAGACCACT**
GGGAGGCCTGAGAGTGGGCCAGCTCGCTGCTCAGGCGAATTTCTCATTTCAAGCCACTGGGGA
AACTGAGGCAAAACCATACTTAGTCATCACCAACAAGCTGGACTGCTTAGCTGGGCTGTTTTA
TCTTCCCTGAGTGCTGGGTCTCCCTCCCTCACTTCTGCCCTTTCCCTTCCTCCTCCTCTTCT
CCTCCCTCTTCCCTCATCTCCCCCTCCTTCCTCTGCCCCACCCAGGGGGGAGCAGACTGCT
CCTCCAGGCTGTATAGACCTGCCCTCTTGCAATTAACAACCTTCTCTTGAGCTGC

502/615

FIGURE 498

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96872
><subunit 1 of 1, 458 aa, 1 stop
><MW: 49158, pI: 8.72, NX(S/T): 4
MAWASRLGLLLALLLPVVGASTPGTVVRLNKAALSYVSEIGKAPLQRALQVTPHFLDWS
GEALQPTRIRILNVHVPRLHLKFIAGFGVRLAAANFTFKVFRAPEPLELTPVELLADT
RVTQSSIRTPVVSISACSLFSGHANEFDGSNSTSHALLVLVQKHIAVL SNKLCLSISNL
VQGVNVHLGTLIGLNPVGPESQIRYSMVSVPTVTSDYISLEVNAVLFLLGNPIILPTDAT
PFVLP RHVGT EGSMATVGLSQQLFDSALLLLQKAGALNLDITGQLRSDDNLLNTSALGRL
IPEVARQFPEPMPVVLKVR LGATPVAMLHTNNATLRLQPFVEVLATASNSAFQSLFSLDV
VVNLRQLQSVSKVKLQGTTSVLGDVQLTVASSNVGFIDTDQVRTLMGTVF EKPLLDHLNA
LLAMGIALPGVVNLHYVAPEIFVYEGYVVVISSGLFYQS
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 217-236

N-glycosylation sites:

Amino acids 96-100;151-155;293-297;332-336

N-myristoylation sites:

Amino acids 8-14;149-155;189-195;249-255;252-258;283-289

LBP / BPI / CETP family proteins:

Amino acids 22-50; 251-287

503/615

FIGURE 499

TTGAAAATCTACTCTATCAGCTGCTGTGGTTGCCACCATTCTCAGGACCCTCGCCATGAAAGC
CCTTATGCTGCTCACCCGTGTCTGTTCTGCTCTGCTGGGTCTCAGCTGACATTGCTGTCACCTC
CTGCTACAAGGTCCCTGTGCTGGGCTGTGTGGACCGGCAGTCCTGCCGCCTGGAGCCAGGACA
GCAATGCCTGACAACACATGCATACCTTGGTAAGATGTGGGTTTTCTCCAATCTGCGCTGTGG
CACACCAGAAGAGCCCTGTGAGGAGGCCTTCAACCAAACCAACCGCAAGCTGGGTCTGACATA
TAACACCACCTGCTGCAACAAGGACAACCTGCAACAGCGCAGGACCCCGGCCCACTCCAGCCCT
GGGCCTTGTCTTCCTTACCTCCTTGGCTGGCCTTGGCCTCTGGCTGCTGCACTGAGACTCATT
CCATTGGCTGCCCCCTCCTCCACCTGCCTTGGCCTGAGCCTCTCTCCCTGTGTCTCTGTATCC
CCTGGCTTTACAGAATCGTCTCTCCCTAGCTCCCATTTCTTTAATTAAACACTGTTCCGAGTG
GTCTCCTCATCCATCCTTCCACCTCACACCCTTCACTCTCCTTTTCTGGGTCCCTTCCCAC
TTCCTTCCAGGACCTCCATTGGCTCCTAGAAGGGCTCCCCACTTTGCTTCCTATACTCTGCTG
TCCCCTACTTGAGGAGGGATTGGGATCTGGGCCTGAAATGGGGCTTCTGTGTTGTCCCCAGTG
AAGGCTCCCACAAGGACCTGATGACCTCACTGTACAGAGCTGACTCCCCAAACCCAGGCTCCC
ATATGTACCCCATCCCCATACTCACCTCTTCCATTTTGAGTAATAAATGTCTGAGTCTGGA
AAAAAAAAAAAAAAAAAAAA

504/615

FIGURE 500

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96878
><subunit 1 of 1, 125 aa, 1 stop
><MW: 13821, pI: 8.60, NX(S/T): 2
MKALMLLTLSVLLCWVSADIRCHSCYKVPVLGCVDRQSCRLEPGQQCLTTHAYLGKMWVFSNL
RCGTPEEPCQEAFNQTNRKLGITYNTTCCNKDNCNSAGPRPTPALGLVFLTSLAGLGLWLLH
```

Important features of the protein:**Signal peptide:**

amino acids 1-18

N-glycosylation sites.

amino acids 77-81, 88-92

N-myristoylation site.

amino acids 84-90

Ly-6 / u-PAR domain protein signature.

amino acids 85-98

505/615

FIGURE 501

GGAGCCTCCTAATGCAGTCTTCTGCACAGTCCTGGGGACTGACTGACTGAATCACACCTCTGG
GGCTGGGGGCTGCTGACATGTGTGCCTTTCCTTGGCTGCTTCTTCTCCTGCTGCTCCAGGAGG
GCAGCCAAAGGAGACTCTGGAGATGGTGTGGATCCGAGGAAGTGGTTGCGGTCCTTCAGGAGT
CCATCAGCCTCCCCCTGGAAATACCACCAGATGAAGAGGTTGAGAACATCATCTGGTCCCTCTCAC
AAAAGTCTTGCCACTGTGGTGCCAGGGAAAGAGGGACATCCAGCTACCATCATGGTGACCAAT
CCACACTACCAGGGCCAAGTGAGCTTCTGGACCCCAGCTATTCCCTGCATATCAGCAATCTG
AGCTGGGAGGATTCAGGGCTTTACCAAGCTCAAGTCAACCTGAGAACATCCCAGATCTCTACC
ATGCAGCAGTACAATCTATGTGTCTACCATCCTAACTATGCTTCTGAGAAGCCTTCAACAGCC
TTCTGCCTCCTGGCCAAGGGATTGCTCATCTTCTTGCTCTTGGTAATTCTGGCCATGGGACTC
TGGGTCATCCGAGTCCAGAAAAGACACAAAATGCCAAGGATGAAGAACTCATGAGAAACAGA
ATGAAATTGAGGAAGGAGGCAAAGCCTGGCTCCAGCCCTGCCTTGACTGCTCCTTGGGAACCCC
AGTCCTGAGCTTGTTTTCTTCCCAGCACCCAGAGAATCCTTCCTCAGCTCTCTTTCCAGG
GGAAGGAGGTGCTCAGGGGTGGGTATCCAGAGAGCCATACTTCTGAGGGAAGACTGGCTGGCA
ATAAAGTCAAATTAAGTGACCACA

506/615

FIGURE 502

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96879
><subunit 1 of 1, 198 aa, 1 stop
><MW: 22584, pI: 9.40, NX(S/T): 1
MCAFPWLLLLLLLLLQEGSQRRLLWRWCGSEEVAVLQESISLPLEIPPDEEVENIIWSSHKS
LATVVPGKEGHPATIMVTNPHYQGQVSFLDPSYSLHISNLSWEDSGLYQAQVNLRTSQIS
TMQQYNLCVYHPNYASEKPSTAFCLLAKGLLIFLLLVLAMGLWVIRVQKRHKMPRMKKL
MRNRMKLRKEAKPGSSPA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 144-165

N-glycosylation site:

Amino acids 99-103

N-myristoylation site:

Amino acids 106-112

507/615

FIGURE 503

ACGGGCCGCGAGCGGCAGTGACGTAGGGTTGGCGCACGGATCCGTTGCGGGCTGCAGCTCTGCAG
TCGGGGCCGTTTCCTTCGCCGCCGCCAGGGGTAGCGGTGTAGCTGCGCAGCGTCGCGCGCGCTAC
CGCACCCAGGTTTCGGCCCGTAGGCGTCTGGCAGCCCGCGCCATCTTCATCGAGCGCCATGGC
CGCAGCCTGCGGGCCGGGAGCGGCCGGGTACTGCTTGCTCCTCGGCTTGCAATTTGTTTCTGCT
GACCGCGGGCCCTGCCCTGGGCTGGAACGACCCTGACAGAATGTTGCTGCGGGATGTAAAAGC
TCTTACCCTCCACTATGACCGCTATACCACCTCCCGCAGGCTGGATCCCATCCACAGTTGAA
ATGTGTTGGAGGCACAGCTGGTTGTGATTCTTATACCCCAAAGTCATACAGTGTGAGAACAA
AGGCTGGGATGGGTATGATGTACAGTGGGAATGTAAGACGGACTTAGATATTGCATACAAATT
TGGAAAACTGTGGTGAGCTGTGAAGGCTATGAGTCCTCTGAAGACCAGTATGTACTAAGAGG
TTCTTGTTGGCTTGGAGTATAATTTAGATTATACAGAACTTGGCCTGCAGAACTGAAGGAGTC
TGGAAAGCAGCACGGCTTTGCCTCTTCTCTGATTATTATTATAAGTGGTCCTCGGCGGATTC
CTGTAACATGAGTGGATTGATTACCATCGTGGTACTCCTTGGGATCGCCTTTGTAGTCTATAA
GCTGTTCTTGAGTGACGGGCAGTATTCTCCTCCACCGTACTCTGAGTATCCTCCATTTTCCCA
CCGTTACCAGAGATTCACCAACTCAGCAGGACCTCCTCCCCCAGGCTTTAAGTCTGAGTTCAC
AGGACCACAGAATACTGGCCATGGTGCAACTTCTGGTTTTGGCAGTGCTTTTACAGGACAACA
AGGATATGAAAATTCAGGACCAGGGTTCTGGACAGGCTTGGGAAGTGGTGAATACTAGGATA
TTTGTGTTGGCAGCAATAGAGCGGCAACACCCTTCTCAGACTCGTGGTACTACCCGTCCTATCC
TCCCTCCTACCCTGGCACGTGGAATAGGGCTTACTCACCCCTTCATGGAGGCTCGGGCAGCTA
TTCGGTATGTTCAAACCTCAGACACGAAAACCAGAACTGCATCAGGATATGGTGGTACCAGGAG
ACGATTAAAGTAGAAAGTTGGAGTCAAACACTGGATGCAGAAATTTTGGATTTTTCATCACTTT
CTCTTTAGAAAAAAGTACTACCTGTTAACAATTGGGAAAAGGGGATATTCAAAGTTCTGTG
GTGTTATGTCCAGTGTAGCTTTTTGTATTCTATTATTTGAGGCTAAAAGTTGATGTGTGACAA
AATACTTATGTGTTGTATGTGAGTGTAAACATGCAGATGTATATTGCAGTTTTTGAAAGTGATC
ATTACTGTGGAATGCTAAAAATACATTAATTTCTAAAACCTGTGATGCCCTAAGAAGCATTA
GAATGAAGGTGTTGTACTAATAGAACTAAGTACAGAAAATTTAGTTTTAGGTGGTTGTAGC
TGATGAGTTATTACCTCATAGAGACTATAATATTCTATTTGGTATTATATTATTTGATGTTTG
CTGTTCTTCAAACATTTAAATCAAGCTTTGGACTAATTATGCTAATTTGTGAGTTCTGATCAC
TTTTGAGCTCTGAAGCTTTGAATCATTCAAGTGGTGGAGATGGCCTTCTGGTAACTGAATATTA
CCTTCTGTAGGAAAAGGTGGAAAATAAGCATCTAGAAGGTTGTTGTGAATGACTCTGTGCTGG
CAAAAATGCTTGAAACCTCTATATTTCTTTTCGTTTCATAAGAGGTAAAGGTCAAATTTTCAAC
AAAAGTCTTTTAATAACAAAAGCATGCAGTTCTCTGTGAAATCTCAAATATTGTTGTAATAGT
CTGTTTCAATCTTAAAAAGAATCA

508/615

FIGURE 504

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96889
><subunit 1 of 1, 339 aa, 1 stop
><MW: 36975, pI: 7.85, NX(S/T): 1
MAAACGPGAAGYCLLLGLHLFLLTAGPALGWNDPDRMLLRDVKALTLHYDRYTTSRRLDPI PQ
LKC VGGTAGCDSYTPKVIQCQNGWDGYDVQWECKTDLDIAYKFGKTVVSCEGYESSEDQYVL
RGSCGLEYNLDYTELGLOKLKESGKQHGFAFSFYKWKSSADSCNMSG LITIVVLLGIAFVV
YKLFLSDGQYSPPPYSEYPPFSHRYQRFTNSAGPPPPGFKSEFTGPQNTGHGATSGFGSAFTG
QQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDSWYYPSYPPSYPGTWNRAYSP LHGGSG
SYSVCSNSDTKTRTASGYGGTRRR

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 171-190

N-glycosylation site.

amino acids 172-176

Glycosaminoglycan attachment sites.

amino acids 244-248, 259-263, 331-335

Tyrosine kinase phosphorylation site.

amino acids 98-106

N-myristoylation sites.amino acids 68-74, 69-75, 131-137, 241-247, 247-253, 266-272,
270-276, 278-284, 312-318

509/615

FIGURE 505

GCAAAAGGAAGGGAGGGGAAGCACTCCATCATCTCACTGGGAAGAACGGGCACGGGCATACCTGC
AGCTACTGGGGTTCCACTGGGCTTGAGGGTCGATTTTTCACCTTTTGAAGGACAAGATGCAATT
GGAAGATGTTGCTGCTTCTGCTGTTGTATTACAATGCTGAGGCTTCTATGTGCCACAGGTGGA
GCAGGGCTGTGCTCTTCCCTGCCGCCACCGGCCAAAGAGGTCCTCATCACTGCCATTGAACC
CAGTCCTGCAGACCTCCCTGGAGGAGGTGGAGCTGCTCTACGAGTTCCTGCTGGCCGAACCTTG
AGATCAGCCCTGACCTGCAGATCTCCATCAAGGACGAGGAGCTGGCCTCCTTGCGGAAGGCCT
CAGACTTCCGCACCGTCTGCAACAACGTATCCCCAAGAGCATCCCAGACATCCGCCGGCTCA
GCGCCAGCCTCTCCAGCCACCCTGGCATCCTCAAGAAAGAAGACTTTGAAAGGACAGTGCTGA
CCCTGGCCTACACAGCCTACCGCACAGCCCTGTCCACGGCCATCAGAAGGACATCTGGGCGC
AGTCCCTCGTTAGCCTCTTCCAGGCCCTGAGGCACGACTTGATGCGCTCCTCACAGCCGGGAG
TACCTCCCTGAGAGACTGGCCACACCAGGACCTCAGAGCAGGGACCAGCACAGTAATCCAGA
AAGTCTTCATTCTCTACTCCATTTACAGAGACCAGCAACAAAACACTTACCGCTGACACAGAG
CAGCAGAGATCAAACAGTAACCCCGATGCTCTTTTCTCCTTGTAGTTTCTGGAAGACACATC
TGATTATGCCATCATGTGACCTGGGCTGGAAGAAAGGGCTGGAATGGTCATTCAAGACGCCT
CCATGGGCAGAATGGTTTGCCTATGGCAGGCAGAATTCTGATATGCTTCAACCCAGAGCAGTG
GCCACACACTCAAGAGTGAGAACAGGCGTGAGCCACCGTGCCTGGCCCAGGATCTAAAACTT
TCTAAGTTTCTCCATCGTTGGCATCCTCACAGCTATCTCCAATGTCACTCAAGAGACATCAA
CAGACATTTAACTGCTGCAGACTTCATTGCTCTGTACCTCACCTTGAATCTAACAAATCAA
GTATTTCTGCAGGTCCAATGGTCTAAAATCAAATGCTTGTTAAATGACTTTTTTACAACACCCTT
ACTTTCCTAATCCATTTCAATCTTATTTTTTTTTTATTGTGGTAAAAACACATCACGTAAAATG
TACCATCTTAACCATTTTTTAAGCATATGGTACAGCAGTGTTAACTCCATGCATGTTGTGAAAC
AGACCCCCGGAACCTTTCTCATCTTGTAATTCTGAAGTTCTATACCCACCGAACAACCTCCTCTT
TTCCCCTTCCCCCTGCCTGCCCCAGCTCTTGGCACCATTATTCTGCTTTCTGTTTTTGGAGAGT
CTGACTACTTAAGATACCTCATACAAGCGGGATCTGGCTTACATTTCTTGAGCATTGTATTCT
GGAAAAGTGTTTCTTCTCTGAAAAATGGGTAGAGTTCTGAAGGAGAACTACTGGTCTTATT
GTACACTTGCTGTACCTATTTTTATTTAACAATATTCATCTATGGTATAATAAAGATGTCAT
GGTTGGAAAAA

510/615

FIGURE 506

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96893
><subunit 1 of 1, 173 aa, 1 stop
><MW: 19733, pI: 8.78, NX(S/T): 0
MHWKMLLLLLLLYYNAEASMCHRWSRAVLFPAAHRPKRSSSLPLNPVLQTSLEEVELLYEF
LLAELEISPDQLQISIKDEELASLRKASDFRTVCNNVIPKSIPDIRRLSASLSSHPGILKK
EDFERTVLTLAYTAYRTALSHGHQKDIWAQSLVSLFQALRHDLMRSSQPGVPP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 36-40;84-88;105-109

511/615

FIGURE 507

GGCGGCGGGCTGCGCGGAGCGGCGTCCCCTGCAGCCGCGGACCGAGGCAGCGGCGGCACCTGC
CGGCCGAGCAATGCCAAGTGAGTACACCTATGTGAACTGAGAAGTGATTGCTCGAGGCCTTC
CCTGCAATGGTACACCCGAGCTCAAAGCAAGATGAGAAGGCCAGCTTGTTATTTAAAGACAT
CCTCAAATGTACATTGCTTGTGTTTGGAGTGTGGATCCTTTATATCCTCAAGTTAAATTATAC
TACTGAAGAATGTGACATGAAAAAATGCATTATGTGGACCCTGACCATGTAAAGAGAGCTCA
GAAATATGCTCAGCAAGTCTTGCAAGGAATGTCGTCCCAAGTTTGCCAAGACATCAATGGC
GCTGTTATTTGAGCACAGGTATAGCGTGGACTTACTCCCTTTTGTGCAGAAGGCCCCCAAAGA
CAGTGAAGCTGAGTCCAAGTACGATCCTCCTTTTGGGTTCCGGAAGTTCTCCAGTAAAGTCCA
GACCCTCTTGGAACCTCTTGCCAGAGCACGACCTCCCTGAACACTTGAAAGCCAAGACCTGTGC
GCGCTGTGTGGTTATTGGAAGCGGAGGAATACTGCACGGATTAGAAGTGGGCCACACCCTGAA
CCAGTTCGATGTTGTGATAAGGTTAAACAGTGCACCAGTTGAGGGATATTGAGAACATGTTGG
AAATAAACTACTATAAGGATGACTTATCCAGAGGGCGCACCACTGTCTGACCTTGAATATTAT
TCCAATGACTTATTTGTTGCTGTTTTATTTAAGAGTGTGATTTCAACTGGCTTCAAGCAATG
GTAAAAAAGGAAACCCTGCCATTCTGGGTACGACTCTTCTTTTGGGAAGCAGGTGGCAGAAAAA
ATCCCACTGCAGCCAAAACATTTTCAAGATTTTGAATCCAGTTATCATCAAAGAGACTGCCTTT
GACATCCTTCAGTACTCAGAGCCTCAGTCAAGGTTCTGGGGCCGAGATAAGAACGTCCCCACA
ATCGGTGTCAATTGCCGTTGTCTTAGCCACACATCTGTGCGATGAAGTCAGTTTGGCGGGTTTT
GGATATGACCTCAATCAACCCAGAACACCTTTGCACTACTTCGACAGTCAATGCATGGCTGCT
ATGAACTTTTCAAGCATGCATAATGTGACAACGGAAACCAAGTTCCTCTTAAAGCTGGTCAA
GAGGGAGTGGTGAAAGATCTCAGTGGAGGCATTGATCGTGAATTTTGAACACAGAAAACCTCA
GTTGAAAATGCAACTCTAACTCTGAGAGCTGTTTTTACAGCCTTCTTGATGTATTTCTCCAT
CCTGCAGATACTTTGAAGTGCAGCTCATGTTTTTAACTTTTAAATTTAAAAACACAAAAAAAT
TTTAGCTCTTCCCACTTTTTTTTTTCTATTATTTGAGGTCAAGTGTGTTTTTGCACACCAT
TTTGTAATGAACTTAAGAATTGAATTGAAAGACTTCTCAAAGAGAATTGTATGTAACGAT
GTTGTATTGATTTTTAAGAAAGTAATTTAATTTGTAAACTTCTGCTCGTTTACACTGCACAT
TGAATACAGGTAACATAATTGGAAGGAGAGGGGAGGTCACTCTTTTGATGGTGGCCCTGAACCT
CATCTGGTTCCCTGCTGCGCTGCTTGGTGTGACCCACGGAGGATCCACTCCCAGGATGACGT
GCTCCGTAGCTCTGCTGCTGATACTGGGTCTGCGATGCAGCGCGTGAGGCCTGGGCTGGTTG
GAGAAGGTCACAACCCTTCTCTGTTGGTCTGCCTTCTGCTGAAAGACTCGAGAACCAACCAGG
GAAGCTGTCCTGGAGGTCCCTGGTCGGAGAGGGACATAGAATCTGTGACCTCTGACAACTGTG
AAGCCACCCTGGGCTACAGAAACCACAGTCTTCCCAGCAATTATTACAATTCTTGAATTCCTT
GGGGATTTTTTACTGCCCTTTCAAAGCACTTAAGTGTTAGATCTAACGTGTTCCAGTGTCTGT
CTGAGGTGACTTAAAAAATCAGAACAAAACCTTCTATTATCCAGAGTCATGGGAGAGTACCCC
TTTCCAGGAATAATGTTTTGGGAAACACTGAAATGAAATCTTCCAGTATTATAAATTGTGTA
TTTAA

512/615

FIGURE 508

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96897
><subunit 1 of 1, 362 aa, 1 stop
><MW: 41736, pI: 8.80, NX(S/T): 3
MRRPSLLLKDILKCTLLVFGVWILYILKLNVTTEECMDKMHYVDPDHVKRAQKYAQQVL
QKECRPKFAKTSMA LLFEHRYSDLLPFVQKAPKDSEAESKYDPPFGFRKFSSKVQTLLE
LLPEHDLPEHLKAKTCRRCVVIGSGGILHGLELGH TLNQFDVVIRLNSAPVEGYSEHVGN
KTTIRMTYPEGAPLS DLEYYSNDLFVAVLFKSVDFENWLQAMVKKETLPFWVRLFFWKQVA
EKIPLQPKHFRILNPV IIKETAFDILOYSEPQSRFWGRDKNVPTIGVIAVVLATHLCDEV
SLAGFGYDLNQPRTP LHYFDSQCMAAMNFQTMHNVT TETKFLKL VKEGVVKDLSGGIDR
EF
```

Important features of the protein:**Transmembrane domains:**

Amino acids 11-27;281-297

N-glycosylation sites:

Amino acids 30-34;180-184;334-338

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 2-6;109-113;223-227

N-myristoylation sites:

Amino acids 146-152;150-156;179-185;191-197

513/615

FIGURE 509

GGGCGGACGCAGTGCAGTAAGAGCAGATGGGCGGACCCAAATTTCTTCGGCTTCACGATTTTG
CCGAGGTCTAGCCCTGCATCCAGCCTTGAAACAGGGTGGGGAGGAGGCAGAAAGGGGAGGGAC
TGCACTCCCTCTGAGCGTGCTAGCTCCGACTGCCTGACGGATCACCTTCCGCTCCAACATGG
CTAGTTCTCAACGCCGTGACTCAAGCCTGTTGTGCCAGGCAGGGCGCACTCAGCAGCGCAGC
CCCACAGGTGGCGAAGGCTCCGCGAGAGGGTTCCCGCCAGGCTAGACAGTGGAGTGCCGCACA
GCGCGCCTTCCAGCCTCGCAGCCGCCACCCTAGCGGTTCCGACCCGGCGCCAGCAGGCCTGCT
TGGTCGATCTTCGAGCCAAAGATCGGGCGAGGCTGGAAGATGGCTCTGTCTGGGGGGCTGCGG
TGCTGCCGCCGGGTACTGTCCTGGGTGCCAGTGCTCGTTATTGTCCTCGTCGTGCTCTGGTCC
TACTATGCCTACGTCTTTGAACTCTGCCTGGTTATTTACCTCATACTCTACCATGCCATCTTT
GTGTTCTTTACCTGGACCTACTGGAAGTCTATCTTTACACTCCCACAGCAGCCAAACCAGAAG
TTCCACTTGTCCTACACAGACAAGGAGCGCTATGAAAATGAAGAAAGACCTGAGGTCCAGAAG
CAGATGCTTGTTGATATGGCCAAAAGCTACCGGTTTACACAAGAAGTGGAAAGTGGAGGTCAG
TTCATCCAAAGGCAGCTAGAGAGGCAGCTCAGCAAGTATCTCAGAAAGGCTAAGTCATATATG
TTCTCAAACTAGCCCTTTTTTTTCTCCCATCTTCTGAAAACCACTATGGAGATTTTCTCCA
CATTTTATTTCTAAAAAATTTTAAACACATATCAAAGCTGGAAGAATTGTATAGTAAACAAAC
TGTATACCCCAAACCTGGATTCTTCTGCTAACATTTTCTGTGTTGCTATATCACATATCTATC
CACATATGCATACCTCTATTTATCTTTCGTCAGCCATCTTATGTTTCTGATGCATTTCAAAG
TAAATAGCTGACATCAGTAAGACATCTACCTAAATATTTTATTCTGTTTTGTTAAAAATTTACA
TACAAAAACATGCATAATCTTAAGGGTACCATTCCATGTATTTTGAAAAGTGTACACATCTGT
GTAATAAACCCCAATAAAATTTGCCATCACCTCAG

514/615

FIGURE 510

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA98564
><subunit 1 of 1, 143 aa, 1 stop
><MW: 17255, pI: 9.99, NX(S/T): 0
MRRGWKMALSGGLRCCRRVLSWVPVLVIVLVVLWSYYAYVFELCLVIYLLILYHAIFVFFT
WTYWKSIFTLPQQPNQKFHLSYTDKERYENEERPEVQKQMLVDMAKKLPVYTRTGSGGQF
IQRQLERQLSKYLKAKSYMFSN
```

Important features of the protein:**Transmembrane domain:**

Amino acids 24-45

N-myristoylation sites:

Amino acids 11-17;12-18

515/615

FIGURE 511

CAGCCGGGGCGATGGCGGGGCTCTGGCTGGGGCTCGTGTGGCAGAAGCTGCTGCTGTGGGGCG
CGGCGAGTGCCCTTTCCCTGGCCGGCGCCAGTCTGGTCTGAGCCTGCTGCAGAGGGTGGCGA
GCTACGCGCGGAAATGGCAGCAGATGCGGCCCATCCCCACGGTGGCCCGCGCTACCCACTGGTG
GGCCACGCGCTGCTGATGAAGCCGGACGGGCGAGGTAAGGGCCGGCGCTCCTCCTGGAGCGCA
ACGGGGTCCGCAGCCCCGTTCACCCCTCCGATCAGCCAGGAACCCGCTGCTTGTGGCGCTGG
CCGCAGGAGAGAGGAGCCTGTCACCCTGTGGAGAATGCACTCCCAGTTCTAGTCGTTGCCCT
TGGCACCCGCCGACACTGCTAGTGCCCCATCCCAAAGTGAGCATTTTCTTTGTGTGTAGCACA
GGATGCGGTATTTCCAAACCCCTGCCCTCGGTCTTTTCCACCTCACCGCTGCTCAGCTCTCA
AAGCCCTGCCGTTTCCTCCTGCCTTGGCTTGGGAAGCCTTAGGAACAGAAGCTCCCTGGGAGC
ACAGAGCGGTTTTAAACTGGCCAACACCTTAACGCCCAGAGCCGCCCTCCTCTCGCTGCCACT
TTGGAATAAAGAGACTAGAGATTCAGTGGACGCTTCCCTCCCGGCATCACAAGACTTGACTGC
TGCTTCAGTTCCCGCTTGACCTTCATACTTTAGCCCTTTAAAGGATGTTACATAATAACAATT
AAGAGACGGCAGGGCCTTCAGGCAGACTTCTTTGGAGGGTGTCAAACGCCTTGTTTATTAAAG
AGTGAATTTTTTAAATTAATAATCATGTTTTTAAACAGAGATGGACATTTTATTGATGGAAAAA
ATCACGTTAAGTTAGAAAGCTCTCAAAGTACCTGGTATTTACAACCTCCCTGTCAGGGAGGGC
GAACTCGATCTCAGAGTTTTATTTTCATCAGGGATTACGTTGAGGTACCCAGAAATGAGAAGA
TTTGCCCAAATGGCATATTTTAAATTTGGCCAGACCAGAACCCAGTTTCCTCTGGGATTAT
TTGTTAGTAATCGTTTTTACAGGCTGAGCATTAACCTCAAAGCTTGAAGGACTTTTTCTC
ATTTTCACTTGTTTTCTCTAATAAAAAATAATGCTGTAATTTCACTTCACAAGATGAGGCCTC
ATGGAAGAGTGTTTACCAAATATTTAAAAATACTTTGACAGAAAAAATCAAGCGAACTCTTT
GCCAACCAATATCATCATGACTGATGTAACAAGTAATCCAACACAGATATGAAAATCACTGG
TAAAAATCATCTCAGTTAATTCTAAAAGCAGAGCTAACCAACCCCTTTTGTCCCTAAGGCTTTAT
GGTATTAATAAATAAACTGTACAAAAATATAGATTTTCCCTATCCCCTACCCCTGGAAAGTA
ATATACTGAAGTCTCATCATACTGTTTTGGGGATTCCAGTAATTAATACTCTAGTGAACAAA
GACCTGTTTCAAAACAACCTGTGAGCTGACTGGACTATTTAAAGTAATTCTCCTTGAGTCAC
TTTCAGAGTGAAGACAATGACGAATACTGTCTTTTACAAAGGGACTTTTTATTCACCAACAA
ATTCTGGATTTTGGCATCAGGAAAACCACTGTTCAATTTCCAACACTATATCCAAGTTGTTG
AGAAATTATTTAAACTCTTTAACTTAGAGGGTTTCTTTCTCCTTTACTTGTTAAAGTGACT
ATATTACAGAGTCACTTTAAAGGATTAAATTTATTGCATGCAAAGTTTCTAGATCACTGTCTAG
AAGTCAGTTAGAGTAAGTTCTTTAGTTGTCAATCAAGCATTTAGTAAGGCCCTGCTTTGTGCC
CAGTGTTGACCTCAACAAAGTTGGGGATATCAGAATATTCTAAGATACAGTCGTTGTTCCCAA
GAATCTTGTCTTTACATACAAGAGGTGTTGCGTTTCATTTTGCGGCTAATGTCCAAACGCTG
GCCTCAGCCATTTACCTTGAAGATTGCAGTTGGCTTCCAACCTGGCCTCTAACTCTAATCTA
GCATTTTCCAGTCCATTGTGACAAAGTCTGCCTTCCCCAGCTACTCCAGCTGTTGGACCTGC
TGCTTAGAACACAGATTGGTACCTCGTGCC

516/615

FIGURE 512

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA107443
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19353, pI: 10.97, NX(S/T): 0
MAGLWLGLVWQKLLWGAASALSLAGASLVLSLLQRVASYARKWQQMRPIPTVARAYPLV
GHALLMKPDGRGKGRRSSWSATGSAAPFPPSDQPGTRCLWRWPQERGACHPVENALPVLV
VAPWHPPTLLVPHPKVSIFFVCSTGCGISKPLPSVFSHLTAAQLSKPCRFLLPWLGKP

Important features of the protein:**Signal peptide:**

Amino acids 1-25

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 75-79

N-myristoylation sites:

Amino acids 3-9;17-23;145-151

Amidation site:

Amino acids 73-77

Leucine zipper pattern:

Amino acids 8-30

517/615

FIGURE 513

GGCGGCTGGACGAGGACGCTCAGAGCCCAGCTCTCGAGAGTTCAAGCAACCGACGGTTCC
CCACTGCTCCCAGGAGCGGTTACCTGGGCACCTCTGTGCCCCCTCCTTCTGTTCGGGCCCCA
GGCCGAGGACCTGCCAGTAGGGCTCAGTTGCCTGGAGCCCGTTCAGCCCATCCCCAGTT
CACTTTGCTTGTGGGATCTCCCCGTTGCTCCTGCCCCTGGACTGAGTGGCAGGCCATCCT
ACAAGCACCCGGACACTTGACATCAGTGGTGTCAAGACAACCTCTAAGAAGGTTTTCCGTG
ATCCTGCAAGCCCTGCCTTCCTTCCTGGGATCCTGCCTTCAATTTGATTGCACAGGTACC
ACAGCAAGCCAGTGCTGTGTGCTCCGAGTTCCAGGGCGTCTCCAGCTCAGCCACTGCAC
TGAGAACATGGACTCTCTGTGGGGCCCCAGGAGCCGGGAGTCACCCCTTTGGGGTCCACAA
CACCCGGCTGTCCCAGACTTGTGTCCAGGGAAGATAGTGTGAGGGCCCTCAAGGAGAG
CGGGGCAGGGATGCCTGAGCAGGACAAGGACCCTAGAGTCCAAGAGAATCCTGGTGATCA
GAGAAGGGTCCCCGAGGTACCGGGGATGCACGGTCTGCATTCGGCCCCCTGCGGGACAA
TGGAGGCCTCTCTCCCTTTGTGCCCCGGGCCCCGGGCCTCTGCAGACAGACCTCCATGCCCA
GAGGTGAGAAATCAGATATAACCAGACATCCCAGACCTCCTGGACGAGCTCCTGCACCAA
CCGAAATGCCATCTCCAGCTCCTACAGCTCCACGGGAGGCTTGCTGGGGCTAAAGCGGAG
GAGGGGGCCAGCCTCATCCCACTGCCAGCTGACCCTCAGTTCTCAAAGACAGTGAGTGA
GGACAGGCCTCAGGCTGTCTCTTCAGGTACACCCAGTGTGAAAAGGCAGCAGATATAGC
ACCAGGGCAGACACTCACCCCTCAGGAATGACTCCTCCACATCCGAGGCCTCTAGGCCAG
TACACACAAGTTTCCCCTGCTGCCACGCAGGCGAGGGGAGCCTTTGATGCTGCCACCTCC
CTTAGAGCTGGGGTACCGGGTCACTGTTGAAGACCTGGACCGGGGAGAAGGAGGCGGCCTT
CCAGCGCATCAACAGTGCCTGCAGGTTGAGGACAAGGCCATCTCGGACTGCAGACCCTC
ACGGCCTTCCCACACTTTGTCTCACTTGCAACAGGGGCTTCTGGTCTGCCTGCCGTTTC
TAAAGCACCCAGTATGGATGCACAGCAGGAGACACACAAGTCCAAGACTGCCTGGGCCT
ACTGGACCCCTTAGCATCTGCTGCAGGGGTCCCCCTCTACAGCTCCCATGTCTGGGAAGAA
GCACAGACCACCAGGCCCCCTGTTCTCCTCCTCAGATCCCCCTTCTGCCACCTCTTCTGA
TTCCCAGGACTCAGCCAGGTACCTCGCTGATTCTGCTCCTGCAGCTGCCGCAGCAGC
GGATGCGGGCATGAGAAGAACAAGGCATGGCACTTCTGCTCCTGCAGCTGCCGCAGCAGC
CCCTCCCCGCTCCACATTGAACCCACGTTGGGGTCACTACTGGAGTGGATGGAGGCCCT
TCACATTTCTGGGCCTCAGCCACAGCTGCAGCAGGTGCCAGAGGTGAGAACCAGAGATC
CCAGACCTCCTGGACCAGCTCGTGCCCCAAATGAATGCCATCTCGAGCCCCCTACAGCTC
TACGGGAGGCCTCCCGGAACAAAAGCGGAAGAGGGGCCAGCCTCATCCCACTGCCAGCTG
ACCCTCAGTTCTCAAACACAGTGAGTGAGGACGGACCTCAGGCTGTCTCTCGGGTCAC
ACCCAGTGTAAGAACGCGCAGATACAGCACCAGGGCAGACACTCGCCTCCAGGGGTGGC
TCCCCCAGATCCCAGGCCTCTAGGCCCGTATATGCAAGTTTCCCCTGCTGCCACGCAGG
CGAGGGGAGCCTTTGATGCTGCCACCTCCCTTAGAGATGGGGTACCGGGTCACTGCTGAA
GACCTGGACCGGGGAGAAGGAGGAGGCATTCCAGCGCATCAACAGTGCACTGCAGGTGAG
GACCAGGCCATCTAGGACTGCAGACCCTCACGGCCTTCCCACACTTTGTCTCACTTGCA
ACAGGGGCTTCTGGTCTGCCTGCCGTTTCTAAAGCACCCAGTATGGATGCACAGCAGGAG
ACACACAAGTCCAAGACTGCCTGGGCCTAGTGGCCCCCTGCATCTGCTGCACAGGCCT
GTAGTCCCAGCTACTTGGGAGGCTGAGGCAGGAGAACGGCATAAACCCGGGAGGCAGAGC
TTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGGTGACAGAGCGAGACTCCGT
CTC

518/615

FIGURE 514

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA107786
><subunit 1 of 1, 428 aa, 1 stop
><MW: 45450, pI: 9.28, NX(S/T): 3
MDSLWGPAGSHPFVHNTRLSPDLCPGKIVLRALKESGAGMPEQDKDPRVQENPGDQRR
VPEVTGDARSAFRPLRDNGGLSPFVPGPGPLQTDLHAQRSEIRYNQTSQTSWTSSCTNRN
AISSSYSSSTGGLLGLKRRRGPPASSHCQLTLSSSKTVSEDRPQAVSSGHTQCEKAADIAPG
QTLTLRNDSSSTSEASRPSTHKFPLLPRRRGEPLMLPPPLELGYRVTVEDLDREKEAAFQR
INSALQVEDKAISDCRPSRPSHTLSSLATGASGLPAVSKAPSMDAQQETHKSQDCLGLLD
PLASAAGVPSTAPMSGKKHRPPGPFLFSSSDPLPATSSDSQDSAQVTS LI PAPFPAASMDA
GMRRTRHGTSAPAAAAAAPPSTLTNPTLGSLLLEWMEALHISGPQPQLQQVPRGQNQRSQT
SWTSSCPK
```

Important features of the protein:**N-glycosylation sites:**

Amino acids 105-109;187-191

Glycosaminoglycan attachment site:

Amino acids 38-42

N-myristoylation sites:

Amino acids 15-21;130-136;180-186;307-313;361-367

Amidation site:

Amino acids 315-319

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 106-117

519/615

FIGURE 515

GTCAGGGCCAGGGTGAGCGCCCGACTCCGAGCTGTCCCCGCTCCCGGCGCGGCGCTCCGCTCT
CAGCCACCTCACGGCTGCCAGGAGTGC GCGGGAGTTTGCCCCGGAGCGCGGGGAAGTTTCCTC
CGAAGCTGCGCTCCTGGAACAGCAGCACCTGCAAGCGCCCGGCAGCGGCCCGCGAGGTTACTT
TATGGAATTGGGCTCTTAGAGAACAAGAAAAGACTGAAGTTTTACGGGAAAACAAATCATGTG
GTCTTCAGATTCTGAAATAAGGAGAAATGCAGCCATCTGAAATGGTCATGAACCCCAAACAAG
TCTTCCTCTCTGTGCTGATATTTGGAGTAGCTGGGCTACTCCTCTTCATGTATTTGCAAGTCTGG
ATTGAAGAACAACATACAGGGAGAGTGGAGAAGAGAAGAGAACAAAAAGTAACTTCAGGATGG
GGACCAGTGAAGTACTTGCGGCCTGTACCCAGAATCATGAGTACAGAAAAAATCCAGGAACAT
ATCACCAACCAGAACCCCAAGTTTCACATGCCTGAGGATGTACGAGAAAAAAGGAAAATCTT
CTACTCAATTCTGAGAGATCTACTAGGCTCTTAACAAAGACCAGTCATTCACAAGGAGGGGAT
CAAGCTTTAAGTAAGTCCACAGGGTCACCAACAGAGAAGTTGATTGAAAAACGTCAAGGAGCT
AAGACTGTTTTTAACAAGTTCAGCAACATGAATTGGCCAGTGGACATTCACCCTTTAAACAAA
AGTTTAGTCAAAGATAATAAATGGAAGAAAACCTGAGGAGACCCAAGAGAAACGAAGGTCTTTC
CTTCAGGAGTTTTGCAAGAAATACGGTGGGGTGAGTCATCATCAGTCACATCTTTTTCATACA
GTATCCAGAATCTATGTAGAAGATAAACACAAAATCTTATATTGTGAGGTACCTAAGGCTGGC
TGTTCCAATTGGAAAAGAATTCTGATGGTACTAAATGGATTGGCTTCCTCTGCATACAACATC
TCCACAAATGCTGTCCACTACGGGAAGCATTGGAAGAAGCTAGATAGCTTTGACCTAAAAGGG
ATATATACCCGCTTAAATACTTACACCAAGCTGTGTTTGTTCGTGATCCCATGGAAAGATTA
GTATCAGCCTTTAGGGACAAAATTTGAACACCCCAATAGTTATTACCATCCAGTATTCGGAAAG
GCAATTATCAAGAAATATCGACCAATGCCTGTGAAGAAGCATTAAATTAATGGATCTGGAGTC
AAGTTCAAAGAGTTTTATCCACTACTTGCTGGATTCCCACCGTCCAGTAGGAATGGACATTCAC
TGGGAAAAGGTCAGCAAACTCTGCTATCCGTGTTTGATCAACTATGATTTTGTAGGGAAATTT
GAGACTTTGGAAGAAGATGCCAATTACTTTTTACAGATGATCGGTGCTCCAAGGAGCTGAAA
TTTCCCAACTTTAAGGATAGGCACTCTTCCGATGAAAGAACCAATGCTCAAGTCGTGAGACAG
TATTTAAAGGATCTGACTAGAACTGAGAGACAATTAATCTATGACTTTTATTACTTGGACTAT
TTAATGTTTAATTATACAACCTCCACTTTTTGTAGTTTGCATTCATTTTCTAAAACCCTGTATAT
ACTTAATGATGATAAGTTCAAATCAGCTGTAATTTTTCTATAATTCTCTGTATGACAGAAATT
TAACCAAGTGCAGTTGTCTTGATTTAATGTAGATTTTTTACCAAATAGTATGACACCAATTGGC
ACAAAGTTATAGGAAAATCACCTACAGGAGATGTAAACAACCTGAGTTGCTCTAAAATGTTTG
GAAAAGAGCTGCTTTTGCATTATGAATTATATTGTTGAAGCAATAACCTAGCCAGCTGTTGCA
TTAGCTAAAGCAGCCTCTTGCAATGGTAGGAAAAAAGGATCTCAAATAGCATGAGTGTATGTC
TATATCCTGAAATTTATTGTCTAAAATGCATGAATATATTTTTAGCAGTCTGTGGCATATTAA
TCAAAGTGTGAATTGTTTTCTTACACCCTGGAAATCTTCTATCAACTATAATGATAAATCC
ATTTTGAAGTGATATTTTGGACTTAGGCATTTACTTTAGATTGGAAGGCATTATGTGATTTACA
ATATGAGAATATAGCAGAAAAACCA

520/615

FIGURE 516

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108682
><subunit 1 of 1, 443 aa, 1 stop
><MW: 52021, pI: 9.63, NX(S/T): 4
MQPSEMVMNPKQVFLSVLIFGVAGLLLEFMYLQVWIEEQHTGRVEKRREQKVTSGWGPVKY
LRPVPRIMSTEKIQEHITNQNPKFHMPEDVREKKENLLLNSERSTRLLTKTSHSQGGDQA
LSKSTGSPTEKLEKROGAKTVFNKFSNMNWPVDIHPLNKS LVKDNKWKKTEETQEKRRS
FLQEFCKKYGGVSHHQSHLFHTVSRIYVEDKHKILYCEVPKAGCSNWK RILMVLNGLASS
AYNISHNAVHYGKHLKKLDSFDLKG IYTRLNTYTKAVFVRDPMERLVSAFRDKFEHPNSY
YHPVFGKAI IKYRPNACEEALINGSGVKFKEFIHYLLDSHRPVGMDIHWEK VSKLCYPC
LINYDFVGKFETLEEDANYFLQ MIGAPKELKFPNFKDRHSSDERTNAQVVRQYLKDLTRT
ERQLIYDFYYLDYLMFNYYTTPLL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

N-glycosylation sites:

Amino acids 159-163;243-247;324-328;437-441

Glycosaminoglycan attachment site:

Amino acids 53-57

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 177-181

Tyrosine kinase phosphorylation site:

Amino acids 329-337

N-myristoylation sites:

Amino acids 116-122;236-242

521/615

FIGURE 517

GGAACTTCCCAGGCACCTGTGTGGCCGCACTGCTCCCTCTGGCCCAACCATGCCTCTGTCCAGCCACCTGCTGC
CCGCCTTGGTCTCTTCTGGCAGGGTCTCAGGCTGGGCCTGGGTCCCCAACCACTGCAGGAGCCCTGGCCAGG
CCGTGTGCAACTTCGTGTGTGACTGCAGGGACTGCTCAGATGAGGCCAGTGTGGTTACCACGGGGCCCTCGCCCA
CCCTGGGCGCCCCCTTCGCCTGTGACTTCGAGCAGGACCCCTGCGGCTGGCGGGACATTAGTACCTCAGGCTACA
GCTGGCTCCGAGACAGGGCAGGGGGCCGCACTGGAGGGTCTGGGCCTCACTCAGACCACACACTGGGCACCGACT
TGGGCTGGTACATGGCCGTTGGAACCCACCGAGGGGAAAGAGGCATCCACCGCAGCCCTGCGCTCGCCAACCCCTGC
GAGAGGCAGCCTCCTCTTGCAAGCTGAGGCTCTGGTACCACGCGGCCTCTGGAGATGTGGCTGAACTGCGGGTGG
AGCTGACCCATGGCGCAGAGACCCCTGACCCCTGTGGCAGAGCACAGGGCCCTGGGGCCCTGGCTGGCAGGAGTGG
CAGTGACCACAGGCCGCATCCGGGGTGACTTCGAGTGACCTTCTCTGCCACCCGAAATGCCACCCACAGGGGCG
CTGTGGCTCTAGATGACCTAGAGTTCTGGGACTGTGGTCTGCCACCCCCAGGCCAACTGTCCCCGGGACACC
ACCACTGCCAGAACAAGGTCTGCGTGGAGCCCCAGCAGCTGTGCGACGGGGAAAGACAACCTGCGGGGACCTGTCTG
ATGAGAACCCACTCACCTGTGGCCGCCACATAGCCACCGACTTTGAGACAGGCCTGGGCCCATGGAACCGCTCGG
AAGGCTGGTCCCGGAACCACTGTGGTGGTCTGAGCGCCCTCTGGCCACGCGGTGACCACAGCCGGAACA
GTGCACAGGGCTCCTTCTGGTCTCCGTGGCCGAGCCTGGCACCCCTGCTATACTCTCCAGCCCCGAATTCGAAG
CCTCAGGCACCTCCAACCTGCTCGTGGTCTTCTATCAGTACCTGAGTGGGTCTGAGGCTGGCTGCCTCCAGCTGT
TCCTGCAGACTCTGGGGCCCCGGCGCCCCGGGGCCCCCGTCTGCTGCGGAGGCGCCGAGGGGAGCTGGGGACCG
CCTGGGTCCGAGACCGTGTGACATCCAGAGCGCCTACCCCTTCAGATCCTCCTGGCCGGGCAGACAGGCCCGG
GGGCGTCTGGGTCTGGACGACCTCATCTGTCTGACCACTGCAGACCAGTCTCGGAGGTGTCCACCTGCAGC
CGCTGCCTCCTGGGCCCCGGGGCCCCAGCCCCAGCCCTGCCGCCAGCTCGCGGCTCCAGGATTCTGCAAGC
AGGGGCATCTTGCTGCGGGGACCTGTGTGTGCCCCGGGAACAACCTGTGTGACTTCGAGGAGCAGTGCCGAGGGG
GCGAGGACGAGCAGGCCTGTGGCACCACAGACTTTGAGTCCCCGAGGCTGGGGGTGGGAGGACGCCAGCGTGG
GGCGGCTGCAGTGGCGGCGTGTCTCAGCCCAGGAGAGCCAGGGGTCCAGTGACGCTGCTGCTGGGCACTTCCTGT
CTCTGCAGCGGCCTGGGGGCGAGCTAGGCGCTGAGGCCCCGGTCTCACACCCCTCCTTGGCCCTTCTGGCCCCA
GCTGTGAATCCACCTGGCTTATTATTACAGAGCCAGCCCCGAGAGGTCTCCTGTAACTTTGAGCGGGACACAT
GCAGCTGGTACCAGGCCACCTCTCAGACACACACTGGCGCTGGGTGGAGAGCCGCGGCCCTGACCACGACCACA
CCACAGGCCAAGGCCACTTTGTGCTCCTGGACCCACAGACCCCTGGCCTGGGGCCACAGTGCCACCTGCTCT
CCAGGCCCCAGGTGCCAGCAGCACCACCGAGTGTCTCAGCTTCTGGTACCACCTCCATGGGCCCCAGATTGGGA
CTCTGCGCCTAGCCATGAGACGGGAAGGGGAGGAGACACACTGTGGTTCGCGGTGAGGCACCCAGGGCAACCGCT
GGCACGAGGCTGGGCCACCTTTCCACAGCCTGGCTGCCAGTACCAGCTGCTGTTTCGAGGGCCCTCC
GGGACGGATACCACGGCACCATGGCGCTGGACGATGTGGCGTGGCGCGGGCCCCCTGCTGGGGCCCTAATTACT
GCTCCTTTGAGGACTCAGACTGCGGCTTCTCCCCTGGAGGCCAAGGTCTCTGGAGGGGCGAGGCCAATGCCTCGG
GCCATGCTGCCTGGGGCCCCCAACAGACCATAACCTGAGACAGCCCCAAGGGCACTACATGGTGGTGGACACAA
GCCCAGACGCACTACCCGGGGCCAGACGGCCTCCCTGACCTCCAAGGAGCACAGGCCCTGGCCCCAGCCTGCTT
GTCTGACCTTCTGGTACCACGGGAGCCTCCGAGCCACAGCACCCTGCGGGTCTACCTGGAGGAGCGCGGGAGGC
ACCAGGTGCTCAGCCTCAGTGCCACGGCGGGCTTGGCGCCTGGGCAGCATGGACGTGCAGGCCGAGCGAG
CCTGGAGGGTGGTGTGTTGAGGCAGTGGCCGAGGCGTGGCACACTCCTACGTGGCTCTGGATGATCTGCTCCTCC
AGGACGGGCGCTGCCCTCAGCCAGGTTCCTGTGATTTTGTGCTGGCCTGTGTGGCTGGAGCCACCTGGCCGGGC
CCGGCCTGGGCGGATACAGCTGGGACTGGGGCGGGGGAGCCACCCCTCTCGTTACCCCCAGCCCCCTGTGGACC
ACACCTGGGCACAGAGGCAGGCCACTTTGCCCTTCTTTGAACTGGCGTGTGGGGCCCCGGGGCGGGCGCCT
GGCTGCGCAGCGAGCCTCTGCCGGCCACCCAGCCTCCTGCCTCCGCTTCTGGTACCACATGGGTTTTCTGAGC
ACTTCTACAAGGGGGAGCTGAAGGTACTGCTGCACAGTGTCTCAGGGCCAGCTGGCTGTGTGGGGCGCAGGCGGGC
ATCGGCGGCACAGTGGCTGGAGGCCAGGTGGAGGTAGCCAGTGCCAAGGAGTTCCAGATCGTGTGTTGAAGCCA
CTCTGGGCGGCCAGCCAGCCCTGGGGCCCATTGCCCTGGATGACGTGGAGTATCTGGCTGGGCAGCATTGCCAGC
AGCCTGCCCCAGCCCGGGGAACACAGCCGACCCGGGTCTGTGCCAGCTGTGGTTGGCAGTGCCCTCCTATTGC
TCATGCTCCTGGTGTCTGTGGGACTTGGGGGACGGCGCTGGCTGCAGAAGAAGGGGAGCTGCCCTTCCAGAGCA
ACACAGAGGCCACAGCCCTGGCTTTGACAACATCCTTTTCAATGCGGATGGTGTACCCCTCCCGGCATCTGTCA
CCAGTGATCCGTAGACCACCCAGACAAGCCCCGCTTCTCAGTGACATCCAGCACTTGGTCAGACCCTAGCC
AGGGACCGGACACCTGCCCGCCCCAGGCTGGGACAGGTGTCAGGTCTCAGGATATGCTGAGGCTGGGCGTTCCC
TGCCCTGTGCTGACTCTGTGCTCTGTGAATAAACACCCCTGGCCATGAGGGCCGCCCCAAAAA
AAAAAAAAAAAAA

522/615

FIGURE 518

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108684
><subunit 1 of 1, 1137 aa, 1 stop
><MW: 122776, pI: 6.00, NX(S/T): 4
MPLSSHLLPALVLFLLAGSSGAWVFNHCRSPGQAVCNFVCDRCDSDEAQCQGYHGASPTL
GAPFACDFEQDPCGWRDISTSGYSWLRDRAGAALEGPGPHSDHTLGTDLGWYMAVGTHRG
KEASTAALRSPTLREAASSCKLRWYHAASGDVAELRVELTHGAETLTLWQSTGPGWPGW
QELAVTTGRIRGDFRVTFSTRNATHRGAVALLDLEFWDCLPTPQANCPGHHHCQNKV
CVEPQQLCDGEDNCGDLSDENPLTCGRHIATDFETGLGPWNRSEGWSRNRHAGGPERPSW
PRRDHSRNSAQGSFLVSVAPGTPAILSSPEFQASGTSNCSLVFYQYLSGSEAGCLQLFL
QTLGPGAPRAPVLLRRRRGELGTAWVRDRVDIQSAYPFQILLAGQTGPGGVVGLDDLILS
DHCPRVSEVSTLQPLPPGPRAPAPQPLPPSSRLQDSCKQGHACGLDCLVPPEQLCDFEEQ
CAGGEDEQACGTTDFESPEAGGWEDASVGRLLQWRRVSAQESQGSAAAAGHFLSLQRAWG
QLGAEARVLTPLLGPSGSPCELHLLAYYLSQSPREVS CNFERDTC SWYPGHLSDTHWRWVE
SRGPDHDHTTGQGHFVLLDPTDPLAWGHSAHLLSRPQVPAAPTECLSFYHLHGPPQIGTL
RLAMRREGEEETHLSRSGTQGNRWHEAWATLSHQPGSHAQYQLLFEGLRDGYHGTMALDD
VAVRPGPCWAPNYCSFEDSDCGFSPPGQGLWRRQANASGHAAGPPTDHTTETAQGHYMV
VDTSPDALPRGQTASLTSKEHRPLAQPACLTFWYHGSLSRSPGTLRVYLEERGRHQVLSLS
AHGGLAWRLGSM DVQAERAWRVFEAVAAGVAHSYVALD LLLQDGP CPQPGSCDFESGL
CGWSHLAGPGLGGYSWDWGGGATPSRYPPQPPVDHTLGT EAGHFAFFETGVLGPGGRAAWL
RSEPLPATPASCIRFWYHMGFP EHFYK GELKVL LLSAQQLAVWGAGGHRHQLWLEAQVE
VASAKEFQIVFEATLGGQPALGP IALDDVEYLAGQH CQQFAPSPGNTAAPGSVPAVVGSA
LLLLMLLVLLGLGGRRWLQKKGSCPFQSNTEATAPGFDNILENADGVTL PASVTSDP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 1075-1092

N-glycosylation sites:

Amino acids 203-207;281-285;339-343;756-760

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 514-518;1100-1104

N-myristoylation sites:

Amino acids 32-38;55-61;61-67;106-112;116-122;336-342;350-356;409-415;
523-529;540-546;678-684;707-713;791-797;870-876;921-927;
937-943;954-960;1036-1042;1071-1077

Amidation site:

Amino acids 1093-1097

Cell attachment sequence:

Amino acids 191-194

523/615

FIGURE 519

GCAGGGGAGCTCCGAGTGTCCACAGGAAGGGAAGTATCAGCTCCTGGCATCTGTAAGGATGCT
GTCCATGCTGAGGACAATGACCAGACTCTGCTTCCTGTTATTCTTCTCTGTGGCCACCAGTGG
GTGCAGTGCAGCAGCAGCCTCTTCTCTTGAGATGCTCTCGAGGGAATTCGAAACCTGTGCCTT
CTCCTTTTCTTCCCTGCCTAGAAGCTGCAAAGAAATCAAGGAACGCTGCCATAGTGCAGGTGA
TGGCCTGTATTTTCTCCGCACCAAGAATGGTGTGTCTACCAGACCTTCTGTGACATGACTTC
TGGGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCACGAGAATGACATGCGTGGGAAGTGCAC
GGTGGGTGATCGCTGGTCCAGTCAGCAGGGCAACAAAGCAGACTACCCAGAGGGGGATGGCAA
CTGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCC
TGGCTACTACGACATCCAGGCCAAGGACCTGGGCATCTGGCATGTGCCCAACAAGTCCCCCAT
GCAGCATTGGAGAAACAGCGCCCTGCTGAGGTACCGCACCAACACTGGCTTCCTCCAGAGACT
GGGACATAATCTGTTTGGCATCTACCAGAAATACCCAGTGAAATACAGATCAGGGAAATGTTG
GAATGACAATGGCCCAGCCATACCTGTGGTCTATGACTTTGGTGATGCTAAGAAGACTGCATC
TTATTACTCACCGTATGGTCAACGGGAATTTGTTGCAGGATTTCGTTCAAGTTCGGGGTGTTTAA
TAACGAGAGAGCAGCCAACGCCCTTTGTGCTGGGATAAAAGTTACTGGCTGTAACACTGAGCA
TCACTGCATCGGTGGAGGAGGGTTCTTCCCACAGGGCAAACCCCGTCAGTGTGGGGACTTCTC
CGCCTTTGACTGGGATGGATATGGAACCTCACGTTAAGAGCAGCTGCAGTCGGGAGATAACGGA
GGCGGCTGTACTCTTGTTCTATAGATGAGACAGAGCTCTGCGGTGTCAGGGCGAGAACCCATC
TTCCAACCCCGGCTATTTGGAGACGGAAAACTGGAATTCTAACAAGGAGGAGAGGAGACTAA
ATCACATCAATTTGCA

524/615

FIGURE 520

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108701
><subunit 1 of 1, 325 aa, 1 stop
><MW: 36212, pI: 8.68, NX(S/T): 1
MLTMLRTMTRLCLLFFSVATSGCSAAAASSLEMLSREFETCAFSFSSLPRSCKEIKERC
HSAGDGLYFLRTKNGVVYQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGNKA
DYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSALLR
YRTNTGFLQRLGHNLFGIYQKYPVKYRSGKWCNDNGPAIPVVYDFGDAKKTASYYSYGQ
REFVAGFVQFRVFNNERAANALCAGIKVTGCNTEHHHCIGGGGFFPQGKPRQCGDFSADF
DGYGTHVKSSCSREITEAAVLLFYR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-26

Glycosaminoglycan attachment site:

Amino acids 86-90

N-myristoylation sites:

Amino acids 23-29;88-94;127-133;136-142;265-271

525/615

FIGURE 521

GATCAGTGTGTGAGGGAAGTCCCATCATGAGGTCTGACAAGTCAGCTTTGGTATTTCTGCTCCTGCAGCTCTTCT
GTGTTGGCTGTGGATTCTGTGGGAAAGTCCTGGTGTGGCCCTGTGACATGAGCCATTGGCTTAATGTCAAGGTCA
TTCTAGAAGAGCTCATAGTGAGAGGCCATGAGGTAACAGTATTGACTCACTCAAAGCCTTCGTTAATTGACTACA
GGAAGCCTTCTGCATTGAAATTTGAGGTGGTCCATATGCCACAGGACAGAACAGAAGAAAATGAAATATTTGTTG
ACCTAGCTCTGAATGTCTTGCCAGGCTTATCAACCTGGCAATCAGTTATAAAATTAAATGATTTTTTTTGTGAAA
TAAGAGGAACTTTAAAAATGATGTGTGAGAGCTTTATCTACAATCAGACGCTTATGAAGAAGCTACAGGAAACCA
ACTACGATGTAATGCTTATAGACCCGTGATTCCCTGTGGAGACCTGATGGCTGAGTTGCTTGCACTCCCTTTTG
TGCTCACACTTAGAATTTCTGTAGGAGGCAATATGGAGCGAAGCTGTGGGAAACTTCCAGCTCCACTTTCCCTATG
TACCTGTGCCCTATGACAGGACTAACAGACAGAATGACCTTTCTGGAAAGAGTAAAAAATTCATGCTTTCAGTTT
TGTTCCACTTCTGGATTACAGGATTACGACTATCATTTTTTGGGAAGAGTTTTATAGTAAGGCATTAGGAAGGCCCA
CTACATTATGTGAGACTGTGGGAAAAGCTGAGATATGGCTAATACGAACATATTGGGATTTTGAATTTCTCAAC
CATACCAACCTAAGTTTGTGAGTTTGTGGAGGATTGCACTGTAACCTGCCAAAGCTTTGCTTAAGGAAATGGAAA
ATTTTGTCCAGAGTTTCAAGGGGAGATGGTATTGTGGTGTCTTCTGCGGTCACTGTTTCAAAATGTTACAGAAG
AAAAGGCTAATATCATTGCTTCAGCCCTTGCCAGATCCACAGAAGGTGTTATGGAGGTACAAAGGAAAAAAC
CATCCACATTAGGAGCCAATACTCGGCTGTATGATTGGATACCCAGAAATGATCTTCTTGGTCATCCCAAAACCA
AAGCTTTTATCACTCATGGTGGAAATGAATGGGATCTATGAAGCTATTTACCATGGGGTCCCTATGGTGGGAGTTC
CCATATTTGGTGATCAGCTTGATAACATAGCTCACATGAAGGCCAAAGGAGCAGCTGTAGAAATAAATTCAAAA
CTATGACAAGCGAAGATTTACTGAGGGCTTTGAGAACAGTCATTACCGATTCTCTTATAAAGAGAATGCTATGA
GATTATCAAGAATTCACCATGATCAACCTGTAAAGCCCTAGATCGAGCAGTCTTCTGGATCGAGTTTGTGATGC
GCCACAAAGGAGCCAAGCACCTGCGATCAGCTGCCCATGACCTCACCTGGTTCAGCACTACTCTATAGATGTGA
TTGGGTCTCTGCTGACCTGTGTGGCAACTGCTATATTCTGTTTACAAAATGTTTTTTATTTTCTGTCAAAAAT
TTAATAAAACTAGAAAGATAGAAAAGAGGGAATAGATCTTTCCAAATTCAGAAAGACCTGATGGGTAATCCTG
TTAATTCAGCCACATAGAAATTTGGTGAAAACCTTGCTATTTTCATATTATCTATTCTGTTATTTTATCTTAGCT
ATATAGCCTAGAATTCATGATCATGAGGTGTGAGTATATCTCATTCTTCTGTTGTATTTTCTAGGTGTCTTT
ACTCTCTTCTCACTTTGTGACACAAGGACATGAATACATCTAAATTTTCTATTTCTGATATGACTGTTTTGA
TGATGTCATTACTTCTATAACCTTAAGTGATAGGGTGACATGCAATATGATTATTCCTGGTGTGCCCCAAACAC
ATGGATATAAAGAGGTAAAAAATTTAAATTCACAAAATTCAGTAAACCACACAAATCAGGTAAGTGTCTATGA
GATTAGCTGGCTATGAGAAACATAATGATGTTTTCTTTTCAATTTAAATAAGCCTTTCTACATAGCCAGCATCAG
TGATCTCAGAAAATAAATTTGCTAATAATGATGACATGGCATTATGCTTAGAAAAGTTTGCTGTATTTCCATAGAC
CTCATCTAGATGTGATGCCCTACATTTCTGCCATCACTCAACCAATACTTTTTCTGTTTTCTTGATGATAAAAA
GACCTTTCTCATGATTGCCATCAAATAACAAAAGAACTATTTTTTTCTCACATAGAGAACATGTCAGTAAGAT
ATTCAGGTGAACAGATATTTTTGGGATTAGTAACTATTTGAAATATGTGGTGATAATTACTGAGTTTATAAAAT
TTATTTGATAGTACACTTAAAGAAGATTTATATGTTTTATCTTTAAATGATGAATACTCATAATCTTATCTC
TATAATCAAAAGTATAATTTACTGTAGAAAATAAAGAGATGCTTGTCTGAAAGTAAGATCAGTGAAGTCTTT
TCAGTCTCAATCTTTGAGAATTGTAAATTCATCAAATAATTGCTTACATAGTAAAAATTTAAGGTATTAGAAAAC
CTGCATAACAAATAGTATTATATATTAATATTTTATATGTAAAGCTCTACACAAAGCTAAATATAGTGTAATA
ATGTTTACACTAGTAAGCAAATATGTTAATCTTCTCATTTTTTTACTGTATATAATCTTAGTGATATGCCTATT
AATAGTTTTAAATAAATAAATTTGGCTTATCTGGCTTTTTGAAAATTTTGAATTTCTACAGATGTTGATTAGGTA
TATCTACAAATTAATTTCAATTTTAAATGATGATATAAATAAATAAGTATTTTTCTTGTGTATGTATACA
ATAAATATAAATAAATTTGTTACTGTTTTGAAAGTTTCTTAAGTTTTA

526/615

FIGURE 522

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108720
><subunit 1 of 1, 527 aa, 1 stop
><MW: 60284, pI: 8.31, NX(S/T): 3
MRSDKSALVFLLLQLFCVGCFCGKVLVWPCDMSHWLNVKVILEELIVRGHEVTVLTHSK
PSLIDYRKPSALKFEVVHMPQDRTEENEIFVDLALNVLPGLSTWQSVIKLNDFFVEIRGT
LKMMCESFIYNQTLMKKLQETNYDVMLIDPVI PCGDLMAELLAVPFVLTLRISVGGNMER
SCGKLPAPLSYVPVPM TGLTDRMTFLERVKNSMLSVLFHFWIQDYDYHFWE EFYSKALGR
PTTLCETVGKAEIWLIRTYWDFEFPQPYQPNFEFVGGLHCKPAKALPKEMENFVQSSGED
GIVVFSLSLGFQNVTEEKANIIASALAQIPQKVLWRYKGKKPSTLGANTRLYDWIPQNDL
LGHPKTKAFITHHGMNGIYEAIYHGVPMVGVPIFGDQLDNIAHMKAKGA AVEINFKTMTS
EDLLRALRTVITDSSYKENAMRLSRIHHDQPVKPLDRAVFWIEFVMRHKGAKHLRSA AHD
LTWFQHYSIDVIGFLLTCVATAIFLFTKCF LFSCQKFNKTRKIEKRE

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 489-510

N-glycosylation sites:

Amino acids 131-135;313-317;518-522

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 67-71;340-344

Tyrosine kinase phosphorylation sites:

Amino acids 122-131;136-144

N-myristoylation sites:

Amino acids 19-25;276-282;373-379;377-383

Amidation site:

Amino acids 338-342

527/615

FIGURE 523

GGCTGCGGGGTGCGGCACGGAAGATGCACGCGAGGCTCCTGGGGCTCTCGGCCCTGCTGCAGGC
GGCCGAACAGAGCGCGCGCCTTTACACCGTGGCTTACTACTTCACCACAGGACGGCTTCTGTG
GGGGTGGCTGGCCCTTGCTGTCCTCCTGCCCGGGTTCTTGGTCCAGGCCCTGAGCTACCTGTG
GTTCCGAGCAGACGGGCATCCAGGGCATTGCTCCTTGGTGATGCTGCACCTCCTACAGCTTGG
TGTTTGGAAGCGGCACTGGGACGCTGCACTGACCAGTCTGCAGAAGGAAGTGGAGGCTCCCCA
CCGAGGCTGGCTGCAGCTGCAGGAGGCCGACCTGTGCGCCCTTCGACTCTTGGAGGCCCTGCT
GCAGACTGGGCCCCACCTGCTGCTTCAGACATATGTTTTTCTAGCCTCAGACTTCACAGATATT
GTGCCAGGGGTGAGCACCTGTTTTTCTGGTCTCACTCTCCTGGGCACTGGTGTCTTACACT
CGTTTCATGGGCTTCATGAAGCCAGGCCACCTGGCCATGCCATGGGCCGCCCTCTTCTGCCAG
CAGCTCTGGAGGATGGGCATGTTGGGAACCCGCGTGCTGAGTCTGGTCTGTTCTACAAAGCC
TACCACTTTTTGGGTTTTTGTGGTTGCAGGTGCCCACTGGCTGGTGATGACATTCTGGCTTGTC
GCCAGCAGAGTGACATCATCGACAGCACCTGCCACTGGAGGCTGTTCAACCTGCTCGTGGGG
GCCGTGTACATCCTCTGCTACCTCAGCTTCTGGGACAGCCCTTCTAGAAATAGGATGGTCAG
TTCTACATGGTCATGCTGTTGGAGAACATCATCCTGTTGCTGTTGGCCACCGACTTCTCCAG
GGGGCATCGTGGACCAGCCTGCAGACCATAGCTGGGGTCTGTCTGGATTTCTGATTGGCAGT
GTCTCACTGGTAATTTATTACAGCCTGCTGCATCCAAAATCCACAGACATCTGGCAGGGCTGC
CTAAGGAAGTCTGTGGCATTCAGGAGGTGATAAAACAGAGAGAAGAGATTCTCCCCGGGCC
ACAGATCTAGCTGGGAAGAGAACCAGAGCTCAGGCTCATGCCAAGGGGCAAGTTATGAACCA
ACCATTTTAGGGAAGCCCCCTACCCCTGAGCAGGTCCCCCAGAGGCTGGGCTGGGGACCCAG
GTTGCTGTGGAGGACTCTTTCCTCAGTCATCACCCTGGCTGTGGGTGAACTTGCCCTAAAA
ACAGGAAATGTGTCTAAGATCAATGCCGCTTTGGAGATAACAGTCTTGCCTATTGTCCACCT
GCATGGGGGTTGAGTCAACAGGACTACCTGCAGAGAAAGGCCTTGTCTGCCAGCAAGAGCTC
CCATCTCATCCCCGTGACCCCTCAACCTTAGAGAACAGCTCTGCGTTTGAAGGTGTCCCTAAA
GCAGAGGCCGACCCATTGGAAACCTCAAGTTACGTATCTTTTGCCAGCGATCAGCAGGATGAA
GCACCTACCCAGAACCCAGCAGCCACGCAAGGGGAGGGCACCCCAAAGGAAGGAGCTGACGCT
GTTTCTGGGACACAGGGGAAGGGGACAGGTGGGCAGCAGAGAGGGGGAAGGACAGCAGAGT
TCCACGTTGTACTTCAGCGCCACTGCAGAAGTGGCCACATCCTCACAACAAGAAGGCAGCCCA
GCTACTCTGCAAACGGCCCCACTCTGGAAGGAGGCTGGGAAAGAGCAGCCCTGCCAGCCTGCA
TCGCCCCACCCAGTGGGCTTGCGGCCCTTCCCCGACACCATGGCCGACATTAGCCCCATCCTA
GGCACAGGCCCATGTAGAGGCTTCTGCCCCAGTGCAGGCTTCCCTGGAAGAACCCTCAGTATC
TCAGAGCTAGAGGAGCCGCTGGAGCCCCAAAAGGGAGCTAAGTCACCATGCAGCTGTTGGTGTG
TGGGTGTCATTGCCACAGCTGAGGACTGCCCATGAGCCCTGCCTCACGTCCACCCCTAAGTCT
GAGTCTATCCAAACGGAAGTGCAGCTGCAGGGAACAGATGAAGCAAGAGCCGAGTTTTTTCATC
TGACCACAGTCATGGTGGGATAAGACAACAGGCTGACAAACCAAGCTGGCCATTTGGTACCGT
GAGAAAGGAAATCCCCTTCTGACACCTGTGTCCTTGGGCACATCACTGTCACCTCTGAATCT
CCATCTGCATCCCTGAAAAATGAAGAAACAGGGCTGGATGATTTTGCAGGTCCAATGCAAACA
TCACAGACCCACCCATGCATAGGAGAGACTCTAACATACTTTAGAGGAGGAGAAAGAGATTC
CAGTCAAATTTGCTGCTACCTTTTATGAGCTGTAGGTTCCCTTATTTTATCTTTTTGCTGTG
GCTTCTAGGAAACACAAAGGTAACCCAGATTCCCTATTTTATTTGAGGTTCTTGTTACAATT
AGCTTTGCCTCACATTTAGCGGTTATGAATCTCATTTTAATATATTCTAACTGTATTATGTTA
TGAAATCTCTTGGTAAGATAATTGTCATGCTTCTGGGAGTAGGTAAGGCCTGTGTGCTTGTA
ATAACTAACATAACTGAAAGTGCAAATGTCA

528/615

FIGURE 524

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108726
><subunit 1 of 1, 686 aa, 1 stop
><MW: 74981, pI: 6.60, NX(S/T): 2
MHARLLGLSALLQAAEQSARLYTVAYYFTTGRLWGWLALAVLLPGFLVQALSYLWFRAD
GHPGHCSLVMHLHLQLGVWKRHWDAALTSLQKELEAPHRGWLQLQEADLSALRLLEALLQ
TGPHELLQTYVFLASDFTDIVPGVSTLFSWSSLSWALVSYTRFMGFMKPGHLAMPWAALF
CQQLWRMGMLGTRVLSLVLFYKAYHFVVFVAGAHWLVMTFWLVAQQSDIIDSTCHWRLF
NLLVGAVYILCYLSFWDSPSRNRMVTFYVMMLLENIILLLLATDFLQGASWTSLOTIAGV
LSGFLIGSVSLVIYYSLHHPKSTDIWQGCLRKSCGIAGGDKTERRDSPRATDLAGKRTE
SGSCQGASYEPTILGKPPTPEQVPPEAGLGTQVAVEDSFLSHHHWLWVKLALKTG NVSKI
NAAF GDNSPAYCPPAWGLSQQDYLQKALSAQQELPSSSRDPSTLENSSAFEGVPKAEAD
PLETSSYVSFASDQQDEAPTQNPAAATQEGGTPKEGADAVSGTQKG GTGGQQRGGEQQSS
TLYFSATAE VATSSQQEGSPATLQTAHSGRR LGKSSPAQPASPHVGLAPFPDTMADISP
ILGTGPCRGF C PSAGFPGR T L S I S E L E E P L E P K R E L S H H A A V G V W V S L P Q L R T A H E P C L T
STPKSESIQTDCSCREQMKQEPSFFI
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domains:

Amino acids 35-50;269-287;293-313

N-glycosylation sites:

Amino acids 416-420;467-471

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 344-348

N-myristoylation sites:Amino acids 188-194;288-294;299-305;335-341;338-344;362-368;
390-396;473-479;529-535;536-542;558-564;603-609;
643-649**Amidation sites:**

Amino acids 354-358;568-572

Leucine zipper pattern:

Amino acids 112-134

529/615

FIGURE 525A

AGTGCCCTCTGTCATTTAATCTCCACGGAGTCCTGAAGGTGCTTCCAGGTTTGTCCCCATCACACAGATGAGGC
AATCGTTCTGTTAAGACTGTCCTTGGGTCAATATGTCAGCAATGAAATCGGTGCTGCCATTACTAAACCCCTTACT
GTGTGCTGGCATTGTGTATGCATGCATGTGTGTGCGTGACACGTGTGTGTTTGCCTGTACATGTGCATGTGTGTG
TTGTGTGCCTGTGTGTGCACATGTAGAAAAGAAAGTGATGTGTGGGAATGGAGAATTCCAACCCAGGAGGAGACTG
TGCCTGGGGCTGCCACGAGAAGTGGTGACACTTCGAGAAACGGGTTCCAAATGCACGTTGCCTTCCAGTTCTCTG
TGTGACCTTGGGCAAGTCACTTCAGCTCCCTGAGCTTTGTTTTAAAAATATTTTTTAAATGTATAAAACCATGG
ACCATTACATATGAAGAGAAATGTGTGTGCAACATTCAGTTAATAATCACAAGGTGGAGGAGTGCCTGCTCAGA
CCCAGAGCTGACACAGGGAACCTCTCCAGAAGGCTGCAGGGCTTCCCTCCCAACCCCTCCAACGGCCCACTTGCTG
AGCCCGTCTTATCTGTTCACTGGAATGCCATGTGCCACGTTCCCTCAGAAGTAAAGCCACTAGGTAAGTGTGAC
ACTCTGTGCCAGCTTGGTGCAAGCCCTTGTGTGTGCTATCTTATTGACCTCCCAATAGCATGGTAAGGTCA
GTACTGTCACTTCCCCCACTTTGAAGATGAGGAGAGCACAAATCTAGATGGAATGGAGGTCACGCAGTGGAAA
TAGGATCCAGACAGATTAATCCAATCTCAAGCCTGAATCTTCCATTCCACGCTACGCTTGAAGCTCAATCTCTC
TTCTGTTGATTCTCCCCACTTCCCCACCCCAAGATATATCCCATCGCTGCTTGGTGGACAGTAGCCATGACTG
GGTTTTGGTAAAGGTTGCTGAATAATCAGGCTGCTGGTTAGTTTTACATTTACCTTTCCAGTGAAATGGGGC
CCCATGAAAAGGCAGCTCAAGTTGTAAATTACTCAAAGGAAGGACAGAAAGGTCTTCTGTTTGCACCTACCCTA
AGGATTTGGGGTAGACACTGGGAATTTACTAATTATGAATCCAGTGCTTTCTTGTCTGAAAGAGAGGCGTGGAA
TCAACGCTGAGTGAAGGCATCAAGTTTAAAGCTGCTAATTACTTCTGATCATGCAGAATAAAAGCTACGTCCTT
GAAATACACCAGGCAGCTAAACATAATCTTTCGCTTCCGTAGTGTTGGTTAAGGAATCCAGATGTACTGCAAT
AACCCTCCATAAACAAGGAACACCCAGCTGTGAGAACTGGCTTCTCAGCATTCTGTCAGCAGAGGCTCTTC
CGGGGCCAGCCCTGGAAGAACCCTACAGGCTTCTGATGGTTGCCCTGTTTCAGCACAGCCCTTATTGGCAGGCAG
ACGGCTACGGGCACAGCCACAGGCTGAAGGTGAGTCCAGCACACAATTTCTGACAGTGAACAGGAGTAAACATG
GGACCCACCCGAAACCTTTGTCTGTTGACTTCTTAGCAATGGAGGCAGCTCTAGGCTCTGGAGAGTTCGGGTAT
AGGAGACCATGACTTGAGCAGACTGATATAAGTGGAAATGCAACATATTTAGATGGCACAACCTAATTTAGATTT
ATCAGTGCTAATATAGAAAAGCTAGTATTTATTGGGGCTTATTAGATTTTTAGTCTGAATCCTCACACTTACG
AGGGGGTTCGTTTTACAGACTATGATCTTGCATGATTTCCCCAAAGATGCTCATTAAGTATATGGTGAAAGTAGA
ATTTGAATACAGAAGACCTGGTTCTGCTACTTTCTGTGTTTCTATTGTTCAAACAGCCCTTCTTCTTTCAAA
ACAATTCAGTGCAATTCATGGTTTTGGAAAATAAACTTGATTTTGAATTCAGACAATAAGTGCATTTTTAATG
TTTTATCTTTTATCTTGAAAAAGCTGATATATTTATGAATGATATGTGCTCACTCAGTGTCACACTTCAAACAA
CACAGACAGTACAATGACAAATTTGGAGATCAGCTCTAATCTCGGGCCCCAATTTAATGCATTGCTGAATATCTT
CTGAACATAGTCCATCCCACACTGTCCCATGACACAAGCGCTCCAAGGGGCTGAAGATAGAGGGACTTCTGCAG
TCAAGAGAGCTGGGAAACTCTTGGACAGTCACAATGTGCATTTGGGTATTAAGGCTCTGCAAGGTTCTGCACCA
AATAAACCCCTTGGATTGGCTTGATCCAATGCCATGTTTCCAAAACCTACTTGCCCGTGGGACACCTTAGTCCATA
ACACAGGTTGGCATTCTTCTAGAGAGTGTGCTGTGAAAAACACTGGTCTCACAGCACCGTGCATTCATCCAGCA
GGTATTTACCAAGCAGGACTTTGGGCCAGGTCCTGCTAGGCTCTGCAGGTGGACCAGCCAGCCCTGACCTCCA
TGGTGTCTCTTCTCATGGGAGAGGCTGCACAGCAGTCAATTGAGAAAACGAAGAAACACACAGGTAATTTAGATG
CTGATAATGACTACCATGTGCTAAAAGAGCTCCAGGTGTGCTGTTTTGAGACAATCTTCTCGACAATGAGATA
GAATGAACCATGCAACCTTTGGGGGCTACGATGTTTTAGGAAAGAGCTAGAGTGAAAAATCCTTTGACATATAT
ACATACAAATAAAGATACATGTGTATAATTTATGTAATTGACATCACATTATATGCTGGCACCTGCCTTTTTTG
CTTAATGAAAATGTCAAAGGTAATATTACCAATCAATCAATATATTTACCATCGTGTTAATTTCTGCAGAGCA
CTTATTCAAGCACATACTGCATTTTTCTTAGTCACTCACTGGTGGGAATAGAAAGTTTTCTCAGGCATGCATTTT
TCCCCTTCTGAAATGATCTCCTTAGAATAAATTTCCCAAAATTTGATTGCTGGGTTCAAAGGCATGAACATTTTA
CATTTTTATACAATAATGTCAAACCTACCTTCCGGAATGATGCTCACTTTACTTTCCCTCCAAGACTGTGTGAAA
ATGCCCATTTTTCTAAATGCTTACTATGACTGGTTTTCCAACTACATTTTAAATCTTGTTCATCTGATAGGCAAA
AAATGATATTTAATTTTTATTGATTGATAATGACCTTGAACGTGCCCATTAGCCCTTTTGCATGTATTCTTTTAT
GAAACATCTGTTCTATCCTTCGTCAATGTTCTCTCATATGTTAACTTTTCTTATTGATTGTTAGAGCACTT
TGTATATTGTGAATATTAGCTTTTGTGATCAGAATTATGGAATTGTTGTTGTCTTTAGTTTTGCTTATCAAGTTT
AAAGCCATTGAGAGATGTTGTAATGTGTATGTTGTTAAATTTATGCTTATTTTGTGTTTTCTGATGCTCATAT
GTTTAGAATGGTCAAGCAATCCCACTTATGATTACATAAATATTCTCCCATATTTGCTCTTAGCATTTTTTTTC
TTTTCATGTAACCCTTTGTCTTTCAGGAATTTACTTTGCGGTAAGAAATGGGCTGGCTTCCAGTTTTATGTTTC
CCAAATGGTGATTGAGCTGTTCCATTTCCATATCTCCCTTATTAGAAATGACCACTATATTATGTTCTAAAATA
TCTGCGTACTTGTGTCCCTTCCATAATCTCAGTCACTCTTTGAGCTATCTTTTGATTCCTTTTCAAAACCAC
ACTGCTTTACTGAACTGTCTCATCTTATACATTTTAAATACTCAGCAAGACAAGTTCTCAATGCCACTTTTT
TCAGAGTTTTCTGGTGGTTGTAAGATGTTTATCTTCTGGATAAACTTTAGAATCACTTTTTTGTCCAAGGTA
AAATATATCCACATTGAGATCACTGAATATACAGACTAATTCAGGAAAAATGTATGCTTTATTGCATTGA
GTCTTCTTATCCAATAAAAAAGATATGAATTTCCAGTGTATTGAAATCTTCACTGAGACTTATTTTTGGCTTTTCA

530/615

FIGURE 525B

CATGTCCTGCAAATGTATTGTTAAATTTATTTTTAGGTATTTAGGGGAAATGATTTCTAAAGTTTGTATTTTC
TAGCTTGTTATAATTTACATATGAGATAGTCATTGTTGTATATTATTTATAACTGATCATATTACTGTATTTGTA
TTGTTTTAATAGTTTTCTATTATTTGGGTTTTCTGGAATACAACCTTATTATCTACAAATTATGATTGTTTT
GCCTTTCCAATGTTTCATAACTGTTTTATATTCTTGTCTGATTGCTTTGTTCAGCACTTCTAGAATAAAGTCAT
GCAATACTAATGA

531/615

FIGURE 526

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108728
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10922, pI: 8.81, NX(S/T): 0
MSAMKSVLPLLNPYCVLAFVYACMCVRAHVCVCVYMCMCVLCACVCTCRKKVMCGNGEFQ
PRRRLCLGLPREVVTLRETGSKCTLPSSSLCDLGQVTSAP

Important features of the protein:**Signal peptide:**

Amino acids 1-28

N-myristoylation sites:

Amino acids 80-86;94-100

Prokaryotic membrane lipoprotein lipid attachment sites:

Amino acids 13-24;34-45

532/615

FIGURE 527

GTGAGACTTCTTTCTTCATTGTGGCTAGCTTTGAAAAGACCCCTCTGAACTTCCTAAAGATATC
AAGATGATATCACCAGACTTGCCCTTTTTGACAATTGTCTTGATCATAGTTAGTTGGACAAC
TGTGGAGCACTAGCCATACTTCTTTCTTATCTTTACTATGTGTTTAAGGTTGTTTCATCTGCAA
GCCAGCTTAACAACCTTTTAAGAATAGCCAGCCTGTGAATCCCAAACACTCTAGAAGAAGTGAA
AAGAAATCCAATCATCATAAAGACTCCTCAATACACCATCTTCGTTTATCTGCCAACGATGCT
GAAGATAGCCTTCGCATGCACAGTACTGTGATTAACTTACTAACATGGATTGTATTACTCAGC
ATGCCTTCTCTAATTTATTGGCTAAAGAATCTTAGGTATTATTTTAACTTAATCCTGATCCA
TGTAACCTTTGGCATTATCCTTATTCGACTATGGCAATTCTTGGAATACTTACACTGTT
TCAATAAAATCAAGTAAATTGTTGAAGACTACTTCACAATTTCCACTTCCTCTGGCTGTTGGT
GTGATTGCTTTTGGGTCAGCACATTTATATAGGCTTCCATGCTTTGTCTTCATTCCTCTTTTA
CTCCATGCATTATGCAACTTTATGTAAGATTGGACTTAAGGAATGATGAAGATAATTTATGTG
TTTAGGGCCAGTGATAAGAGGGAACACACAGATCCATCAGTATGGACAGCAAGATCCTTTGGA
GAAGACAAGTCTATTTTTACAATATTGAAAATAGGAAATTAGTTTTGTAATGTTTGAGGGAAG
TAGTTGAAGCATGGTTTTGTTTTGTGGTGTGGAATCCATGTACTAATCATTTTTGAAAAATTC
ATGAAGGGATATATGGTGATCACTATCATTGAGGACTCCTGTGCATATAAAATAGTCTGTTTT
ATCAACTGTAAA

533/615

FIGURE 528

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108738
><subunit 1 of 1, 196 aa, 1 stop
><MW: 22225, pI: 9.90, NX(S/T): 0
MISPDLPFLTIVLIIVSWTTCGALAILLSYLYYVFKVVHLQASLTTFKNSQPVNPKHSRR
SEKKSNNHHKDSSIHHLRLSANDAEDSLRMHSTVINLLTWIVLLSMPSLIYWLKNLRYYFK
LNPDPCKPLAFILIPTMAILGNTYTVSIKSSKLLKTTSQFPLPLAVGVIAFGSAHLYRLP
CFVFIPLLLHALCNFM
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

Transmembrane domains:

Amino acids 91-108;128-143;167-186

N-myristoylation site:

Amino acids 141-147

534/615

FIGURE 529

GCGAGCCGGGTCCCACCATGGCCGCGAATTATTCCAGTACCAGTACCCGGAGAGAACATGTCA
AAGTTAAAACCAGCTCCCAGCCAGGCTTCCTGGAACGGCTGAGCGAGACCTCGGGTGGGATGT
TTGTGGGGCTCATGGCCTTCCTGCTCTCCTTCTACCTAATTTTCACCAATGAGGGCCGCGCAT
TGAAGACGGCAACCTCATTGGCTGAGGGGCTCTCGCTTGTGGTGTCTCCCGACAGCATCCACA
GTGTGGCTCCGGAGAATGAAGGAAGGCTGGTGCACATCATTGGCGCCTTACGGACATCCAAGCTT
TTGTCTGATCCAACTATGGGGTCCATCTTCCGGCTGTGAACTGCGGAGGCACGTGGAGATG
TACCAATGGGTAGAACTGAGGAGTCCAGGGAGTACACCGAGGATGGGCAGGTGAAGAAGGAG
ACGAGGTATTCCTACAACACTGAATGGAGGTGAGAAATCATCAACAGCAAAAACCTTCGACCGA
GAGATTGGCCACAAAAACCCAGTGCCATGGCAGTGGAGTCATTCATGGCAACAGCCCCCTTT
GTCCAAATTGGCAGGTTTTTCTCTCGTCAGGCCTCATCGACAAAGTCGACAACTTCAAGTCC
CTGAGCCTATCCAAGCTGGAGGACCTCATGTGGACATCATTGCGCGTGGAGACTTTTTCTAC
CACAGCGAAAATCCCAAGTATCCAGAGGTGGGAGACTTGCCTGTCTCCTTTTCTATGCTGGA
CTGAGCGGCGATGACCCTGACCTGGGCCCAGCTCACGTGGTCACTGTGATTGCCCCGCGAGCGG
GGTGACCAGCTAGTCCCATTCTCCACCAAGTCTGGGGATACCTTACTGCTCCTGCACCACGGG
GACTTCTCAGCAGAGGAGGTGTTTCATAGAGAACTAAGGAGCAACTCCATGAAGACCTGGGGC
CTGCGGGCAGCTGGCTGGATGGCCATGTTTCATGGGCCTCAACCTTATGACACGGATCCTCTAC
ACCTTGCTGGACTGGTTTTCTGTGTTTTCCGAGACCTGGTCAACATTGGCCTGAAAGCCTTTGCC
TTCTGTGTGGCCACCTCGCTGACCCTGCTGACCGTGGCGGCTGGCTGGCTCTTCTACCGACCC
CTGTGGGCCCTCCTCATTGCCGGCCTGGCCCTTGTGCCCATCCTTGTGCTCGGACACGGGTG
CCAGCCAAAAAGTTGGAGTGA~~AA~~AAGACCCCTGGCACCCGCCGACACCTGCGTGAGCCCTGAGG
CTGTTGTACAATGCCACGCCTGCCTGGCTGCTTTCACCTGGGAGTGCTTTCGATGTGGGCA
CCTGGGCTTCCTAGGGCTGCTTCTGAGTGTTCTTTCACGTGTTGTGTCCATAGCTTTAGTCT
TCCTAAATAAGATCCACCCACACCTAAGTCACAGAATTTCTAAGTTCCCCAACTACTCTCACA
CCCTTTTAAAGATAAAGTATGTTGTAACCAGGACGTCTTAAATGATTCTTTGTGTACCTTTTC
TGTCATATTAGAAACCGTTCTGTGCCTGCTGGGAGTAATTCCTTTAGCAATTAAGTATTTGG
TAGCTGAATAAGGGGTGAGAACTTCTGAAACCAGAGATCTGTAATCATCTCTATTGGCCTGGG
GTGCCTGTGCTATAAATGAGTTTCTTACATGAAAAACACAGCCAGCCCAAGATGACTTATCT
GGGTTTAGGATTCAATAGTATTCATAACTGCTTATTACATGAGCAATTTTCATCAAATCTCCA
AACTCTTAAAGGATGCTTTCGGAAAACACGCTGTATACCTAGATGATGACTAAATGCAAAATC
CTTGGGCTTTGGTTTTTTCTAGTAAGGATTTTAAATAACTGCCGACTTCAAAGTGTTCTTA
AAACGAAAGATAATGTTAAGAAAAATTTGAAAGCTTTGGAAAACCAAATTTGTAATATCATTG
TATTTTTTATTAAAGTTTTGTAATAAATTTCTAAATTATCA

535/615

FIGURE 530

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108743
><subunit 1 of 1, 400 aa, 1 stop
><MW: 44876, pI: 8.32, NX(S/T): 2
MAANYSSSTSTRREHVKVKTSSQPGFLERLSETSGGMFVGLMAFLLSFYLIIFTNEGRALKT
ATSLAEGLSLVVSPDSIHVAPENEGRLVHIIGALRTSKLLSDPNYGVHLPVVKLRRHVE
MYQWVETEEESREYTEDGQVKKETRYSYNTEWRSEIINSKNFDREIGHKNPSAMAVESFMA
TAPFVQIGRFFLSSGLIDKVDNFKSLSLSKLEDPHVDIIRRGDFFYHSENPKEYPEVGDLR
VSFSYAGLSGDDPDLGPAHVVTVIARQRGDQLVPFSTKSGDTLLLLHHGDFSAAEEVFHRE
LRSNSMKTWGLRAAGWMAMFMGLNLMTRILYTLVDWFPVFRDLVNIGLKAFACVATSLT
LLTVAAGWLFYRPLWALLIAGLALVPILVARTRVPAKKE
```

Important features of the protein:**Transmembrane domains:**

Amino acids 34-53;365-388

N-glycosylation site:

Amino acids 4-8

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 140-144

Tyrosine kinase phosphorylation sites:

Amino acids 99-107;220-227

N-myristoylation sites:

Amino acids 35-41;93-99;310-316

Cell attachment sequences:

Amino acids 221-224;268-271

536/615

FIGURE 531

AAAAAAAAAAAAAAAAAAGAAGCTCTTATGCCAGGAACCTGGAATGGAGACCAAATATATATTG
GTTATATCATAGTATCACAGGGTTACTTTGGCATTGTTGGGAACTTGAGAGAAATGGGCAATAA
CTGTTACTTTAAAAGCTTGGGTGCTGTGATTCTGCCTTCAGCCTCAGCCACTTTTGTGGTGCT
TTGCGTGGCATCAGTACCTCCACTGATTCTTCTGTCTTTCCTCTCTCTCTTCCCCCCTCTTT
CCCTTCTGTTTTTCTCAGATCTAAGGGTTATAATGGAGGGGCAAACTGCCTGGCTATTTCAGA
TAAGACTTCACTGAGTGACTGTTTCAGCCCATGATTTACCCTGCAGTTTAACAGGCTCAGGAAT
TAGGTCGCATCAGTTGAGCGCGGGTCACCTTAGGCCTATAATCATCATCAGACGGCAATTAAAG
GACCATTTCTGCCTTTTTTCACTATTACATCCCCCGCCTGTAGCCCAGCCTGCCATACAGTAGA
TACTCAATAAATATTTGCTGAATGATAACCAATAA

537/615

FIGURE 532

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108758
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10316, pI: 8.52, NX(S/T): 0
MGNNCYFKSLGAVILPSASATFVVL CVASVPPLILLSFLSLFPPSFPSVFLRSKGYNGGA
NCLAISDKTSLSDCSAHDLPCLTGTSGIRSHQLSAGHLGL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-47

N-myristoylation site:

Amino acids 58-64

538/615

FIGURE 533

CGGGGTGTACGAAAGAGAAAACCCGGAGGGCGCCGGGGACTGGGCCGGGGTCTGCAGGGGCTCAG
CTGAGCCCATGAGCTCCCAGAGCTAACCCCTGAACACCCAGGCGGGCAAAGGGCTGATGTCGG
TAGTCCCCATCCTGGAGGGGACAGGCTCTGCGCATCTGCTCCTGGCATGGCGCTGCGGCACCTC
GCCCTCCTGGCTGGCCTTCTCGTGGGAGTCGCCAGCAAGTCCATGGAGAACACGGCCCAGCTG
CCCGAGTGCTGTGTGGATGTGGTGGGCGTCAACGCCAGCTGCCAGGCGCAAGTCTGTGTGGT
CCAGGCTGTTACAGGCGCTGGAACGCGGACGGGAGCGCCAGCTGCGTCCGCTGTGGGAACGGA
ACCCTCCCAGCCTACAACGGCTCCGAGTGTAGAAGCTTTGCTGGCCCCGGGTGCGCCATTCCCC
ATGAACAGAAGCTCAGGGACCCCCGGGCGGCCACATCCTGGGGCTCCGCGCGTGGCCGCCTCC
CTCTTCCTGGGCACGTTCTTCATTAGCTCCGGCCTCATCCTCTCCGTAGCTGGGTTCTTCTAC
CTCAAGCGCTCCAGTAACTCCCCAGGGCCTGCTACAGAAGAAACAAAGCTCCGGCCCTGCAG
CCTGGCGAAGCCGCTGCAATGATCCCCCGCCACAGTCTCAGACGTGGGGTCTGCAGGAAAG
GAGGACCCACCACGACAGGGCAGACCCCCAATACCTGCTCCTCCTTGAAGTCCAGCTCCACCC
GAGGACAGACGCAGCCGGCCTCCGCCAGGCCCTCCTGAGCAGCCATCGCTTCAGTGGTGCTGG
GTCAGGCGGACCCAAGAGTCAGCCCGTACGGAAGCCGCGCTACGTCAGGCGGGAGCGGCCCT
GGACAGGGCCACGGATCCCGCTGCCTTCCCGGGGAGGCCCCGATCAGCAATGTCTGACCTGG
AGGCCGAGACCACGCCACGCACTTGGCGGCAGGGACCCGGAGGCCGACCCCTTGGCGGGAACC
AGCACAAAGTGTTGGCATCGCCCGGCGCCCGGGACAGTCTGGGCACAGCCTCGGCTCTGGGT
CCCTCCGCCTCCAGCGACGGACGCCAAAGGGTCCCGGGCCGCCTGAGGCTCCTCCCCACCAC
AGCCATCTCGTTTATCGGACCAGGAGCAGGCATCCATGAGACCTCAGAGCTTCAGATCGAGGC
CTTGGGGGGTCCGGGCCCCCCCCAGGAAACACGGTGAGGCCCCAGCGCCTGCAGCCAAAGCTGG
CACGATCTATGGGGCAGGTGCCGCTCTGCCTAGAAAAGCCAGGGGCTCTGCTGCCGTGCCCTC
CAGAGCCCACAGCGGGCAGGACTCCTCCAGCACCACCACACCCAGTGGCCCCGAGACCCCTCTG
AGAACAGTGAGGCTGGTCTCTCGTGCCGTTCCAGCCGGTGCCCGGCCAGTGGGGAGGACACAGC
CTAGGAACCAGCTGCCTGAGACCAGGGTGCCCTCTGGGCTGTCCTCCCGCGTGGCGGAGACCCC
AAGCACGCAGCCACCCATTTCCGGAGCTGCAGGATAGAGCTTCTCTTGATCTCTGTTTTTAAG
CAGAAATTCAATTGTGCAGAAAAGTCCTCCAGAGCTCTGTGGCCCCGCTCGGATCCGCTGGACC
CCCATGCCTGGCTGATCCCTGCCACGCTGGGGCAGGCCACATCTAACCCCCACAAGTCACTG
CCTCACTGCACCTGCCAAGGCTGCCCTGGCGCTGAGTCTGGGGTCCCTCCCGGAGTTCTTG
GAGAAAGGCGCCGTCGTGGCCGCCTCCCGCACGCCAGGCCCGGGCTCCACCGTGGGTCTCAGA
CGCCCTGCGGCACCGGCACCGTCTGCTTTAGCATGGGACCCCCATCTGAGGGGTGGCCTGGCC
TTCGGGGTCCCCACGCTCCTTTGCGAAGTCCACTGTGGGTGCCATCATGGTCTCCGGGACCTG
GGCCAGCGGGAACGTGGGGGCACTGGGTGTGCTGATATAAAGTCGGCATTACTCAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

539/615

FIGURE 534

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108765
><subunit 1 of 1, 189 aa, 1 stop
><MW: 19464, pI: 9.60, NX(S/T): 4
MALRHLALLAGLLVGVASKSMNTAQLPECCVDVVGVNASCPGASLCGPGCYRRWNADGS
ASCVRCGNGTLPAYNGSECRSFAGPGAPFFPMNRSSGTPGRPHPGAPRVAASLFLGTFFIS
SGLILSVAGFFYLKRSSKLPRACYRRNKAPALQPGEEAAMI PPPQSSDVGSAGKEDPPRQ
GRPPI PAPP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 111-129

N-glycosylation sites:

Amino acids 38-42;68-72;75-79;92-96

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 134-138

N-myristoylation sites:

Amino acids 11-17;36-42;43-49;59-65;69-75;122-128

540/615

FIGURE 535

TGGATCTGCGGGAATGTGGGCTGGAGAGGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCA
GGACTGCCCCCTGACCCAGGCGCGCCCGCTGCTCGGTGGCAGGAGGGCCGGCGGAGCGCC**ATGG**
CCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGC
TGGTTGTGCGTCTTGTAATGAAGTGAATTTCCCATGCTACTAACTGCTTTGGACAACCTG
GTACAAAGTGGATAACCATTCTCCTACACATACAGGCGGCCCTTCGAACTCACTATGGATACA
TAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACCT
CAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAA
TGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTG
TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCTGATTATTTTTTCAAGGAAGCGAATA
CTACTATTTATGTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTT
ACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGA
AGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAACTGGGAAGGACAGTACAGAG**TGAC**
CATGCAGTGTTGATTGATCGAACAGCAACCACCACATACATGTCCTGCCCCACCACAAAAGGA
AGGAAGGAATAAAAGAAAGAAAGAAAGAAACAAACAAACAAACAAACAAACTAAGCAAGACA
AAACAAATACCCATGTCAGTGGTTCAAAGATTAAGATTGTGGCTTTGTGTAAAGTTCTTTCCC
TTTGTAGACTTGCTGCATAATTATTCAGGTATGATGGTTACAGTTTTTAAAAAGGAAGGGAAA
TTGTGGTATGTGGTATGTAAATATTTTAAATGTTGTCTCTCTGTTTTGATCAGTTTTTGT
TATTCATTTGTCTTTATTAAATCTTATCAAAGCA

541/615

FIGURE 536

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108783
><subunit 1 of 1, 210 aa, 1 stop
><MW: 24022, pI: 9.51, NX(S/T): 1
MACILKRKSVIAVSFIAAFLFLLVRLVNEVNFPLLLNCFGQPGTKWIPFSYTYRRPLRT
HYGYINVKTQEPLQLDCDLCAIVSNSGQMGQKVGNEIDRSSCIWRMNNAPTKGYEEDVG
RMTMIRVVSHTSVPLLLKNPDYFFKEANTTIYVIWGPFRNMRKDGNGIVYNMLKKTVGIIY
PNAQIYVTTEKRMSYCDGVFKKETGKDSTE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-27

N-glycosylation sites:

Amino acids 148-152

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 6-10;191-195;201-205

N-myristoylation sites:

Amino acids 41-47;87-93;91-97;167-173;178-184

542/615

FIGURE 537

GTTTTATTGACAATACATGCATCATATCTTTTGACTTTGAAGGATATCTCATGTCAAAGGAAT
CAAGTTATGATTTATAGAGGATTGAGCTGGAATACCTTGTGGGTGCTGGCTGAGGGTGGCAAA
ACGCCTACCGAGACATGAAGGTTTTAGCCACTAGTTTTGTCTTGGGAGCCTGGGGTTGGCCT
TCTACCTGCCCTTTGGTGGTGACTACACCTAAACACTGGCCATCCCTGAGAAGCTGCAAGAAG
CTGTGGGGAAAGTTATCATCAATGCCACAACCTGTACTGTCACTGTGGCCTTGGCTATAAGG
AGGAGACCGTCTGTGAGGTGGGCCCTGATGGAGTGAGAAGGAAATGTCAGACTCAGCGCTTAGAA
TGTCTGACCAACTGGATCTGTGGGATGCTCCATTTACCATTCTCATTGGCAAGGAATTTGAG
CTTAGCTGTCTGAGTTCAGACATCTTGGAGTTTGGACAGGAAGCTTTCCGGTTCACCTGGAGA
CTTGCTCGAGGTGTCATCTCCACTGACGATGAGGTCTTCAAACCCTTTCAAGCCAACCTCCAC
TTTGTGAAGTTTAAATATGCTCAGGAGTATGACTCTGGGACATATCGCTGTGATGTGCAGCTG
GTAAAAAAGTTGAGACTTGTCAGAGGCTCTATTTTGGGTTGAGGGTCCTTCCTCCTAACTTG
GTGAATCTGAATTTCCATCAGTCACTTACTGAGGATCAGAAGTTAATAGATGAGGGATTGGAA
GTTAATCTGGACAGCTACTCCAAGCCTCACCACCCAAAGTGGAAGGAAGGTGGCGTCAGCC
TTGGGAATAGGAATTGCCATTGGAGTGGTGGTGGCGTGTGGTGAGGATTGTCTCTGTGCG
CTAAGGGGGGGCCTGCAGCAGTGAAGCTTCAAGAACTTAACAGCCTTGCTCCTGAAGAACTG
GCTGCCCAGGAAGCCAAGCTAGCTTTTATAGGGGAGTGTTCCAGCTGCTGGTAGTGGATCAGCT
TAGAGGGAACACTCCACAGCCAAAGAATGAGTGGGAGAAATGGAGGGGACAATCTCCTGGG
AGCTATGCGCAGTAACCTAACTTCCTTATGTCCCATGGATCTCTCCTGATCTTCCCTGCCCA
TTGGGTACCCAGGAACTGCAAGCATTGCCTGTGTTCCCTGGGAAGAGTTCTAAGAAGCTTGCA
TTCATTTTCTACCCTTTATGACTTGGATGCCTCCCCACCTCCATTTCCCCTCTTCTGAGCTGT
GTATTCATGTAGAGGGATGTATTCAGCCTTTTATAGTGAACATTTTTTTTCAATAAAAGTAATT
CACAGTAA

543/615

FIGURE 538

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108789
><subunit 1 of 1, 255 aa, 1 stop
><MW: 28440, pI: 8.92, NX(S/T): 1
MKVLATSFVLGSLGLAFYLPVVTTPKTLAIPEKLQEAVGKVIINATTCTVTCGLGYKEE
TVCEVGPDGVRRKCQTQRLECLTNWICGMLHFTILIGKEFELSCLSSDILEFGQEAFTFT
WRLARGVISTDDEVFKPFQANSFVKFKYAEYDSGTYRCDVQLVKNLRLVKRLYFGLRV
LPPNLVNLNFHQSLTEDQKLIDEGLEVNLDYSKPHHPKWKKKVASALGIGIAIGVVGGV
LVRIVLCALRGGLQQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 225-244

N-glycosylation site:

Amino acids 45-49

N-myristoylation sites:

Amino acids 126-132;156-162;204-210;229-235;231-237;235-241

544/615

FIGURE 539

GCGCTCATCACTGGCTGGGGACAGAGCCGGGCACCAAGGAGCGACAGGATCCCGAAGAGAGAG
AGAGAAGGCAGCGAGGGAAGGAGGACCCCGGCAGGCAGCAGCATGAATTCAGCCCAGCGCAC
TACCTGCTGCCTCTCCTGCCTGCGCTGGTCCTCAGCACCAGACAGGACTATGAAGAGCTAGAA
AAGCAGCTGAAAGAAGTCTTTAAGGAGCGAAGCACCATTCTTCGTCAGCTGACAAAGACATCA
AGAGAACTTGATGGAATTAAAGTCAATCTTCAGTCCTTAAAAACGATGAGCAGTCTGCCAAA
ACTGATGTTTCAGAACTTCTGGAATTAGGACAGAAACAAAGAGAAGAAATGAAGTCTCTTCAG
GAGGCCCTGCAAAATCAGCTTAAGGAGACATCAGAGAAAGCAGAAAAACACCAGGCTACTATT
AATTTTTTTAAAGACTGAAGTTGAAAGAAAGAGCAAAATGATCCGAGACCTCCAGAATGAGGAT
TCAAGGAAGAGACCAAGAGATCTCCAGTGGAGATAGTCTCCATGAGGACCATGTCAATATAC
TTATTGATGTATCTCTAGTACCTAGAATAGTGGAGATTTATATTAGATACAAAATAAATATGT
GTGGAATTAATTAATAA

545/615

FIGURE 540

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108806
><subunit 1 of 1, 159 aa, 1 stop
><MW: 18865, pI: 9.76, NX(S/T): 0
MKFSPAHYLLPLLPAVLSTRQDYEELEKQLKEVFKERSTILRQLTKTSRELDGIKVNLO
SLKNDEQSAKTDVQKLLELGQKQREEMKSLQEALQNQLKETSEKAEKHQATINFLKTEVE
RKSKMIRDLQNEDSRKRPRDLQWKIVSMRTMSIYLLMYL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-myristoylation site:

Amino acids 54-60

FIGURE 541

[illegible]

547/615

FIGURE 542

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108936
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19472, pI: 5.71, NX(S/T): 0
MSPSGRLCLLTIVGLILPTRGQTLKDTTSSSSADSTIMDIQVPTRAPDAVYTELOPTSPT
PTWPADETPQPQTQTQQLGTDGPLVTDPEHKSTKAAHPTDDTTTLSERPSPSTDVQTD
PQTLKPSGFHEDDPFFYDEHTLRKRGLLVAAVLFITGIIILTSKGCRQLSRLCRNRCR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 147-162

Tyrosine kinase phosphorylation site:

Amino acids 45-52

N-myristoylation site:

Amino acids 146-152

548/615

FIGURE 543

CGGCTCGAGGTGAGAAGGAACTGCAAGAGTGGGGCAGAGAACCAGAGTGTGAGAGCAAAACC
TCCTCTATCTGCACATCCTGGGGACGAACCGGGCAGCCGGAGAGCTGCGGCCGGCCAGTCCC
GCTCCGCCTTTGAAGGGTAAAACCCAAGGCGGGGCCTTG GTTCTGGCAGAAGGGACGCTATGA
CCGCAGAAATTCCTCTCCCTGCTTTGCCTCGGGCTGTGTCTGGGCTACGAAGATGAGAAAAAGA
ATGAGAAACCGCCCAAGCCCTCCCTCCACGCCTGGCCCAGCTCGGTGGTTGAAGCCGAGAGCA
ATGTGACCCTGAAGTGTGAGGCTCATTTCCAGAATGTGACATTTGTGCTGCGCAAGGTGAACG
ACTCTGGGTACAAGCAGGAACAGAGCTCGGCAGAAAACGAAGCTGAATTCCTTCACGGACC
TGAAGCCTAAGGATGCTGGGAGGTACTTTTGTGCCTACAAGACAACAGCCTCCCATGAGTGGT
CAGAAAGCAGTGAACACTTGCAGCTGGTGGTCACAGATAAACACGATGAACTTGAAGCTCCCT
CAATGAAAACAGACACCAGAACCATCTTTGTGCGCCATCTTCAGCTGCATCTCCATCCTTCTCC
TCTTCCTCTCAGTCTTCATCATCTACAGATGCAGCCAGCACGGTTCATCATCTGAGGAATCCA
CCAAGAGAACCAGCCATTCCAAACTTCCGGAGCARGAGGCTGCCGAGGCAGATTTATCCAATA
TGGAAGGGTATCTCTCTCGACGGCAGACCCCCAAGGAGTGACCTATGCTGAGCTAAGCACCA
GCGCCCTGTCTGAGGCAGCTTCAGACACCACCCAGGAGCCCCCAGGATCTCATGAATATGCGG
CACTGAAAGTGTAGCAAGAAGACAGCCCTGGCCACTAAAGGAGGGGGGATCGTGCTGGCCAAG
GTTATCGGAAATCTGGAGATGCAGATACTGTGTTTCCTTGCTCTTCGTCCATATCAATAAAAT
TAAGTTTCTCGTCTTA

549/615

FIGURE 544

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119510
><subunit 1 of 1, 236 aa, 1 stop
><MW: 26079, pI: 5.05, NX(S/T): 3
MTAEFLSLLCLGLCLGYEDEKKNEKPPKPSLHAWPSSVVEAESNVTLKCOAHSQNVTFVL
RKVNDSGYKQEQSSAENEAEPFTDLKPKDAGRYFCAYKTTASHEWSESSEHLQLVVTDK
HDELEAPSMKTDTRTIFVAIFSCISILLFLSVFIIYRCSQHGSSEESTKRTSHSKLPE
QEAAEADLSNMERVSLSTADPQGVTYAELSTSALSEAASDTTQEPPGSHEYAALKV
```

Important features of the protein:**Signal peptide:**

Amino acids 1-16

Transmembrane domain:

Amino acids 135-153

N-glycosylation sites:

Amino acids 44-48;55-59;64-68

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 171-175

Tyrosine kinase phosphorylation sites:

Amino acids 61-69;87-95

N-myristoylation sites:

Amino acids 12-18;203-209

550/615

FIGURE 545

GGCGGCCCGGAGCTGGGAGCGCGGGGAAGGCGGTTGGGGTTCTGACAGCTGCGCGCGATCCTG
CTCTCTCTCAGCCGCCTGTGGACATGCGCAAAGGGCCCTCTCCTGAGTCCAGATGATGCTCAT
ACCAATGGCTTCAGTGATGGCGGTGACTGAACCGAAATGGGTCTCGGTCTGGAGCCGCTTCCT
CTGGGTGACGCTGCTGAGCATGGTGCTGGGGTCCCTGCTGGCCCTGCTGCTGCCGCTGGGGGC
TGTGGAGGAGCAGTGCTTGGCTGTGCTCAAAGGCCTCTACCTGCTCAGGAGCAAACCGGACAG
GGCGCAGCATGCCGCCACCAAGTGCACCAGCCCGTCCACGGAGCTCAGCATCACCTCCAGGGG
CGCGACGCTGCTGGTGGCCAAGACCAAGGCCTCTCCAGCGGGTAAGTTGGAAGCCAGAGCTGC
CCTGAACCAGGCCCTGGAGATGAAGCGCCAGGGCAAGCGGGAAAAAGCCCAAAGCTCTTCAT
GCACGCCCTCAAGATGGACCCGGACTTCGTGGACGCGCTCACCGAGTTTGGCATCTTCTCGGA
AGAAGACAAGGACATCATCCAGGCGGACTACTTGTACACCAGAGCATTGACCATCTCACCCTA
CCATGAGAAAGCACTGGTCAACCGCGATCGGACACTGCCTCTTGTGGAAGAGATCGACCAGAG
GTATTTTCAGCATCATCGACAGCAAAGTGAAGAAGGTCATGTCCATCCCCAAGGGGAACTCAGC
TCTGCGCAGGGTCATGGAGGAGACCTACTACCATCACATCTACCACACAGTGGCCATCGAGGG
CAACACCCTCACCTCTCGGAAATCAGGCACATCCTGGAGACCCGCTACGCCGTGCCCGGGAA
GAGCCTGGAGGAGCAGAACGAGGTCATAGGCATGCATGCAGCCATGAAGTACATCAACACGAC
TCTGGTTTCGCGCATCGGCTCCGTCACCATCAGCGACGTGCTGGAGATCCACAGGCGGGTGCT
GGGTACGTGGACCCCGTGGAAGCCGGCAGGTTTCGGACAACACAGGTCCTGGTTCGGACACCA
CATCCCTCCCCATCCGCAGGATGTGGAAGAGCAGATGCAGGAGTTTGTACAGTGGCTCAACTCC
GAGGAAGCCATGAACCTGCACCCAGTGGAGTTTGCAGCCTTAGCCATTATAAACTCGTTTAC
ATCCACCCTTTCATTGATGGCAACGGGAGGACCTCCCGTCTGCTCATGAACCTCATCCTCATG
CAGGCGGGCTACCCGCCCATCACCATCCGCAAGGAGCAGCGGTCCGACTACTACCACGTGTTG
GAAGCTGCCAACGAGGGCGACGTGAGGCCTTTCATTTCGCTTCATCGCCAAGTGTACTGAGACC
ACCCTGGACACCCTGCTTTTTTGCACAACCTGAGTACTCGGTGGCACTGCCAGAAGCCCAACCC
AACCCTCTGGGTTCAAGGAGACGCTTCCTGTGAAGCCCTAAACCCTAGAAATCCTCAGTGACA
AAGGCTGTCCTGAGGTAGGAAA

551/615

FIGURE 546

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119517
><subunit 1 of 1, 458 aa, 1 stop
><MW: 51778, pI: 7.81; NX(S/T): 2
MMLIPMASVMAVTEPKWVSVWSRFLWVTLLSMVLGSL LALLPLGAVEEQCLAVLKGLYL
LRSKPDRAQHAATKCTSPSTELSITSRGATLLVAKTKASPAGKLEARAALNQALEMKRQG
KREKAQKLFMHALKMDPDFVDALTEFGIFSEEDKDIIQADYLYTRALTISPYHEKALVNR
DRTLPLVEEIDQRYFSIIDSKVKKVM SIPKGSALRRVMEETYHHIYHTVAIEGNTLTL
SEIRHILETRYAVPGKSLEEQNEVIGMHAAMKYINTTLVSRIGSVTISDVLEIHRRVLGY
VDPVEAGRFRFTTQVLVGHHIPHPQDVEKQMQEFVQWLNSEEAMNLHPVEFAALAHYKLV
YIHPFIDGNGRTSRLLMNLILMQAGYPPITIRKEQRS DYYHVLEAANECDVRPFIRFIK
CTETTLDTLLFATTEYSVALPEAQPNHSGFKETLPVKP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-46

N-glycosylation sites:

Amino acids 275-279;446-450

Tyrosine kinase phosphorylation sites:

Amino acids 216-225;217-225;244-232

N-myristoylation sites:

Amino acids 35-41;235-241;266-272;368-374

Amidation site:

Amino acids 119-123

552/615

FIGURE 547

CCTCTGTCTGTGCTCCCATCCCAGGGAGTATAGGTGGAGCCTCCAGAGCCCATGGACAGGGCA
TGCTGGGGCTGGGCCAGCCCCAGCGGTGTCTCTAAGGCACCCCTGGGATCCCCACTGAGCTGG
CCTACTTCAGACAGCCAGGGCCCCACCCCTCTGGCCCCCTTAGTGTCCAGCTCGTGGCCCCCTTG
GCATTTCCACAAGACGCCAAGATGGAGATTCCCATGGGGACCCAGGGCTGCTTCTCAAAGAGC
CTCCTGCTCTCAGCCTCAATCCTGGTCCTCTGGATGCTCCAAGGCTCCCAGGCAGCTCTCTAC
ATCCAGAAGATTCCAGAGCAGCCTCAAAAGAACCAGGACCTTCTCCTGTCAGTCCAGGGTGTG
CCAGACACCTTCCAGGACTTCAACTGGTACCTGGGGGAGGAGACGTACGGAGGCACGAGGCTA
TTTACCTACATCCCTGGGATACAACGGCCTCAGAGGGATGGCAGTGCCATGGGACAGCGAGAC
ATCGTGGGCTTCCCCAATGGTTCCATGCTGCTGCGCCGCGCCAGCCTACAGACAGTGGCACC
TACCAAGTAGCCATTACCATCAACTCTGAATGGACTATGAAGGCCAAGACTGAGGTCCAGGTA
GCTGAAAAGAATAAGGAGCTGCCCAGTACACACCTGCCACCAACGCTGGGATCCTGGCGGCC
ACCATCATTGGATCTCTTGCTGCCGGGGCCCTTCTCATCAGCTGCATTGCCTATCTCCTGGTG
ACAAGGAAGTGGAGGGGGCCAGAGCCACAGACTGCCTGCTCCGAGGGGCCAGGGATCTCTGTCC
ATCTTGCTGCTCGGCTGTATCCCCAGTGCCTTCAGTGACGCCAGCACATGGATGGCGACCACA
GAGAAGCCAGAATTGGGGCCCTGCTCATGATGCTGGTGACAACAACATCTATGAAGTGATGCCC
TCTCCAGTCCCTCCTGGTGTCCCCCATCAGTGACACAAGGTCCATAAACCCAGCCCCGGCCCCCTG
CCCACACCCCCACACCTGCAGGCGGAGCCAGAGAACCACAGTACCAGCAGGACCTGCTAAAC
CCCGACCCCTGCCCCCTACTGCCAGCTGGTGCCAACTTCCTGATGGGTCCTGGGGCCAGGCCAGC
CAGGGAGAAGACAAGGCCCCAGCCCTCCTCTGGGAGCCTCACACCTGAGACCAGCAGGACAAG
GCCATTGGGGGCTGTGGGGCCGATGAGGTGGACTCAGCCAAAGACTCAGCAGCACATGGGGCA
GGTGTCTTGGCAGGGGGACAGGAGACTGTAACAGGCCCAGGTCTTGTGCAGCCCCCTGAATGC
ACGCCCCGCTTCGGTCTGTTCCTTCAAGCAAGCTGGCCTGGGGCCATGTGCCTGTGAAAGGCAG
GCTCTGGCCCCCTTCCATGCCAAAGTCCCCCAAGATCTGGATATCTGGGGACAAGATGGTGGC
CTCAGGCCTGCCTCCCAGGCAGTTGGCTGGGCTCCCAACTGTCTGTCTCAATGCCCTACCCC
AACTCCACTAGTGACCCCTCAGAGTCTTCTCCCCTTAGGACAAGGCAGACACCCACCATGCGG
GCCTCAGGTGGCAGAGAGGCCAGCCTCACAGGCCTGTGGCCCCACACACAGTCCCAGCAAG
GTGACCACGGCTGCTGGACCCCTTCCCTGTTAGGCAGGCCAGCCCCCTCAGAACCTGCTG
CCAGCTGCTGGTCTTGGCCCCACCCCTGAATCTTACTGAGTCCCTCTGGGCAGCAGCTCCCTT
CTCCACCCACCCAGCACCCGTCCCAAATGTGGCCTCAGCTTGTCTCCCTTCCCCAACT
ATGCATTCAATCAGCAATAAATGAGCCTTTGCTGCA

553/615

FIGURE 548

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119535
><subunit 1 of 1, 300 aa, 1 stop
><MW: 32638, pI: 6.02, NX(S/T): 1
MEIPMGTTQGCFSKSLLLSASILVLWMLQGSQAALYIQKIPEQPQKNQDLLLSVQGVPDF
QDFNWYLGEETYGGTRLFTYIPGIQRPQRDGSAMGQRDIVGFPNGSMMLLRAQPTDSGT
YQVAITINSEWTMKAKTEVQVAEKNKELPSTHLPSTNAGILAATIIGSLAAGALLISCIAYL
LVTRNWRGQSHRLPAPRGQGSLSILCSAVSPVPSVTPSTWMATTEKPELGPAGDAGDNNI
YEVMPSPVLLVSPISDTRSINPARPLPTPPHLQAEPENHQYQQDLLNPDAPYCVLVPTS
```

Important features of the protein:**Signal peptide:**

Amino acids 1-32

Transmembrane domain:

Amino acids 159-178

N-glycosylation site:

Amino acids 104-108

N-myristoylation sites:

Amino acids 6-12;29-35;55-61;91-97;157-163;165-171

554/615

FIGURE 549

GCCACTCACACCATCTGCTAATGGGACAGCTCACTCTTCCCTCCAAACCATGGCCTTGGCTCA
AGAGCTTCCTTGTTTCTGGAATGTTCTTTCCCTCCAGCTCCAGGTGTTGAAATTCTGCCTGGTC
TGGGTCTCCTGTTGAAGGACGCCCTCCACTGGGAAGGATCCTCTTGCCTTCACCACTTGTCTT
CACCAGCCCCCTGCTCCCCCTCTTCTCTTGGGGCTGTTGTGCTGTTGATACTTTTTTTTTTGT
GTGTTTGACACACATCTTCTTCTCACCTCTAACACAGTTCTCAACCACAGCACTTTTGTCCC
TGGAGATGTTGGCAGTGTCCAGAGGCGTGTTGATGGTCCCACTGGGGTGGGGTGCTGCTGGCA
CCAGATGGTAGGGAGATGCCAGGGGTGCTGCTCCACACCCTATGGGACACTGCACAGTACACC
TGGCCTGTGTCCCCACAGCGAGAGCTGGCCCTGGGCAGGCGTGGTCCCTGCGGTGTGTGTTG
GTTGGGATCCTCCACAGTGACAGACGGTGCGCTCTGCCACGTTTCCACACAGCTCTTTTGCT
TGTGGAGCTCACCCCTTTCAGAGAGCTCATTTCCCTGCGGTCTTGGCCTGCAGAAGTAAAA
TGAGGGGTGGTGAATTACACCCTGCTGGTTACACATGGAAACTCAGGAGTGAGAATTTTGT
GGAGAGCAAGAGAGGTGAGACTGGGGTGCTGGCTGCCAGCCAGGCGGTCCCTCAGCCCCCTGGA
GAAGCGGGGTGGGGCCTGCACACCGAGTCTTCCAGTGAGTCCAGTGATGCTCTCTCTCTTC
CTCCAGTCACCTTTCTCTCCAGTGCCACTACTGCGCTTTCGATGCAGAATAATTCAGTATTT
GGCGACTTGAAGTCGGACGAGATGGAGCTGCTCTACTCAGCCTACGGAGATGAGACAGGCGTG
CAGTGTGCGCTGAGCCTGCAGGAGTTTGTGAAGGATGCTGGGAGCTACAGCAAGAAAGTGGTG
GACGACCTCCTGGACCAGATCACAGGCGGAGACCACTCTAGGACGCTCTTCCAGCTGAAGCAG
AGAAGAAATGTTCCCATGAAGCCTCCAGATGAAGCCAAGGTTGGGGACACCCTAGGAGACAGC
AGCAGCTCTGTTCTGGAGTTCATGTGATGAAGTCTATCCCGACGTTTCTGTGGATATCTCC
ATGCTCAGCTCTCTGGGGAAGGTGAAGAAGGAGCTGGACCCTGACGACAGCCATTTGAACTTG
GATGAGACGACGAAGCTCCTGCAGGACCTGCACGAAGCACAGGCGGAGCGCGGCGCTCTCGG
CCGTCTGCAACCTCAGCTCCCTGTCCAACGCCTCCGAGAGGGACCAGCACCACCTGGGAAGC
CCTTCTCGCCTGAGTGTGCGGGAGCAGCCAGACGTCACCACGACCCCTATGAGTTTCTTCAG
TCTCCAGAGCCTGCGGCCTCTGCCAAGACCTAACTCTAGACCACCTTCAGCTCTTTTATTTTA
TTTTTTTAGTTTTATTTTGCACGTGTAGAGTTTTTGTCTATCAGACAAGGACTTTGATCCTGTC
CCCTTTGGCATGCGGGAAGCAGCCGCGGGGAGGTAATGAATTGTCTGTGGTATCATGTCAGCA
GAGTCTCCAAGCCCCACGAACCCTGAGGAGTGGAGTCATACGCGAAGGCCATATGGCCATCGT
GTCAGCAGAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGGAGTCATACACGAAG
GGCGTGTGGCCATCGTGTGAGCAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGG
AGTCATACGCGAAGGGTGTGTGGCCAGGCTGCAGAGCTGCGTGCCGTTTGTGTCCGAGCATCA
CGTGTGGCTCCAGCCCTTGTCTTCTGCCAGTGTAGACACCTCTGTCTGCCCCACTGTCTGGGG
TCGCTCTTGGGAGGCACAGGCATGGGTGTGTCTGGCCTCATTCTGTATCAGTCCAGTGTGTTT
CTGTCTAGTTTGTGTCTCCCAGGCAGGCCATGGTAGGGGCCCTCGCAGGGGCCATTGGGGAGC
ACAGGGCCAGGCTGGGGTGAGGAGAGCTCCCCTGTTTCTGTTTAAATTGATGAGCCTGGGAAA
GGAGTGTGTTCTGCCTGCCCCTTACAGTGGAGCGTTCCGTGTCCATAAAACGTTTTCTAACTG
GGAA

555/615

FIGURE 550

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119537
><subunit 1 of 1, 104 aa, 1 stop
><MW: 11136, pI: 8.20, NX(S/T): 0
MLAVSRGVL MVPLGLGVLLAPDGREMPGVLLHTLWDTAQYTWPVSP TARAGPGQAWSLRC
VLVGILHSDRR CALPTFP HSSFACGAHPFAESSFPCGLWPAEVK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-myristoylation sites:

Amino acids 53-59;64-70;97-103

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 74-85

556/615

FIGURE 551

CGCCCTTAGCATGGGTTTCTGCCGAGCGCCCTGCACCCGCTGTCTCTCCTGGTGCAGGCCATCATGCTGGCCAT
GACCCTGGCCCTGGGTACCTTGCCCTGCCTTCCTACCCCTGTGAGCTCCAGCCCCACGGCCTGGTGAAGTCAACTG
GCTGTTCTCTGAAGTCTGTGCCCCACTTCTCCATGGCAGCACCCTGGCAATGTCACAGCCTTTCTTGTCTCTC
CAACCGCATCCACCACCTCCATGATTCTGACTTTGCCACCTGCCAGCCTGCCGCATCTCAACCTCAAGTGGAA
CTGCCCGCCGGTTGGCCTCAGCCCCATGCACTTCCCCTGCCACATGACCATCGAGCCCAGCACCTTCTTGGCTGT
GCCACCCCTGGAAGAGCTAAACCTGAGCTACAACAACATCATGACTGTGCCTGCGCTGCCCAAATCCCTCATATC
CCTGTCCCTCAGCCATACCAACATCCTGATGCTAGACTCTGCCAGCCTGCCGGCCTGCATGCCCTGCGCTTCCT
ATTCATGGACGGCAACTGTTATTACAAGAACCCTGCAGGCAGGCACTGGAGGTGGCCCCGGGTGCCCTCCTTGG
CCTGGGCAGCCTCACCACCTGTCACTCAAGTACAACAACCTCACTGTGGTGGCCGCAACCTGCCTTCCAGCCT
GGAGTATCTGCTGTTGTCTACAACCGCATCTGCAAACTGGCGCCTGAGGACCTGGCCAATCTGACCGCCCTGCG
TGTGCTCGATGTGGGCGGAAATTGCCGCGCTGCCGACCAGCTCCCACCCCTGCATGGAGTGCCTCGTCACTT
CCCCAGCTACATCCCGATACCTTCAGCCACCTGAGCCGTCTTGAAGGCCTGGTGTGAAGGACAGTTCTCTCTC
CTGGCTGAATGCCAGTTGGTTCCGTGGGCTGGGAAACCTCCGAGTGCTGGACCTGAGTGAGAACTTCTCTACAA
ATGCATCACTAAAACCAAGGCCCTCCAGGGCCTAACACAGCTGCGCAAGCTTAACCTGTCTTCAATTACCAAAA
GAGGGTGTCTTTGCCACCTGTCTCTGGCCCTTCTTCGGGAGCCTGGTGCCTTGAAGGAGCTGGACATGCA
CGGCATCTTCTTCCGCTCACTCGATGAGACCAGCTCCGGCCACTGGCCCCGCTGCCCATGCTCCAGACTTGC
TCTGCAGATGAAGTTCATCAACCAGGCCAGCTCGGCATCTTCAGGGCCTTCCCTGGCCTGCGCTACGTGGACCT
GTCCGACAACCGCATCAGCGGAGCTTCGGAGCTGACAGCCACCATGGGGGAGGCAGATGGAGGGGAGAAGGTCTG
GCTGCAGCCTGGGGACCTTGCTCCGGCCCCAGTGGACACTCCAGCTCTGAAGACTTCAGGGCCAACTGCAGCAC
CCTCAACTTCACCTTGGATCTGTACGGAACAACCTGGTGACCGTGACCCGAGATGTTTGCCAGCTCTCGCA
CCTGCAGTGCCTGCGCCTGAGCCACAACCTGCATCTCGCAGGCAGTCAATGGCTCCAGTTCTGCGCGTGACCGG
TCTGCAGGTGCTAGACCTGTCCACAATAAGCTGGACCTTACCACGAGCACTCATTACGGAGCTACCACGACT
GGAGGCCCTGGACCTCAGCTACAACAGCCAGCCCTTTGGCATGAGGGCGTGGGCCACAACTTCAGCTTCGTGGC
TCACCTGCGCACCCCTGCGCCACCTCAGCCTGGCCCAACAACATCCACAGCCAGTGTCCAGCAGCTCTGCAG
TACGTGCTGCGGGCCCTGGACTTCAGCGGCAATGCACTGGGCCATATGTGGGCCGAGGGAGACCTCTATCTGCA
CTTCTTCCAAGCCTGAGCGGTTTGATCTGGCTGGACTTGTCCAGAACCGCCTGCACACCCTCCTGCCCAAAC
CCTGCGCAACCTCCCCAAGAGCCTACAGGTGCTGCGTCTCCGTGACAATTACCTGGCCTTCTTTAAGTGGTGGAG
CCTCCACTTCCTGCCCAAACCTGGAAGTCTTCGACCTGGCAGGAACCACTGAAGGCCCTGACCAATGGCAGCCT
GCCTGCTGGCACCCTGGCTCCGGAGGCTGGATGTGAGCTGCAACAGCATCAGCTTCGTGGCCCCCGGCTTCTTTTC
CAAGGCCAAGGAGCTGCGAGAGCTCAACCTTAGCGCCAACGCCCTCAAGACAGTGGACCACTCCTGGTTTGGGCC
CCTGGCGAGTGCCTGCAATACTAGATGTAAGCGCCAACCCCTCTGCACTGCGCCTGTGGGGCGGCCTTTATGGA
CTTCTGCTGGAGGTGAGGCTGCCGTGCCCGGTGCCCCAGCCGGGTGAAGTGTGGCAGTCCGGGCCAGCTCCA
GGGCCTCAGCATCTTTGCACAGGACCTGCGCCTCTGCCTGGATGAGGCCCTCTCCTGGGACTGTTTCGCCCTCTC
GCTGCTGGCTGTGGCTCTGGGCTGGGTGTGCCCATGTGCATCACCTCTGTGGCTGGGACCTCTGGTACTGCTT
CCACCTGTGCCTGGCCTGGCTTCCCTGGCGGGGGCGGCAAGTGGGCGAGATGAGGATGCCCTGCCCTACGATGC
CTTCGTGGTCTTCGACAAAACGAGAGCGCAGTGGCAGACTGGGTGTACAACGAGCTTCGGGGGAGCTGGAGGA
GTGCCGTGGGCGCTGGGCACTCCGCTGTGCCTGGAGGAACGCGACTGGCTGCCTGGCAAACCCCTCTTTGAGAA
CCTGTGGGCTCGGTCTATGGCAGCCGCAAGACGCTGTTTGTGCTGGCCACACGGACCGGGTCACTGGTCTCTT
GCGCGCCAGCTTCTGCTGGCCAGCAGCGCCTGCTGGAGGACCGCAAGGACGTCGTGGTGTGGTATCCTGAG
CCCTGACGGCCGCGCTCCCGCTACGTGCGGCTGCGCCAGCGCCTCTGCCGCCAGAGTGCTCTCTGCCCCCA
CCAGCCAGTGGTCAGCGCAGCTTCTGGGCCAGCTGGGCATGGCCCTGACCAAGGACAACCACCACTTCTATAA
CCGGAACCTCTGCCAGGGACCCACGGCCGAATAGCCGTGAGCCGGAATCCTGCACGGTGCCACCTC

557/615

FIGURE 552

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119714

><subunit 1 of 1, 1032 aa, 1 stop

><MW: 115799, pI: 8.61, NX(S/T): 12

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFMSMAA
PRGNVTSLSLSSNRIHHLHDSDFAHLP SLRHLNLKWNCPPVGLSPMHFPCHMTIEPSTFL
AVPTLEELNLSYNNIMTVPALPKSLISLSLSHTNILMLDSASLAGLHALRFLFMDGNCYY
KNPCRQALEVAPGALLGLGSLTHLSLKYNNLTVVPRNLPSSLEYLLLSYNRIVKLAPEDL
ANLTALRVLDVGGNCRCDHAPNPCMECPRHFPQLHPDTFSLSRLEGLVLKDSSLSWLN
ASWFRGLGNLRVLDLSENFYKCIKTKALQGLTQLRKLNL SFNYQKRVSFAHLSLAPSF
GSLVALKELDMHGIFFRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYV
DLSDNRISGASELTATMGEADGGEKVWLQPGDLAPAPVDT PPSSEDFRPNCSTLNFTLDLS
RNNLTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQVLDLSHNKLDLYHEHS
FTELPRLEALDLSYNSQPFQGMQGVGHNF SFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL
RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLHTLLPQTLRLNLPKSLQVLR
RDNYLAFFKWWSLHFLPKLEVLDLAGNQLKALTNGSLPAGTRLRLRDVSCNSISFVAPGF
FSKAKELRELNLSANALKTVDHWSWFGPLASALQILDVSANPLHCACGA AFMDFLLEVQAA
VPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLAVALGLGVPMLHHL CG
WDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDKTQSAVADWVYNELRGQLEECRG
RWALRLCLEERDWLPGKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQORLLE
DRKDVVVLVILSPDGRRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNH HF
YNRNFCQGPTAE

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 818-835

N-glycosylation sites:Amino acids 64-68;129-133;210-214;242-246;300-304;340-344;
469-473;474-477;513-517;567-571;694-698;731-735**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 347-351

Tyrosine kinase phosphorylation site:

Amino acids 863-871

N-myristoylation sites:Amino acids 27-33;41-47;63-69;193-199;361-367;409-415;
563-569;607-613;695-701;794-800;929-935;945-951;
1010-1016**Amidation site:**

Amino Acids 974-978

Leucine zipper patterns:

Amino acids 204-226;644-666;814-836

558/615

FIGURE 553

GGCGTGGGACGTGCTGCGGCGTCCTAGCTGGCTTACAGGGCGGCGGGGGTGTGTGTCCTCT
GTTAAGAGTGCTACTCGCCCGGGGTTGATCTGTGCATGCCACTCCTGGGTGAGACGGTGAGGT
CGGCGTCTGCGAGGACGCGGCGGTGGAGTAGAAGGGCAGCCGGAGACAGGCCCGGCGCCCTT
CCGAGGCTAGACGGCCCCAGCTTCGCGGGGATCATGGCATTGCTGGTGGACCGAGTGCAGGGGC
CACTGGCGAATCGCCGCGGGCTCCTGTTCAACCTGCTGGTGTCCATCTGCATTGTGTTCCCTC
AACAAATGGATTTATGTGTACCACGGCTTCCCCAACATGAGCCTGACCCTGGTGCCTTCGTG
GTCACCTGGCTGGGCTTGATATCTGCCAGAAGCTGGACATCTTTGCCCCAAAAGTCTGCCG
CCCTCCAGGCTCCTCCTCCTGGCCCTCAGCTTCTGTGGCTTTGTGGTCTTCACTAACCTTTCT
CTGCAGAACAACACCATAGGCACCTATCAGCTGGCCAAGGCCATGACCACGCCGGTGATCATA
GCCATCCAGACCTTCTGCTACCAGAAAACCTTCTCCACCAGAATCCAGCTCACGCTGATTCCT
ATAACTTTAGGTGTAATCCTAAATTCTTATTACGATGTGAAGTTTAATTTCTTGGAATGGTG
TTTGCTGCTCTTGGTGTTTTAGTTACATCCCTTTATCAAGTGTGGGTAGGAGCCAAACAGCAT
GAATTACAAGTGAACCTCAATGCAGCTGCTGTACTACCAGGCTCCGATGTCATCTGCCATGTTG
CTGGTTGCTGTGCCCTTCTTTGAGCCAGTGTGTTGGAGAAGGAGGAATATTTGGTCCCTGGTCA
GTTTCTGCTTTGCTTATGGTGCTGCTATCTGGAGTAATAGCTTTCATGGTGAACCTTATCAATT
TATTGGATCATTGGGAACACTTCACCTGTCACCTATAACATGTTTCGGACACTTCAAGTTCTGC
ATTACTTTATTTCGGAGGATATGTTTTATTTAAGGATCCACTGTCCATTAATCAGGCCCTTGGC
ATTTTATGTACATTATTTGGCATTCTCGCCTATACCCACTTTAAGCTCAGTGAACAGGAAGGA
AGTAGGAGTAACTGGCACAACGTCCTTAATTGGGTTTTTTGTGGAGAAAAGAATGTTGTCCCA
AGAAGATAAAAAATATTGTTAAGTGTGCAAGTTATTA

559/615

FIGURE 554

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA125170
><subunit 1 of 1, 313 aa, 1 stop
><MW: 35066, pI: 9.39, NX(S/T): 5
MALLVDRVRGHWRIAAGLLFNLLVSICIVFLNKWIYVYHGFNMSLTLVHFVVTWLGLYI
CQKLDIFAPKSLPPSRLLLLALSFCGFVVFTNLSLQNNITIGTYQLAKAMTTPVIIAIQTF
CYQKTFSTRIQLTLIPITLGVIILNSYYDVKFNFLGMVFAALGVLVTSLYQVWVGAKQHEL
QVNSMQLLYYQAPMSSAMLLVAVPFFEPVFGEGGIFGPWSVSALLMVLLSGVIAFMVNLS
IYWIIGNTSPVTYNMFGHFKFCITLFGGYVLFKDPLSINQALGILCTLFGILAYTHFKLS
EQEGSRSKLAQRP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-27

Transmembrane domains:

Amino acids 46-60;75-90;153-167;192-208;221-237

N-glycosylation sites:

Amino acids 43-47;92-96;97-101;238-242

N-myristoylation sites:

Amino acids 17-23;57-63;140-146;155-161;162-168;283-289

560/615

FIGURE 555

GTTAGGCAGAGCCAAGGTGGTTGCAGACCTGGAATCAGAACAGCTTTTAGACCAACCTGAAAG
CAGGAATGTAAGCACTGTTACAGAGATTTTCGTCTTTGGCTTATTGTGCCTGCAGAGTCTAG
TGCTTCTTTGCCAGCTGTGCTGACTCAGCACTCCATGCTGTTTTCTGGAACCACTCCCTGGA
GCTGGGCCATGTTTTGATTGACAGTGTGGAGCTAGCCCAGCAAGTACTCTACATGCAACCCCC
CAGCCAGGCACTACCTCTGCTCCTCCTCCATGGCCTCCTGCTACACCGGCAGCTCTATGGAAC
AAGGCTGCAGGCACACAGGGGGCGCTGGAGTCAAGTGAAGTCTAATCCAGGTTCTTCAGACCCA
AGACCAGCTGTGGGCAAGTCTTAGCAATCCCCGTGCTGCCATGCAAGAGCTGGCTGCTTCAGT
TTTCTACGGGGGTCTCTGGGGGACACTGAGGACAGGGAGGCCCTGATTAGCCTCACACAAGC
CTGCCTGAGCCCCAGTAGTGGGAGCTGGGTCCAGCCACACACACCTCAGTCTTTGCTGGCCAC
GCTCATGCCCTCCCAGCTAAGGGAGCTGGATGCAATGGCAGAGTGCAAGGCCAGATGCACC
TACTGCCCTCACCACCTGAACCCCCGGCTCTGCGGACTGAGTGAGGGCCCCCAAGCCTGGCTGT
TGCGAGCCAGAGTCGCGCTCTCTTGAGTGCCTGTCAGCGGAGTTACCCGTGTGGGTTCCTG
AGTCTCGAAGAGGCGCCAGCTTGCGGAAAGGCGACTGCGGCAACGCCTAGTGCAAGTCAACCG
GAGGCTGGAGTCACTGCAGGATCTGCTGACCCACGTGATTGCGCAAGACGAGTCCGACGCCCC
GTGCTCAGTGCTGGGGCCAAATGCACGGCGGCCTCTGGAGGGCGTCTTAGAGACCGAGGCTCT
AGAACTGAGCCAGTTGGTGGGCACGCTACAACGCGACCTTGATTGCCTGTTGCAGCAGCTGAA
GGGCGCACCCCCGTGCCCCCTCCCGCCGCTGTGCTGCGGTGGCCACGCTCTCTGGACTGGCCG
CCTACCCCTTGCTTGCGGACCTCATGCGCCGCGCGGTCCGCAGCCGCCCTGGCACTGGCTGCG
ACAGTTGTGCGCGCCGTGGGCAACTGTTGGTTTCGTTACTTGGGCGTGGGCGCGGACGCGAGCAG
TGATGTACCAGAGCGCGTCTTCCACCTGTCAGCCTTTTCGCCACCCGCGCCGCGCTGCTGCTGGC
ATTGCGTGGGGAAGCTGCCCTGGACCAGAAATGTGCCAGCTCGAATTTCCCTGGTAGCCGAGG
CTCGGTCTCCAGTCAGCTCCAGTATAAACGTCTGGAGATGAACAGCAACCCCTCTGCACTTCAG
GGTGGAGAATGGTCCAAATCCCACGGTTCAGAGAGAGGGCTGCTGCTGATCGGGCTACAGGT
CCTACATGCGGAGTGGGACCCAATAGCTGGAGCCTTGCAAGACAGTCCTTCCAGCCAACCCAG
CCCTCTGCCTCCCGTCAGCATCAGCACACAGGCCCCGGGCACCAAGTGACCTGCCAGCCCCAGC
CGACCTGACTGTGTACTCGTGTCTGTGTACATGGGAGGGCCCCCTTGGCACCGCTAAGCTGCA
GAGCAGGAACATCGTGATGCATCTGCCTTTACCCACCAAGCTCACCCCCAACACCTGTGTCCA
AAGGAGGGTCCATGTGTGCAGCCACCCCTGTCTTGAGCCCGTCTACCAAATAAAGTTGTAG
TGATTCCA

561/615

FIGURE 556

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129594
><subunit 1 of 1, 162 aa, 1 stop
><MW: 17598, pI: 6.58, NX(S/T): 1
MPVFWNQSLELGHVLIDSVELAQQVLYMQPPTQALPLLLHGLLLHRQLYGTRLQAHGRGR
WSQVTLTQVLQTQDQLWASLSNPRAAMQELAASVFYGGPLGDTEDREALISLTQACLSPS
SGSWVQPHTPQSLLATLMPLPAKGAGCNGRVQGPDAPTALTT
```

Important features of the protein:**Signal peptide:**

Amino acids 1-45

N-glycosylation site:

Amino acids 6-10

N-myristoylation sites:

Amino acids 97-103;144-150

562/615

FIGURE 557

GACCTTGAGCCCTCGAAAGCGACATGGCGGTTCTCTTAAAGCTGGGCGTTCTCTGCAGTGGCC
AAGGAGCTCGAGCTCTCCTACTCCGAAGCCGGGTGGTCAGACCCGCTTATGTGTCAGCATTTT
TCCAGGACCAGCCTACCCAAGGACGGTGTGGTACCCAGCACATTACCTGTCACCAAGCCACC
ACTCTGGTTCCAAGGCTGCATCTCTCCACTGGACCAGTGAGAGGGTTGTCAGTGTTCTGCTCT
TGGGGCTGATCCCTGCTGGGTACTTGAATCCCTGCTCTGTGGTGGACTACTCTCTGGCTGCAG
CCCTCACCCCTGCACAGTCACTGGGGCCTTGGACAAGTGGTTACCGACTACGTTTCATGGGGACA
CCCTGCCGAAGGCTGCCAGGGCAGGCCTCTTGGCACTCTCAGCTTTGACCTTTGCTGGGCTTTGC
TACTTCAATTACCACGATGTCGGCATCTGCAGAGCGGTTGCCATGCTGTGGAAGCTCTTGACCCT
GGGTGCAGCACTTTGATTGTGTGCCTCCTTGCCTCTGCTTTACCAATGCCGTTACCTCGCAG
TGAGGGGGGATGAAGGATAAGCCCATTGGTGGGCAGAATGTCTTCTAATTACATGGTTATTTT
CAGAATTTATTTGTTGAGGAAGAGGTTTGGAGAGTTAGGTTTCGACCATTTCGTGAGTCTGTGTT
CCATACTCCACTGAGTGTGGGCACTAGCTCACAGCCTCGCGGTGAGACTGAACATTTTCATGAG
CTCATGTTGCCTTTGACCACCATTTCTTAAGGAGAGCCAGCTGATTGCTGTCAGGATAAGAGC
ATCTCTTCAGCCAGGAGGGAGGCCTGTTCCCTCCTGAGTTAGACTTTGCATGAAGCTCGAAAG
TATTCCCTTTGGAACCTCCCATTTCTTGTTTCAGGTGACACCAGCTCTGTTGATGGCTCTGCTTC
TAGGGAACATTTAATCAGGAGATGCTCTCAATGACTAATTTGTCTAAGTCTTAGGAAGGAGGT
TGAGGAAAGCTGGATTTAGACAAGTTCAATTTAGGGAGTTCTCCTTGTTTGTGGATTAAAATA
TGACAGATTGCAAACAGACTACTCTTCAAATGTATCTCAATTGTGCAGAAGTGAGCTGTCCAA
AAGTATAAGACTAAGTGATAAACTGTCTTCCCACCGTGGGAGTTGTTAATGAGAAAGAAAGTG
TACTCTGAAAAAACAAGGGGG

563/615

FIGURE 558

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129793
><subunit 1 of 1, 159 aa, 1 stop
><MW: 17014, pI: 9.38, NX(S/T): 0
MAVLLKLGVLCSGQGARALLRSRVVRPAYVSAFLQDQPTQGRCGTQHIHLSPSHHSGSK
AASLHWTSEVVSVLLGLIPAGYLNPCSVVDYSLAAALTLHSHWGLGQVVTDYVHGDTL
PKAARAGLLALSALTTFAGLCYFNYHVDVGICRAVAMLWKL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-15

Transmembrane domains:

Amino acids 71-88;126-140

Glycosaminoglycan attachment site:

Amino acids 12-16

N-myristoylation sites

Amino acids 8-14;58-64;78-84;108-114;148-154

564/615

FIGURE 559

CCCAGCCCCGCGTTTCGGCTGCTCTCGAGGAGGCCGGAGTCCCCGGAGACGATGCGCCCCGCGC
AGCCGCCTGCGCCTGCGGGAGCCGGCTGCCCTTGAGATGGAGTTGCTGCCTCTTTGGCTCTGC
CTGGGTTTTTCACTTCCTGACCGTGGGCTGGAGGAACAGAAGCGGAACAGCCACAGCAGCCTCC
CAAGGAGTCTGCAAGTTGGTGGGTGGAGCCGCTGACTGCCGAGGGCAGAGCCTCGCTTCGGTG
CCCAGCAGCCTCCCGCCCCACGCCCCGGATGCTCACCCTGGATGCCAACCCTCTCAAGACCCTG
TGGAATCACTCCCTCCAGCCTTACCCTCTCCTGGAGAGCCTCAGCCTGCACAGCTGCCACCTG
GAGCGCATCAGCCGCGGCGCCTTCCAGGAGCAAGGTCACCTGCGCAGCCTGGTCCTGGGGGAC
AACTGCCTCTCAGAGAACTACGAAGAGACGGCAGCCGCCCTCCACGCCCTGCCGGGCTGCGG
AGGCTGGACTTGTGAGGAAACGCCCTGACGGAGGACATGGCAGCGCTCATGCTCCAGAACCTC
TCCTCGCTGCGGTCCGTGTCCCTGGCGGGGAACACCATCATGCGGCTGGACGACTCCGTCTTC
GAGGGCCTGGAGCGTCTCCGGGAGCTGGATCTGCAGAGGAACTACATCTTCGAGATCGAGGGC
GGCGTTTTCGACGGCCTGGCTGAGCTGAGGCACCTCAACCTGGCCTTCAACAACCTCCCCTGC
ATCGTGGACTTCGGGCTCACGCGGCTGCGGGTCTCAACGTCAGCTACAACGTCCTGGAGTGG
TTCTTCGCGACCGGGGAGAGGCTGCCTTCGAGCTGGAGACGCTGGACCTGTCTCACAACCAG
CTGCTGTTCTTCCGCTGCTGCCCCAGTACAGCAAGTTGCGGACCCTCCTGCTGCGCGACAAC
AACATGGGCTTCTACCGGGACCTGTACAACACCTCGTCGCCGAGGGAGATGGTGGCCAGTTC
CTCCTCGTGGACGGCAACGTGACCAACATCACCACCGTCAGCCTCTGGGAAGAATTCTCCTCC
AGCGACCTCGCAGATCTCCGCTTCCTGGACATGAGCCAGAACCAGTTCAGTACCTGCCAGAC
GGCTTCCTGAGGAAAATGCCTTCCCTCTCCACCTGAACCTCCACCAGAATTGCCTGATGACG
CTTCACATTCGGGAGCACGAGCCCCCGGAGCGCTCACCGAGCTGGACCTGAGCCACAACCAG
CTGTGCGAGCTGCACCTGGCTCCGGGGCTGGCCAGCTGCCTGGGCAGCCTGCGCTTGTTCAAC
CTGAGCTCCAACCAGCTCCTGGGCGTCCCCCTGGCCTCTTCGCCAATGCTAGGAACATCACTAC
ACTTGACATGAGCCACAATCAGATCTCACTTTGTCCCCTGCCAGCTGCCTCGGACCGGGTGGG
CCCCCTAGCTGTGTGGATTTTCAAGGAATATGGCATCTTTAAGGAGCCTGTCTCTGGAGGGCTG
TGGCCTGGGGGCATTGCCAGACTGCCCATTCCAAGGGACCTCCCTGACCTACTTAGACCTCTC
AAGCAACTGGGGGGTTCTGAATGGGAGCCTCGCCCCACTCCAGGATGTTGCCCCCATGTTACA
GGTCTGTCTCTCAGGAACATGGGCCTCCACTCCAGCTTTATGGCGTTGGACTTCTCTGGGTT
TGGGAATCTCAGGGACTTAGATCTGTGCGGGAATTGCTTGACCACCTTCCCAAGGTTTGGGGG
CAGCCTGGCCCTGGAGACCCTGGATCTCCGTAGAACTCGCTCACAGCCCTTCCCCAGAAGGC
TGTGTCTGAGCAGCTCTCGAGAGGTCTGCGGACCATCTACCTCAGTCAGAATCCATATGACTG
CTGTGGGGTGGATGGCTGGGGGGCCCTGCAGCATGGGCAGACGGTGGCCGACTGGGCCATGGT
CACCTGCAACCTCTCCTCCAAGATCATCCGCGTGACGGAGCTGCCCGGAGGTGTGCCTCGGGA
CTGCAAGTGGGAGCGGCTGGACCTGGGCCTGCTCTACCTCGTGCTCATCCTCCCCAGCTGCCT
CACCTGCTGGTGGCTGCACTGTCATCGTCCTCACTTTTAAGAAGCCTCTGCTTCAGGTCAT
CAAGAGCCGCTGCCACTGGTCCCTCCGTTTACTGACCTGGCTGTGTGCCAAGACTCGAAATTCG
GTCCGCACACAACAGGACACTTTCTCTGCCAGCTTCAAGATGTGATGCAGAGGCCAAGTCTG
ACGAATTGAAGTTTCAATTAAATTTAATATGTTTCCATTCTCATCGCCACCCACCCCGG
CCCCACCACCGCCCAAGTTCTTTTCCATCATTATAATTATCCTTATTATCTTGGTAAAAAT
ATTTATTAAGTGACTTTTTCAGAAATAAAAGGCAACGTGTCTCATAAATATTTTTTAAAAAA
AAAAAAAAAAAAA

565/615

FIGURE 560

><subunit 1 of 1, 692 aa, 1 stop
><MW: 76366, pI: 6.07, NX(S/T): 11
MELLPLWLCIGFHFLLTVGWRNRSGTATAASQGVCKLVGGAADCRGQSLASVPSSLPPHAR
MLTLDANPLKTLWNHSLQYPPLLESLSLHCHLERISRGAFQEQGHLRSLVLGDNCLSEN
YEETAALHALPGLRRLDLSGNALTEDMAALMLQNLSSLRVSLAGNTIMRLDDSVFEGL
ERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFFNNLPCIVDFGLTRLRVLNVSYNVLEW
FLATGGEAAFELETDLDSHNQLLFFPLLPOYSKLRITLLLRDNNMGFYRDLYNTSSPREMV
AQFLLVDGNVTNITTIVSLWEEFSSSDIADLRFLDMSQNFQYLPDGFRLKMPSLSHLNLH
QNCLMTLHIREHEPPGALTELDLSHNQLSELHLAPGLASCLGSLRLFNLSNQLLGVPPG
LFANARNITTLDMSHNQISLCPLPAASDRVGPSPCVDFRNMASLRSLSEGCGLGALPDC
PFQGTSLTYLDLSSNWGVLNGSLAPLQDVAPMLQVLSLRNMGLHSSFMALDFSGFGNLRD
LDLSGNCLTTFFPRFGGSLALETDLRRNSLTALPQKAVSEQLSRGLRTIYLSQNPYDCCG
VDGWGALQHGQTVADWAMVTCNLSSKIIRVTELPGGVPRDCKWERLDLGLLYLVLIIPSC
LTLLVACTVIVLTFKKPLLQVIKSRCHWSSVY

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 651-672

N-glycosylation sites:Amino acids 21-25;74-78;155-159;232-236;292-296;309-313;
312-316;408-414;427-431;500-504;622-626**Glycosaminoglycan attachment site:**

Amino acids 533-537

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 566-570

N-myristoylation sites:Amino acids 24-30;39-45;45-51;141-147;199-205;245-251;
308-314;396-402;416-422;420-426;471-477;
484-490;497-503;522-528;545-551;555-561;610-616**Prokaryotic membrane lipoprotein lipid attachment site:**

Amino acids 657-668

Leucine zipper patterns:

Amino acids 48-70;492-514

566/615

FIGURE 561

TGGCCTACTGGAAAAAAAAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCCGCGGTGGCCACAACAT
GGCTGCGGCGCCGGGGCTGCTCTTCTGGCTGTTTCGTGCTGGGGGCGCTCTGGTGGGTCCCGGG
CCAGTCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTG
CAGCATGTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGT
GAATTTTAAAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAAC
TTGGGCTGGAAGTGTTGAACACAGTTTTGGATATTTTCCAAAAGATTTGATCAAGGTACTTCA
TAAATACACGGAAGAAGAGCTACATATTCCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGG
AGGAAGAGATGATTTTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAAGTGGAGGA
CTCTGTACCTGAAGAGTCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGA
GGAGTCTCGGGGCGTGAAGTGAACCTGTGCCTGAGCCCGAGGCATTGAGAGCTGATTCAGA
GGATGGAGAAGGTGCTTTCTCAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGA
GAGCCACCCTCACACCAGCGGTCCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACAC
TTTTGAAGAAATTCTGCACGATAAATTGAAAGTGCCGGGAAGCGAAAGCAGAACTGGCAATAG
TTCTCCTGCCTCGGTGGAGCGGGAGAAGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAG
TCAGAGAGGAAGTGGACAGTGCCTTATTGATTACAGCAAAGGATTTTCGTTGGCATCAAAATCT
AAGTTTGTTTTACAAAGATTGTTTTTAGTACTAAGCTGCCTTGGCAGTTTGCATTTTTGAGCC
AAACAAAATATATTATTTTCCCTTCTAAGTAAAAAAAAAAAAAAAAAAAAA

567/615

FIGURE 562

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131639
><subunit 1 of 1, 303 aa, 1 stop
><MW: 33900, pI: 4.81, NX(S/T): 2
MAAAPGLLFWLFLVGLALWWVPGQSDLSHGRRFSDLKVCGDEEC SMLMYRGKALEDFTGPD
CRFVNFKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEEELHIPADET
DFVCFEGGRDDFNSYNVEELLGSLELEDSVPEESKKAEEVSQHREKSPEESRGRELD PVP
EPEAFRADSEEDGEAFSESTEG LQGQPSAQESH PHTSGPAANAQGVQSSLDTFEEILHDK
LKVPGSESRTGNSSPASVEREKTDAYKVLKTEMSQ RSGQCVIHYSKGFRWHQNL SLEFYK
DCF
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-glycosylation site:

Amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 67-76

N-myristoylation sites:

Amino acids 205-211;225-231;277-283

Amidation site:

Amino acids 28-32

568/615

FIGURE 563

GCCAGCCGTGGGATTAGGCTTCGCCGGCTACGATTGCGGCCCCCATCTTCTGACTTTTCCTCG
TGTGACCCATCTTTTCAAATTCCCTTACCTGAGGAAGGAGCCCGATTACAAGGATATTTACCT
GCTCCTACCCTGATCTAGGGACGAGGATGGGAAGACCGCCTGTGGCCATGAGCCCTCCCCGGT
GCTCCTGGGGCTAAGGCTGGGGCTGCAGCCATGGGGCTGGGTCAGCCCCAGGCCTGGTTGCTG
GGTCTGCCCACAGCTGTGGTCTATGGCTCCCTGGCTCTCTTCACCACCATCCTGCACAATGTC
TTCCTGCTCTACTATGTGGACACCTTTGTCTCAGTGTACAAGATCAACAAAATGGCCTTCTGG
GTCGGAGAGACAGTGTCTCTCTGGAACAGCCTCAATGACCCTCTCTTCGGTTGGCTCAGT
GACCGGCAGTTCCTCAGCTCCCAGCCCCGCCTGTGTGGAGAGGAGCTGCTTGTGGGCAGTGAG
GAGGCGGACAGCATCACCTTGGGCCGGTATCTCCGGCAGCTGGCACGCCATCGGAACCTCCTG
TGGTTCGTGAGCATGGACCTGGTGCAGGTGCAGTGGCTCACGCCTGTAATCCCAGCACTTCGG
GACGCCAAGGTGGAAAGACCGCTTGAGCCCAGGAGTTCGAGGCTGCAATTGAGTTATGATTGCA
CCACTGCACTCCAGCCTGGGCGGCAGAGAAAGGCTCCATCTCTAAAAAAGAAGAGCTAAGTG
CTGTACCTAAACATGCAGTATATAAACTGGCTGAACTTAGAAATAAACTGTTTTCATGTTAT
GAAAA

569/615

FIGURE 564

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131649
><subunit 1 of 1, 153 aa, 1 stop
><MW: 17603, pI: 7.42, NX(S/T): 0
MGLGQPQAWLLGLPTAVVYGSLALFTTILHNVFLLYYVDTFVSVYKINKMAFWVGETVFL
LWNSLNDPLFGWLSDRQFLSSQPRLCGEELLVGSEEADSITLGRYLRLARHRNFLWFVS
MDLVQVQWLTPVIPALRDAKVERPLEPRSSRLQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-myristoylation sites:

Amino acids 4-10;12-18;93-99

Leucine zipper pattern:

Amino acids 102-124

570/615

FIGURE 565

CGGCACGAGTAAAATGGAGATAATATCACCATGCACTCAGCCCTAGCCACTGCATTGCTGTTA
CTGATACCATTACTGCTGCTACGTCGTTTTTTTGATGGCTCAGCCCTTAGGGAAGGGGGATCA
AGGGAGAAGCCCGGACCTTCCCGCAGGAGGTGGGCTGGGCACAGCCCTGAACCATGGAGGTCA
CCCACCCTGAGGTCGGGACCTGGGTTCCCTTCCTATCCACTGGGGGTCCCAGCCTTTGTCTTC
ATCTCTCCAGGTCCCAGCCCTTCACAGTGGGCACTTCCCTGCCTGTGACGGAGGCCCCAGCCA
TCTCC

571/615

FIGURE 566

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131652
><subunit 1 of 1, 89 aa, 1 stop
><MW: 9688, pI: 11.49, NX(S/T): 0
MHSALATALLLLIPLLLLRRFFDGSALREGGSREKPGPSRRRWAGHSPEPWRSPTLRSGP
GFPSYPLGVPAFVFISPGSPSQWALPCL
```

Important features of the protein:

Signal peptide:

Amino acids 1-18

Glycosaminoglycan attachment site:

Amino acids 58-62

572/615

FIGURE 567

AGTCTAGCAGGAAAGGAGAGGGAGCTTTCCCCGAAGACCCTCCTGGACCAGCCCCAGGCTCCT
GTGCTGGTTGCACGCCAGGGCCTGTACTGACCACCTCCACGTGCCACTGGGGCTGTAAGGAGGA
ATGGCGGCCGTGGGCAGCCTGCTTGGCCTGGCAGCCTCTTCCTGGCTAGGGGGCCAGAACGCC
TCTGACCACAGCCTGTGGCTCCTGAGGAAGCCCCGAGGCTCATCCTGCCCCGGCACGGGTCAC
CAGCTCTGCCGGCTGAGGCAGAGCACCGTGAAGGCCACCGGACCTGCACTCCGCCGCCTGCAC
ACATCCTCCTGGCGAGCTGACAGCAGCAGGGCCTCACTCACTCGTGTGCACCGCCAGGCTTAT
GCACGACTCTACCCCGTGCTGCTGGTGAAGCAGGATGGCTCCACCATCCACATCCGCTACAGG
GAGCCACGGCGCATGCTGGCGATGCCCATAGATCTGGACACCCTGTCTCCTGAGGAGCGCCGG
GCCAGGCTGCGGAAGCGTGAGGCTCAGCTCCAGTCGAGGAAGGAGTACGAGCAGGAGCTCAGT
GATGACTTGCATGTGGAGCGCTACCGACAGTTCTGGACCAGGACCAAGAAG**TGA**CCGTGGCTC
CAGCCACCCCGGACATTGCTAAGATGGGAGGGCTGTTCTTAAATCACTCGTTCTTGAAGCTGC

573/615

FIGURE 568

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131658
><subunit 1 of 1, 164 aa, 1 stop
><MW: 18903, pI: 11.08, NX(S/T): 1
MAAVGSELLGLAASSWLGGQNASDHSLLWLLRKPRGSSCPGTGHQLCRLRQSTVKATGPALR
RLHTSSWRADSSRASLTRVHRQAYARLYPVLLVKQDGSTIHIRYREPRRMLAMPIDLDTL
SPEERRARLRKREAQLQSRKEYEQELSDDLHVERYRQFWTRTKK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

N-glycosylation site:

Amino acids 20-24

N-myristoylation sites:

Amino acids 5-11;9-15;17-23;18-24

574/615

FIGURE 569

GGTGCCAAGGGTTTCGGGGGGGAGCACTGAGGCTTTAGCAGCTCTCCTGTATCCTCATTTCGCAT
CCTCCTGTAGCAGCTGGAAAATTCAGATTACAGGTGAAATTCCTGGCTGGCAATCTTCTGTA
TATGGACACAGTGATGTGCCAGAAGGGCTTTGCATCCCTGAGACTGAAGGAAGCTCCATTTT
GGAGCCCTCCACACCTTGCTCTGTGTGCCTCTCATTCTGATTTGAATTCTTATTTTGTCTATA
TGATGAAGCTGTAATCCTAAGTTTAAAAAGGGGAGTAGGTATTGACATCATGGTAGAAATAGG
CTGTCTTATGGAAGTGTAGTTAGGGATCACAGCCTATTGGACCAGCCCCAGCCTTAGCAGCAG
TTCTGTACACTGATTCTTCCAGATTAGTCTACGTTCCCTCGAACAGACCTATGCCATGGGTTA
CAACTACAATTTGTTGTCGATTAGAGTTAACTTACAGACTCTCAAAACCCCATTTCTTTGGGT
TAGGCAACTTCCAGAAGTAGTCATTTATTTGAATTTTAGTCTAAGATCAACTGAATTAGGGAG
GTTTGAAGTGTAAAAGCAAATCGTACATTCCCAAACACTTTGTAAAGAAGGAATGGGTAGTG
TCAACTAAAGGAAATGGTGTGCATCCAGCAAAAGAAAGAGACCGAAAGCAAAGTCATAAACC
ATGCCCACGAGCTCAGCTGTCTGCTCCGTGTCTCTCCATACCCCTGTTGACTGTGCTCATA
TTAGCCAGAGACCTAAGTGTCTTGGAGGATGTCCCTGGGGCCCCCTCCCCCTCCGCTGTCAC
TGTCTACTTCCCTGATCCTCTCTTCTGTGCAGGAGAGGTCCAGGCCTTCTATGAGGACCTGAGT
GGCCGGCAGTACGTGAATGAAGTCTTCAACTTCAGCGTGGACAAGCTCTATGACCTCCTCTTC
ACCAACTCGCCCTTCCAGCGGGATTTCATGGAGCAGCGGCGCTTCTCTGATATCATCTTCCAT
CCATGGAAAAAGGAGGAGAATGGAAACCAGAGCCGAGTGATTCTTTACACCATCACCTTACC
AACCCCTCTGGCTCCCAAACTGCCACTGTCAGGGAGACACAGACCATGTACAAGGCGAGCCAG
GAGAGTGAATGTTACGTGATAGATGCCGAAGTCCTCACCCACGACGTGCCCTACCACGACTAC
TTCTACACAATCAATCGCTACACGCTCACCCGTGTGGCTCGGAACAAGAGCCGACTCAGGGTC
TCCACAGAGCTGCGCTATCGAAAAACAGCCCTGGGGGTTAGTGAAAACGTTTCATCGAGAAGAAC
TTCTGGAGTGGGCTGGAGGACTACTTCCGCCATTTAGAGAGCGAGCTGGCCAAAACGGAGAGC
ACTTATTTGGCTGAGATGCACAGACAATCTCCCAAAGAGAAGGCCAGCAAGACTACAACGGTG
CGGAGGAGGAAGCGTCCCCATGCCACCTGCGAGTCCCTCACCTGGAAGAGGTGATGAGCCCG
GTCACCACGCCCACAGATGAGGATGTGGGCCACAGGATCAAACATGTGGCAGGTTCCACACAG
ACGCGGCATATCCCGGAGGACACCCCAACGGTTTCCACCTGCAGAGCGTGTCCAAGCTGCTG
CTGGTTATCAGCTGTGTTCTGGTGCTGCTGGTCATCCTTAACATGATGCTCTTCTACAACTC
TGGATGTTGGAATACACCACGCAGACCCTCACTGCCTGGCAGGGTCTAAGGCTCCAAGAAAGG
TTACCCCAAGTCTCAGACAGAATGGGCCAGCTCTTAGAGTCCCAACAAAAGTACCACGATACT
GAGCTCCAAAAATGGAGGGAAATCATCAAATCCTCAGTGATGCTCCTTGACCAGATGAAGGAC
TCGCTCATCAACCTTCAGAACGGCATCAGGTCCCGCGACTACACGTCGGAAAGTGAAGAAAAG
AGGAATCGCTATCATTGACAAAGGCAGGAACAGGGTGGCTGCAAGAGGCCTGTGCAATACATGT
ACATAGACCATATAAATATATATATATAAATATATATATATACAGAATATAAATATATATATT
ATATACAGATTTTAAAAAAGAGATAATGCCTATGTACCAGGGAGAAGGAGCGGGCCCTCCCGC
GCCCTGTGCTGGCCGGAGCAGCGTTTTCTTATGGTGGAGCAGCTGAGGAGGGCAGGAACCGCC
TCTCAGCACCGACCTCCCCTGATCTCCCTCCTCCACCTCTGTTCCCCACCCCTTCCCTTGC
TGGCCATTCTTGGCTTTTGAAGGGAAATGTTGAGCCAAAGTTATGCCTGCGAAGACCCTAAG
GTCTCAAAAAGAAGTCTTAAGACGGCATTGCTTAAGGTGCTTCATTCCCTAATCCCCTTTTGA
TTTGTTCCTCAAAATAAAAGAGAATCTTTTCTTCCCTAAAAAAAAAAAAAAAAAAAAAAAAA

575/615

FIGURE 570

><subunit 1 of 1, 425 aa, 1 stop
><MW: 49786, pI: 8.84, NX(S/T): 3
MPTSSAVLLRVLSIPLLTVLILARDLSALGGCPWGPLPLRCHCLLPDPLFCAGEVQAFYE
DLSGRQYVNEVFNFSDVKLYDLLFTNSPFQRFMEQRRFSDIIFHPWKKEENGNSRVIL
YTITLTNPLAPKTATVRETQTMKASQSECECYVIDAEVLTHDVPYHDYFYTINRYTLTRV
ARNKSRLRVSTELRYRKQPWGLVKTFIEKNFWSGLEDYFRHLESELAKTESTYLAEMHRQ
SPKEKASKTTTTVRRRKRPAAHLRVPHLEEVMSPTTPTDEDVGHRIKHVAGSTQTRHIPE
DTPNGFHLQSVSKLLLVISCVLVLLVILNMMLFYKLWMLEYTTQTLTAWQGLRLQERLPQ
SQTEWAQLLESQQKYHDTLQKWREIIKSSVMLLDQMKDSLINLQNGIRSRDYTSESEEK
RNRYH

Important features of the protein:**Signal peptide:**

Amino acids 1-28

Transmembrane domain:

Amino acids 312-334

N-glycosylation sites:

Amino acids 73-77;114-118;183-187

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 97-101

Tyrosine kinase phosphorylation sites:

Amino acids 144-153;188-196

N-myristoylation sites:

Amino acids 201-207;291-297

Leucine zipper pattern:

325-347

576/615

FIGURE 571

GTAGAGAGTGAAGCAGCAAGACTGCAGAGCCTCATCAAGAAGTGTGGAGTGAAGGGAAGGCTTCAGATGGACAAT
TTGTGTGCTGGGGAAAAAATGGAATGTGCTGCAAATCCCCTGTGGATAAGGGTGGACGGCTGCTCTGTCAACTT
TGACCATTTTCAGATTCTGCGGGCCATTGGTAAAGGGAGTTTTGGAAAGGTATGCATCGTGAGAGGGATGAGGTTCCGAATGTTTTCCG
GGAGCTGCAGATCATGCAAGGGCTGGAGCACCCCTTCTGGTCAATCTGTGGTACTCCTTCCAGGATGAGGAGGA
CATGTTTCATGGTGGTGGACCTGCTCCTGGGAGGCGACCTGCGCTACCATCTGCAGCAGAATGTGCATTTACAGA
GGGGACTGTGAAACTCTACATCTGTGAGCTGGCACTGGCCCTGGAGTATCTTCAGAGGTACCACATCATCCACAG
AGACATCAAGCCAGACAATATCCTGCTGGATGAACACGGACATGTTACATTACAGACTTCAACATAGCGACGGT
AGTGAAAGGAGCAGAAAGGGCTTCTCCATGGCTGGCACCAGCCCTACATGGCTCCAGAAGTATTCCAGGTGTA
CATGGACAGAGGCCCCGGATACTCGTACCCTGTGACTGGTGGTCCCTGGGCATCACAGCCTATGAGCTGCTGCG
GGCTGGAGGCGGTACGAAATCCACTCGGTACGCCCCATCGATGAAATCCTTAACATGTTCAAGGTGGAGCGTGT
CCACTACTCCTCCACGTGGTGCAAGGGGATGGTGGCCCTGCTGAGGAAGCTCCTGACCAAGGATCCTGAGAGCCG
CGTGTCCAGCCTTCATGACATACAGAGCGTGCCCTACTTGGCCGACATGAAGTGGGACGCGGTGTTCAAGAAGGC
ACTGATGCCCGGCTTTGTGCCAATAAAGGGAGGTTGAAGTGGATCCCACATTTGAGCTTGAAGAGATGATTCT
AGAATCCAAGCCACTTCACAAAAAGAAGAAGCGATTGGCAAAGAAGATCCAGGGATGGCACAAGGACAGCTG
CCCGCTGAATGGACACCTGCAGCACTGTTTGGAGACTGTCCGGGAGGAATTCATCATATTCAACAGAGAGAAGCT
CAGGAGGCAGCAGGGACAGGGCAGCCAGCTCTTGGACACCGACAGCCGAGGGGGAGGCCAGGCCCAAGCAAGCT
CCAGGACGGGTGCAACAACAACCTCCTCACCCACACCTGCACCCGTGGCTGCAGCAGCTGAGCCCCACACTTGTG
CTGCTCAACAGGACTGCACTCGTCTCTGCCCTGCCACCCAGAGCCCTCTTTGTGCCCTGATGGTCCCTGTCTC
ACCCCTGAAAACATCAGATGCAGAAAAAGCCCTGGACTTGGAGCTGGGAAGCCTGGGTCTGGTCCCATCTCCAT
GACTGATTACGTGTGACCTCAGACAAGTCACGCCCTCTCTGTGCCCTCCGTTTTCTGCATCTGCCAAAGGGGTTA
AACACTTCTGCCCCACTTCAAATTACAAGATTATGGGGAGAACCCTAATTAGGTAGGAAACATGAAAAACCTTTGA
TATTTATAAATCATTTTTACGTGCAAAATATAACCTTAATATTTGAAGTGACCCCCATTCCCCAAGCAATCAA
ACCGTCATGACTTTGCAATTTGGCACATCCTAGCTTGTTAGAGGGCACTTCCGAAAAACAGCCCTGACAGCAA
AATAAAGGTCTGATATGTTGGCCCTTCTATGGAAACAACGCTGCCAAATCCTGGAGCAAAACCTGAAGTGTCTT
CATGTGCATTCTCTGGCAGGCCACAGTCCTTCTGAGCTTGTAAAGATGGTGCAGCATGCAGACCAGACTTGTCCCC
AAGGTCTCAGCGCTGCGGTCTCACTCCTCCCCTCATTTAAGAAGACTATCCTTACCTTTTAGTTTCAGCAGTCCT
CACCACCACCATATCCCCAGTGCTGGGATGGCACACAGGTGTCCATTTCAGATGAGAGTTGGGTGCTGAGCATTG
GTTACTCCTGCAGAGTGAATCAGCACCCCATCCAAGTGGCCGAAAGCCCAGACCTGCAGCAGAACTCTCCAAC
TCTCTATCAGCTTTCAGGGTTTTCTCTCCTGGGAAGGGTGTAAATCAGCTTGTGAGATTCTTCTTACAGAGAGT
ATCCAATCGGTATTGGTGGAGCGGCTCCCTATTTATACAATAGGAAGCATGGGTGCTTAGAAAGTTTATTTTCAGG
AGGAAAATGGGTTACACAAAAAGCAAACCTACATTCTGATCTGCTCAGGGAGAAGCTTGCCTTTGAACTGGAAGA
TGTTGGGATGAGCAGGGAAAGCTTAGACTTTGGAGTCAGGTTTGTGTTCCAGAATCCAGCCCTGCTGGCTACTAAC
TAACTGGGAGACCTTAGGCAAAGCATGCAATCGCTCTGAATGGCAGTTTCTCATTTTTAAACAGGGATAATAAA
ACTAATATTGAGGGGAGTTACAGGGTTAAATAAGATCCTGTGTGAACCCCAAGCATGGATGACTCATAGAAT
GGCCTTTTTTGTGAGCATAATCGTCATCATTTAGATACTTTCTTCTTCACTCAGGAGCAGGTGAGTTTCT
TGTGCAAAACAACCTGTTTAGGATTCTTCCAATGTTCTTCTGGGGTCTTTGATATTTGTTGTACATCCTGC
TGAAGTTCGACTGTGTTTTATTTTTTTCATCCAACCTCCATTTTTTCACTTTTTACATGATTACTCAATCCTTGGG
GCTGTCCATGTATCTCTTAGATTTCTTAAAGACATTTTAAATGTATGGTTAGGTTTTATATTTTTATTTTTTAA
AAAAGAAATAGTCAGTGTCTTCTCCTTCAACCGAGACTATTTCTGGATTGTGTGCTCCTCGTCAGTTGACTTGT
TTTGACACTTTTCTTACTTCATGTCCCCATCAACAACCGTCTGCTCCCCACCTCCCCAGGAAATAAGGGGC
CTGCTCCTCTCCTACTGTGACCCCTGGAGGCTCTAAGATGATGATGGTTTTTTTTTATTGGGCTGAGTTCACGAA
TTAGGGGCAGGAGCTGGAAGTCGCCCTAGGAACACCAGATTTCTGGTTCTGTTCAAGTTGGCATTCTTGTGTTG
GAATAAACTATTTCTTGG

577/615

FIGURE 572

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA136110
<subunit 1 of 1, 364 aa, 1 stop
<MW: 42195, pI: 7.40, NX(S/T): 1
MKYMNKQKCIERDEVNRFRELQIMQGLEHPFLVNLWYSFQDEEDMFMVVDLLLGGDLRY
HLQQNVHFTEGTVKLYICELALALEYLQRYHIIHRDIKPDNILLDEHGHVHITDFNIATV
VKGAERASSMAGTKPYMAPEVFQVYMDRGPGYSYPVDWWSLGITAYELLRGWRPYPEIHSV
TPIDEILNMFKVERVHYSSTWCKGMVALLRKLLTKDPESRVSSLHDIQSVPYLADMNWDA
VFKKALMPGFVPNKGRLNCDPTFELEEMILESPLHKKKKRLAKNRSRDGTDKSCPLNGH
LQHCLETVREEFIIFNREKLRRQQGQGSQLLDTDSRGGGQAQSKLQDGCNNNLLTHTCTR
GCSS

Important features of the protein:

N-glycosylation site:

Amino acids 285-289

N-myristoylation sites:

Amino acids 123-129;290-296;337-343;339-345;348-354

Serine/Threonine protein kinases active-site signature:

Amino acids 92-105

578/615

FIGURE 573

CTCCAGTTCGCCGACTGTAACATGTTTCATCCAGTTCAGTATGTTTTGTATGCAAGTTGGAAATAAATAAACGTC
CTGAACTGGATGAAACATGTTACAGTCGGCCGAAACATGAGAGGCTGTGTGAGAAGCTGCAGCCGCCGCGCAGAGG
AGACCTCAGCATCATCTAGAGCCAGCGCTGGCCCTGCCTCCGCCTGCGCCGCCGCGCCGTCGCCGTTTCTGTT
CCTGCTACTGTCCCACCTAAACAACTCCCGTTACACGGACAAGTGAACATCTGTGGCTGTCTCTCCTTTTCTTC
CTCCTCTTCCAACCTCCTTCTCCTCCTCCCACTTCCCAGCCGAGCAGAAAGCCCCAACCACTGACGCTGGCA
CAACTGCAAAACGGTGTATCCGCACAACCTTTATCTCGTCTCCTCGGGCTCCCTAAGGCATTGGACCCATCGCCGC
GTCTTTTATTTTTGCAAAGTTGCATCGCTGTACATATTTTTGTCCCCGCCACCTCCCTCTGTCTCTGGAGTGCCC
TACAGCCCCGCAAACCTCCTCCTGGAGCTGCGCCCTAGTGCCCCTGCTGGGCAGTGGCGTTCCCCCCCATCCTCCC
GCGCCAGCCCTGCTGCTCTGGGCAGACGATGCTGAAGATGCTCCTTTAAGCTGCTGCTGCTGGCCGTGGCT
CTGGGCTTCTTTGAAGGAGATGCTAAGTTTGGGGAAAGAAACGAAGGGAGCGGAGCAAGGAGGAGAAGGTGCCTG
AATGGGAACCCCCGAAGCGCTGAAAAGGAGAGACAGGAGGATGATGTCCAGCTGGAGCTGCTGAGTGGGGGA
GAGATGCTGTGCGGTGGCTTCTACCCCTCGGCTGTCTGCTGCTGCGGAGTGACAGCCCGGGGCTAGGGCGCCTG
GAGAATAAGATATTTTTCTGTTACCAACAACACAGAATGTGGGAAGTTACTGGAGGAAATCAAATGTGCACTTTGC
TCTCCACATTCTCAAAGCCTGTTCCACTCACCTGAGAGAGAAGTCTTGGAAAGAGACCTAGTACTTCTCTGCTC
TGCAAAGACTATTGCAAAGAATTCTTTTACACTTGCCGAGGCCATATTCAGGTTTCTTCAAACAACCTGCGGAT
GAGTTTTGCTTTTACTATGCAAGAAAAGATGGTGGGTTGTGCTTTCCAGATTTTCCAAGAAAACAAGTCAGAGGA
CCAGCATCTAACTACTTGGACCAGATGGAAGAATATGACAAAGTGGAAGAGATCAGCAGAAAGCACAAACACAAC
TGCTTCTGTATTTCAGGAGGTTGTGAGTGGGCTGCGGCAGCCCGTTGGTGCCTGCATAGTGGGGATGGCTCGCAA
CGTCTCTTCATTCTGGAAGAAAGAGGTTATGTGAAGATACTTACCCTGAAGGAGAAATTTCAAGGAGCCTTAT
TTGGACATTACAAACTTGTTCAAAGTGGAATAAAGGGAGGAGATGAAAGAGGACTGCTAAGCCTCGCATTCAT
CCCAATTACAAGAAAATGGAAGTTGTATGTGCTTATACCACCAACCAAGAACGGTGGGCTATCGGGCCTCAT
GACCACATTCTTAGGGTTGTGGAATACACAGTATCCAGAAAAAATCCACACCAAGTTGATTGAGAACAGCCAGA
GTCTTTCTTGAAGTTGCAGAACTCCACAGAAAGCATCTGGGAGGACAACCTGCTCTTTGGCCCTGACGGCTTTTTG
TACATATTCTTGGTGATGGGATGATTACACTGGATGATATGGAAGAAATGGATGGGTAAAGTGATTTACAGGC
TCAGTGCTACGGCTGGATGTGGACACAGACATGTGCAACGTGCCTTATTCATACCAAGGAGCAACCCACACTTC
AACAGCACCAACAGCCCCCGAAGTGTTGCTCATGGGCTCCACGATCCAGGCAGATGTGCTGTGGATAGACAT
CCCCTGATATAAACATCAATTTAACGATACTGTGTTCCAGACTCCAATGGAAAAAACAGATCATCAGCCAGAATT
CTACAGATAATAAAGGGGAAAGATTATGAAAGTGAGCCATCACTTTTAGAATTCAGCCATTGAGTAATGGTCT
TTGGTTGGTGGATTTGTATACCGGGCTGCCAGTCAGAAAGATTGTATGGAAGCTACGTGTTGGAGATCGTAAT
GGGAATTTCTAACTCTCCAGCAAAGTCTGTGACAAAGCAGTGGCAAGAAAAACCACTCTGTCTCGGCCTAGT
GGGTCTGTAGAGGCTACTTTCCGGTCACATCTTGGGATTGGAGAAGATGAAGTAGGTGAAGTTTACATTTTA
TCAAGCAGTAAAGTATGACCCAGACTCACAATGGAAAACTCTACAAAATTGTAGATCCCAAAAGACCTTTAATG
CCTGAGGAATGCAGAGCCACGGTACAACCTGCACAGACACTGACTTCAGAGTGCTCCAGGCTCTGTGAAACGGC
TACTGCACCCCCACGGAAAGTGCTGCTGCAGTCCAGGCTGGGAGGGGGACTTCTGCAGAACTGCAAAATGTGAG
CCAGCATGTGCTCATGGAGGTGTCTGTGTAGACCGAACAAGTGCCTCTGTAAAAAAGGATATCTTGGTCTCAA
TGTGAACAAGTGGACAGAAACATCCGCAGAGTGACAGGGCAGGTATTCTTGATCAGATCATTGACATGACATCT
TACTTGCTGGATCTAACAAAGTTACATTGTATAGTTTCTGGGACTGTTGAATATTCTATTCCAATGGGCATTAT
TTTTTATCCTGTCTATAAAAAAGACTGTTATCCTGCTACACACTCCTGTGATTTCACTCTCTTTTATTAA
TTTAAAAATAATTTCCAGAAATGTGCAGATCCTCTGTGTGTATGTGAGCATGTTTGTTCACATATGCACATACAC
ATACTCATAACCCCTATATGCGTTGTTGCATAACAGATGATTTTTTAAATATATACTTCCTTATGCAAAGTAAT
TTACACAGAAATTCATTGTAAATGATAATGGATTTTTTATGTTACTAGAAGAGATTATTTGACTTCCCAGGAA
TTTTCTGTCTGTAATCACTAAAGTCACTTTAATAGAGTTTTGAAACAGTACTGTGCAATCCGATGGATCTAATT
AAAAAAGGCAATATTTTTATATTAAAGTACTATACTAGGAGAGAATGTTTCAGAACTCCCTGATGAATTTCTA
AGTGAGCAACTTGATATAAAATTTGAATCTTCATTTTTGTGAGTGATCCAGTTACAGAATGCTACACACTTACC
TTTTTATTGGCTGAGAAATCTGGTTATTTTCATCTTAATCTCAAGATTGTTTTCAAGTGTTTTATAATTAATCAT
AATAGCATATTTTAAATCAAAA

579/615

FIGURE 574

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139592
><subunit 1 of 1, 882 aa, 1 stop
><MW: 98428, pI: 8.89, NX(S/T): 5
MKHVTVGRNMRGCVSRSCSRQRRPQHHLPEPSAGPASACAAA VAVSVPATVPPKQLPLHG
QVNICGCPLLFFLLFQLLLLLPLPSRSRKPTQLTLAQLQTVSSAQLYLAPRAPLRHWTH
RRVFYFCKVASLYIFLSPPPPSVSGVPYSPANSSWSCALVPLLGSVPPHPPAPSPCCSG
QTMLKMLSFKLLLLAVALGFFEGDAKFGERNEGSGARRRRCLNGNPPKRLKRRDRRMSQ
LELLSGGEMLCGGFYPRLSCLLSDSPGLGRLENKIFSVTNNTECGKLEEI KCALCSPH
SQSLFHSPEREVLERDLVLP LLCKDYCKEFFYTTCRGHIPGFLQTTADEFCFYARKDGG
CFPDFPRKQVRGPASNYLDQMEYDKVEEISRKHKHNCFCIQEVVSGLRQPVGALHSGDG
SQRLFILEKEGYVKILTPEGEIFKEPYLDIHKLVQSGIKGDERGLLSLAFHPNYKKNKG
LYVSYTTNQERWAIGPHDHILRVVEYTVSRKNPHQVDLRTARVFLEVAELHRKHLGGQLL
FGPDGFLYIILGDGMITLDDMEEMDGLSDFTGSVLRDLVD TDMCNVPYSIPRSNPHFNST
NQPPPEVFAHGLHDPGRCAVDRHPTDININLTILCSDSNGKNRSSARILQIIKGKDYSE
SLLEFKPFNSNGPLVGGFVYRGCQSERLYGSYVFGDRNGNFLT LQQSPVTKQWQEKPLCLG
TSGSCRGYFSGHILGFGEDELGEVYILSSSKSMTQTHNGKLYKIVDPKRPLMPEECRATV
QPAQTLTSECSRLCRNGYCTPTGKCCSPGWEGDFC RTAKCEPACRHGGVCVRPNKCLCK
KGYLGPQCEQVDRNIRRVTRAGILDQIIDMTSYLLDLTSYIV
```

Important features of the protein:**Transmembrane domains:**

Amino acids 63-80;186-201

N-glycosylation sites:

Amino acids 152-156;281-285;598-602;629-633;641-645

Glycosaminoglycan attachment site:

Amino acids 417-421

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 856-860

N-myristoylation sites:

Amino acids 12-18;413-419;457-463;698-695;720-726;723-729

EGF-like domain cysteine pattern signatures:

Amino acids 805-817;837-849

580/615

FIGURE 575

CGGCTCGAGAGCGGGGCAAACCTGCTTGGCACCTCTTCAATAGGTGACATTCAATGATAGATCT
CTGGCTTCCTGCTCTGTTTGTCTGGTTGCCCTGGAAAGCCTGCTGCTCAGCCCATGCCCGG
GACTTCCTCCACCCTCACCAGGACATTCTTTCCATCTCTTGTCTCCTGTGTGCAAGTCCCTTT
CTCCTGGATTCCATGTCTTGAATGTTTCTTAATTTACTTCCTCATTTTGGCAGAGGATGTCCT
CCAGTTGTTTTCTGGGAATGCTAATATGCAAGTGAACCAGTGACCTGCAGTTCTGCCCACACA
GGGTTAATAACCAATCAGATTCTCTCTTTTCAAGATGGTTAACATAACAGACACCAAGAAAGG
GAAGAGGAGCCGACAGCAGAGGGGGAAGCTGAAAAGACGCACAAAGAATGGCCATAAAAGATA
TGAGCAACCCAGCTTTCCAGACAGTCACCTTTCCAGTGGTCATACCTGGTCTGGAAGATTC
CCCATCATCTCGAATAAAGCTGTTGTTGCTTTTAACTCCATGGAGAGACCGAATGGAGTGAGC
CCAGCAGGGCATGCTGGGCAAGAGAGGTCCTCCCGAGTCCCAAATAAGAATTTCAACTAGTATA
AAACGAGGCAGCGAACCCACACGTGGAAGTCTGATACCGCTTGCAGAAGGGAATTGAATAGAT
GTCTCCCTATTGGTAAGGATGTGGTTTTATTGACTTGAAATAACAAAGCCCGCAAGCAACAAC
TGATCATCCGCGGGATGCTGCCACAAGGAATAATTGAGCACTCATTTCAGACACAGGGGAAACC
ACTGCCTCTTTCAGTCTTTCTCCAGATTCCAACAGTCAGTGTTACAGCATTTCACCTTGTTTC
ACCTCCCTGAGAAGACGTTGCAGCTCACTACCCCAAGTGGGCACTGGGAGCCTCTGCTCAGGT
GGGAGACAGATGCCCCCACATGCACATCTGGTGTATGAAGCAGATACTGGGGCTTCATAA
ACACAGAAGGGGCAGGGAAGTAGCCCCAGGGCAGTAGTGTTGGGGCTCCTGACTAAAAGTAGCTT
GCAAACCCCTGCCTATAACAGCCACTTCCTGGCAGTCATTGTGCCACTTAGGAGCCCTCCTCA
CCGCTCTTCCTTTAGTTCCTTCACTCTGTATAGACCCTGCCAGAGCAGCTCAGGGTGGAGCAG
CTGCAGCCATGGGACCTGCTCCAGGCAAGGCCCTATGCTACACAGTCCCTGGGGGTGAGGATT
CCAGAGGAGTCAATTCCTACCCGCCCTTCCAGGGGATGGCCGAGATGAGCGTCCACAGGG
AAAGTGAAAGTTGCAAGGCTGTTGCGGAACACCAGGGGTTCATTTAGGTCTTGCTGCTCAT
CTCACAGAAAGCCAGTCACTGAGACAAGTATTGTCAGGGAAGAAGGCTTTATCCAGGTGCTAC
AGACAGGGTGAACAAGAGATCAGTCTCAAATCCATCATCAACTGACTAAAATTAGGGGTT
TATATAGCAGGGAAGAAATGTAACCTACATGTGGGAAAACAGGGATTAACGAGGGGCAAGGAAG
AGGAGTTGGCCAACAGGCAGCAGGTGGTCACCTGGGGAATCATGATGGGTGAGGGGTCTGGCT
TCTCACTTTCAGATGTGGGGATCTGGTAAATTTCAGTTTCTTGATACCGTCTGGGAGGATTG
CTGGCTGGTTTTCTGAGAAAGGAATTCAGATGACATAAATGTAATTTCTCCTTGGGTTTTCAA
GACTGAGAGGGTCAATTTCTAGGTTTATTCAAGAAAAACCATAAACATCAGTTCTATGGGACA
ATTGGGCCCATTTCAGGCTCTGAGGATAAGGGTTAATGAGGGGACAGAGTCGCCTGGAGAAG
TTCACTGGGGCCTACAAGAACTAGAGAGGCTTCCTGGCAAAGCTCTATGCTGTCTATCCTCT
CTTCTCTCCTTGCAAGGAAGATTCCAGTATAATAGACCCGAGGTGAAAAGGCTTTTGTTCAATA
AGTAGAAAACCTGAAGGGGGGTGGGAGGCACATGGATTGTAACCAGAGACCGCTTGGCCTGCAG
GCAAATGCTGTACCTTCAGTTGCACCCCTCACTTGTTACAGCTGTTTCTGATAAGCACTTG
CAGCCCCATCAGCACCTCGATTTCTTCTTGGTGAGTCCATGGGAACAGCCCCACTGCAAACAA
CCCATTCTGCTCTCCTCTTTCTCTAAACCTCAACCTCCTCCTACCTGGCAGTCCACAGGCC
TACAGCTTCTCCTCAGTGGGAAAGACATCAGCTTGGAACCACTTGGAAGCCAACGTTATC
CTAGAAAAGCTTTTAAATGACCCAGCAGGACAAGTCTCCGGATGGCCTTGGCCAACCCGGTG
CTTCCCTCTTTTCTTGGTTGTAGTTCTCAGAATAACTAGAGAATGTACTGGGAGTGTTGTCT
GAGATAAGGAGGAACGTCTTAAACCTGGACTCTGTTCCCATCACACCTAGAACAGGATGTCC
TGCAACGCTTTAGCCCAATGATCCAAGTTGCCCTTGGGGTATAAACTTGACAGCAGAGGGCG
TTCAGGGTCCCTCAGCTGCAGTGTGAAGTGGGACACACAGGTGAGACTCCATCTGCCCTGGGC
AGGTTCTGAGCCTTGGGGGACCAGTTCACCTACATCCCAGGCTTCTGTTGTCCCTTGCCCTG
CCTGTAAGGAATAAAGTTGCTTTGCTTA

581/615

FIGURE 576

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139608
><subunit 1 of 1, 80 aa, 1 stop
><MW: 8927, pI: 3.77, NX(S/T): 0
MIDLWLPALFVLVALESLLLSPCPGTSSTLTTRTFFPSLVSCVQVPFSWIPCLECFIYFL
ILAEDVLQLFSGNANMQVNQ

Important features of the protein:**Signal peptide:**

Amino acids 1-29

Transmembrane domain:

Amino acids 47-62

N-myristoylation sites:

Amino acids 25-31

582/615

FIGURE 577

ATCGGTTAGCGCCTTGCCATGATTAATCCAGAGCTGCGGGATGGCAGAGCTGATGGCTTCATA
CATCGGATAGTTCCCAAGTTGATACAAAAGTGAAGATTGGCCTTATGTGCTTCCTGAGTATT
ATTATTACTACAGTTTGCATTATTATGATAGCCACATGGTCCAAGCATGCTAAACCTGTGGCA
TGTTCAAGGGGACTGGCTTGGAGTGAGAGATAAGTGTCTATTTTTCTGATGATACCAGAAAT
TGGACAGCCAGTAAAATATTTGTAGTTTGCAGAAAGCAGAACTTGCTCAGATTGATACACAA
GAAGACATGGAATTTTTGAAGAGGTACGCAGGAAGTATGCACTGGATTGGACTAAGCAGG
AAACAAGGAGATTCTTGGAATGGACAAATGGCACCACATTCAATGGTTGGCCATCAAACCTCC
AAATGGTCTTGCAACTGGAGCCTCCGACAATGGCTTCTTCTGCTGGGACCCCTTAGATTAGGCC
TCTGAGGGAGCTCTGACTGCCGTTTCCCCAAAACAATGTCCCCTGTCAGCAGGAAGCAGTTAA
ATCAGTCTTCATCCTTATCCTTAATATAACGGCAGTTAGATGTACTTCTTTAGAGGGAGTAAA
TTTATCAATTCAGAGCAATTCATCCTCCTCTTCCATCTTTGATTCACAGTTAATAGGCTATA
AATTTTGATAATGTAGAATAAACTACAGAAAACCTTCTTG

583/615

FIGURE 578

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA143292
><subunit 1 of 1, 160 aa, 1 stop
><MW: 18576, pI: 9.29, NX(S/T): 3
MINPELRDGRADGFIHRIVPKLIQNWKIGLMCFLSIIITTVCIIIMIATWSKHAKPVACSG
DWLGVRDKCFYFSDDDRNRWTASKIFCSLQKAELAQIDTQEDMEFLKRYAGTDMHWIGLSR
KQGDSWKWTNGTTFNGWPSNSKWSCNWSLRQWLLLLGPLR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-42

N-glycosylation sites:

Amino acids 78-82;130-134;146-150

N-myristoylation site:

Amino acids 131-137

584/615

FIGURE 579

TGAAGGCCTGTGAGTGAGGAATGCCTCTCACCAGCTGTGCCTGAGCTGCAGCACTCCAGCCAC
TGCTGTCTCCTTAGCTGCTCACATATGGATACTTTACAGTTCAGGATTCCTACTGCAATGAGC
TGGTGGAGGAATAATTTCTGGATCATCTTAGCTGTGGCCATCATTGTTGTCTCTGTGGGCCTG
GGCCTCATCCTGTACTGTGTCTGTAAGTGGCAGCTTAGACGAGGCAAGAAATGGGAAATTGCC
AAGCCCCTGAAACACAAGCAAGTAGATGAAGAAAAGATGTATGAGAATGTTCTTAATGAGTCG
CCAGTTCAATTACCGCCTCTGCCACCGAGGAATTGGCCTTCTCTAGAAGACTCTTCCCCACAG
GAAGCCCCAAGTCAGCCGCCCGCTACATACTCACTGGTAAATAAAGTTAAAAATAAGAAGACT
GTTTCCATCCCAAGCTACATTGAGCCTGAAGATGACTATGACGATGTTGAAATCCCTGCAAAT
ACTGAAAAAGCATCATTTTGAAACAGCCATTTCTTCTTTTGGCAAACTGAAGAGGGTTCAC
ACAACTTATTTTAAAACAATCAAGAATGGTTGAACTTCAGTAGGTCTCTGGGCCCTGAAAGCC
AGTGGTGATTTTATGAAGCTCTATAAGATAAAGCACTTCCCAAACCTTAGATGAAGACACCCC
TGCGATCGGATGACTGCAGCCAGAGGAGACACATGGGTGCTCGGCTCTGAGGACTTAGAGGGG
TCAGCCTTGTGCTGTTGAGGAACTTTCCATGGGAAGGACCACGGGGCTCCATGGCTCCCACC
TGTGGGAACTACTCATTTCTTGGCATTCTTCCCCCTTCATTCCCTTTGGTTTGCATGGTTC
TGAGTGATATTAAATCTCAGCATTTGGTTGTGCAAAAAAAAAA

585/615

FIGURE 580

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144844
><subunit 1 of 1, 145 aa, 1 stop
><MW: 16618, pI: 5.26, NX(S/T): 1
MDTFTVQDSTAMSWWRNFWIILAVAIIVSVGLGLILYCVCKWQLRRGKKWEIAKPLKH
KQVDEEKMYENVLNEPVLPLPPRNWPSLEDSSPQEAPSQPPATYSLVNKVKNKKTVS
IPSYIEPEDDYDDVEIPANTEKASF
```

Important features of the protein:**Signal peptide:**

Amino acids 1-35

Tyrosine kinase phosphorylation site:

Amino acids 61-70

Amidation site:

Amino acids 48-52

586/615

FIGURE 581

GGCCGCCTCCGCGGGGCTGTGGGAAGCTTGGGCTGTCCCAGGACCGTCAGTCTCCTCCTCTGA
CCCTCCCTTTCCCCTTGTGTGTAGGGCCGCGGTCCCACCCCCACCTCGCCGGAGTCCGGGGCG
GCCCCGGTGTCCCCTCCGAGCCTGCTGCACTCCACGTCCCCCTACCAGGGCTCCAGCCCCCAG
GGAAATCTCCGACCAGGCCCCGCCAGGAGCCAGATCCAGGCTCCTGGAAGAACCATGTCCGGC
AGCTACTGGTCATGCCAGGCACACACTGCTGCCCCAAGAGGAGCTGCTGTTGAATTATCTGTG
AATGTTGGGAAGAGGAATGCCAGAGCTGCCGGCTGAAAATTACCCAACCAAGAGAAATCTGCAGG
ATGGACTTTCTGGTCCTCTTCTTGTCTACCTGGCTTCGGTGCTGATGGGTCTTGTTCTTATC
TGCGTCTGCTCGAAAACCCATAGCTTGAAAGGCCTGGCCAGGGGAGGAGCACAGATATTTTCC
TGTATAATTCCAGAATGTCTTCAGAGAGCCGTGCATGGATTGCTTCATTACCTTTTCCATACG
AGAAACCACACCTTCATTGTCCTGCACCTGGTCTTGCAAGGGATGGTTTATACTGAGTACACC
TGGGAAGTATTTGGCTACTGTCAGGAGCTGGAGTTGTCTTGCATTACCTTCTTCTGCCCTAT
CTGCTGCTAGGTGTAAACCTGTTTTTTTTTACCCTGACTTGTGGAACCAATCCTGGCATTATA
ACAAAAGCAAATGAATTATTATTTCTTCATGTTTATGAATTTGATGAAGTGATGTTTCCAAAG
AACGTGAGGTGCTCTACTTGTGATTTAAGGAAACCAGCTCGATCCAAGCACTGCAGTGTGTGT
AACTGGTGTGTGCACCGTTTCGACCATCACTGTGTTTGGGTGAACAACTGCATCGGGGCCTGG
AACATCAGGTACTTCCTCATCTACGTCTTGACCTTGACGGCCTCGGCTGCCACCGTCGCCATT
GTGAGCACCCTTTTCTGGTCCACTTGGTGGTGATGTCAGATTTATACCAGGAGACTTACATC
GATGACCTTGGACACCTCCATGTTATGGACACGGTCTTTCTTATTCAGTACCTGTTCTGACT
TTTCCACGGATTGTCTTCATGCTGGGCTTTGTCTGGTCTGAGCTTCCTCCTGGGTGGCTAC
CTGTTGTTTGTCTGTATCTGGCGGCCACCAACCAGACTACTAACGAGTGGTACAGAGGTGAC
TGGGCCTGGTGCCAGCGTTGTCCCCTTGTGGCCTGGCCTCCGTCAGCAGAGCCCCAAGTCCAC
CGGAACATTCATCCCATGGGCTTCGGAGCAACCTTCAAGAGATCTTTCTACCTGCCTTTCCA
TGTCATGAGAGGAAGAAACAAGAATGACAAGTGTATGACTGCCTTTG

587/615

FIGURE 582

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144857
><subunit 1 of 1, 344 aa, 1 stop
><MW: 39787, pI: 7.44, NX(S/T): 2
MDFLVLFIFYLASVLMGLVLICVCSKTHSLKGLARGGAQIFSCIPECLQRAVHGLLHYL
FHTRNHTFIVLHLVLQGMVYTEYTWEVFGYCQELELSLHYLLLPYLLLGVNLFFFTLTCG
TNPGIITKANELLFLHVYEFDEVMFPPKNVRCSTCDLRKPARSKHCSVCNWCVHRFDHHCV
WVNNCIGAWNIRYFLIYVLTLTASAATVAIVSTTFLVHLVVMVDLYQETYIDDLGHLHVM
DTVFLIQYFLFTFPRIVFMLGFVVLSFLLGGYLLFVLYLAATNQTTNEWYRGDWAWCQR
CPLVAWPPSAEPQVHRNIHSHGLRSNLQEIFLPAFPCHERKKQE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-29

Transmembrane domains:

Amino acids 100-116;201-217;256-275

N-glycosylation sites:

Amino acids 65-69;284-290

N-myristoylation sites:

Amino acids 32-38;77-83;120-126;322-328

Cell attachment sequence:

Amino acids 292-298

DHHC zinc finger domain:

Amino acids 140-204

588/615

FIGURE 583

CCGCGGAACCTGGCAGGCGTTTCAGAGCGTCAGAGGCTGCGGATGAGCAGACTTGGAGGACTCCAGGCCAGAGACT
AGGCTGGGCGAAGAGTCGAGCGTGAAGGGGGCTCCGGGCCAGGGTGACAGGAGGCGTGCTTGAGAGGAAGAAGTT
GACGGGAAGGCCAGTGCGACGGCAAATCTCGTGAACCTTGGGGGACGAATGCTCAGGATGCGGGTCCCCGCCCTC
CTCGTCTCTCTTCTGCTTCAGAGGGAGAGCAGGCCCCGTGCCCCCATTTCTGCAACAGCCAGAGGACCTGGTG
GTGCTGCTGGGGGAGGAAGCCCGGCTGCCGTGTGCTCTGGGCGCCTACTGGGGGCTAGTTCAGTGGACTAAGAGTGGG
CTGGCCCTAGGGGGCCAAAGGGACCTACCAGGGTGGTCCCGTACTGGATATCAGGGAATGCAGCCAATGGCCAG
CATGACCTCCACATTAGGCCCGTGGAGCTAGAGGATGAAGCATCATATGAATGTCAGGCTACACAAGCAGGCCTC
CGCTCCAGACCAGCCCAACTGCACGTGCTGGTCCCCCAGAAGCCCCCAGGTGCTGGGCGGCCCCCTCTGTGTCT
CTGGTTGCTGGAGTTCTCGCAACCTGACATGTCGGAGCCGTGGGGATGCCCCGCCCTACCCCTGAATTGCTGTGG
TTCCGAGATGGGGTCTGTGGATGGAGCCACCTTTCATCAGACCCTGCTGAAGGAAGGGACCCCTGGGTGCTG
GAGAGCACCTTAACCTGACCCCTTTCAGCCATGATGATGGAGCCACCTTGTCTGCCGGGCCGGAGCCAGGCC
CTGCCACAGGAAGAGACACAGCTATCACACTGAGCCTGCAGTACCCCCCAGAGGTGACTCTGTCTGCTTCGCCA
CACACTGTGCAGGAGGGAGAGAAGGTCAATTTCTGTGCCAGGCCACAGCCAGCCTCCTGTACAGGCTACAGG
TGGGCAAAAGGGGGCTCTCCGGTGTCTGGGGCCCCGGGGCCAAAGGTAGAGGTGCTGGCAGACGCCTCGTTCTCTG
ACTGAGCCCGTGTCTGCGAGGTGAGCAACGCCGTGGGTAGCGCCAACCGCAGTACTGCGCTGGATGTGCTGTTT
GGGCCGATTCCTGCAGGCAAAGCCGGAGCCCGTGTCCGTGGACGTGGGGGAAGACGCTTCCTTCAGCTGCGCCTGG
CGCGGAATCCCGCTTCCACGGGTAACTTGGACCCGCCCGGCTGGCGCGCAGGTGCTGGGCTCTGGAGCCACACTG
CGTCTTCCGTGCGTGGGGCCCCGAGGACGCAGGCGACTATGTGTGCAGAGCTGAGGCTGGGCTATCGGGCCTGCGG
GGCGCGCCCGGAGGCTCGGCTGACTGTGAACGCTCCCCAGTAGTGACCGCCCTGCACTCTGCGCCTGCCTTC
CTGAGGGGCCCCCTGCTCGCTCCAGTGTCTGGTTTTCGCTCTCCCCCCCCAGATGCCGTGGTCTGGTCTTGGGAT
GAGGCTTCCTGGAGGCGGGTTCGAGGGCCGGTTCCTGGTGGAGACATTCCCTGCCCCAGAGAGCCGCGGGGA
CTGGGTCCGGGCTGATCTCTGTGCTACACATTTCCGGGACCCAGGAGTCTGACTTTAGCAGGAGCTTTAACTGC
AGTGCCCGGAACCGGTGGGCGAGGGAGGTGCCAGGCCAGCCTGGGCGGTAGAGACTTGCTGCCCACTGTGCGG
ATAGTGGCCGGAGTGGCCGCTGCCACCACAACCTCTCCTTATGGTCATCACTGGGGTGGCCCTCTGCTGCTGGCGC
CACAGCAAGGCCTCAGCCTCTTCTCCGAGCAAAAGAACCTGATGCGAATCCCTGGCAGCAGCGACGGCTCCAGT
TCACGAGGTCCTGAAGAAGAGGAGACAGGCAGCCGCGAGGACCGGGCCCCATTGTGCACACTGACCACAGTGAT
CTGGTTCTGGAGGAGGAAGGGACTCTGGAGACCAAGGACCCAACCAACGGTTACTACAAGGTCCGAGGAGTCAGT
GTGAGCCTGAGCCTTGGCGAAGCCCCCTGGAGGAGGTCTCTTCTGCCACCACCTCCCCCTTGGGCCCCCAGGG
ACCCCTACCTTCTATGACTTCAACCCACACCTGGGCATGGTCCCCCTGCAGACTTTACAGAGCCAGGGCAGGC
TATCTCACCACACCCACCCCTCGAGCTTTCACCAGCTACATCAAACCCACATCCTTTGGGCCCCCAGATCTGGCC
CCCGGACTCCCCCTTCCCATATGCTGCCTTCCCCACACCTAGCCACCCGCTCTCCAGACTCACGTGTGACAT
CTTTCCAATGGAAGAGTCTGGGATCTCCAACCTTGCCATAATGGATTGTTCTGATTTCTGAGGAGCCAGGACAAG
TTGGCGACCTTACTCTCCAAACTGAACACAAGGGGAGGGAAAGATCATTACATTTGTCAGGAGCATTGTATATA
CAGTCAGCTCAGCCAAAGGAGATGCCCCAAGTGGGAGCAACATGGCCACCCAATATGCCACCTATTCCCCGGTG
TAAAGAGATTCAAGATGGCAGGTAGGCCCTTTGAGGAGAGATGGGGACAGGGCAGTGGGTGTTGGGAGTTGGG
GCCGGGATGGAAGTTGTTTCTAGCCACTGAAGAAGATATTTCAAGATGACCATCTGCATTGAGAGGAAAGGTAG
CATAGGATAGATGAAGATGAAGAGCATAACAGGCCCCACCCTGGCTCTCCCTGAGGGGAACCTTGTCTCGGCCAAT
GGAAATGCAGCCAAGATGGCCATATACTCCCTAGGAACCCAAATGGCCACCATCTTGATTTTACTTTCTCTTAA
GACTCAGAAAGACTTGGACCCAAGGAGTGGGGATACAGTGAGAATTACCACTGTTGGGGCAAAATATTGGGATAA
AAATATTTATGTTTAATAATAAAAAAAGTCAAAGAGAAAAAAA

589/615

FIGURE 584

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA145841
><subunit 1 of 1, 708 aa, 1 stop
><MW: 75093, pI: 6.65, NX(S/T): 3
MLRMVPAALLVLLFCFRGRAGSPHFLQOPEDLVVLLGEEARLPCALGAYWGLVQWTKSG
LALGGQRDLPGWSRYWISGNAANGQHDHLIRPVELEDEASYEQATQAGLRSRPAQLHVL
VPPEAPQVLGGPSVSLVAGVPANLTCRSRGDARPTPELLWFRDGVLLDGATFHQTLLKEG
TPGSVESTLTLPFSHDDGATFVCRARSQALPTGRDTAITLSLQYPPEVTLASASPHTVQE
GEKVIFLCQATAQPPVTGYRWAKGGSFVLGARGPRLEVADASFLETPVSCEVSNAVGSA
NRSTALDVLFGPILQAKPEPVSDVGEDASFSCAWRGNPLPRVTWTRRGGAQVLGSGATL
RLPSVGPEDAGDYVCRAEAGLSGLRGGAAEARLTVNAPPVVTALHSAPAFLRGPARLQCL
VFASPAPDAVVWSWDEGFLEAGSQGRFLVETFPAPESRGGGLGPGGLISVLHISGTQESDFS
RSFNCSARNRLGEGGAQASLGRRDLLPTVRIVAGVAAATTLLMVITGVALCCWRHASKAS
ASFSEQNLMRIPGSSDGSSSRGPEEEETGSREDRGPVHTDHSDLVLEEEGTLETKDPT
NGYYKVRGVSLSLGEAPGGGLFLPPPSPLGPPGTPTFYDFNPHLGMVPPCRLYRARAG
YLTTPHPRAFTSYIKPSTFGPPDLAPGTFFFPYAAFPTPSHPRLQTHV
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 511-531

N-glycosylation sites:

Amino acids 143-147;301-305;484-488

N-myristoylation sites:

Amino acids 48-54;60-66;79-85;139-145;180-186;183-189;355-361;383-389;
387-393;460-466;473-479;494-500;495-501;514-520;528-534;
554-560;592-598;608-614

Amidation site:

Amino acids 500-504

Cell attachment sequence:

Amino acids 149-152

Multicopper oxidases signature 1:

Amino acids 445-466

Immunoglobulin domain:

Amino acids 326-377

590/615

FIGURE 585

GCCCGCCTGAGGAAGCCGTGTGCCTGGGATGCCAAGAGCCAGAGAATGGATCTTCTCCGAGTG
GGGACATTGCTGACAATCCCGGCTTCCCGAGGCGGCTAAGAACAGGCAGTTTGTGTGCGGCTGG
CTGCAGATACCCAGAGGCACAAAGAGACCGAAGCCACCCGGAGGGACCCACGGACGGACAGAT
GGTAGGCGCGAACCCGAGAGGACCGGCGGAGGCTGAGCACCAGAGCCGCCAAGGAAGAGAAA
CTAACCACAGCCAAGTTACCCCGCGGCTTTCTTCGCTGCGCTAAGGAATGAAACCCTTCCA
GCTCGATCTGCTCTTCGTCTGCTTCTTCTCTTCAGTCAAGAGCTGGGCCTCCAGAAGAGAGG
ATGCTGTCTGGTGCTGGGCTACATGGCCAAGGACAAGTTTCGGAGAATGAATGAAGGCCAAGT
CTATTCCTTCAGCCAGCAGCCCCAGGACCAGGTGGTGGTGTGCGGACAGCCAGTGACGCTACT
TTGCGCCATCCCGAATACGATGGCTTCGTTCTGTGGATCAAGGACGGCTTGGCTCTGGGTGT
GGGCAGGGACCTCTCAAGTTACCCACAGTACCTGGTGGTAGGGAACCACTGTCAGGGGAGCA
CCACCTGAAGATCCTGAGGGCAGAGCTGCAAGACGATGCGGTGTACGAGTGCCAGGCCATCCA
GGCCGCCATCCGCTCCCGCCCCGCACGCCTCACAGTCCTGGTGCCGCCTGATGACCCCGTCAT
CCTGGGGGGGCCCTGTGATCAGCCTGCGTGCGGGGGACCCCTCTCAACCTCACCTGCCACGCAGA
CAATGCCAAGCCTGCAGCCTCCATCATCTGGTTGCGAAAGGGAGAGGTCAATGGGGCCAC
CTACTCCAAGACCCTGCTTCGGGACGGCAAGCGGGAGAGCATCGTCAGCACCCTCTTCATCTC
CCCTGGTGACGTGGAGAATGGCCAGAGCATCGTGTGTGCTGCCACCAACAAAGCCATCCCCGG
AGGAAAGGAGACGTCGGTCACCATTGACATCCAGCACCCCTCCACTGGTCAACCTCTCGGTGGA
GCCACAGCCAGTGCTGGAGGACAACGTCGTCACTTTCCACTGCTCTGCAAAGGCCAACCCAGC
TGTCACCCAGTACAGGTGGGCCAAGCGGGGCCAGATCATCAAGGAGGCATCTGGAGAGGTGTA
CAGGACCACAGTGGACTACACGTACTTCTCAGAGCCCGTCTCCTGTGAGGTGACCAACGCCCTG
GGCAGCACCAACCTCAGCCGCACGGTTGACGTCTACTTTGGGCCCCGGATGACCACAGAACCC
CAATCCTTGCTCGTGGATCTGGGCTCTGATGCCATCTTCAGCTGCGCCTGGACCGGCAACCCA
TCCCTGACCATCGTCTGGATGAAGCGGGGCTCCGGAGTGGTCTTGAGCAATGAGAAGACCCTG
ACCCTCAAATCCGTGCGCCAGGAGGACGCGGGCAAGTACGTGTGCCGGGCTGTGGTGCCCCGT
GTGGGAGCCGGGGAGAGAGAGGTGACCCTGACCGTCAATGGACCCCCCATCATCTCCAGCACC
CAGACCCAGCACGCCCTCCACGGCGAGAAGGGCCAGATCAAGTGCTTCATCCGGAGCACGCCG
CCGCCGGACCGCATCGCCTGGTCTTGAAGGAGAACGTTCTGGAGTCGGGCACATCGGGGCGC
TATACGGTGGAGACCATCAGCACCGAGGAGGGCGTCATCTCCACCCTGACCATCAGCAACATC
GTGCGGGCCGACTTCCAGACCATCTAACAAGTGCACGGCCTGGAACAGCTTCGGCTCCGACACT
GAGATCATCCGGCTCAAGGAGCAAGGTTCCGAAATGAAGTCGGGAGCCGGGCTGGAAGCAGAG
TCTGTGCCGATGGCCGTCATCATTGGGGTGGCCGTTAGGAGCTGGTGTGGCCTTCCTCGTCCTT
ATGGCAACCATCGTGGCGTTCTGCTGTGCCCGTTCCAGAGAAGTACGGGAGGGAGATCCGGG
ATCTCAGGGAGGGGGACAGAGAAAAAGGCCAGGCTTAGGCTGCCCCGAGAGCAAGTAAGCAG
GAGTGCAATGAACAGGGGTCTTAACAGTGCTGTGAGTCCTGGGGCAGGGAGTGGGTCTGATG
CATCGGTGTATGTGAGCCTGGGCAACATGGCGCCTGGCAGAGTGGGCGCTAGGCTGAGGTTGA
CCTGGACTAGACTGAACCTCATCTGCAGGGCAGCCAGCATTTTGGATTGAACACATAGCTCTT
TCAGTCAGGAACTGTACAGAAAGATAGGGGGAAAAAGCGGTTTGTGGTTTGTATCCTTGCTCTAC
AAGAGCTGTTAGTCTAGAGAGACCCCATCTCTACAACAAAATAAAAATAAAGAGCTGCTAGTC
TCACCAGAAAAGCAGGTCACTCACACAGCTGTGGGGGAGTGGGTGGGGAAGCAATAAAGGAAT
TGCTTTGAGAAAACCTTA

591/615

FIGURE 586

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA148004
><subunit 1 of 1, 600 aa, 1 stop
><MW: 65308, pI: 8.35, NX(S/T): 5
MKPFQLDLLFVCFFLFSQELGLQKRGCCLVLGYSMAKDKFRRMNEGQVYSFSQQPQDQVVV
SGQPVTLLCAIPEYDGFVLWIKDGLALGVGRDLSSYPQYLVVGNHLSGEHHLKILRAELQ
DDAVYECQAIQAARSRLTLVLPDDPVIILGGPVISLRAGDPLNLTCHADNAKPAAS
IIWLRKGEVINGATYSKTLRLDGKRESIVSTLFIISPGDVENGQSIVCRATNKAIPGGKET
SVTIDIQHPPLVNLSEVPQPVLEDNVVTFHCSAKANPAVTQYRWAKRGQIIKEASGEVYR
TTVDYTYFSEPVSCVTNALGSTNLSRTVDVYFGPRMTTEPQSLLVDLGSDAIFSCAWTG
NPSLTIVWMKRGSGVVLSEKTLTLKSVRQEDAGKYVCRAVVPRVGAGEREVTTLTVNGPP
IISSTQTQHALHGEKGQIKCFIRSTPPPDRIAWSKENVLESSTSGRYTVETISTEEGVI
STLTISNIVRADFQTIYNCTAWNSFGSDTEIIRLKEQGSEMKSGAGLEAESVPMVAIIGV
AVGAGVAFLVLMATIVAFCCARSQRSTGGRSGISGRGTEKKARLRLPRRASKQECNEQGS
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domain:

Amino acids 534-555

N-glycosylation sites:

Amino acids 167-171;253-257;324-328;498-502

Glycosaminoglycan attachment sites:

Amino acids 523-527;574-578

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 204-208;370-374;588-592

Tyrosine kinase phosphorylation sites:

Amino acids 40-49;300-308;389-397

N-myristoylation sites:Amino acids 45-51;62-68;84-90;103-109;192-198;236-242;
374-380;436-442;478-484;539-545;543-549;
568-574**Amidation site:**

Amino acids 202-206

Leucine zipper pattern:

Amino acids 8-30

592/615

FIGURE 587

CAAAAAAGGAGCATGTCTTCATCCATGAGAGGCCCTCGAAAAATCAATGGTATTTGCATTTCTC
CCAAGAAGGTTGCTTGCCAAAACCTTTTCGGCCATTTTCTGCTTTCAGAGTGAGACAAAGTTCA
AAATGACAGTCTGTCAGCTCATTGAAGGCACTAGATACCCTGCCTGCAGGTACCCTATTCCC
CCACAGAGGGGTTTGTTCCTTGTCACCTTGATGACTTGAGGCCAGATAGTTTCTTGGCTATG
TTAAATAACTCAAGATCAGCTACCGAGTCTGAGATCTCTTCTCTCATGGCATTGGAGCTGGCT
GTGCCTGAGGCAGACCTGGACCGTGGACATGGGGCAATGCCTTGAGCGGAAGGGGAAGCCACT
GAATTTTGGGTGTCACCAGGTAAACAGAGCCCTCAGCATCTGAATAGAACTGAACAGGAACA
GAAGAGATTACACTACATCTGAGATGGAGACCTTTCCTCTGCTGCTGCTCAGCCTGGGCCTGG
TTCTTGCGAGAAGCATCAGAAAGCACAATGAAGATAATTAAAGAAGAATTTACAGACGAAGAGA
TGCAATATGACATGGCAAAAAGTGGCCAAGAAAAACAGACCATTGAGATATTAATGAACCCGA
TCCTGTTAGTTAAAAATACCAGCCTCAGCATGTCCAAGGATGATATGTCTTCCACATTACTGA
CATTCAGAAGTTTACATTATAATGACCCCAAGGGAAACAGTTCGGGTAATGACAAAGAGTGTT
GCAATGACATGACAGTCTGGAGAAAAGTTTCAGAAGCAAACGGATCGTGCAAGTGGAGCAATA
ACTTCATCCGCAGCTCCACAGAAGTGATGCGCAGGGTCCACAGGGCCCCCAGCTGCAAGTTTGTA
CAGAATCCTGGCATAAGCTGCTGTGAGAGCCTAGAACTGGAAAATACAGTGTGCCAGTTCCT
ACAGGCAAACAATTCCCCAGGTGCCAATACCATAGTGTTACCTCATTAGAGAAGATATTGACA
GTGCTGACAGGTCATTCTCTGATGAGCTGGTTAGTTTGTGGCTCTAAGTTGTAAATCCCACAG
AGCTTTAGGACTAGGGTCTTACTAAAGAAGGACCTCTTCTTGTTTATTCTTAAACCTTT
CCTTAATATCTACTCTTTAGCACTATAGTGAACCTCCTGATTATTTATTCTAACTGGAGGAGTG
AAAAATCCAAAATTGTGGATAATTCAATTAAAAGTTATGACTGATACCG

593/615

FIGURE 588

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149893
><subunit 1 of 1, 199 aa, 1 stop
><MW: 22427, pI: 6.46, NX(S/T): 3
METFPLLLLSLGLVLAEASESTMKIIKEEFTDEEMQYDMAKSGQEKQTIEILMNPILLVK
NTSLSMSKDDMSSTLLTFRSLHYNDPKGNSGNDKECCNDMTVWRKVSEANGSCKWSNNF
IRSSTEVMRRVHRAPSCKFVQNPGISCCESLELENTVCQFTTGKQFPRCQYHSVTSLEKI
LTVLTGHSLMSWLVCGSKL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-16

N-glycosylation sites:

Amino acids 61-65;89-93;111-115

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 105-109

N-myristoylation sites:

Amino acids 12-18;88-94;144-150

Microbodies C-terminal targeting signal:

Amino acids 197-201

594/615

FIGURE 589

CAGTCCTGCCGGGACGGTGAGCGCATTACGACCCCTGGACAGCACCGCGGTTGCGCTGCCTCC
AGGGCGGCCCCGGGCTGCTCCTGCTCCGCAGAGCTACGCCCTCCCCCGGGTGCCCCGGACCC
TGCACTTGCCGCGCTTTCCTCGCGCTGCTCTGGACCTTGCTAGCCGGCTCTGCACCTCCCAG
AAGCCGTGGGCGCGCCGCTCAGCTGCTCCATCGCCTCACTTTCCAGGCTCGCGCCCGAAGCA
GAGCCATGAGAACCCCAGGGTGCCCTGGCGAGCCGCTAGCGCCATGGGCCCCGGCGAGGCGCTG
CTGGCGGGTCTCCTGGTGATGGTACTGGCCGTGGCGCTGCTATCCAACGCACTGGTGCTGCTT
TGTTGCGCCTACAGCGCTGAGCTCCGCACTCGAGCCTCAGGCGTCCTCCTGGTGAATCTGTCT
CTGGGCCACCTGCTGCTGGCGGGCGCTGGACATGCCCTTACGCTGCTCGGTGTGATGCGCGGG
CGGACACCGTCGGCGCCCCGGCGCATGCCAAGTCATTGGCTTCCTGGACACCTTCCTGGCGTCC
AACGCGGCGCTGAGCGTGGCGGGCGCTGAGCGCAGACCAGTGGCTGGCAGTGGGCTTCCCACTG
CGCTACGCCGGACGCTGCGACCGCGCTATGCCGGCCTGCTGCTGGGCTGTGCCTGGGGACAG
TCGCTGGCCTTCTCAGGCGCTGCACTTGGCTGCTCGTGGCTTGGCTACAGCAGCGCCTTCGCG
TCCTGTTGCTGCGCCTGCCGCCCCGAGCCTGAGCGTCCGCGCTTCGCAGCCTTCACCGCCACG
CTCCATGCCGTGGGCTTCGTGCTGCCGCTGGCGGTGCTCTGCCTCACCTCGCTCCAGGTGCAC
CGGGTGGCACGCAGACACTGCCAGCGCATGGACACCGTCACCATGAAGGCGCTCGCGCTGCTC
GCCGACCTGCACCCAGTGTGCGGCAGCGCTGCCTCATCCAGCAGAAGCGGCGCCGCCACCGC
GCCACCAGGAAGATTGGCATTGCTATTGCGACCTTCCTCATCTGCTTTGCCCCGTATGTCATG
ACCAGGCTGGCGGAGCTCGTGCCCTTCGTACCGTGAACGCCAGTGGGGCATCCTCAGCAAG
TGCCTGACCTACAGCAAGGCGGTGGCCGACCCGTTACGTACTCTCTGCTCCGCCGGCCGTTT
CGCCAAGTCCTGGCCGGCATGGTGCACCGGCTGCTGAAGAGAACCCCGCGCCAGCATCCACC
CATGACAGCTCTCTGGATGTGGCCGGCATGGTGCACCAGCTGCTGAAGAGAACCCCGCGCCCA
GCGTCCACCCACAACGGCTCTGTGGACACAGAGAATGATTCCTGCCTGCAGCAGACACACTTGA
GGGCTGGCAGGGCTCATCGCCCCACCTTCTAAGAAGCCCTGTGGAAAGGGCACTGGCCCTG
CCACAGAGATGCCACTGGGGACCCCCAGACACCAGTGGCTTGACTTTGAGCTAAGGCTGAG

595/615

FIGURE 590

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149930
><subunit 1 of 1, 363 aa, 1 stop
><MW: 39332, pI: 10.42, NX(S/T): 3
MGPGEALLAGLLVMVLAVALLSNALVLLCCAYSaelRTRASGVLLVNLSLGHLLLAALDM
PFTLLGVMRGRTPSAPGACQVIGFLDTFLASNAALSVAALSADQWLAVGFPLRYAGRRLP
RYAGLLLGCawGQSLAFSGAALGCSWLGYSsafASCSLRLPPEPERPRFAAFTATLHAVG
FVLPLAVLCLTSLQVHRVARRHCQRMDTVTMKALALLADLHPSVRQRCLIQKRRRHRAT
RKIGIAIATFLICFAPYVMTRLAELVPFVTVNAQWGILSKCLTYSKAVADPFTYSLRRP
FRQVLAGMVHRLKRTPRPASTHDSSLDVAGMVHQLLKRTPRPASTHNGSVDTENDSCLQ
QTH
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

Transmembrane domains:

Amino acids 46-60;85-103;130-150;175-192;246-264

N-glycosylation sites:

Amino acids 47-51;348-352;355-359

Tyrosine kinase phosphorylation site:

Amino acids 286-295

N-myristoylation sites:Amino acids 66-72;124-130;128-134;132-138;139-145;244-250;
349-355**G-protein coupled receptor proteins:**

Amino acids 72-112

7 transmembrane receptor (rhodopsin family):

Amino acids 22-294

596/615

FIGURE 591

AACATGGCTGCGGCGCCTGGGCTGCTCGTCTGGCTGCTCGTCTCCGGCTGCCCTGGCGGGTG
CCGGGCCAGCTGGACCCAGCACTGGCCGGCGGTTCTCGGAGCACAACTCTGCGCGGACGAC
GAATGCAGCATGATGTACCGCGGTGAGGCTCTTGAAGATTTACAGGCCCGGATTGTCGTTTT
GTGAATTTTAAAAAAGGTGATCCTGTATATGTTTACTATAAACTGGCAAGAGGATGGCCTGAA
GTTTGGGCTGGAAGTGTTGGACGCACTTTTGGATATTTTCCAAAAGATTTAATCCAGGTAGTT
CATGAATATACCAAAGAAGAGCTACAAGTTCCAACAGATGAGACGGATTTTGTGTTGTTTGAT
GGAGGAAGAGATGATTTTCATAATTATAATGTAGAAGAACTTTTAGGGTTTTTGGAACTGTAC
AATTCTGCAGCTACAGATTCTGAGAAAGCTGTAGAAAAAACTTTACAGGATATGGAAAAAAC
CCTGAATTATCTAAGGAAAGGGAACCTGAACCTGAACCAGTAGAAGCCAACCTCAGAGGAAAGT
GATAGTGTATTCTCAGAAAACTGAGGATCTTCAGGAACAGTTTACAACCTCAGAAGCACCAC
TCCCATGCAAACAGCCAAGCAAATCATGCTCAGGGAGAGCAGGCTTCATTTGAATCTTTTGAA
GAAATGCTGCAAGATAAACTAAAAGTGCCAGAAAGTGAAAACAACAAAACCAGCAATAGTTCT
CAGGTCTCAAATGAACAGGATAAGATTGATGCCTATAAACTTTTGAAAAAGAAATGACTCTA
GACTTGAAAACCAAATTTGGCTCAACAGCTGATGCACTTGTATCTGATGATGAGACAACCAGA
CTCGTTACTTCATTAGAAGATGATTTTGATGAGGAATTGGATACTGAGTATTATGCAGTTGGA
AAGGAAGATGAGGAGAACCAAGAAGACTTTGATGAGTTGCCATTACTTACCTTTACAGATGGG
GAAGATATGAAAACCTCCAGCAAAGTCTGGCGTTGAGAAATATCCAACAGATAAAGAGCAGAAT
TCAAATGAAGAGGACAAGGTTCAAGCTAACTGTGCCCCCTGGCATCAAAAATGATGATAAAAAT
ATACTAACAACCTGGGGGGACACTATCTTCTCTATTGTACAGGAGGTGAAGAAACAAGAGAT
ACGATGGATTTAGAGAGCTCTAGTTCAAGAGGAAGAAAAAGAAGATGATGATGATGCATTAGTC
CCAGATAGCAAACAGGGGAAACCACAGTCAGCAACAGATTATAGTGACCCTGACAATGTAGAT
GATGGTCTTTTTTATTGTAGACATTCCTAAAAACAAATAATGACAAAGAAGTAAACGCAGAACAT
CACATTAAAGGAAAAGGGAGGGGAGTTTCAAGGAATCCAAGAGGGGCCTGGTACAAGATGAGACA
GAATTAGAGGATGAAAATCAAGAAGGCTTTAAAACAGAGCCATAAACTATGACCTCTGAGG
TTTCATTGGAAAAGAAAGTGTACTGTGCATTATCCATTACAGTAAAGGATTTTCATTGGCTTCAA
AATCCAAAAGTTTATTTTAAAAGGTTTGTGTTAGAACTAAGCTGCCTTGGCAGTGTGCATTT
TTGAGCCAAACAATTCAAAAATGTCATTTCTTCCCTAAATAAAAATCACCTTTTAAGCTAGAG
CGTCCTTACAACCTTGAAATGTGCAATAAAGAATACCTGTGTTTTAGCTAATGTAGCATATGT
AATTGCAAAATGATTTAGAATGTCATGAAAAATATGAACATTTCTGTGGAAATGCTTTAAGA
ACATGTATTTCCATTATCCTATTTTGTAGTGTACACCAGCTGAATACGGAGCAATGGTGTTTAT
AAGCGTTTTTTTAACTATCTGGTCACAAAGACTGTTACGCTAAAAATGTTTACTAAAAGATC
ACTAACTATCTCCCTCTTGCTGAAGTTCTTGTAGTAATAGCTCATAAAAATTTGTTTATT
AATATTTAAAAA

597/615

FIGURE 592

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150157
><subunit 1 of 1, 499 aa, 1 stop
><MW: 56471, pI: 4.31, NX(S/T): 2
MAAAPGLLVWLLVLRPWRVPGQLDPSTGRRFSEHKLCADDECSMMYRGEALEDFTGPDC
RFVNFKKGDPVYVYYKLARGWPEVWAGSVGRFTFGYFPKDLIQVVHEYTKHEELQVPTDETD
FVCFDGGRRDDFHNYNVEELLGFLELYNSAATDSEKAVEKTLQDMEKNPELSKEREPEPEP
VEANSEESDSVFSENTEDLQEQFTTQKHSHANSQANHAQGEQASFESFEEMLQDKLKVP
ESENKTSNSSQVSNEQDKIDAYKLLKKEMTLDLTKFGSTADALVSDDETTRLVTSLED
DFDEELDTYYYAVGKEDEENQEDFDELPLLTFTDGEDMKTPAKSGVEKYPTDKEQNSNEE
DKVQLTVPPGIKNDDKNILTTWGDTIFSIVTGGEETRDMDLESSSSEEEKEDDDDALVP
DSKQKGPKQSATDYSDDPNVDDGLFIVDIPKTNNDKEVNAEHHIKGKGRGVQESKRGVLVD
ETELEDENQEGFKTEPIKL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-glycosylation sites:

Amino acids 245-249;249-253

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 66-72

N-myristoylation sites:

Amino acids 392-398;469-475

Amidation site:

Amino acids 28-32

Aminoacyl-transfer RNA synthetases class-II signature 1:

Amino acids 47-70

598/615

FIGURE 593

GGGCCAGTAGAGTGTGTCTGGGTCAGCTGAGTGACTACATCAAAGCTCCCAGCCTTGAAAAAC
ACATGCTGTTCCCAGGCCTCAAGATATTGAAACATTAATTAGATAATTTAAAGTAGCGTTTTTC
TTCTACA**ATG**TCTGAAGAAGTGACCTACGCGACACTCACATTTTCAGGATTCTGCTGGAGCAAG
GAATAACCGAGATGGAAATAACCTAAGAAAAAGAGGGCATCCAGCTCCATCTCCCATTGCGC
TCATGCTGCTCTGGGCTCTGGTAACCTTTTGCCTGATGTTGCTGATTGGGCTGGTGACGTTGGG
GATGATGTTTTTGCAGATATCTAATGACATTAACCTCAGATTCAGAGAAATTGAGTCAACTTCA
GAAAACCATCCAACAGCAGCAGGATAACTTATCCCAGCAACTGGGCAACTCCAACAACCTTGTC
CATGGAGGAGGAATTTCTCAAGTCACAGATCTCCAGTCTACTGAAGAGGCAGGAACAAATGGC
CATCAAACCTGTGCCAAGAGCTAATCATTCTACTTTCAGACCACAGATGTAATCCATGTCCTAA
GATGTGGCAATGGTACCAAAATAGTTGCTACTATTTTACAACAAATGAGGAGAAAACCTGGGC
TAACAGTAGAAAAGGACTGCATAGACAAGAACTCCACCCTAGTGAAGATAGACAGTTTGGGAAGA
AAAGGATTTTCTTATGTCACAGCCATTACTCATGTTTTTCGTTCTTTTGGCTGGGATTATCATG
GGACTCCTCTGGCAGAAGTTGGTCTGGGAAGATGGCTCTGTTCCCTCTCCATCCTTGACGT
CTCTAACTAT**TGA**GGGTAAACACAAGCTTTCCATGGAATCCTGGGAAAATTAATAATGATTGT
GAGAATTATAAATACAGACATAAAAAGAGGAGTACAACATACTGAGAAAAGAGCTCCAGTAAC
AAATATTGAAAGGAGATTTAGTACTAAAGAACTTGACCAGATCAATGGATCCAAAGGATGTGC
TTATTTTCAAAAAGGAAATATTTATATTTCTCGCTGTAGTGCTGAAATTTTTTGGATTGCGA
GAAGACAGCTGCCCCAGTGAAGACTGAGGATTTGGATTAGTATGCTTCTTCAAATTCTCAA
GAAGTAAGAGACTTGTGAGTAAGCTCATATGAGGAAAGAGGAACTACGGTACCAGAGCAAGG
GCGAATTCTGCA

599/615

FIGURE 594

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150163
><subunit 1 of 1, 232 aa, 1 stop
><MW: 26754, pI: 5.80, NX(S/T): 3
MSEEVTYATLTFQDSAGARNNRDGNLRLKRGHPAPSPIWRHAALGLVTLCLMLLIGLVTL
GMMFLQISNDINSDEKLSQLQKTIQQQQDNLSQQLGNSNNLSMEEEFLLKSQISSLLKRQ
EQMAIKLCQELIIHTSDHRCNPCPKMWQWYQNSCYFTTNEEKTWANSRKDCIDKNSTLV
KIDSLEEKDFLMSQPLLMSFFWLGLSWDSSGRSWFWEDGSVPSPSLYVSNY
```

Important features of the protein:**Transmembrane domain:**

Amino acids 42-62

N-glycosylation sites:

Amino acids 91-95;101-105;176-180

N-myristoylation sites:

Amino acids 17-23;97-103

600/615

FIGURE 595

CGGACGCGTGGGGAAGAGGAGGAGGAGGAAGAAGACGTGGACAAGGACCCCCATCCTACCCAG
AACACCTGCCTGCGCTGCCGCCACTTCTCTTTAAGGGAGAGGAAAAGAGAGCCTAGGAGAACC
ATGGGGGGCTGCGAAGTCCGGGAATTTCTTTTGCAATTTGGTTTCTTCTTGCCATGCTGACA
GCGTGGCCAGGCGACTGCAGTCACGTCTCCAACAACCAAGTTGTGTTGCTTGATACAACAAC
GTACTGGGAGAGCTAGGATGGAAAACATATCCATTAAATGGGTGGGATGCCATCACTGAAATG
GATGAACATAATAGGCCCATTCACACATACCAGGTATGTAATGTAATGGAACCAAACCAAAAC
AACTGGCTTCGTACAAACTGGATCTCCCGTGATGCAGCTCAGAAAATTTATGTGGAAATGAAA
TTCACACTAAGGGATTGTAACAGCATCCCATGGGTCTTGGGGACTTGCAAAGAAACATTTAAT
CTGTTTTATATGGAATCAGATGAGTCCCACGGAATTAAATTCAAGCCAAACCAGTATACAAAG
ATCGACACAATTGCTGCTGATGAGAGTTTTACCCAGATGGATTGGGTGATCGCATCCTCAAA
CTCAACACTGAAATTCGTGAGGTGGGGCCTATAGAAAGGAAAGGATTTTATCTGGCTTTTCAA
GACATTGGGGCGTGCAATTGCCCTGGTTTCAGTCCGTGTTTTCTACAAGAAATGCCCCCTTCACT
GTTTCGTAACCTGGCCATGTTTCCTGATACCATTCCAAGGGTTGATTCCTCCTCTTTGGTTGAA
GTACGGGGTTCTTGTTGAAGAGTGCTGAAGAGCGTGACACTCCTAACTGTATTGTGGAGCT
GATGGAGATTGGCTGGTTCCTCTTGGAAGGTGCATCTGCAGTACAGGATATGAAGAAATTGAG
GGTTCTTGCCATGGAGCCTCCAAAGGCCGCTGCTTCTAGTTGGCCATCTTGGCCCCACCCCGA
AACAGTAACCTTTGAAGAATAAAAGAAAAAGCAAAAGAGTAGCATTACTAAAATATTAAACGG
TTACATTTACAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

601/615

FIGURE 596

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA153579
><subunit 1 of 1, 285 aa, 1 stop
><MW: 32368, pI: 5.32, NX(S/T): 0
MGGCEVREFLLQFGFFLEPMLTAWPGDCSHVSNNQVVLLDTTTVLGELGWKTYPLNGWDAI
TEMDEHNRPIHTYQVCNVMEPNQNNWLRTNWI SRDAAQKIYVEMKFTLRDCNSIPWVLGT
CKETFNLFYMESDESHGIKFKPNQYTKIDTIAADESFTQMDLGDRILKLNTEIREVGPIE
RKGFYLA FQDIGACIALVSVRVFYKKCPFTVRNLAMFPDTIPRVDSSSLVEVRGSCVKSA
EERDTPKLYCGADGDWLVPLGRCICSTGYEEIEGSCHGASKGRCF

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-myristoylation sites:

Amino acids 192-198;274-280;278-284

Receptor tyrosine kinase class V signature 1:

Amino acids 192-209

Ephrin receptor ligand binding domain:

Amino acids 34-207

602/615

FIGURE 597

ACACTGGCCAAACAAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCA
GGACAGAGAGTGCACAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGG
ATTCCAGCCCCCTGCCACCCACAGACACGGGCTGACTGGGGTGTCTGCCCCCTTGGGGGGGG
CAGCAGAGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCTGTGCCCTGGTTCTT
GCTGTCCTTGGCACTGGGCGGAAGCCAGTGGTCCCTTTCTCTGGAGAGGCTTGTGGGGCCTCA
GGACGCTACCCACTGCTCTCCGGGCCTCTCCTGCCGCCTCTGGGACAGTGACATACTCTGCCT
GCCTGGGGACATCGTGCCTGCTCCGGGCCCCGTGCTGGCGCCTACGCACCTGCAGACAGAGCT
GGTGCTGAGGTGCCAGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGC
CGTGCATGGGCACTGGGAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGG
GGTGGAGGAGCCTAGGAATGCCTCTCTCCAGGCCCAAGTCGTGCTCTCCTTCCAGGCCTACCC
TACTGCCCCGCTGCGTCTCTGCTGGAGGTGCAAGTGCCTGCTGCCCTTGTGCAGTTTGGTCAGTC
TGTGGGCTCTGTGGTATATGACTGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTC
CTATACTCAGCCAGGTACGAGAAGGAACTCAACCACACACAGCAGCTGCCTGCCCTGCCCTG
GCTCAACGTGTGAGCAGATGGTGACAACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCA
CTTCGGCCTCTCCCTGTACTGGAATCAGGTCCAGGGCCCCCAAACCCCGGTGGCACAACAAA
CCTGACTGGACCGCAGATCATTACCTTGAACCACACAGACCTGGTTCCTGCCTCTGTATTCA
GGTGTGGCCTCTGGAACCTGACTCCGTTAGGACGAACATCTGCCCTTCAGGGAGGACCCCCG
CGCACACCAGAACCTCTGGCAAGCCGCGGCTGCGACTGCTGACCCTGCAGAGCTGGCTGCT
GGACGCACCGTGCTCGCTGCCCGCAGAAGCGGCACTGTGCTGGCGGGCTCCGGGTGGGGACCC
CTGCCAGCCACTGGTCCCACCGCTTTCCTGGGAGAACGTCACTGTGGACAAGGTTCTCGAGTT
CCCATTGCTGAAAGGCCACCCTAACCTCTGTGTTTCAAGGTGAACAGCTCGGAGAAGCTGCAGCT
GCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCCTCTCAAAGACGATGTGCTACTGTTGGAGAC
ACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCTTGGAAACCCAGTGGCTGTACTTCACTACC
CAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTACAAGACCTGCAGTCAGG
CCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTGCCCCATGGACAAATA
CATCCACAAGCGCTGGGCCCTCGTGTGGCTGGCCTGCCTACTCTTTGCCGCTGCGCTTTCCCT
CATCTCCTTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAAACAGGACGTCCG
CTCGGGGGCGGCCGCCAGGGGCGCGCGGCTCTGCTCCTCTACTCAGCCGATGACTCGGGTTT
CGAGCGCCTGGTGGGCGCCCTGGCGTCCGGCCTGTGCCAGCTGCCGCTGCGCGTGGCCGTAGA
CCTGTGGAGCCGTCTGAACTGAGCGCGCAGGGGCCCCGTGGCTTGGTTTACGCGCAGCGGCG
CCAGACCCTGCAGGAGGGCGGCGTGGTGGTCTTGCTCTTCTCTCCCGGTGCGGTGGCGCTGTG
CAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCCGGGCGCACGGCCCGCACGACGCCTTCCG
CGCCTCGCTCAGCTGCGTGCTGCCCGACTTCTTGCAAGGCGGGCGCCCGGCAGCTACGTGGG
GGCCTGCTTCGACAGGCTGCTCCACCCGGACGCCGTACCCGCCCTTTTCCGCACCGTGCCCGT
TTTCACACTGCCCTCCCAACTGCCAGACTTCTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCG
TTCCGGGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTCAGCCAGCCCTGGATAG
CTACTTCCATCCCCCGGGGACTCCCGCGCGGGGACGCGGGGTGGGACCAGGGGCGGGACCTGG
GGCGGGGGACGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

603/615

FIGURE 598

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA164625
><subunit 1 of 1, 705 aa, 1 stop
/><MW: 76970, pI: 6.00, NX(S/T): 9
MPVPWFLLSLALGRSPVVLSELRLVGPQDATHCSPGLSCRLWDSILCLPGDIVPAPGP
VLAPTHLQTELVLRQCQKETDCDLCLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRN
ASLQAQVVLSFQAYPTARCVLLEVQVPAALVQFGQSVGSVVYDCFEAALGSEVRIWSYT
QPRYEKELNHTQQLPALPWLNVSAADGNVHLVNLVSEEQHFGLSLYWNQVQGPPKPRWH
KNLTGPQIITLNLHTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQNLWQAARLRLLT
LQSWLLDAPCSLPAEAALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPLLKGHPNLCV
QVNSSEKLQEQECLWADSLGPLKDDVLLLETRGPQDNRSLEPSGCTSLPSKASTRA
ARLGEYLLQDLQSGQCLQLWDDDLGALWACFMDKYIHKRWALVWLACLLFAAALSLILL
LKKDHAKGWLRLKQDVRSAAAARGRAALLYSADDSGFERLVGALASALCQLPLRVAV
DLWSRRELSAQGPVAFWFAQRRTLQEGGVVLLFSPGAVALCSEWLQDGVSGPGAHGP
HDAFRASLSCVLPDFLQGRAPGSYVGACFDRLLHPDAVPALFRTVPVFTLPSQLPDFLG
ALQQPRAPRSGRQLQERAEQVSRAEQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 453-473

N-glycosylation sites:Amino acids 118-122;186-190;198-202;211-215;238-242;
248-252;334-338;357-360;391-395;**Glycosaminoglycan attachment site:**

Amino acids 583-587

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 552-556

N-myristoylation sites:Amino acids 107-113;152-158;319-325;438-444;516-522;612-618;
692-698;696-702;700-706

604/615

FIGURE 599

GGTCCTTAATGGCAGCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTGC
TGTCCGGCTGGTCCCGGGCTGGGCGAGCCGACCCTCACTCTCTTTGCTATGACATCACCGTCA
TCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGGTTCAAGGCCAGGTGGATGAAAAGACTT
TTCTTCACTATGACTGTGGCAACAAGACAGTCACACCTGTCAGTCCCCTGGGGAAGAACTAA
ATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACTTACAG
AGCAACTGCGTGACATTGAGCTGGAGAATTACACACCCAAGGAACCCCTCACCTGCAGGCAA
GGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGTTTCGATG
GGCAGATCTTCCTCCTCTTTGACTCAGAGAAGAGAATGTGGACAACGGTTCATCCTGGAGCCA
GAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTGTGGCCATGTCCTTCCATTACTTCTCAA
TGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACAGCACCCCTGGAGCCAA
GTGCAGGAGCACCACTCGCCATGTCCTCAGGCACAACCCAACCTCAGGGCCACAGCCACCACCC
TCATCCTTTGCTGCCTCCTCATCATCCTCCCTGCTTCATCCTCCCTGGCATCTGAGGAGAGT
CCTTTAGAGTGACAGGTTAAAGCTGATACCAAAGGCTCCTGTGAGCACGGTCTTGATCAAAC
TCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGTGGCCTCCAGCAGAT
CATGATGACATCATGGACCCAATAGCTCATTCACTGCCTTGATTCCTTTTGCCAACAATTTTA
CCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACCTGATGGAATTCCTGCA
CTTAAAGTTCTGGCTGACTAAACAAGATATATCATTTTCTTCTCTTTTTGTTTGGAAAA
TCAAGTACTTCTTTGAATGATGATCTCTTTCTTGCAAATGATATTGTCAGTAAAATAATCACG
TTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAGAATTTTAAATTATTTAAT
AAGAAAAAATTTATATTAATGATTGTTTCCTTTAGTAATTTATGTTCTGTACTGATATTTAA
ATAAAGAGTTCTATTTCCCAAAAAAAAAAAAAAAAAAAAA

605/615

FIGURE 600

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWCAVQGQVDEKTFLLH
YDCGNKTVTPVSPLGKKLNVTTAWKAQNPVLRVVDILTEQLRDIQLENYTPKEPLTLQARMS
CEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMS FHYFSMGD
CIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

Important features:**Signal peptide:**

amino acids 1-25

Transmembrane domain:

amino acids 224-246

N-glycosylation site.

amino acids 68-72, 82-86

N-myristoylation site.

amino acids 200-206, 210-216

Amidation site.

amino acids 77-81

606/615

FIGURE 601

GCAGTCAGAGACTTCCCCTGCCCCTCGCTGGGAAAGAACATTAGGAATGCCTTTTAGTGCCTT
GCTTCCTGAACTAGCTCACAGTAGCCCGGCGGCCAGGGCAATCCGACCACATTTCACTCTCA
CCGCTGTAGGAATCCAGATGCAGGCCAAGTACAGCAGCACGAGGGACATGCTGGATGATGATG
GGGACACCACCATGAGCCTGCATTCTCAAGCCTCTGCCACAACCTCGGCATCCAGAGCCCCGGC
GCACAGAGCACAGGGCTCCCTCTTCAACGTGGCGACCAGTGGCCCTGACCCTGCTGACTTTGT
GCTTGGTGCTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTTCAGTACTACCAGCTCT
CCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAAGATTAGGAAATACGTCCCCAAGAGT
TGCAATCTCTTCAAGTCCAGAATATAAAGCTTGCAGGAAGTCTGCAGCATGTGGCTGAAAAAC
TCTGTCGTGAGCTGTATAACAAAGCTGGAGCACACAGGTGCAGCCCTTGTACAGAACAAATGGA
AATGGCATGGAGACAATTGCTACCAGTTCTATAAAGACAGCAAAAGTTGGGAGGACTGTAAAT
ATTTCTGCCTTAGTGAAGAACTCTACCATGCTGAAGATAAAACAAACAAGAAGACCTGGAATTTG
CCGCGTCTCAGAGCTACTCTGAGTTTTTCTACTCTTATTGGACAGGGCTTTTGCGCCCTGACA
GTGGCAAGGCCTGGCTGTGGATGGATGGAACCCCTTTCACTTCTGAACTGTTCCATATTATAA
TAGATGTCACCAGCCCAAGAAGCAGAGACTGTGTGGCCATCCTCAATGGGATGATCTTCTCAA
AGGACTGCAAAGAATTGAAGCGTTGTGTCTGTGAGAGAAGGGCAGGAATGGTGAAGCCAGAGA
GCCTCCATGTCCCCCTGAAACATTAGGCGAAGGTGACTGATTTCGCCCTCTGCAACTACAAAT
AGCAGAGTGAGCCAGGCGGTGCCAAAGCAAGGGCTAGTTGAGACATTGGGAAATGGAACATAA
TCAGGAAAGACTATCTCTCTGACTAGTACAAAATGGGTCTCTCGTGTTCCTGTTTCAGGATCAC
CAGCATTTCTGAGCTTGGGTTTATGCACGTATTTAACAGTCACAAGAAGTCTTATTTACATGC
CACCAACCAACCTCAGAAACCCATAATGTCATCTGCCTTCTTGGCTTAGAGATAACTTTTAGC
TCTCTTTCTTCTCAATGTCTAATATCACCTCCCTGTTTTTCATGTCTTCCTTACACTTGGTGGA
ATAAGAACTTTTTGAAGTAGAGGAAATACATTGAGGTAAACATCCTTTTCTCTGACAGTCAAG
TAGTCCATCAGAAATTGGCAGTCACTTCCCAGATTGTACCAGCAAATACACAAGGAATTCTTT
TTGTTTGTTCAGTTCATACTAGTCCCTTCCCAATCCATCAGTAAAGACCCCATCTGCCTTGT
CCATGCCGTTTCCCAACAGGGATGTCACCTTGATATGAGAATCTCAAATCTCAATGCCTTATAA
GCATTCTTCCTGTGTCCATTAAAGACTCTGATAATTGTCTCCCCTCCATAGGAATTTCTCCCA
GGAAAGAAATATATCCCCATCTCCGTTTCATATCAGAACTACCGTCCCCGATATTCCTTCAG
AGAGATTAAAGACCAGAAAAAAGTGAGCCTCTTCATCTGCACCTGTAATAGTTTCAGTTCCTA
TTTTCTTCATTGACCCATATTTATACCTTTCAGGTACTGAAGATTTAATAATAATAAATGTA
AATACTGTGAAAAA

607/615

FIGURE 602

MQAKYSSTRDMLDDDGD TTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCIVLLI
GLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLQHVAEKLCRELY
NKAGAHRCSPCTEQWKWHGDNCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAASQSY
SEFFYSYWTGLLRPDSGKAWLWMDGTPFTSELFHIIIDVTSPRSRDCVAILNGMIFSKDCKEL
KRCVCERRAGMVKPESLHVPPETLGEGD

608/615

FIGURE 603

GGGAGAGAGGATAAATAGCAGCGTGGCTTCCCTGGCTCCTCTCTGCATCCTTCCCGACCTTCC
CAGCAATATGCATCTTGCACGTCTGGTCGGCTCCTGCTCCCTCCTTCTGCTACTGGGGGCCCT
GTCTGGATGGGCGGCCAGCGATGACCCCATGAGAAGGTCATTGAAGGGATCAACCGAGGGCT
GAGCAATGCAGAGAGAGAGGTGGGCAAGGCCCTGGATGGCATCAACAGTGGAATCACGCATGC
CGGAAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACCGGCAAGGA
GTTGGACAAAGGCGTCCAGGGGCTCAACCACGGCATGGACAAGGTTGCCCATGAGATCAACCA
TGGTATTGGACAAGCAGGAAAGGAAGCAGAGAAGCTTGGCCATGGGGTCAACAACGCTGCTGG
ACAGGCCGGGAAGGAAGCAGACAAAGCGGTCCAAGGGTTCCACACTGGGGTCCACCAGGCTGG
GAAGGAAGCAGAGAACTTGGCCAAGGGGTCAACCATGCTGCTGACCAGGCTGGAAAGGAAGT
GGAGAAGCTTGGCCAAGGTGCCCACCATGCTGCTGGCCAGGCCGGGAAGGAGCTGCAGAATGC
TCATAATGGGGTCAACCAAGCCAGCAAGGAGGCCAACCAGCTGCTGAATGGCAACCATCAAAG
CGGATCTTCCAGCCATCAAGGAGGGGCCACAACCACGCCGTTAGCCTCTGGGGCCTCAGTCAA
CACGCCTTTCATCAACCTTCCCGCCCTGTGGAGGAGCGTCGCCAACATCATGCCCTAAACTGG
CATCCGGCCTTGCTGGGAGAATAATGTCGCCGTTGTCACATCAGCTGACATGACCTGGAGGGG
TTGGGGGTGGGGGACAGGTTTCTGAAATCCCTGAAGGGGGTTGTACTGGGATTTGTGAATAAA
CTTGATACACCA

609/615

FIGURE 604

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66675
><subunit 1 of 1, 247 aa, 1 stop
><MW: 25335, pI: 7.00, NX(S/T): 0
MHLARLVGSCSLLLLLGALSGWAASDDPIEKVIEGINRGLSNAEREVKGKALDGINSGITHAGR
EVEKVFNGLSNMGSHTGKELDKGVQGLNHGMDKVAHEINHGIGQAGKEAEKLGHGVNNAAGQA
GKEADKAVQGFHTGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAGKELQNAHN
GVNQASKEANQLLNGNHQSGSSSHQGGATTTPLASGASVNTPFINLPALWRSVANIMP
```

Important features of the protein:

Signal peptide:

amino acids 1-25

Homologous region to circumsporozoite (CS) repeats:

amino acids 35-225

610/615

FIGURE 605

GCGACGCGCGGCGGGGCGGCGAGAGGAAACGCGGCGCCGGGCGGGCCCGGCCCTGGAGATGG
TCCCCGCGCGCGGGCTGGTGTGTCTCGTGCTCTGGCTCCCCGCGTGCGTGC GGCCACG
GCTTCCGTATCCATGATTATTTGTACTTTCAAGTGCTGAGTCCTGGGGACATTCGATACATCT
TCACAGCCACACCTGCCAAGGACTTTGGTGGTATCTTTACACAAGGTATGAGCAGATTCACC
TTGTCCCCGCTGAACCTCCAGAGGCCTGCGGGGAACTCAGCAACGGTTTCTTCATCCAGGACC
AGATTGCTCTGGTGGAGAGGGGGGGCTGCTCCTTCCTCTCCAAGACTCGGGTGGTCCAGGAGC
ACGGCGGGCGGGCGGTGATCATCTCTGACAACGCAGTTGACAATGACAGCTTCTACGTGGAGA
TGATCCAGGACAGTACCCAGCGCACAGCTGACATCCCCGCCCTCTTCCTGCTCGGCCGAGACG
GCTACATGATCCGCCGCTCTCTGGAACAGCATGGGCTGCCATGGGCCATCATTTCCATCCCAG
TCAATGTCACCAGCATCCCCACCTTTGAGCTGCTGCAACCGCCCTGGACCTTCTGGTAGAAGA
GTTTGTCCCACATTCCAGCCATAAGTGACTCTGAGCTGGGAAGGGGAAACCCAGGAATTTTGC
TACTTGGAATTTGGAGATAGCATCTGGGGACAAGTGGAGCCAGGTAGAGGAAAAGGGTTTGGG
CGTTGCTAGGCTGAAAGGGAAGCCACACCACTGGCCTTCCCTTCCCCAGGGCCCCCAAGGGTG
TCTCATGCTACAAGAAGAGGCAAGAGACAGGCCCCAGGGCTTCTGGCTAGAACCCGAAACAAA
AGGAGCTGAAGGCAGGTGGCCTGAGAGCCATCTGTGACCTGTCACACTCACCTGGCTCCAGCC
TCCCCTACCCAGGGTCTCTGCACAGTGACCTTCACAGCAGTTGTTGGAGTGGTTTAAAGAGCT
GGTGTGTTGGGGACTCAATAAACCTCACTGACTTTTGTAGCAATAAAGCTTCTCATCAGGGTTG
CAAAAAAAAAAAAAAAAAAAAAAAAAA

611/615

FIGURE 606

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76532

><subunit 1 of 1, 188 aa, 1 stop

><MW: 21042, pI: 5.36, NX(S/T): 2

MVPGAAGWCCLVLWLPACVAAHGFRIHDYLYFQVLSPGDIRYIFTATPAKDFGGIFHTRYEQI

HLVPAEPPEACGELSNGFFIQDQIALVERGGCSFLSKTRVVQEHGGRAVIISDNAVDNDSFYV

EMIQDSTQRTADIPALFLLGRDGYMIRRSLEQHGLPWAIISIPVNVTSIPTFELLQPPWTFW

Signal peptide:

amino acids 1-20

612/615

FIGURE 607

GCATTTGCCACTGGTTGCAGATCAGGCGGACGAGGAGCCGGGAAGGCAGAGCCATGTGGCTGC
CCCCCTGCTCTGCTCCTTCTCAGCCTCTCAGGCTGTTTCTCCATCCAAGGCCAGAGTCTGTGA
GAGCCCCAGAGCAGGGGTCCCTGACGGTTCAATGCCACTATAAGCAAGGATGGGAGACCTACA
TTAAGTGGTGGTGCCGAGGGGTGCGCTGGGATACATGCAAGATCCTCATTGAAACCAGAGGGT
CGGAGCAAGGAGAGAAGAGTGACCGTGTGTCCATCAAGGACAATCAGAAAGACCGCACGTTCA
CTGTGACCATGGAGGGGCTCAGGCGAGATGACGCAGATGTTTACTGGTGTGGGATTGAAAGAA
GAGGACCTGACCTTGGGACTCAAGTGAAAGTGATCGTTGACCCAGAGGGAGCGGCTTCCACAA
CAGCAAGCTCACCTACCAACAGCAATATGGCAGTGTTTCATCGGCTCCACAAAGAGGAACCACT
ACATGCTCCTGGTATTTGTGAAGGTGCCCATCTTGCTCATCTTGGTCACTGCCATCCTCTGGT
TGAAGGGGTCTCAGAGGGTCCCTGAGGAGCCAGGGGAACAGCCTATCTACATGAACTTCTCCG
AACCTCTGACTAAAAGACATGGCCACTTAGAGAGATGGATCTGCAGAGCCTTCTGCCCTGGCC
ACGTTTCCAGAAGAGACTCGGGCTGTGGAAGGAACATCTACGAGTCCTCGGGATGCAGTGA
GAGATAGGGGCCCTGGGCCTCCGCCCTGGCCTTGGAGCTGGTGGGCACCTCCCTGTTCTGCAC
AGCTCAGGGACTTAGCCAGGTCTCTCCTGAGCCACCATCACCTCCTGGGGTGCCAGCACCTG
TTCTCTTGGTCAGGAGCTGTAGAGATGGAGCTCAAGCACTGGACGACTCTGTCCCCACTGCTG
GAATAACTCGGGCACAGAGCATGGGACCAAAGTACAGAAAGAGGTGGGGGAGACCCCCCAG
CCCTAGACTTCCATCATTCCGGAGACCAACTCAACACCGTCTTTGCCTGAGAACCTGATATATCC
GTGTTTTTAAATTTTTTTTTTTCTAGCAAAGTTGGGTTTTAATGACTTATGTTTCATAGGAAAC
CTCTCTGATCCCACACACAAGGAGGGTGATTCTGGGATGAGTTCCTGGTTCTAGGGCATGAGG
GGCTGGATGGACCCTGTCCCCAGGGAGGACATGGCTCTGAGTCCACAGGGCTGAGGAGGCAAT
GGGAACCTCCCTGGCCCCGGCCCGGTGCTTGTCTCCCCCTCCACCTCTTCTCCTCCTAGCT
CCCCAAGCTCCCTGCCTATTCCCCCACCTCCGAGGGGCTGCAGCTTGGGAGCCTCCTCAGCAT
GACAGCTTGGGTCTCCTCCCCAAAAGAGCCTGTGAGCCTCAAGAACCACCTCCAGGTGGGGA
GGGCAGTAACGAAAACCATCGCAGGAAATGGCACCCCTCCCTTTTCGGTGATGTTGAAATCATG
TTACTAATGAAAAGTGTCTAGGGAAAGTGGTTCTGTCTCCTCACAGGCTTCACCCACGGCGAT
GAGGCCCTTGAATGTGGTCACTTTGTGCTGTATGGTTGAGGGACCTCACACCAAAGGGACCT
TCCCATGTGAGATGTGCTCCCGCCCCCACCTGCCCAAGCAAAACACACCACACATGTTCCGGC
ATGTTGCCCTTTGAACACCCATGAGGACGCCTCCAACCTGCTCTTGGTTCTAATAGGGAGTAC
TGACTGTCAGCAGTGGATAAAGGAGAGGGGACCCTCTGGTCCCTAGCATGGCACCCAGAGCCT
CCCCTCTTCTTGTCTTCAGCCAAAGAGAACTTTCTCTGACTTTGAACTGAATTTAGGTCTC
TGGCCAATGATGGGCCTGAAAATTCCATAATGGCCAGAGAGGAGAGTTTCGAGCCCGGCTAAGA
TCCCCTGAGTCATTCTGTGAGGGACCAAGACCCACAGTCCACCAGCCCCAGGGCCCTACCTCC
TGGAATGCTTTCCTGGATCCAGCTTCCCGAAGATCCGACCAGACCCAGGGAGGACGGCACCGC
TCCGCGGGAGGGAAAGCCAAAGCATGGTGCTTACCAGCTGGACTCAGGGGCGAGGGGACATG
GGCGCTTGTCAACGTGATGTATTCTTTCCACCGTTTCTTCTGTTGATATTCAATGAATC
CGTCAATCTCTCTGGGAAA

613/615

FIGURE 608

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA105849
><subunit 1 of 1, 201 aa, 1 stop
><MW: 22689, pI: 7.41, NX(S/T): 1
MWLPPALLLLSLSGCFSIQGPESVRAPEQGS�TVQCHYKQGWETIYIKWWCRGVRWDTCKI
LIETRGSEQGEKSDRVSIKDNQKDRFTFTVTMEGLRRDDADVWCGIERRGPDLTQVKVI
VDPEGAASTTASSPTNSNMAVFIGSHKRNHYMLLVFVKVPILLILVTAILWLKGSQRVPE
EPGEQPIYMNFFSEPLTKDMAT
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domain:

Amino acids 151-170

N-glycosylation site:

Amino acids 190-194

Tyrosine kinase phosphorylation site:

Amino acids 95-103

N-myristoylation sites:

Amino acids 66-72;125-131

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 5-16

614/615

FIGURE 609

GATGGCGCAGCCACAGCTTCTGTGAGATTGATTTCTCCCCAGTTCCCCTGTGGGTCTGAGGG
GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAA
ACAAGTTTTTGACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTT
CCAGGCCTTACCTGCTGGGCACCTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG
ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAG
GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTTCAAGCCTAAGATGAAAGCCTCTAGT
CTTGCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG
ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT
GAGATACGGGGCAGTGTGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACT
GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCTCCTGCGCCATTTGCTAAGACTC
TATCTGGACAGGGTATTTAAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC
AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCTCATGCCCACATGACA
TGCCATTGTGGGGAGGAAGCAATGAAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTG
GAACCTCAGGCAGCAGTTGTGAAGGCTTTGGGGGAAGTAGACATTCTTCTGCAATGGATGGAG
GAGACAGAATAGGAGGAAAGTGATGCTGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT
TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTACTGTACTAGTCTTGTGCT
GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGCATGATTGTCTTTATGCATCCCC
AATCTTAATTGAGACCATACTTGTATAAGATTTTGTAAATATCTTTCTGCTATTGGATATATT
TATTAGTTAATATATTTATTTATTTTTTGTATTTAATGTATTTATTTTTTTACTTGGACATG
AACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTTAT
ACAGTAAAAAATAACCTTGTAATTCTAGAAGAGTGGCTAGGGGGGTTATTCATTTGTAT
TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC
TACTTAGGATGGGTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG
ACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAGCCAGGAATCCTACACGG
CCAGCATGTATTTCTACAAATAAAGTTTTTCTTTGCATACCAAAAAAAAAAAAAAAAAAAAA

615/615

FIGURE 610

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83500
><subunit 1 of 1, 261 aa, 1 stop
><MW: 29667, pI: 8.76, NX(S/T): 0
MRQFPKTSFDISPEMSFSIYSLOVPAVPGLTCWALTAEPGWGQNKGATTCATNSHSDSEL
RPEIFSSREAWQFFLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVI
ATNLQEIRNGFSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVF
KNYQTPDHYTLRKISSLANSTLTIKKDLRLSHAMTCHCGEAMKKYSQILSHFEKLEPQ
AAVVKALGELDILLQWMEETE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 192-196;225-229

N-myristoylation sites:

Amino acids 42-48;46-52;136-142

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/068848 A3

- (51) International Patent Classification⁷: C12N 15/12, 15/62, C07K 14/47, 14/705, 16/18, G01N 33/53, C12Q 1/68
- (21) International Application Number: PCT/US01/06520
- (22) International Filing Date: 28 February 2001 (28.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|----------------|-----------------------------|----|
| PCT/US00/05601 | 1 March 2000 (01.03.2000) | US |
| PCT/US00/05841 | 2 March 2000 (02.03.2000) | US |
| 60/187,202 | 3 March 2000 (03.03.2000) | US |
| 60/186,968 | 6 March 2000 (06.03.2000) | US |
| 60/189,328 | 14 March 2000 (14.03.2000) | US |
| 60/189,320 | 14 March 2000 (14.03.2000) | US |
| PCT/US00/06884 | 15 March 2000 (15.03.2000) | US |
| 60/191,048 | 21 March 2000 (21.03.2000) | US |
| 60/190,828 | 21 March 2000 (21.03.2000) | US |
| 60/191,314 | 21 March 2000 (21.03.2000) | US |
| 60/191,007 | 21 March 2000 (21.03.2000) | US |
| 60/192,655 | 28 March 2000 (28.03.2000) | US |
| 60/193,032 | 29 March 2000 (29.03.2000) | US |
| 60/193,053 | 29 March 2000 (29.03.2000) | US |
| PCT/US00/08439 | 30 March 2000 (30.03.2000) | US |
| 60/194,647 | 4 April 2000 (04.04.2000) | US |
| 60/194,449 | 4 April 2000 (04.04.2000) | US |
| 60/196,820 | 11 April 2000 (11.04.2000) | US |
| 60/195,975 | 11 April 2000 (11.04.2000) | US |
| 60/196,000 | 11 April 2000 (11.04.2000) | US |
| 60/196,187 | 11 April 2000 (11.04.2000) | US |
| 60/196,690 | 11 April 2000 (11.04.2000) | US |
| 60/198,121 | 18 April 2000 (18.04.2000) | US |
| 60/198,585 | 18 April 2000 (18.04.2000) | US |
| 60/199,654 | 25 April 2000 (25.04.2000) | US |
| 60/199,397 | 25 April 2000 (25.04.2000) | US |
| 60/199,550 | 25 April 2000 (25.04.2000) | US |
| 60/201,516 | 3 May 2000 (03.05.2000) | US |
| PCT/US00/13705 | 17 May 2000 (17.05.2000) | US |
| PCT/US00/14042 | 22 May 2000 (22.05.2000) | US |
| PCT/US00/14941 | 30 May 2000 (30.05.2000) | US |
| PCT/US00/15264 | 2 June 2000 (02.06.2000) | US |
| 60/209,832 | 5 June 2000 (05.06.2000) | US |
| PCT/US00/20710 | 28 July 2000 (28.07.2000) | US |
| 09/644,848 | 22 August 2000 (22.08.2000) | US |
| PCT/US00/23328 | 24 August 2000 (24.08.2000) | US |
- (60/000,000 15 September 2000 (15.09.2000) US
PCT/US00/30952
8 November 2000 (08.11.2000) US
PCT/US00/32678
1 December 2000 (01.12.2000) US
PCT/US00/34956
20 December 2000 (20.12.2000) US
- (71) Applicant (for all designated States except US): GENENTECH, INC. [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BAKER, Kevin, P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). CHEN, Jian [US/US]; 121 York Drive, Princeton, NJ 08540 (US). DESNOYERS, Luc [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). GODDARD, Audrey [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). GODOWSKI, Paul, J. [US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US). GURNEY, Austin, L. [US/US]; 1 Debbie Lane, Belmont, CA 94002 (US). PAN, James [CA/US]; 2705 Coronet Boulevard, Belmont, CA 94002 (US). SMITH, Victoria [AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US). WATANABE, Colin, K. [US/US]; 128 Corliss Drive, Moraga, CA 94556 (US). WOOD, William, I. [US/US]; 35 Southdown Court, Hillsborough, CA 94010 (US). ZHANG, Zemin [CN/US]; 876 Taurus Drive, Foster City, CA 94404 (US).
- (74) Agents: BARNES, Elizabeth, M. et al.; c/o Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.



WO 01/068848 A3



Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(88) Date of publication of the international search report:

29 August 2002

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/06520

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C12N15/62 C07K14/47 C07K14/705 C07K16/18
 G01N33/53 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K C12Q G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, SEQUENCE SEARCH

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 63088 A (BAKER KEVIN ;CHEN JIAN (US); GENENTECH INC (US); YUAN JEAN (US); G) 9 December 1999 (1999-12-09) page 1 -page 2; claims 1-26; figures 3,4; examples 1-3,5,139-147 page 281 -page 284 page 305 -page 314 page 345 -page 373 ---	1-24
X	WO 99 54461 A (SCHMITT ARMIN ;SPECHT THOMAS (DE); DAHL EDGAR (DE); HINZMANN BERND) 28 October 1999 (1999-10-28) page 1 -page 7; claims 1-38; figures 1-5; examples 1-4 see SEQ ID NO: 53 (pp.215 and 216), SEQ ID NO: 300 (pp. 350 and 351) page 163 --- -/--	1-24

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

28 February 2002

Date of mailing of the international search report

06. 06. 2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Oderwald, H

INTERNATIONAL SEARCH REPORT

Internatic..... Application No

PCT/US 01/06520

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X, L	WO 00 73454 A (GENENTECH INC) 7 December 2000 (2000-12-07) page 1 -page 2; claims 1-118; figures 3,4; examples 1-3,5,139-172 page 43 -page 44 page 283 -page 288 page 304 -page 316 page 338 page 371 -page 398 ---	1-24
P,X	WO 00 58473 A (CURAGEN CORP ;LEACH MARTIN (US); SHIMKETS RICHARD A (US)) 5 October 2000 (2000-10-05) see SEQ ID NOs: 3231 and 3232 (pp. 2436 and 2437) page 1 -page 4; claims 1-32 ---	1-24
E	WO 01 57190 A (CAO YICHENG ;CHEN RUI HONG (US); GOODRICH RYLE (US); HYSEQ INC (US) 9 August 2001 (2001-08-09) page 1 -page 97; claims 1-28; examples 1-9 -& DATABASE EM GSN [Online] EBI, Hinxton, UK; AC/ID AAK52618, "SEQ ID NO: 2147" XP002191775 abstract -& DATABASE EM GSP [Online] EBI, Hinxton, UK; AC/ID AAM78501, "SEQ ID NO: 1163" XP002191776 abstract -----	1-24

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 01/06520

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

Although claims 20 and 21 are directed to a method of treatment of the human/animal body (in so far as in vivo methods are concerned), the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-24 (all partially)

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1: claims 1-24 partially

An isolated nucleic acid SEQ ID NO: 1 which encodes amino acid sequence SEQ ID NO: 2. A vector, a host cell, a process for producing a polypeptide, an isolated polypeptide encoded by said nucleic acid. A chimeric molecule, an antibody, methods for stimulating the release of TNF-alpha, for stimulating the proliferation or differentiation, for detecting the presence of tumor, an oligonucleotide probe.

Inventions 2-305: claims 1-24 partially

same as invention 1 but comprising the polynucleotide and amino acid sequence in the order given in claims 1 and 2 (invention 2 is limited to SEQ ID NO: 3 and 4 and invention 305 is limited to SEQ ID NO: 609 and 610).

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/06520

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9963088	A	09-12-1999	AU 4328699 A	20-12-1999
			CA 2328895 A1	09-12-1999
			WO 9963088 A2	09-12-1999
			AU 2212299 A	26-07-1999
			WO 9935170 A2	15-07-1999

WO 9954461	A	28-10-1999	DE 19817948 A1	21-10-1999
			WO 9954461 A2	28-10-1999
			EP 1071775 A2	31-01-2001

WO 0073454	A	07-12-2000	AU 1748200 A	19-06-2000
			AU 1932000 A	03-07-2000
			AU 2192800 A	12-07-2000
			AU 2215300 A	28-12-2000
			AU 2495200 A	28-09-2000
			AU 2600800 A	28-09-2000
			AU 2879400 A	31-07-2001
			AU 3246100 A	28-12-2000
			AU 3381600 A	28-09-2000
			AU 3514400 A	28-09-2000
			AU 3774300 A	18-12-2000
			AU 4328699 A	20-12-1999
			AU 5441200 A	18-12-2000
			AU 5460100 A	18-12-2000
			AU 5591100 A	18-12-2000
			EP 1173563 A1	23-01-2002
			EP 1159419 A1	05-12-2001
			EP 1185648 A2	13-03-2002
			EP 1135485 A2	26-09-2001
			EP 1141285 A2	10-10-2001
			EP 1141289 A2	10-10-2001
			WO 0053753 A2	14-09-2000
			WO 0053755 A2	14-09-2000
			WO 0153486 A1	26-07-2001
			WO 0075327 A1	14-12-2000
			WO 0053757 A2	14-09-2000
			WO 0053758 A2	14-09-2000
			WO 0073454 A1	07-12-2000
			WO 0073445 A2	07-12-2000
			WO 0073348 A2	07-12-2000
			WO 0073452 A2	07-12-2000
			WO 0032221 A2	08-06-2000
			WO 0036102 A2	22-06-2000
			WO 0037640 A2	29-06-2000
			WO 0075316 A1	14-12-2000
			US 2002058309 A1	16-05-2002
			AU 2883600 A	28-09-2000
			AU 2883700 A	09-01-2001
			WO 0053756 A2	14-09-2000
			WO 0078961 A1	28-12-2000
			AU 2883900 A	30-01-2001
			WO 0104311 A1	18-01-2001
			AU 1749800 A	04-10-2000
			AU 1749900 A	12-07-2000
			AU 2390700 A	05-02-2001
			AU 2399300 A	28-09-2000
			AU 3107000 A	19-06-2000
			AU 4011300 A	05-02-2001

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/06520

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0058473	A	05-10-2000	AU 3774500 A	16-10-2000
			EP 1165784 A2	02-01-2002
			WO 0058473 A2	05-10-2000

WO 0157190	A	09-08-2001	AU 2591801 A	31-07-2001
			AU 3128801 A	14-08-2001
			AU 3297101 A	07-08-2001
			AU 3300301 A	07-08-2001
			AU 3329301 A	14-08-2001
			AU 3484701 A	14-08-2001
			AU 3484801 A	14-08-2001
			AU 3486501 A	14-08-2001
			AU 3494401 A	14-08-2001
			AU 3665801 A	14-08-2001
			AU 3666001 A	14-08-2001
			AU 3666301 A	14-08-2001
			AU 3672101 A	14-08-2001
			AU 4314201 A	14-08-2001
			WO 0153326 A1	26-07-2001
			WO 0155334 A2	02-08-2001
			WO 0155335 A2	02-08-2001
			WO 0157255 A1	09-08-2001
			WO 0157260 A1	09-08-2001
			WO 0157175 A2	09-08-2001
			WO 0157261 A1	09-08-2001
			WO 0157262 A1	09-08-2001
			WO 0157187 A2	09-08-2001
			WO 0157265 A1	09-08-2001
			WO 0157188 A2	09-08-2001
			WO 0157266 A1	09-08-2001
			WO 0157267 A1	09-08-2001
			WO 0157190 A2	09-08-2001
